


5.2G WIFI


Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)
NVNT	a	5180	Ant1	98.2	0.08
NVNT	a	5200	Ant1	98.2	0.08
NVNT	a	5240	Ant1	98.2	0.08
NVNT	ac20	5180	Ant1	98.1	0.08
NVNT	ac20	5200	Ant1	98.07	0.08
NVNT	ac20	5240	Ant1	98.1	0.08
NVNT	ac40	5190	Ant1	94.99	0.22
NVNT	ac40	5230	Ant1	94.19	0.26
NVNT	ac80	5210	Ant1	80.07	0.97
NVNT	n20	5180	Ant1	98.07	0.08
NVNT	n20	5200	Ant1	98.06	0.09
NVNT	n20	5240	Ant1	98.09	0.08
NVNT	n40	5190	Ant1	92.55	0.34
NVNT	n40	5230	Ant1	96.33	0.16


Duty Cycle NVNT a 5180MHz Ant1




Duty Cycle NVNT a 5200MHz Ant1




Duty Cycle NVNT a 5240MHz Ant1




Duty Cycle NVNT ac20 5180MHz Ant1




Duty Cycle NVNT ac20 5200MHz Ant1




Duty Cycle NVNT ac20 5240MHz Ant1




Duty Cycle NVNT ac40 5190MHz Ant1




Duty Cycle NVNT ac40 5230MHz Ant1




Duty Cycle NVNT ac80 5210MHz Ant1




Duty Cycle NVNT n20 5180MHz Ant1




Duty Cycle NVNT n20 5200MHz Ant1




Duty Cycle NVNT n20 5240MHz Ant1



Duty Cycle NVNT n40 5190MHz Ant1




Duty Cycle NVNT n40 5230MHz Ant1




Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	10.696	0.08	10.776	24	Pass
NVNT	a	5200	Ant1	10.745	0.08	10.825	24	Pass
NVNT	a	5240	Ant1	10.109	0.08	10.189	24	Pass
NVNT	ac20	5180	Ant1	11.008	0.08	11.088	24	Pass
NVNT	ac20	5200	Ant1	10.663	0.08	10.743	24	Pass
NVNT	ac20	5240	Ant1	9.605	0.08	9.685	24	Pass
NVNT	ac40	5190	Ant1	10.593	0.22	10.813	24	Pass
NVNT	ac40	5230	Ant1	9.286	0.26	9.546	24	Pass
NVNT	ac80	5210	Ant1	7.764	0.97	8.734	24	Pass
NVNT	n20	5180	Ant1	10.633	0.08	10.713	24	Pass
NVNT	n20	5200	Ant1	10.627	0.09	10.717	24	Pass
NVNT	n20	5240	Ant1	10.01	0.08	10.09	24	Pass
NVNT	n40	5190	Ant1	10.197	0.34	10.537	24	Pass
NVNT	n40	5230	Ant1	9.261	0.16	9.421	24	Pass


Power NVNT a 5180MHz Ant1




Power NVNT a 5200MHz Ant1




Power NVNT a 5240MHz Ant1




Power NVNT ac20 5180MHz Ant1




Power NVNT ac20 5200MHz Ant1




Power NVNT ac20 5240MHz Ant1




Power NVNT ac40 5190MHz Ant1




Power NVNT ac40 5230MHz Ant1




Power NVNT ac80 5210MHz Ant1




Power NVNT n20 5180MHz Ant1




Power NVNT n20 5200MHz Ant1




Power NVNT n20 5240MHz Ant1



Power NVNT n40 5190MHz Ant1



Power NVNT n40 5230MHz Ant1




-26dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	Ant1	22.417	0.5	Pass
NVNT	a	5200	Ant1	22.291	0.5	Pass
NVNT	a	5240	Ant1	23.2	0.5	Pass
NVNT	ac20	5180	Ant1	23.751	0.5	Pass
NVNT	ac20	5200	Ant1	21.432	0.5	Pass

NVNT	ac20	5240	Ant1	21.816	0.5	Pass
NVNT	ac40	5190	Ant1	41.821	0.5	Pass
NVNT	ac40	5230	Ant1	41.336	0.5	Pass
NVNT	ac80	5210	Ant1	80.671	0.5	Pass
NVNT	n20	5180	Ant1	22.75	0.5	Pass
NVNT	n20	5200	Ant1	23.677	0.5	Pass
NVNT	n20	5240	Ant1	23.695	0.5	Pass
NVNT	n40	5190	Ant1	46.754	0.5	Pass
NVNT	n40	5230	Ant1	58.691	0.5	Pass


-26dB Bandwidth NVNT a 5180MHz Ant1




-26dB Bandwidth NVNT a 5200MHz Ant1




-26dB Bandwidth NVNT a 5240MHz Ant1




-26dB Bandwidth NVNT ac20 5180MHz Ant1




-26dB Bandwidth NVNT ac20 5200MHz Ant1




-26dB Bandwidth NVNT ac20 5240MHz Ant1




-26dB Bandwidth NVNT ac40 5190MHz Ant1




-26dB Bandwidth NVNT ac40 5230MHz Ant1




-26dB Bandwidth NVNT ac80 5210MHz Ant1




-26dB Bandwidth NVNT n20 5180MHz Ant1




-26dB Bandwidth NVNT n20 5200MHz Ant1




-26dB Bandwidth NVNT n20 5240MHz Ant1



-26dB Bandwidth NVNT n40 5190MHz Ant1




-26dB Bandwidth NVNT n40 5230MHz Ant1




Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5180	Ant1	16.427
NVNT	a	5200	Ant1	16.49
NVNT	a	5240	Ant1	16.51
NVNT	ac20	5180	Ant1	17.594
NVNT	ac20	5200	Ant1	17.58
NVNT	ac20	5240	Ant1	17.577
NVNT	ac40	5190	Ant1	36.068
NVNT	ac40	5230	Ant1	36.084
NVNT	ac80	5210	Ant1	75.285
NVNT	n20	5180	Ant1	17.586
NVNT	n20	5200	Ant1	17.569
NVNT	n20	5240	Ant1	17.589
NVNT	n40	5190	Ant1	36.04
NVNT	n40	5230	Ant1	36.062


OBW NVNT a 5180MHz Ant1




OBW NVNT a 5200MHz Ant1




OBW NVNT a 5240MHz Ant1




OBW NVNT ac20 5180MHz Ant1




OBW NVNT ac20 5200MHz Ant1




OBW NVNT ac20 5240MHz Ant1




OBW NVNT ac40 5190MHz Ant1




OBW NVNT ac40 5230MHz Ant1




OBW NVNT ac80 5210MHz Ant1




OBW NVNT n20 5180MHz Ant1




OBW NVNT n20 5200MHz Ant1




OBW NVNT n20 5240MHz Ant1



OBW NVNT n40 5190MHz Ant1



OBW NVNT n40 5230MHz Ant1




Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	1.228	11	Pass
NVNT	a	5200	Ant1	1.106	11	Pass
NVNT	a	5240	Ant1	0.259	11	Pass
NVNT	ac20	5180	Ant1	1.189	11	Pass
NVNT	ac20	5200	Ant1	1.096	11	Pass

NVNT	ac20	5240	Ant1	-0.264	11	Pass
NVNT	ac40	5190	Ant1	-2.085	11	Pass
NVNT	ac40	5230	Ant1	-3.256	11	Pass
NVNT	ac80	5210	Ant1	-8.093	11	Pass
NVNT	n20	5180	Ant1	0.746	11	Pass
NVNT	n20	5200	Ant1	0.643	11	Pass
NVNT	n20	5240	Ant1	-0.006	11	Pass
NVNT	n40	5190	Ant1	-2.924	11	Pass
NVNT	n40	5230	Ant1	-3.655	11	Pass


PSD NVNT a 5180MHz Ant1




PSD NVNT a 5200MHz Ant1




PSD NVNT a 5240MHz Ant1




PSD NVNT ac20 5180MHz Ant1




PSD NVNT ac20 5200MHz Ant1




PSD NVNT ac20 5240MHz Ant1




PSD NVNT ac40 5190MHz Ant1




PSD NVNT ac40 5230MHz Ant1




PSD NVNT ac80 5210MHz Ant1




PSD NVNT n20 5180MHz Ant1




PSD NVNT n20 5200MHz Ant1




PSD NVNT n20 5240MHz Ant1



PSD NVNT n40 5190MHz Ant1




PSD NVNT n40 5230MHz Ant1




Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5180	Ant1	-33.03	-27	Pass
NVNT	a	5240	Ant1	-45.46	-27	Pass
NVNT	ac20	5180	Ant1	-28.78	-27	Pass
NVNT	ac20	5240	Ant1	-45.59	-27	Pass
NVNT	ac40	5190	Ant1	-27.19	-27	Pass
NVNT	ac40	5230	Ant1	-44.9	-27	Pass
NVNT	ac80	5210	Ant1	-41.76	-27	Pass
NVNT	n20	5180	Ant1	-30.97	-27	Pass
NVNT	n20	5240	Ant1	-46.2	-27	Pass
NVNT	n40	5190	Ant1	-27.74	-27	Pass
NVNT	n40	5230	Ant1	-46.29	-27	Pass


Band Edge NVNT a 5180MHz Low Ant1




Band Edge NVNT a 5240MHz High Ant1




Band Edge NVNT ac20 5180MHz Low Ant1




Band Edge NVNT ac20 5240MHz High Ant1




Band Edge NVNT ac40 5190MHz Low Ant1




Band Edge NVNT ac40 5230MHz High Ant1




Band Edge NVNT ac80 5210MHz High Ant1




Band Edge NVNT n20 5180MHz Low Ant1




Band Edge NVNT n20 5240MHz High Ant1



Band Edge NVNT n40 5190MHz Low Ant1




Band Edge NVNT n40 5230MHz High Ant1




Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5180	Ant1	-35.45	-27	Pass
NVNT	a	5200	Ant1	-35.33	-27	Pass
NVNT	a	5240	Ant1	-35.45	-27	Pass
NVNT	ac20	5180	Ant1	-35.74	-27	Pass
NVNT	ac20	5200	Ant1	-34.95	-27	Pass
NVNT	ac20	5240	Ant1	-34.41	-27	Pass
NVNT	ac40	5190	Ant1	-35.66	-27	Pass
NVNT	ac40	5230	Ant1	-35.71	-27	Pass
NVNT	ac80	5210	Ant1	-37.79	-27	Pass
NVNT	n20	5180	Ant1	-35.67	-27	Pass
NVNT	n20	5200	Ant1	-35.95	-27	Pass
NVNT	n20	5240	Ant1	-35.4	-27	Pass
NVNT	n40	5190	Ant1	-35.54	-27	Pass
NVNT	n40	5230	Ant1	-35.71	-27	Pass


Tx. Spurious NVNT a 5180MHz Ant1 Emission




Tx. Spurious NVNT a 5200MHz Ant1 Emission




Tx. Spurious NVNT a 5240MHz Ant1 Emission




Tx. Spurious NVNT ac20 5180MHz Ant1 Emission




Tx. Spurious NVNT ac20 5200MHz Ant1 Emission




Tx. Spurious NVNT ac20 5240MHz Ant1 Emission




Tx. Spurious NVNT ac40 5190MHz Ant1 Emission




Tx. Spurious NVNT ac40 5230MHz Ant1 Emission




Tx. Spurious NVNT ac80 5210MHz Ant1 Emission




Tx. Spurious NVNT n20 5180MHz Ant1 Emission




Tx. Spurious NVNT n20 5200MHz Ant1 Emission




Tx. Spurious NVNT n20 5240MHz Ant1 Emission



Tx. Spurious NVNT n40 5190MHz Ant1 Emission



Tx. Spurious NVNT n40 5230MHz Ant1 Emission




5.3G WIFI


Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)
NVNT	a	5260	Ant1	98.2	0.08
NVNT	a	5280	Ant1	98.2	0.08
NVNT	a	5320	Ant1	98.2	0.08
NVNT	ac20	5260	Ant1	98.1	0.08
NVNT	ac20	5280	Ant1	98.1	0.08
NVNT	ac20	5320	Ant1	98.08	0.08
NVNT	ac40	5270	Ant1	94.34	0.25
NVNT	ac40	5310	Ant1	94.67	0.24
NVNT	ac80	5290	Ant1	79.76	0.98
NVNT	n20	5260	Ant1	97.08	0.13
NVNT	n20	5280	Ant1	98.09	0.08
NVNT	n20	5320	Ant1	98.06	0.09
NVNT	n40	5270	Ant1	93.95	0.27
NVNT	n40	5310	Ant1	93.1	0.31


Duty Cycle NVNT a 5260MHz Ant1




Duty Cycle NVNT a 5280MHz Ant1




Duty Cycle NVNT a 5320MHz Ant1




Duty Cycle NVNT ac20 5260MHz Ant1




Duty Cycle NVNT ac20 5280MHz Ant1




Duty Cycle NVNT ac20 5320MHz Ant1




Duty Cycle NVNT ac40 5270MHz Ant1




Duty Cycle NVNT ac40 5310MHz Ant1




Duty Cycle NVNT ac80 5290MHz Ant1




Duty Cycle NVNT n20 5260MHz Ant1




Duty Cycle NVNT n20 5280MHz Ant1




Duty Cycle NVNT n20 5320MHz Ant1



Duty Cycle NVNT n40 5270MHz Ant1




Duty Cycle NVNT n40 5310MHz Ant1




Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	A	5260	Ant1	9.567	0.08	9.647	24	Pass
NVNT	A	5280	Ant1	9.584	0.08	9.664	24	Pass
NVNT	A	5320	Ant1	9.883	0.08	9.963	24	Pass
NVNT	ac20	5260	Ant1	9.106	0.08	9.186	24	Pass
NVNT	ac20	5280	Ant1	9.469	0.08	9.549	24	Pass
NVNT	ac20	5320	Ant1	10.215	0.08	10.295	24	Pass
NVNT	ac40	5270	Ant1	9.261	0.25	9.511	24	Pass
NVNT	ac40	5310	Ant1	9.767	0.24	10.007	24	Pass
NVNT	ac80	5290	Ant1	6.756	0.98	7.736	24	Pass
NVNT	n20	5260	Ant1	9.007	0.13	9.137	24	Pass
NVNT	n20	5280	Ant1	9.109	0.08	9.189	24	Pass
NVNT	n20	5320	Ant1	9.783	0.09	9.873	24	Pass
NVNT	n40	5270	Ant1	9.311	0.27	9.581	24	Pass
NVNT	n40	5310	Ant1	9.53	0.31	9.84	24	Pass


Power NVNT a 5260MHz Ant1




Power NVNT a 5280MHz Ant1




Power NVNT a 5320MHz Ant1




Power NVNT ac20 5260MHz Ant1




Power NVNT ac20 5280MHz Ant1




Power NVNT ac20 5320MHz Ant1




Power NVNT ac40 5270MHz Ant1




Power NVNT ac40 5310MHz Ant1




Power NVNT ac80 5290MHz Ant1




Power NVNT n20 5260MHz Ant1




Power NVNT n20 5280MHz Ant1




Power NVNT n20 5320MHz Ant1



Power NVNT n40 5270MHz Ant1



Power NVNT n40 5310MHz Ant1




-26dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	A	5260	Ant1	20.988	0.5	Pass
NVNT	A	5280	Ant1	20.101	0.5	Pass
NVNT	A	5320	Ant1	19.955	0.5	Pass
NVNT	ac20	5260	Ant1	20.549	0.5	Pass
NVNT	ac20	5280	Ant1	20.555	0.5	Pass

NVNT	ac20	5320	Ant1	20.757	0.5	Pass
NVNT	ac40	5270	Ant1	44.807	0.5	Pass
NVNT	ac40	5310	Ant1	50.458	0.5	Pass
NVNT	ac80	5290	Ant1	98.228	0.5	Pass
NVNT	n20	5260	Ant1	21.733	0.5	Pass
NVNT	n20	5280	Ant1	22.097	0.5	Pass
NVNT	n20	5320	Ant1	21.633	0.5	Pass
NVNT	n40	5270	Ant1	55.277	0.5	Pass
NVNT	n40	5310	Ant1	52.78	0.5	Pass


-26dB Bandwidth NVNT a 5260MHz Ant1




-26dB Bandwidth NVNT a 5280MHz Ant1




-26dB Bandwidth NVNT a 5320MHz Ant1




-26dB Bandwidth NVNT ac20 5260MHz Ant1




-26dB Bandwidth NVNT ac20 5280MHz Ant1




-26dB Bandwidth NVNT ac20 5320MHz Ant1




-26dB Bandwidth NVNT ac40 5270MHz Ant1




-26dB Bandwidth NVNT ac40 5310MHz Ant1




-26dB Bandwidth NVNT ac80 5290MHz Ant1




-26dB Bandwidth NVNT n20 5260MHz Ant1




-26dB Bandwidth NVNT n20 5280MHz Ant1




-26dB Bandwidth NVNT n20 5320MHz Ant1



-26dB Bandwidth NVNT n40 5270MHz Ant1




-26dB Bandwidth NVNT n40 5310MHz Ant1




Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	A	5260	Ant1	16.423
NVNT	A	5280	Ant1	16.436
NVNT	A	5320	Ant1	16.483
NVNT	ac20	5260	Ant1	17.597
NVNT	ac20	5280	Ant1	17.606
NVNT	ac20	5320	Ant1	17.587
NVNT	ac40	5270	Ant1	36.062
NVNT	ac40	5310	Ant1	36.047
NVNT	ac80	5290	Ant1	75.263
NVNT	n20	5260	Ant1	17.587
NVNT	n20	5280	Ant1	17.591
NVNT	n20	5320	Ant1	17.599
NVNT	n40	5270	Ant1	36.117
NVNT	n40	5310	Ant1	36.002


OBW NVNT a 5260MHz Ant1




OBW NVNT a 5280MHz Ant1




OBW NVNT a 5320MHz Ant1




OBW NVNT ac20 5260MHz Ant1




OBW NVNT ac20 5280MHz Ant1




OBW NVNT ac20 5320MHz Ant1




OBW NVNT ac40 5270MHz Ant1




OBW NVNT ac40 5310MHz Ant1




OBW NVNT ac80 5290MHz Ant1




OBW NVNT n20 5260MHz Ant1



OBW NVNT n20 5280MHz Ant1



OBW NVNT n20 5320MHz Ant1



OBW NVNT n40 5270MHz Ant1