



12000 Findley Road
Suite 360
Johns Creek, GA 30097
USA

Confidentiality Letter

Date: April 3, 2023

Subject: Confidentiality Request for FCC ID: **2BAK3Z3E**

Pursuant to FCC 47 CRF 0.457(d) and 0.459, the applicant requests that a part of the subject FCC application be held confidential.

Type of Confidentiality Requested		Exhibit
<input type="checkbox"/> Short Term	<input checked="" type="checkbox"/> Permanent	Block Diagrams
<input checked="" type="checkbox"/> Short Term	<input type="checkbox"/> Permanent	External Photos
<input checked="" type="checkbox"/> Short Term	<input type="checkbox"/> Permanent	Internal Photos
<input type="checkbox"/> Short Term	<input checked="" type="checkbox"/> Permanent	Operation Description/Theory of Operation /NII software security attestation
<input type="checkbox"/> Short Term	<input checked="" type="checkbox"/> Permanent	Part List/Tune-Up Procedure
<input type="checkbox"/> Short Term	<input checked="" type="checkbox"/> Permanent	Schematics
<input checked="" type="checkbox"/> Short Term	<input type="checkbox"/> Permanent	Test Setup Photos
<input checked="" type="checkbox"/> Short Term	<input type="checkbox"/> Permanent	User's Manual

Zywie, Inc. has spent substantial effort in developing this product and it is one of the first of its kind in the industry. Having the subject information easily available to "competition" would negate the advantage they have achieved by developing this product. Not protecting the details of the design will result in financial hardship.

Permanent Confidentiality:

The applicant requests the exhibits listed above as permanently confidential be permanently withheld from the public review due to materials that contain trade secrets and proprietary information not customarily released to the public.

Short-Term Confidentiality:

The applicant requests the exhibits selected above as short-term confidential be withheld from public view for a period of 180 days from the date of the Grant of Equipment Authorization and prior to marketing. This is to avoid the premature release of sensitive information prior to marketing or the release of the product to the public. The applicant is also aware that they are responsible to notify TUV Rheinland in the event information regarding the product or the product is made available to the public. TUV Rheinland will then release the documents listed above for public disclosure pursuant to [FCC Public Notice DA 04-1705](#).

Sincerely,

By:

(Signature)

Latha Ganeshan/ CEO, Zywie, Inc.

(Print name//Title)

www.zywie.healthcare

Phone: 877.858.7200

Fax: 678-514-3609