Car Wireless Charger A1

Instruction Manual

1.Car Wireless Charger Manual


Product Name: Car stand wireless charger

(Intelligent sensing) Power: 15W. 10W. 7.5W. 5W Effective transmission distance: 1-8cm

Size: Middle disk diameter: 12.88cm×7.75cm×1.78cm

Charging interface: USB TYPE-C Packing list:

Car bracket x 1, Manual X1, Data line×1, Car outlet base(clip)×1



- 3. Specifications
 1. Model : A1
 2. Weight: 118.5g
 3. Material: A85 = PC Vacuum plating
 4. Input voltage/current: 5V/2A, 5V/1.67A
 5. Output power: 5W, TOW, TOW, TOW, SW automatic identification
 6. Charging power: 110k-205K Hz
 7. Charging distance: 0-8mm

7. Changing distance. 0-8mm

8. Support Specifications: Qualified with QI
Wireless Protocol Charging

9. Support QC wireless fast staging equipment such as
HUAWEI Mate 30 Mate 20 / Mate RS iphone 12 / Jiphone 12
Prov/phone 12 Prior Mary/phone 17 / Jiphone 11
prov/phone XS/rphone XS Maylobne XR/rphone NS Maylobne RN/phone RN Maylobne RN Mayl

10. Devices that do not support wireless charging need to pirchase QI-compliant wireless receivers before they can be used

4. Instructions For Use

- Connect the vehicle's wireless charging device to the appropriate data cable when using it.
 Connect the USB port of the data cable to the charging interface on the catego, cignrette lighter switching charger and USB charging port on the care.
 The device clip clips the air outlet and can also be placed.

Alter device clip dipp the air outlet and can also be placed accessive.

After the device is connected to the 5-TM DC power capply, and an accessive control of the control

- 5.Operating instructions for coil adjustment gear

 1. The pay rodition is 1 past by default. When the call position needs to be adjusted, press the upper right is debutten to adjust the payer position and posh up to goar 2 or 2. When the goar is in gear 1. In reds. to be adjusted, press or 1 or 1 payer, press to side buttents to adjust the operation of the adjusted press of 1 or 1 payer, press to side buttents to pain 1. The cost department gear is making to accountly adjust the coil position corresponding to the size and side of adjustment gear is making to accountly adjust the coil position corresponding to the size and side of adjustment gear is making and side of adds making above with ministerior effect in letter, and the charge and side of adds making a formation of the corresponding to past a fix in the corresponding to payer 12; inhorate corresponding to 2 gers; whene 12 pro- Marx is 6.7 inches corresponding to gears.

6.Precautions

Thank You For Using This Product

FCC Warning Statement: Changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

FCC Radiation Exposure Statement

The antennas used for this transmitter must be installed to provide a separation distance of at least 20 cm from all persons and must not be co - located for operating in conjunction with any other antenna or transmitter.