

verizon

TX/RX RX RX TX/RX TX/RX RX RX TX/RX

75mm

verizon

Product Name: Private MEC Sandbox

Serial No. : 01MEC-5GSS-0007 Model No. : 5GTP2025Sn256677

Mac: xxxxxxxxxx Input: 100V ~ 240V Polarity

Hardware Rev. : MEC_5GSS6GHZ_REV1


FCC ID : 2BASDAMTBN20233

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

A Verizon Innovation **Assembled by Amantya Technologies**

75mm

45mm

5793965  5793965

Description

Dual Sub6 Box(B210-B210)*1+Power cable*1+5G Antenna*8 = 10 n

o's

Customer Amantya Technologies Private L

Received Date: LabWare Project No: 1001845949
 2023-FEB-15 09:04:52 Order No.: 14607588
 Oracle Project No.: 4790670938

1 of 2

5793965

verizon
Private MEC Sandbox

● SYNC ● ALM ● RF ● RFPWR

● HS1 ● HS2 ● INFO ● HDD


BMC
RAKWYPNFCW

verizon^v


HS1

A circular SFP (Small Form-factor Pluggable) port labeled HS1. It features a metal housing with a central lens and a small label that reads "CAT 6A".

HS2

A circular SFP (Small Form-factor Pluggable) port labeled HS2. It features a metal housing with a central lens and a small label that reads "CAT 6A".

HS3

A circular SFP (Small Form-factor Pluggable) port labeled HS3. It features a metal housing with a central lens and a small label that reads "CAT 6A".


HDMI

A standard HDMI port for video and audio output.


USB

Two standard USB-A ports for peripheral device connectivity.

AC

An AC power input jack and a ventilation grille. The grille consists of a grid of small circular holes for cooling.

LS

A multi-lane SFP (Small Form-factor Pluggable) port labeled LS, used for high-speed data transfer.

