

Appendix D : Test Results-n25

1 Conducted Output Power And E.I.R.P.

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	GT - Lc (dB)	EIRP (dBm)	EIRP (mW)	EIRP Limit (mW)	Verdict
n25	15	5	370500	25@0	DFT_BPSK	21.94	-2.8	19.14	82.04	2000	PASS
n25	15	5	370500	12@6	DFT_BPSK	21.98	-2.8	19.18	82.79	2000	PASS
n25	15	5	370500	1@1	DFT_BPSK	22.08	-2.8	19.28	84.72	2000	PASS
n25	15	5	370500	1@23	DFT_BPSK	21.73	-2.8	18.93	78.16	2000	PASS
n25	15	5	370500	25@0	DFT_QPSK	21.46	-2.8	18.66	73.45	2000	PASS
n25	15	5	370500	12@6	DFT_QPSK	21.93	-2.8	19.13	81.85	2000	PASS
n25	15	5	370500	1@1	DFT_QPSK	21.96	-2.8	19.16	82.41	2000	PASS
n25	15	5	370500	1@23	DFT_QPSK	21.61	-2.8	18.81	76.03	2000	PASS
n25	15	5	370500	25@0	DFT_QAM16	20.46	-2.8	17.66	58.34	2000	PASS
n25	15	5	370500	12@6	DFT_QAM16	21.47	-2.8	18.67	73.62	2000	PASS
n25	15	5	370500	1@1	DFT_QAM16	21.55	-2.8	18.75	74.99	2000	PASS
n25	15	5	370500	1@23	DFT_QAM16	21.53	-2.8	18.73	74.64	2000	PASS
n25	15	5	370500	25@0	DFT_QAM64	19.97	-2.8	17.17	52.12	2000	PASS
n25	15	5	370500	12@6	DFT_QAM64	20.01	-2.8	17.21	52.6	2000	PASS
n25	15	5	370500	1@1	DFT_QAM64	19.99	-2.8	17.19	52.36	2000	PASS
n25	15	5	370500	1@23	DFT_QAM64	19.96	-2.8	17.16	52	2000	PASS
n25	15	5	370500	25@0	DFT_QAM256	17.92	-2.8	15.12	32.51	2000	PASS
n25	15	5	370500	12@6	DFT_QAM256	17.82	-2.8	15.02	31.77	2000	PASS
n25	15	5	370500	1@1	DFT_QAM256	18.1	-2.8	15.3	33.88	2000	PASS
n25	15	5	370500	1@23	DFT_QAM256	18.16	-2.8	15.36	34.36	2000	PASS
n25	15	5	370500	25@0	CP_QPSK	19.38	-2.8	16.58	45.5	2000	PASS
n25	15	5	370500	13@6	CP_QPSK	20.92	-2.8	18.12	64.86	2000	PASS
n25	15	5	370500	1@1	CP_QPSK	20.87	-2.8	18.07	64.12	2000	PASS
n25	15	5	370500	1@23	CP_QPSK	20.86	-2.8	18.06	63.97	2000	PASS
n25	15	5	370500	25@0	CP_QAM16	19.42	-2.8	16.62	45.92	2000	PASS
n25	15	5	370500	13@6	CP_QAM16	20.49	-2.8	17.69	58.75	2000	PASS
n25	15	5	370500	1@1	CP_QAM16	20.23	-2.8	17.43	55.34	2000	PASS
n25	15	5	370500	1@23	CP_QAM16	20.29	-2.8	17.49	56.1	2000	PASS
n25	15	5	370500	25@0	CP_QAM64	18.93	-2.8	16.13	41.02	2000	PASS
n25	15	5	370500	13@6	CP_QAM64	18.9	-2.8	16.1	40.74	2000	PASS
n25	15	5	370500	1@1	CP_QAM64	19.29	-2.8	16.49	44.57	2000	PASS
n25	15	5	370500	1@23	CP_QAM64	19.31	-2.8	16.51	44.77	2000	PASS

n25	15	5	370500	25@0	CP_QAM256	16.1	-2.8	13.3	21.38	2000	PASS
n25	15	5	370500	13@6	CP_QAM256	16.01	-2.8	13.21	20.94	2000	PASS
n25	15	5	370500	1@1	CP_QAM256	16.24	-2.8	13.44	22.08	2000	PASS
n25	15	5	370500	1@23	CP_QAM256	16.2	-2.8	13.4	21.88	2000	PASS
n25	15	5	376500	25@0	DFT_BPSK	22.21	-2.8	19.41	87.3	2000	PASS
n25	15	5	376500	12@6	DFT_BPSK	22.68	-2.8	19.88	97.27	2000	PASS
n25	15	5	376500	1@1	DFT_BPSK	22.56	-2.8	19.76	94.62	2000	PASS
n25	15	5	376500	1@23	DFT_BPSK	22.33	-2.8	19.53	89.74	2000	PASS
n25	15	5	376500	25@0	DFT_QPSK	21.74	-2.8	18.94	78.34	2000	PASS
n25	15	5	376500	12@6	DFT_QPSK	22.6	-2.8	19.8	95.5	2000	PASS
n25	15	5	376500	1@1	DFT_QPSK	22.59	-2.8	19.79	95.28	2000	PASS
n25	15	5	376500	1@23	DFT_QPSK	22.19	-2.8	19.39	86.9	2000	PASS
n25	15	5	376500	25@0	DFT_QAM16	20.72	-2.8	17.92	61.94	2000	PASS
n25	15	5	376500	12@6	DFT_QAM16	21.68	-2.8	18.88	77.27	2000	PASS
n25	15	5	376500	1@1	DFT_QAM16	21.49	-2.8	18.69	73.96	2000	PASS
n25	15	5	376500	1@23	DFT_QAM16	21.55	-2.8	18.75	74.99	2000	PASS
n25	15	5	376500	25@0	DFT_QAM64	20.24	-2.8	17.44	55.46	2000	PASS
n25	15	5	376500	12@6	DFT_QAM64	20.25	-2.8	17.45	55.59	2000	PASS
n25	15	5	376500	1@1	DFT_QAM64	20.15	-2.8	17.35	54.33	2000	PASS
n25	15	5	376500	1@23	DFT_QAM64	20.25	-2.8	17.45	55.59	2000	PASS
n25	15	5	376500	25@0	DFT_QAM256	18.21	-2.8	15.41	34.75	2000	PASS
n25	15	5	376500	12@6	DFT_QAM256	18.14	-2.8	15.34	34.2	2000	PASS
n25	15	5	376500	1@1	DFT_QAM256	19.06	-2.8	16.26	42.27	2000	PASS
n25	15	5	376500	1@23	DFT_QAM256	18.52	-2.8	15.72	37.33	2000	PASS
n25	15	5	376500	25@0	CP_QPSK	19.69	-2.8	16.89	48.87	2000	PASS
n25	15	5	376500	13@6	CP_QPSK	21.2	-2.8	18.4	69.18	2000	PASS
n25	15	5	376500	1@1	CP_QPSK	21.1	-2.8	18.3	67.61	2000	PASS
n25	15	5	376500	1@23	CP_QPSK	21.17	-2.8	18.37	68.71	2000	PASS
n25	15	5	376500	25@0	CP_QAM16	19.7	-2.8	16.9	48.98	2000	PASS
n25	15	5	376500	13@6	CP_QAM16	20.75	-2.8	17.95	62.37	2000	PASS
n25	15	5	376500	1@1	CP_QAM16	20.5	-2.8	17.7	58.88	2000	PASS
n25	15	5	376500	1@23	CP_QAM16	20.52	-2.8	17.72	59.16	2000	PASS
n25	15	5	376500	25@0	CP_QAM64	19.23	-2.8	16.43	43.95	2000	PASS
n25	15	5	376500	13@6	CP_QAM64	19.2	-2.8	16.4	43.65	2000	PASS
n25	15	5	376500	1@1	CP_QAM64	19.47	-2.8	16.67	46.45	2000	PASS
n25	15	5	376500	1@23	CP_QAM64	19.58	-2.8	16.78	47.64	2000	PASS
n25	15	5	376500	25@0	CP_QAM256	16.37	-2.8	13.57	22.75	2000	PASS
n25	15	5	376500	13@6	CP_QAM256	16.29	-2.8	13.49	22.34	2000	PASS
n25	15	5	376500	1@1	CP_QAM256	16.51	-2.8	13.71	23.5	2000	PASS
n25	15	5	376500	1@23	CP_QAM256	16.56	-2.8	13.76	23.77	2000	PASS
n25	15	5	382500	25@0	DFT_BPSK	21	-2.8	18.2	66.07	2000	PASS

n25	15	5	382500	12@6	DFT_BPSK	21.01	-2.8	18.21	66.22	2000	PASS
n25	15	5	382500	1@1	DFT_BPSK	21.43	-2.8	18.63	72.95	2000	PASS
n25	15	5	382500	1@23	DFT_BPSK	20.1	-2.8	17.3	53.7	2000	PASS
n25	15	5	382500	25@0	DFT_QPSK	20.92	-2.8	18.12	64.86	2000	PASS
n25	15	5	382500	12@6	DFT_QPSK	20.95	-2.8	18.15	65.31	2000	PASS
n25	15	5	382500	1@1	DFT_QPSK	21.38	-2.8	18.58	72.11	2000	PASS
n25	15	5	382500	1@23	DFT_QPSK	20.04	-2.8	17.24	52.97	2000	PASS
n25	15	5	382500	25@0	DFT_QAM16	20.86	-2.8	18.06	63.97	2000	PASS
n25	15	5	382500	12@6	DFT_QAM16	20.82	-2.8	18.02	63.39	2000	PASS
n25	15	5	382500	1@1	DFT_QAM16	21.22	-2.8	18.42	69.5	2000	PASS
n25	15	5	382500	1@23	DFT_QAM16	19.87	-2.8	17.07	50.93	2000	PASS
n25	15	5	382500	25@0	DFT_QAM64	20.56	-2.8	17.76	59.7	2000	PASS
n25	15	5	382500	12@6	DFT_QAM64	20.66	-2.8	17.86	61.09	2000	PASS
n25	15	5	382500	1@1	DFT_QAM64	20.6	-2.8	17.8	60.26	2000	PASS
n25	15	5	382500	1@23	DFT_QAM64	19.88	-2.8	17.08	51.05	2000	PASS
n25	15	5	382500	25@0	DFT_QAM256	19.09	-2.8	16.29	42.56	2000	PASS
n25	15	5	382500	12@6	DFT_QAM256	18.45	-2.8	15.65	36.73	2000	PASS
n25	15	5	382500	1@1	DFT_QAM256	19.11	-2.8	16.31	42.76	2000	PASS
n25	15	5	382500	1@23	DFT_QAM256	18.75	-2.8	15.95	39.36	2000	PASS
n25	15	5	382500	25@0	CP_QPSK	19.95	-2.8	17.15	51.88	2000	PASS
n25	15	5	382500	13@6	CP_QPSK	20.72	-2.8	17.92	61.94	2000	PASS
n25	15	5	382500	1@1	CP_QPSK	21.17	-2.8	18.37	68.71	2000	PASS
n25	15	5	382500	1@23	CP_QPSK	19.88	-2.8	17.08	51.05	2000	PASS
n25	15	5	382500	25@0	CP_QAM16	19.96	-2.8	17.16	52	2000	PASS
n25	15	5	382500	13@6	CP_QAM16	20.68	-2.8	17.88	61.38	2000	PASS
n25	15	5	382500	1@1	CP_QAM16	20.79	-2.8	17.99	62.95	2000	PASS
n25	15	5	382500	1@23	CP_QAM16	19.9	-2.8	17.1	51.29	2000	PASS
n25	15	5	382500	25@0	CP_QAM64	19.46	-2.8	16.66	46.34	2000	PASS
n25	15	5	382500	13@6	CP_QAM64	19.48	-2.8	16.68	46.56	2000	PASS
n25	15	5	382500	1@1	CP_QAM64	19.81	-2.8	17.01	50.23	2000	PASS
n25	15	5	382500	1@23	CP_QAM64	19.75	-2.8	16.95	49.55	2000	PASS
n25	15	5	382500	25@0	CP_QAM256	16.64	-2.8	13.84	24.21	2000	PASS
n25	15	5	382500	13@6	CP_QAM256	16.59	-2.8	13.79	23.93	2000	PASS
n25	15	5	382500	1@1	CP_QAM256	16.83	-2.8	14.03	25.29	2000	PASS
n25	15	5	382500	1@23	CP_QAM256	16.83	-2.8	14.03	25.29	2000	PASS
n25	15	10	371000	50@0	DFT_BPSK	21.95	-2.8	19.15	82.22	2000	PASS
n25	15	10	371000	25@12	DFT_BPSK	22.2	-2.8	19.4	87.1	2000	PASS
n25	15	10	371000	1@1	DFT_BPSK	22	-2.8	19.2	83.18	2000	PASS
n25	15	10	371000	1@50	DFT_BPSK	22	-2.8	19.2	83.18	2000	PASS
n25	15	10	371000	50@0	DFT_QPSK	21.48	-2.8	18.68	73.79	2000	PASS
n25	15	10	371000	25@12	DFT_QPSK	22.16	-2.8	19.36	86.3	2000	PASS

n25	15	10	371000	1@1	DFT_QPSK	21.9	-2.8	19.1	81.28	2000	PASS
n25	15	10	371000	1@50	DFT_QPSK	21.91	-2.8	19.11	81.47	2000	PASS
n25	15	10	371000	50@0	DFT_QAM16	20.46	-2.8	17.66	58.34	2000	PASS
n25	15	10	371000	25@12	DFT_QAM16	21.48	-2.8	18.68	73.79	2000	PASS
n25	15	10	371000	1@1	DFT_QAM16	21.56	-2.8	18.76	75.16	2000	PASS
n25	15	10	371000	1@50	DFT_QAM16	21.48	-2.8	18.68	73.79	2000	PASS
n25	15	10	371000	50@0	DFT_QAM64	19.89	-2.8	17.09	51.17	2000	PASS
n25	15	10	371000	25@12	DFT_QAM64	19.94	-2.8	17.14	51.76	2000	PASS
n25	15	10	371000	1@1	DFT_QAM64	19.99	-2.8	17.19	52.36	2000	PASS
n25	15	10	371000	1@50	DFT_QAM64	20	-2.8	17.2	52.48	2000	PASS
n25	15	10	371000	50@0	DFT_QAM256	17.58	-2.8	14.78	30.06	2000	PASS
n25	15	10	371000	25@12	DFT_QAM256	17.95	-2.8	15.15	32.73	2000	PASS
n25	15	10	371000	1@1	DFT_QAM256	18.21	-2.8	15.41	34.75	2000	PASS
n25	15	10	371000	1@50	DFT_QAM256	18.13	-2.8	15.33	34.12	2000	PASS
n25	15	10	371000	52@0	CP_QPSK	19.42	-2.8	16.62	45.92	2000	PASS
n25	15	10	371000	26@13	CP_QPSK	20.93	-2.8	18.13	65.01	2000	PASS
n25	15	10	371000	1@1	CP_QPSK	20.78	-2.8	17.98	62.81	2000	PASS
n25	15	10	371000	1@50	CP_QPSK	20.77	-2.8	17.97	62.66	2000	PASS
n25	15	10	371000	52@0	CP_QAM16	19.46	-2.8	16.66	46.34	2000	PASS
n25	15	10	371000	26@13	CP_QAM16	20.41	-2.8	17.61	57.68	2000	PASS
n25	15	10	371000	1@1	CP_QAM16	20.48	-2.8	17.68	58.61	2000	PASS
n25	15	10	371000	1@50	CP_QAM16	20.45	-2.8	17.65	58.21	2000	PASS
n25	15	10	371000	52@0	CP_QAM64	18.89	-2.8	16.09	40.64	2000	PASS
n25	15	10	371000	26@13	CP_QAM64	18.8	-2.8	16	39.81	2000	PASS
n25	15	10	371000	1@1	CP_QAM64	19.23	-2.8	16.43	43.95	2000	PASS
n25	15	10	371000	1@50	CP_QAM64	19.23	-2.8	16.43	43.95	2000	PASS
n25	15	10	371000	52@0	CP_QAM256	16.56	-2.8	13.76	23.77	2000	PASS
n25	15	10	371000	26@13	CP_QAM256	16.01	-2.8	13.21	20.94	2000	PASS
n25	15	10	371000	1@1	CP_QAM256	16.26	-2.8	13.46	22.18	2000	PASS
n25	15	10	371000	1@50	CP_QAM256	16.58	-2.8	13.78	23.88	2000	PASS
n25	15	10	376500	50@0	DFT_BPSK	22.2	-2.8	19.4	87.1	2000	PASS
n25	15	10	376500	25@12	DFT_BPSK	22.66	-2.8	19.86	96.83	2000	PASS
n25	15	10	376500	1@1	DFT_BPSK	22.47	-2.8	19.67	92.68	2000	PASS
n25	15	10	376500	1@50	DFT_BPSK	22.66	-2.8	19.86	96.83	2000	PASS
n25	15	10	376500	50@0	DFT_QPSK	21.72	-2.8	18.92	77.98	2000	PASS
n25	15	10	376500	25@12	DFT_QPSK	22.66	-2.8	19.86	96.83	2000	PASS
n25	15	10	376500	1@1	DFT_QPSK	22.46	-2.8	19.66	92.47	2000	PASS
n25	15	10	376500	1@50	DFT_QPSK	22.65	-2.8	19.85	96.61	2000	PASS
n25	15	10	376500	50@0	DFT_QAM16	20.71	-2.8	17.91	61.8	2000	PASS
n25	15	10	376500	25@12	DFT_QAM16	21.68	-2.8	18.88	77.27	2000	PASS
n25	15	10	376500	1@1	DFT_QAM16	21.42	-2.8	18.62	72.78	2000	PASS

n25	15	10	376500	1@50	DFT_QAM16	21.64	-2.8	18.84	76.56	2000	PASS
n25	15	10	376500	50@0	DFT_QAM64	20.14	-2.8	17.34	54.2	2000	PASS
n25	15	10	376500	25@12	DFT_QAM64	20.19	-2.8	17.39	54.83	2000	PASS
n25	15	10	376500	1@1	DFT_QAM64	20.07	-2.8	17.27	53.33	2000	PASS
n25	15	10	376500	1@50	DFT_QAM64	20.31	-2.8	17.51	56.36	2000	PASS
n25	15	10	376500	50@0	DFT_QAM256	18.22	-2.8	15.42	34.83	2000	PASS
n25	15	10	376500	25@12	DFT_QAM256	18.16	-2.8	15.36	34.36	2000	PASS
n25	15	10	376500	1@1	DFT_QAM256	18.53	-2.8	15.73	37.41	2000	PASS
n25	15	10	376500	1@50	DFT_QAM256	18.48	-2.8	15.68	36.98	2000	PASS
n25	15	10	376500	52@0	CP_QPSK	19.68	-2.8	16.88	48.75	2000	PASS
n25	15	10	376500	26@13	CP_QPSK	21.24	-2.8	18.44	69.82	2000	PASS
n25	15	10	376500	1@1	CP_QPSK	20.99	-2.8	18.19	65.92	2000	PASS
n25	15	10	376500	1@50	CP_QPSK	21.2	-2.8	18.4	69.18	2000	PASS
n25	15	10	376500	52@0	CP_QAM16	19.72	-2.8	16.92	49.2	2000	PASS
n25	15	10	376500	26@13	CP_QAM16	20.76	-2.8	17.96	62.52	2000	PASS
n25	15	10	376500	1@1	CP_QAM16	20.38	-2.8	17.58	57.28	2000	PASS
n25	15	10	376500	1@50	CP_QAM16	20.61	-2.8	17.81	60.39	2000	PASS
n25	15	10	376500	52@0	CP_QAM64	19.2	-2.8	16.4	43.65	2000	PASS
n25	15	10	376500	26@13	CP_QAM64	19.15	-2.8	16.35	43.15	2000	PASS
n25	15	10	376500	1@1	CP_QAM64	19.36	-2.8	16.56	45.29	2000	PASS
n25	15	10	376500	1@50	CP_QAM64	19.61	-2.8	16.81	47.97	2000	PASS
n25	15	10	376500	52@0	CP_QAM256	16.25	-2.8	13.45	22.13	2000	PASS
n25	15	10	376500	26@13	CP_QAM256	16.67	-2.8	13.87	24.38	2000	PASS
n25	15	10	376500	1@1	CP_QAM256	16.39	-2.8	13.59	22.86	2000	PASS
n25	15	10	376500	1@50	CP_QAM256	16.62	-2.8	13.82	24.1	2000	PASS
n25	15	10	382000	50@0	DFT_BPSK	21.7	-2.8	18.9	77.62	2000	PASS
n25	15	10	382000	25@12	DFT_BPSK	21.71	-2.8	18.91	77.8	2000	PASS
n25	15	10	382000	1@1	DFT_BPSK	21.93	-2.8	19.13	81.85	2000	PASS
n25	15	10	382000	1@50	DFT_BPSK	20.63	-2.8	17.83	60.67	2000	PASS
n25	15	10	382000	50@0	DFT_QPSK	21.59	-2.8	18.79	75.68	2000	PASS
n25	15	10	382000	25@12	DFT_QPSK	21.65	-2.8	18.85	76.74	2000	PASS
n25	15	10	382000	1@1	DFT_QPSK	21.83	-2.8	19.03	79.98	2000	PASS
n25	15	10	382000	1@50	DFT_QPSK	20.51	-2.8	17.71	59.02	2000	PASS
n25	15	10	382000	50@0	DFT_QAM16	21.06	-2.8	18.26	66.99	2000	PASS
n25	15	10	382000	25@12	DFT_QAM16	21.57	-2.8	18.77	75.34	2000	PASS
n25	15	10	382000	1@1	DFT_QAM16	21.75	-2.8	18.95	78.52	2000	PASS
n25	15	10	382000	1@50	DFT_QAM16	20.39	-2.8	17.59	57.41	2000	PASS
n25	15	10	382000	50@0	DFT_QAM64	20.48	-2.8	17.68	58.61	2000	PASS
n25	15	10	382000	25@12	DFT_QAM64	20.6	-2.8	17.8	60.26	2000	PASS
n25	15	10	382000	1@1	DFT_QAM64	20.48	-2.8	17.68	58.61	2000	PASS
n25	15	10	382000	1@50	DFT_QAM64	20.39	-2.8	17.59	57.41	2000	PASS

n25	15	10	382000	50@0	DFT_QAM256	18.19	-2.8	15.39	34.59	2000	PASS
n25	15	10	382000	25@12	DFT_QAM256	18.47	-2.8	15.67	36.9	2000	PASS
n25	15	10	382000	1@1	DFT_QAM256	18.55	-2.8	15.75	37.58	2000	PASS
n25	15	10	382000	1@50	DFT_QAM256	18.7	-2.8	15.9	38.9	2000	PASS
n25	15	10	382000	52@0	CP_QPSK	19.95	-2.8	17.15	51.88	2000	PASS
n25	15	10	382000	26@13	CP_QPSK	21.37	-2.8	18.57	71.94	2000	PASS
n25	15	10	382000	1@1	CP_QPSK	21.44	-2.8	18.64	73.11	2000	PASS
n25	15	10	382000	1@50	CP_QPSK	20.3	-2.8	17.5	56.23	2000	PASS
n25	15	10	382000	52@0	CP_QAM16	19.96	-2.8	17.16	52	2000	PASS
n25	15	10	382000	26@13	CP_QAM16	21.03	-2.8	18.23	66.53	2000	PASS
n25	15	10	382000	1@1	CP_QAM16	20.81	-2.8	18.01	63.24	2000	PASS
n25	15	10	382000	1@50	CP_QAM16	20.35	-2.8	17.55	56.89	2000	PASS
n25	15	10	382000	52@0	CP_QAM64	19.47	-2.8	16.67	46.45	2000	PASS
n25	15	10	382000	26@13	CP_QAM64	19.43	-2.8	16.63	46.03	2000	PASS
n25	15	10	382000	1@1	CP_QAM64	19.81	-2.8	17.01	50.23	2000	PASS
n25	15	10	382000	1@50	CP_QAM64	19.72	-2.8	16.92	49.2	2000	PASS
n25	15	10	382000	52@0	CP_QAM256	16.56	-2.8	13.76	23.77	2000	PASS
n25	15	10	382000	26@13	CP_QAM256	16.55	-2.8	13.75	23.71	2000	PASS
n25	15	10	382000	1@1	CP_QAM256	16.83	-2.8	14.03	25.29	2000	PASS
n25	15	10	382000	1@50	CP_QAM256	16.87	-2.8	14.07	25.53	2000	PASS
n25	15	15	371500	75@0	DFT_BPSK	22.04	-2.8	19.24	83.95	2000	PASS
n25	15	15	371500	36@18	DFT_BPSK	22.36	-2.8	19.56	90.36	2000	PASS
n25	15	15	371500	1@1	DFT_BPSK	22.15	-2.8	19.35	86.1	2000	PASS
n25	15	15	371500	1@77	DFT_BPSK	22.36	-2.8	19.56	90.36	2000	PASS
n25	15	15	371500	75@0	DFT_QPSK	21.6	-2.8	18.8	75.86	2000	PASS
n25	15	15	371500	36@18	DFT_QPSK	22.33	-2.8	19.53	89.74	2000	PASS
n25	15	15	371500	1@1	DFT_QPSK	22.1	-2.8	19.3	85.11	2000	PASS
n25	15	15	371500	1@77	DFT_QPSK	22.3	-2.8	19.5	89.13	2000	PASS
n25	15	15	371500	75@0	DFT_QAM16	20.48	-2.8	17.68	58.61	2000	PASS
n25	15	15	371500	36@18	DFT_QAM16	21.64	-2.8	18.84	76.56	2000	PASS
n25	15	15	371500	1@1	DFT_QAM16	21.38	-2.8	18.58	72.11	2000	PASS
n25	15	15	371500	1@77	DFT_QAM16	21.4	-2.8	18.6	72.44	2000	PASS
n25	15	15	371500	75@0	DFT_QAM64	20.02	-2.8	17.22	52.72	2000	PASS
n25	15	15	371500	36@18	DFT_QAM64	20.1	-2.8	17.3	53.7	2000	PASS
n25	15	15	371500	1@1	DFT_QAM64	20.05	-2.8	17.25	53.09	2000	PASS
n25	15	15	371500	1@77	DFT_QAM64	19.95	-2.8	17.15	51.88	2000	PASS
n25	15	15	371500	75@0	DFT_QAM256	18.02	-2.8	15.22	33.27	2000	PASS
n25	15	15	371500	36@18	DFT_QAM256	18.07	-2.8	15.27	33.65	2000	PASS
n25	15	15	371500	1@1	DFT_QAM256	18.05	-2.8	15.25	33.5	2000	PASS
n25	15	15	371500	1@77	DFT_QAM256	18.25	-2.8	15.45	35.08	2000	PASS
n25	15	15	371500	79@0	CP_QPSK	19.52	-2.8	16.72	46.99	2000	PASS

n25	15	15	371500	39@19	CP_QPSK	21.05	-2.8	18.25	66.83	2000	PASS
n25	15	15	371500	1@1	CP_QPSK	20.92	-2.8	18.12	64.86	2000	PASS
n25	15	15	371500	1@77	CP_QPSK	20.92	-2.8	18.12	64.86	2000	PASS
n25	15	15	371500	79@0	CP_QAM16	19.51	-2.8	16.71	46.88	2000	PASS
n25	15	15	371500	39@19	CP_QAM16	20.61	-2.8	17.81	60.39	2000	PASS
n25	15	15	371500	1@1	CP_QAM16	20.37	-2.8	17.57	57.15	2000	PASS
n25	15	15	371500	1@77	CP_QAM16	20.37	-2.8	17.57	57.15	2000	PASS
n25	15	15	371500	79@0	CP_QAM64	19.03	-2.8	16.23	41.98	2000	PASS
n25	15	15	371500	39@19	CP_QAM64	19.04	-2.8	16.24	42.07	2000	PASS
n25	15	15	371500	1@1	CP_QAM64	19.34	-2.8	16.54	45.08	2000	PASS
n25	15	15	371500	1@77	CP_QAM64	19.39	-2.8	16.59	45.6	2000	PASS
n25	15	15	371500	79@0	CP_QAM256	16.01	-2.8	13.21	20.94	2000	PASS
n25	15	15	371500	39@19	CP_QAM256	16.1	-2.8	13.3	21.38	2000	PASS
n25	15	15	371500	1@1	CP_QAM256	16.03	-2.8	13.23	21.04	2000	PASS
n25	15	15	371500	1@77	CP_QAM256	16.35	-2.8	13.55	22.65	2000	PASS
n25	15	15	376500	75@0	DFT_BPSK	22.21	-2.8	19.41	87.3	2000	PASS
n25	15	15	376500	36@18	DFT_BPSK	22.69	-2.8	19.89	97.5	2000	PASS
n25	15	15	376500	1@1	DFT_BPSK	22.39	-2.8	19.59	90.99	2000	PASS
n25	15	15	376500	1@77	DFT_BPSK	22.77	-2.8	19.97	99.31	2000	PASS
n25	15	15	376500	75@0	DFT_QPSK	21.7	-2.8	18.9	77.62	2000	PASS
n25	15	15	376500	36@18	DFT_QPSK	22.77	-2.8	19.97	99.31	2000	PASS
n25	15	15	376500	1@1	DFT_QPSK	22.44	-2.8	19.64	92.04	2000	PASS
n25	15	15	376500	1@77	DFT_QPSK	22.72	-2.8	19.92	98.17	2000	PASS
n25	15	15	376500	75@0	DFT_QAM16	20.71	-2.8	17.91	61.8	2000	PASS
n25	15	15	376500	36@18	DFT_QAM16	21.74	-2.8	18.94	78.34	2000	PASS
n25	15	15	376500	1@1	DFT_QAM16	21.38	-2.8	18.58	72.11	2000	PASS
n25	15	15	376500	1@77	DFT_QAM16	21.71	-2.8	18.91	77.8	2000	PASS
n25	15	15	376500	75@0	DFT_QAM64	20.23	-2.8	17.43	55.34	2000	PASS
n25	15	15	376500	36@18	DFT_QAM64	20.21	-2.8	17.41	55.08	2000	PASS
n25	15	15	376500	1@1	DFT_QAM64	20	-2.8	17.2	52.48	2000	PASS
n25	15	15	376500	1@77	DFT_QAM64	20.34	-2.8	17.54	56.75	2000	PASS
n25	15	15	376500	75@0	DFT_QAM256	18.22	-2.8	15.42	34.83	2000	PASS
n25	15	15	376500	36@18	DFT_QAM256	18.2	-2.8	15.4	34.67	2000	PASS
n25	15	15	376500	1@1	DFT_QAM256	18.27	-2.8	15.47	35.24	2000	PASS
n25	15	15	376500	1@77	DFT_QAM256	18.59	-2.8	15.79	37.93	2000	PASS
n25	15	15	376500	79@0	CP_QPSK	19.69	-2.8	16.89	48.87	2000	PASS
n25	15	15	376500	39@19	CP_QPSK	21.22	-2.8	18.42	69.5	2000	PASS
n25	15	15	376500	1@1	CP_QPSK	20.9	-2.8	18.1	64.57	2000	PASS
n25	15	15	376500	1@77	CP_QPSK	21.21	-2.8	18.41	69.34	2000	PASS
n25	15	15	376500	79@0	CP_QAM16	19.67	-2.8	16.87	48.64	2000	PASS
n25	15	15	376500	39@19	CP_QAM16	20.71	-2.8	17.91	61.8	2000	PASS

n25	15	15	376500	1@1	CP_QAM16	20.33	-2.8	17.53	56.62	2000	PASS
n25	15	15	376500	1@77	CP_QAM16	20.65	-2.8	17.85	60.95	2000	PASS
n25	15	15	376500	79@0	CP_QAM64	19.21	-2.8	16.41	43.75	2000	PASS
n25	15	15	376500	39@19	CP_QAM64	19.23	-2.8	16.43	43.95	2000	PASS
n25	15	15	376500	1@1	CP_QAM64	19.39	-2.8	16.59	45.6	2000	PASS
n25	15	15	376500	1@77	CP_QAM64	19.63	-2.8	16.83	48.19	2000	PASS
n25	15	15	376500	79@0	CP_QAM256	16.3	-2.8	13.5	22.39	2000	PASS
n25	15	15	376500	39@19	CP_QAM256	16.31	-2.8	13.51	22.44	2000	PASS
n25	15	15	376500	1@1	CP_QAM256	16.34	-2.8	13.54	22.59	2000	PASS
n25	15	15	376500	1@77	CP_QAM256	16.65	-2.8	13.85	24.27	2000	PASS
n25	15	15	381500	75@0	DFT_BPSK	21.88	-2.8	19.08	80.91	2000	PASS
n25	15	15	381500	36@18	DFT_BPSK	21.9	-2.8	19.1	81.28	2000	PASS
n25	15	15	381500	1@1	DFT_BPSK	22.05	-2.8	19.25	84.14	2000	PASS
n25	15	15	381500	1@77	DFT_BPSK	20.65	-2.8	17.85	60.95	2000	PASS
n25	15	15	381500	75@0	DFT_QPSK	21.79	-2.8	18.99	79.25	2000	PASS
n25	15	15	381500	36@18	DFT_QPSK	21.86	-2.8	19.06	80.54	2000	PASS
n25	15	15	381500	1@1	DFT_QPSK	22.04	-2.8	19.24	83.95	2000	PASS
n25	15	15	381500	1@77	DFT_QPSK	20.63	-2.8	17.83	60.67	2000	PASS
n25	15	15	381500	75@0	DFT_QAM16	21.05	-2.8	18.25	66.83	2000	PASS
n25	15	15	381500	36@18	DFT_QAM16	21.8	-2.8	19	79.43	2000	PASS
n25	15	15	381500	1@1	DFT_QAM16	21.83	-2.8	19.03	79.98	2000	PASS
n25	15	15	381500	1@77	DFT_QAM16	20.43	-2.8	17.63	57.94	2000	PASS
n25	15	15	381500	75@0	DFT_QAM64	20.55	-2.8	17.75	59.57	2000	PASS
n25	15	15	381500	36@18	DFT_QAM64	20.59	-2.8	17.79	60.12	2000	PASS
n25	15	15	381500	1@1	DFT_QAM64	20.56	-2.8	17.76	59.7	2000	PASS
n25	15	15	381500	1@77	DFT_QAM64	20.46	-2.8	17.66	58.34	2000	PASS
n25	15	15	381500	75@0	DFT_QAM256	18.51	-2.8	15.71	37.24	2000	PASS
n25	15	15	381500	36@18	DFT_QAM256	18.56	-2.8	15.76	37.67	2000	PASS
n25	15	15	381500	1@1	DFT_QAM256	18.94	-2.8	16.14	41.11	2000	PASS
n25	15	15	381500	1@77	DFT_QAM256	18.8	-2.8	16	39.81	2000	PASS
n25	15	15	381500	79@0	CP_QPSK	19.96	-2.8	17.16	52	2000	PASS
n25	15	15	381500	39@19	CP_QPSK	21.53	-2.8	18.73	74.64	2000	PASS
n25	15	15	381500	1@1	CP_QPSK	21.47	-2.8	18.67	73.62	2000	PASS
n25	15	15	381500	1@77	CP_QPSK	20.36	-2.8	17.56	57.02	2000	PASS
n25	15	15	381500	79@0	CP_QAM16	19.99	-2.8	17.19	52.36	2000	PASS
n25	15	15	381500	39@19	CP_QAM16	21.08	-2.8	18.28	67.3	2000	PASS
n25	15	15	381500	1@1	CP_QAM16	20.79	-2.8	17.99	62.95	2000	PASS
n25	15	15	381500	1@77	CP_QAM16	20.41	-2.8	17.61	57.68	2000	PASS
n25	15	15	381500	79@0	CP_QAM64	19.48	-2.8	16.68	46.56	2000	PASS
n25	15	15	381500	39@19	CP_QAM64	19.54	-2.8	16.74	47.21	2000	PASS
n25	15	15	381500	1@1	CP_QAM64	19.79	-2.8	16.99	50	2000	PASS

n25	15	15	381500	1@77	CP_QAM64	19.72	-2.8	16.92	49.2	2000	PASS
n25	15	15	381500	79@0	CP_QAM256	16.58	-2.8	13.78	23.88	2000	PASS
n25	15	15	381500	39@19	CP_QAM256	16.59	-2.8	13.79	23.93	2000	PASS
n25	15	15	381500	1@1	CP_QAM256	16.99	-2.8	14.19	26.24	2000	PASS
n25	15	15	381500	1@77	CP_QAM256	16.86	-2.8	14.06	25.47	2000	PASS
n25	15	20	372000	100@0	DFT_BPSK	22.04	-2.8	19.24	83.95	2000	PASS
n25	15	20	372000	50@25	DFT_BPSK	22.41	-2.8	19.61	91.41	2000	PASS
n25	15	20	372000	1@1	DFT_BPSK	22.07	-2.8	19.27	84.53	2000	PASS
n25	15	20	372000	1@104	DFT_BPSK	22.31	-2.8	19.51	89.33	2000	PASS
n25	15	20	372000	100@0	DFT_QPSK	21.54	-2.8	18.74	74.82	2000	PASS
n25	15	20	372000	50@25	DFT_QPSK	22.36	-2.8	19.56	90.36	2000	PASS
n25	15	20	372000	1@1	DFT_QPSK	21.99	-2.8	19.19	82.99	2000	PASS
n25	15	20	372000	1@104	DFT_QPSK	22.24	-2.8	19.44	87.9	2000	PASS
n25	15	20	372000	100@0	DFT_QAM16	20.58	-2.8	17.78	59.98	2000	PASS
n25	15	20	372000	50@25	DFT_QAM16	21.57	-2.8	18.77	75.34	2000	PASS
n25	15	20	372000	1@1	DFT_QAM16	21.31	-2.8	18.51	70.96	2000	PASS
n25	15	20	372000	1@104	DFT_QAM16	21.34	-2.8	18.54	71.45	2000	PASS
n25	15	20	372000	100@0	DFT_QAM64	20.08	-2.8	17.28	53.46	2000	PASS
n25	15	20	372000	50@25	DFT_QAM64	20.05	-2.8	17.25	53.09	2000	PASS
n25	15	20	372000	1@1	DFT_QAM64	19.91	-2.8	17.11	51.4	2000	PASS
n25	15	20	372000	1@104	DFT_QAM64	19.96	-2.8	17.16	52	2000	PASS
n25	15	20	372000	100@0	DFT_QAM256	17.95	-2.8	15.15	32.73	2000	PASS
n25	15	20	372000	50@25	DFT_QAM256	18.23	-2.8	15.43	34.91	2000	PASS
n25	15	20	372000	1@1	DFT_QAM256	18.24	-2.8	15.44	34.99	2000	PASS
n25	15	20	372000	1@104	DFT_QAM256	18.26	-2.8	15.46	35.16	2000	PASS
n25	15	20	372000	106@0	CP_QPSK	19.55	-2.8	16.75	47.32	2000	PASS
n25	15	20	372000	53@26	CP_QPSK	21.11	-2.8	18.31	67.76	2000	PASS
n25	15	20	372000	1@1	CP_QPSK	20.88	-2.8	18.08	64.27	2000	PASS
n25	15	20	372000	1@104	CP_QPSK	20.79	-2.8	17.99	62.95	2000	PASS
n25	15	20	372000	106@0	CP_QAM16	19.53	-2.8	16.73	47.1	2000	PASS
n25	15	20	372000	53@26	CP_QAM16	20.61	-2.8	17.81	60.39	2000	PASS
n25	15	20	372000	1@1	CP_QAM16	20.31	-2.8	17.51	56.36	2000	PASS
n25	15	20	372000	1@104	CP_QAM16	20.24	-2.8	17.44	55.46	2000	PASS
n25	15	20	372000	106@0	CP_QAM64	19.03	-2.8	16.23	41.98	2000	PASS
n25	15	20	372000	53@26	CP_QAM64	19.1	-2.8	16.3	42.66	2000	PASS
n25	15	20	372000	1@1	CP_QAM64	19.25	-2.8	16.45	44.16	2000	PASS
n25	15	20	372000	1@104	CP_QAM64	19.25	-2.8	16.45	44.16	2000	PASS
n25	15	20	372000	106@0	CP_QAM256	16.17	-2.8	13.37	21.73	2000	PASS
n25	15	20	372000	53@26	CP_QAM256	16.23	-2.8	13.43	22.03	2000	PASS
n25	15	20	372000	1@1	CP_QAM256	16.3	-2.8	13.5	22.39	2000	PASS
n25	15	20	372000	1@104	CP_QAM256	16.3	-2.8	13.5	22.39	2000	PASS

n25	15	20	376500	100@0	DFT_BPSK	22.2	-2.8	19.4	87.1	2000	PASS
n25	15	20	376500	50@25	DFT_BPSK	22.77	-2.8	19.97	99.31	2000	PASS
n25	15	20	376500	1@1	DFT_BPSK	22.32	-2.8	19.52	89.54	2000	PASS
n25	15	20	376500	1@104	DFT_BPSK	22.32	-2.8	19.52	89.54	2000	PASS
n25	15	20	376500	100@0	DFT_QPSK	21.72	-2.8	18.92	77.98	2000	PASS
n25	15	20	376500	50@25	DFT_QPSK	22.76	-2.8	19.96	99.08	2000	PASS
n25	15	20	376500	1@1	DFT_QPSK	22.31	-2.8	19.51	89.33	2000	PASS
n25	15	20	376500	1@104	DFT_QPSK	22.19	-2.8	19.39	86.9	2000	PASS
n25	15	20	376500	100@0	DFT_QAM16	20.62	-2.8	17.82	60.53	2000	PASS
n25	15	20	376500	50@25	DFT_QAM16	21.72	-2.8	18.92	77.98	2000	PASS
n25	15	20	376500	1@1	DFT_QAM16	21.52	-2.8	18.72	74.47	2000	PASS
n25	15	20	376500	1@104	DFT_QAM16	21.9	-2.8	19.1	81.28	2000	PASS
n25	15	20	376500	100@0	DFT_QAM64	20.12	-2.8	17.32	53.95	2000	PASS
n25	15	20	376500	50@25	DFT_QAM64	20.14	-2.8	17.34	54.2	2000	PASS
n25	15	20	376500	1@1	DFT_QAM64	19.84	-2.8	17.04	50.58	2000	PASS
n25	15	20	376500	1@104	DFT_QAM64	20.4	-2.8	17.6	57.54	2000	PASS
n25	15	20	376500	100@0	DFT_QAM256	18.61	-2.8	15.81	38.11	2000	PASS
n25	15	20	376500	50@25	DFT_QAM256	18.23	-2.8	15.43	34.91	2000	PASS
n25	15	20	376500	1@1	DFT_QAM256	18.66	-2.8	15.86	38.55	2000	PASS
n25	15	20	376500	1@104	DFT_QAM256	18.58	-2.8	15.78	37.84	2000	PASS
n25	15	20	376500	106@0	CP_QPSK	19.62	-2.8	16.82	48.08	2000	PASS
n25	15	20	376500	53@26	CP_QPSK	21.25	-2.8	18.45	69.98	2000	PASS
n25	15	20	376500	1@1	CP_QPSK	20.8	-2.8	18	63.1	2000	PASS
n25	15	20	376500	1@104	CP_QPSK	21.23	-2.8	18.43	69.66	2000	PASS
n25	15	20	376500	106@0	CP_QAM16	19.61	-2.8	16.81	47.97	2000	PASS
n25	15	20	376500	53@26	CP_QAM16	20.75	-2.8	17.95	62.37	2000	PASS
n25	15	20	376500	1@1	CP_QAM16	20.27	-2.8	17.47	55.85	2000	PASS
n25	15	20	376500	1@104	CP_QAM16	20.63	-2.8	17.83	60.67	2000	PASS
n25	15	20	376500	106@0	CP_QAM64	19.19	-2.8	16.39	43.55	2000	PASS
n25	15	20	376500	53@26	CP_QAM64	19.2	-2.8	16.4	43.65	2000	PASS
n25	15	20	376500	1@1	CP_QAM64	19.28	-2.8	16.48	44.46	2000	PASS
n25	15	20	376500	1@104	CP_QAM64	19.63	-2.8	16.83	48.19	2000	PASS
n25	15	20	376500	106@0	CP_QAM256	16.25	-2.8	13.45	22.13	2000	PASS
n25	15	20	376500	53@26	CP_QAM256	16.71	-2.8	13.91	24.6	2000	PASS
n25	15	20	376500	1@1	CP_QAM256	16.28	-2.8	13.48	22.28	2000	PASS
n25	15	20	376500	1@104	CP_QAM256	16.7	-2.8	13.9	24.55	2000	PASS
n25	15	20	381000	100@0	DFT_BPSK	22.02	-2.8	19.22	83.56	2000	PASS
n25	15	20	381000	50@25	DFT_BPSK	22.05	-2.8	19.25	84.14	2000	PASS
n25	15	20	381000	1@1	DFT_BPSK	22.21	-2.8	19.41	87.3	2000	PASS
n25	15	20	381000	1@104	DFT_BPSK	20.4	-2.8	17.6	57.54	2000	PASS
n25	15	20	381000	100@0	DFT_QPSK	21.94	-2.8	19.14	82.04	2000	PASS

n25	15	20	381000	50@25	DFT_QPSK	22.01	-2.8	19.21	83.37	2000	PASS
n25	15	20	381000	1@1	DFT_QPSK	22.15	-2.8	19.35	86.1	2000	PASS
n25	15	20	381000	1@104	DFT_QPSK	20.35	-2.8	17.55	56.89	2000	PASS
n25	15	20	381000	100@0	DFT_QAM16	20.96	-2.8	18.16	65.46	2000	PASS
n25	15	20	381000	50@25	DFT_QAM16	21.93	-2.8	19.13	81.85	2000	PASS
n25	15	20	381000	1@1	DFT_QAM16	21.71	-2.8	18.91	77.8	2000	PASS
n25	15	20	381000	1@104	DFT_QAM16	20.2	-2.8	17.4	54.95	2000	PASS
n25	15	20	381000	100@0	DFT_QAM64	20.5	-2.8	17.7	58.88	2000	PASS
n25	15	20	381000	50@25	DFT_QAM64	20.52	-2.8	17.72	59.16	2000	PASS
n25	15	20	381000	1@1	DFT_QAM64	20.38	-2.8	17.58	57.28	2000	PASS
n25	15	20	381000	1@104	DFT_QAM64	20.2	-2.8	17.4	54.95	2000	PASS
n25	15	20	381000	100@0	DFT_QAM256	18.25	-2.8	15.45	35.08	2000	PASS
n25	15	20	381000	50@25	DFT_QAM256	18.54	-2.8	15.74	37.5	2000	PASS
n25	15	20	381000	1@1	DFT_QAM256	18.67	-2.8	15.87	38.64	2000	PASS
n25	15	20	381000	1@104	DFT_QAM256	18.78	-2.8	15.98	39.63	2000	PASS
n25	15	20	381000	106@0	CP_QPSK	19.98	-2.8	17.18	52.24	2000	PASS
n25	15	20	381000	53@26	CP_QPSK	21.53	-2.8	18.73	74.64	2000	PASS
n25	15	20	381000	1@1	CP_QPSK	21.33	-2.8	18.53	71.29	2000	PASS
n25	15	20	381000	1@104	CP_QPSK	20.12	-2.8	17.32	53.95	2000	PASS
n25	15	20	381000	106@0	CP_QAM16	19.99	-2.8	17.19	52.36	2000	PASS
n25	15	20	381000	53@26	CP_QAM16	21.12	-2.8	18.32	67.92	2000	PASS
n25	15	20	381000	1@1	CP_QAM16	20.75	-2.8	17.95	62.37	2000	PASS
n25	15	20	381000	1@104	CP_QAM16	20.16	-2.8	17.36	54.45	2000	PASS
n25	15	20	381000	106@0	CP_QAM64	19.51	-2.8	16.71	46.88	2000	PASS
n25	15	20	381000	53@26	CP_QAM64	19.58	-2.8	16.78	47.64	2000	PASS
n25	15	20	381000	1@1	CP_QAM64	19.73	-2.8	16.93	49.32	2000	PASS
n25	15	20	381000	1@104	CP_QAM64	19.69	-2.8	16.89	48.87	2000	PASS
n25	15	20	381000	106@0	CP_QAM256	16.26	-2.8	13.46	22.18	2000	PASS
n25	15	20	381000	53@26	CP_QAM256	16.61	-2.8	13.81	24.04	2000	PASS
n25	15	20	381000	1@1	CP_QAM256	16.34	-2.8	13.54	22.59	2000	PASS
n25	15	20	381000	1@104	CP_QAM256	16.82	-2.8	14.02	25.23	2000	PASS

2 Frequency stability

Condition		Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result (Hz)	Result (ppm)	Verdict
Temperature (°C)	Voltage (V)									
20(Ref.)	3.0	n25	15	20	376500	100@0	DFT_BPSK	2.3	0.00122	PASS
20(Ref.)	3.87	n25	15	20	376500	100@0	DFT_BPSK	1.5	0.0008	PASS
20(Ref.)	4.35	n25	15	20	376500	100@0	DFT_BPSK	-0.6	-0.00032	PASS
-30	3.87	n25	15	20	376500	100@0	DFT_BPSK	1.7	0.0009	PASS
-20	3.87	n25	15	20	376500	100@0	DFT_BPSK	2.6	0.00138	PASS
-10	3.87	n25	15	20	376500	100@0	DFT_BPSK	-1.9	-0.00101	PASS
0	3.87	n25	15	20	376500	100@0	DFT_BPSK	3.7	0.00197	PASS
10	3.87	n25	15	20	376500	100@0	DFT_BPSK	3.1	0.00165	PASS
20(Ref.)	3.87	n25	15	20	376500	100@0	DFT_BPSK	1.5	0.0008	PASS
30	3.87	n25	15	20	376500	100@0	DFT_BPSK	1.6	0.00085	PASS
40	3.87	n25	15	20	376500	100@0	DFT_BPSK	-2.7	-0.00143	PASS
50	3.87	n25	15	20	376500	100@0	DFT_BPSK	-3.7	-0.00197	PASS

Note:

1. Normal Voltage = 3.87 V, Battery End Point (BEP) = 3.0 V, Maximum Voltage = 4.35 V.
2. The frequency fundamental emissions stay within the authorized frequency block.

3 Peak-to-Average Ratio

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result (dB)	High Limit (dB)	Verdict
n25	15	20	376500	100@0	DFT_BPSK	4.12	13	PASS
n25	15	20	376500	100@0	DFT_QPSK	5.36	13	PASS
n25	15	20	376500	100@0	DFT_QAM16	6.08	13	PASS
n25	15	20	376500	100@0	DFT_QAM64	6.23	13	PASS
n25	15	20	376500	100@0	DFT_QAM256	6.61	13	PASS