




6 Conducted Spurious Emissions




n41 SCS=30kHz DFT_BPSK BW=100MHz Channel=509202
RB=270@0





n41 SCS=30kHz DFT_BPSK BW=100MHz Channel=509202
RB=1@0



n41 SCS=30kHz DFT_BPSK BW=100MHz Channel=509202
RB=1@272




n41 SCS=30kHz DFT_BPSK BW=100MHz Channel=518598
RB=270@0




n41 SCS=30kHz DFT_BPSK BW=100MHz Channel=518598

RB=1@0




n41 SCS=30kHz DFT_BPSK BW=100MHz Channel=518598

RB=1@272



n41 SCS=30kHz DFT_BPSK BW=100MHz Channel=528000

RB=270@0



n41 SCS=30kHz DFT_BPSK BW=100MHz Channel=528000

RB=1@0

n41 SCS=30kHz DFT_BPSK BW=100MHz Channel=528000

RB=1@272

7 Radiated Spurious Emissions

n41 - DFT-s-OFDM PI/2 BPSK - 100M - Middle Channel									
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Margin (dB)	SPA. Reading (dBm)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5085	-26.29	-25	-1.29	-36.95	-33.89	5.57	13.17	H	Pass
7635	-31.85	-25	-6.85	-52.86	-36.92	6.75	11.82	H	Pass
10170	-39.87	-25	-14.87	-64.90	-43.53	7.58	11.24	H	Pass
13695	-38.24	-25	-13.24	-68.49	-42.54	9.43	13.73	H	Pass
15270	-35.29	-25	-10.29	-66.71	-40.09	10.41	15.21	H	Pass
17895	-29.12	-25	-4.12	-69.36	-32.26	10.58	13.72	H	Pass
5085	-37.21	-25	-12.21	-48.42	-44.81	5.57	13.17	V	Pass
7635	-41.36	-25	-16.36	-62.68	-46.43	6.75	11.82	V	Pass
11100	-40.75	-25	-15.75	-69.14	-44.55	7.68	11.48	V	Pass
13065	-39.24	-25	-14.24	-68.76	-43.90	8.59	13.25	V	Pass
14655	-35.74	-25	-10.74	-67.21	-39.25	9.64	13.15	V	Pass
17910	-29.68	-25	-4.68	-70.35	-32.93	10.62	13.87	V	Pass

Note: Spurious emissions within 30-2000MHz were found more than 20dB below limit line.