
























Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	11.74	0	11.74	24	Pass
NVNT	a	5200	Ant1	11.95	0	11.95	24	Pass
NVNT	a	5240	Ant1	11.93	0	11.93	24	Pass
NVNT	a	5260	Ant1	11.81	0	11.81	24	Pass
NVNT	a	5300	Ant1	11.75	0	11.75	24	Pass
NVNT	a	5320	Ant1	11.64	0	11.64	24	Pass
NVNT	a	5500	Ant1	11.57	0	11.57	24	Pass
NVNT	a	5580	Ant1	11.73	0	11.73	24	Pass
NVNT	a	5700	Ant1	12.57	0	12.57	24	Pass
NVNT	a	5745	Ant1	12.66	0	12.66	30	Pass
NVNT	a	5785	Ant1	12.42	0	12.42	30	Pass
NVNT	a	5825	Ant1	12.44	0	12.44	30	Pass
NVNT	n20	5180	Ant1	9.49	0	9.49	24	Pass
NVNT	n20	5200	Ant1	9.68	0	9.68	24	Pass
NVNT	n20	5240	Ant1	9.71	0	9.71	24	Pass
NVNT	n20	5260	Ant1	9.57	0	9.57	24	Pass
NVNT	n20	5300	Ant1	9.44	0	9.44	24	Pass
NVNT	n20	5320	Ant1	9.45	0	9.45	24	Pass
NVNT	n20	5500	Ant1	9.21	0	9.21	24	Pass
NVNT	n20	5580	Ant1	9.47	0	9.47	24	Pass
NVNT	n20	5700	Ant1	10.34	0	10.34	24	Pass
NVNT	n20	5745	Ant1	10.42	0	10.42	30	Pass
NVNT	n20	5785	Ant1	10.26	0	10.26	30	Pass
NVNT	n20	5825	Ant1	10.34	0	10.34	30	Pass
NVNT	n40	5190	Ant1	9.58	0	9.58	24	Pass
NVNT	n40	5230	Ant1	9.7	0	9.7	24	Pass
NVNT	n40	5270	Ant1	9.51	0	9.51	24	Pass
NVNT	n40	5310	Ant1	9.36	0	9.36	24	Pass
NVNT	n40	5510	Ant1	8.83	0	8.83	24	Pass
NVNT	n40	5550	Ant1	9.04	0	9.04	24	Pass
NVNT	n40	5670	Ant1	10.08	0	10.08	24	Pass
NVNT	n40	5755	Ant1	10.32	0	10.32	30	Pass
NVNT	n40	5795	Ant1	10.24	0	10.24	30	Pass
NVNT	ac20	5180	Ant1	7.4	0	7.4	24	Pass
NVNT	ac20	5200	Ant1	7.59	0	7.59	24	Pass
NVNT	ac20	5240	Ant1	7.7	0	7.7	24	Pass
NVNT	ac20	5260	Ant1	7.62	0	7.62	24	Pass
NVNT	ac20	5300	Ant1	7.5	0	7.5	24	Pass
NVNT	ac20	5320	Ant1	7.43	0	7.43	24	Pass
NVNT	ac20	5500	Ant1	7.4	0	7.4	24	Pass
NVNT	ac20	5580	Ant1	7.61	0	7.61	24	Pass
NVNT	ac20	5700	Ant1	8.4	0	8.4	24	Pass
NVNT	ac20	5745	Ant1	8.45	0	8.45	30	Pass
NVNT	ac20	5785	Ant1	8.31	0	8.31	30	Pass
NVNT	ac20	5825	Ant1	8.45	0	8.45	30	Pass
NVNT	ac40	5190	Ant1	7.73	0	7.73	24	Pass
NVNT	ac40	5230	Ant1	7.81	0	7.81	24	Pass
NVNT	ac40	5270	Ant1	7.76	0	7.76	24	Pass
NVNT	ac40	5310	Ant1	7.66	0	7.66	24	Pass
NVNT	ac40	5510	Ant1	7.17	0	7.17	24	Pass
NVNT	ac40	5550	Ant1	7.41	0	7.41	24	Pass



NVNT	ac40	5670	Ant1	8.26	0	8.26	24	Pass
NVNT	ac40	5755	Ant1	8.43	0	8.43	30	Pass
NVNT	ac40	5795	Ant1	8.34	0	8.34	30	Pass
NVNT	ac80	5210	Ant1	7.57	0	7.57	24	Pass
NVNT	ac80	5290	Ant1	7.48	0	7.48	24	Pass
NVNT	ac80	5530	Ant1	6.99	0	6.99	24	Pass
NVNT	ac80	5610	Ant1	7.76	0	7.76	24	Pass
NVNT	ac80	5775	Ant1	8.31	0	8.31	30	Pass



-26dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	Ant1	27.959	Pass
NVNT	a	5200	Ant1	20.148	Pass
NVNT	a	5240	Ant1	20.084	Pass
NVNT	a	5260	Ant1	20.029	Pass
NVNT	a	5300	Ant1	19.87	Pass
NVNT	a	5320	Ant1	19.837	Pass
NVNT	a	5500	Ant1	19.803	Pass
NVNT	a	5580	Ant1	20.034	Pass
NVNT	a	5700	Ant1	19.836	Pass
NVNT	n20	5180	Ant1	20.191	Pass
NVNT	n20	5200	Ant1	20.405	Pass
NVNT	n20	5240	Ant1	20.271	Pass
NVNT	n20	5260	Ant1	20.173	Pass
NVNT	n20	5300	Ant1	20.205	Pass
NVNT	n20	5320	Ant1	20.473	Pass
NVNT	n20	5500	Ant1	20.298	Pass
NVNT	n20	5580	Ant1	20.489	Pass
NVNT	n20	5700	Ant1	20.298	Pass
NVNT	n40	5190	Ant1	39.931	Pass
NVNT	n40	5230	Ant1	39.754	Pass
NVNT	n40	5270	Ant1	39.646	Pass
NVNT	n40	5310	Ant1	39.864	Pass
NVNT	n40	5510	Ant1	39.69	Pass
NVNT	n40	5550	Ant1	39.838	Pass
NVNT	n40	5670	Ant1	39.75	Pass
NVNT	ac20	5180	Ant1	20.331	Pass
NVNT	ac20	5200	Ant1	20.32	Pass
NVNT	ac20	5240	Ant1	20.428	Pass
NVNT	ac20	5260	Ant1	20.137	Pass
NVNT	ac20	5300	Ant1	20.158	Pass
NVNT	ac20	5320	Ant1	20.334	Pass
NVNT	ac20	5500	Ant1	20.242	Pass
NVNT	ac20	5580	Ant1	20.321	Pass
NVNT	ac20	5700	Ant1	20.453	Pass
NVNT	ac40	5190	Ant1	40.108	Pass
NVNT	ac40	5230	Ant1	40.18	Pass
NVNT	ac40	5270	Ant1	39.848	Pass
NVNT	ac40	5310	Ant1	39.802	Pass
NVNT	ac40	5510	Ant1	39.699	Pass
NVNT	ac40	5550	Ant1	40.176	Pass
NVNT	ac40	5670	Ant1	39.999	Pass
NVNT	ac80	5210	Ant1	78.958	Pass
NVNT	ac80	5290	Ant1	79.109	Pass
NVNT	ac80	5530	Ant1	79.354	Pass
NVNT	ac80	5610	Ant1	78.535	Pass



Test Graphs

-26dB Bandwidth NVNT a 5180MHz Ant1



-26dB Bandwidth NVNT a 5200MHz Ant1



-26dB Bandwidth NVNT a 5240MHz Ant1





-26dB Bandwidth NVNT a 5260MHz Ant1



-26dB Bandwidth NVNT a 5300MHz Ant1



-26dB Bandwidth NVNT a 5320MHz Ant1






-26dB Bandwidth NVNT a 5500MHz Ant1



-26dB Bandwidth NVNT a 5580MHz Ant1



-26dB Bandwidth NVNT a 5700MHz Ant1





-26dB Bandwidth NVNT n20 5180MHz Ant1



-26dB Bandwidth NVNT n20 5200MHz Ant1



-26dB Bandwidth NVNT n20 5240MHz Ant1





-26dB Bandwidth NVNT n20 5260MHz Ant1



-26dB Bandwidth NVNT n20 5300MHz Ant1



-26dB Bandwidth NVNT n20 5320MHz Ant1






-26dB Bandwidth NVNT n20 5500MHz Ant1



-26dB Bandwidth NVNT n20 5580MHz Ant1



-26dB Bandwidth NVNT n20 5700MHz Ant1





-26dB Bandwidth NVNT n40 5190MHz Ant1



-26dB Bandwidth NVNT n40 5230MHz Ant1



-26dB Bandwidth NVNT n40 5270MHz Ant1





-26dB Bandwidth NVNT n40 5310MHz Ant1



-26dB Bandwidth NVNT n40 5510MHz Ant1



-26dB Bandwidth NVNT n40 5550MHz Ant1





-26dB Bandwidth NVNT n40 5670MHz Ant1



-26dB Bandwidth NVNT ac20 5180MHz Ant1



-26dB Bandwidth NVNT ac20 5200MHz Ant1





-26dB Bandwidth NVNT ac20 5240MHz Ant1



-26dB Bandwidth NVNT ac20 5260MHz Ant1



-26dB Bandwidth NVNT ac20 5300MHz Ant1





-26dB Bandwidth NVNT ac20 5320MHz Ant1



-26dB Bandwidth NVNT ac20 5500MHz Ant1



-26dB Bandwidth NVNT ac20 5580MHz Ant1





-26dB Bandwidth NVNT ac20 5700MHz Ant1



-26dB Bandwidth NVNT ac40 5190MHz Ant1



-26dB Bandwidth NVNT ac40 5230MHz Ant1





-26dB Bandwidth NVNT ac40 5270MHz Ant1



-26dB Bandwidth NVNT ac40 5310MHz Ant1



-26dB Bandwidth NVNT ac40 5510MHz Ant1






-26dB Bandwidth NVNT ac40 5550MHz Ant1



-26dB Bandwidth NVNT ac40 5670MHz Ant1




-26dB Bandwidth NVNT ac80 5210MHz Ant1






-26dB Bandwidth NVNT ac80 5290MHz Ant1



-26dB Bandwidth NVNT ac80 5530MHz Ant1



-26dB Bandwidth NVNT ac80 5610MHz Ant1





Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5180	Ant1	16.727
NVNT	a	5200	Ant1	16.422
NVNT	a	5240	Ant1	16.393
NVNT	a	5260	Ant1	16.418
NVNT	a	5300	Ant1	16.411
NVNT	a	5320	Ant1	16.415
NVNT	a	5500	Ant1	16.398
NVNT	a	5580	Ant1	16.416
NVNT	a	5700	Ant1	16.419
NVNT	a	5745	Ant1	16.38
NVNT	a	5785	Ant1	16.435
NVNT	a	5825	Ant1	16.399
NVNT	n20	5180	Ant1	17.533
NVNT	n20	5200	Ant1	17.557
NVNT	n20	5240	Ant1	17.548
NVNT	n20	5260	Ant1	17.548
NVNT	n20	5300	Ant1	17.573
NVNT	n20	5320	Ant1	17.561
NVNT	n20	5500	Ant1	17.559
NVNT	n20	5580	Ant1	17.54
NVNT	n20	5700	Ant1	17.553
NVNT	n20	5745	Ant1	17.538
NVNT	n20	5785	Ant1	17.561
NVNT	n20	5825	Ant1	17.56
NVNT	n40	5190	Ant1	35.999
NVNT	n40	5230	Ant1	35.986
NVNT	n40	5270	Ant1	35.977
NVNT	n40	5310	Ant1	35.95
NVNT	n40	5510	Ant1	35.952
NVNT	n40	5550	Ant1	35.936
NVNT	n40	5670	Ant1	35.985
NVNT	n40	5755	Ant1	35.979
NVNT	n40	5795	Ant1	35.934
NVNT	ac20	5180	Ant1	17.56
NVNT	ac20	5200	Ant1	17.544
NVNT	ac20	5240	Ant1	17.554
NVNT	ac20	5260	Ant1	17.555
NVNT	ac20	5300	Ant1	17.554
NVNT	ac20	5320	Ant1	17.534
NVNT	ac20	5500	Ant1	17.573
NVNT	ac20	5580	Ant1	17.557
NVNT	ac20	5700	Ant1	17.564
NVNT	ac20	5745	Ant1	17.533
NVNT	ac20	5785	Ant1	17.538
NVNT	ac20	5825	Ant1	17.557
NVNT	ac40	5190	Ant1	35.978
NVNT	ac40	5230	Ant1	35.915
NVNT	ac40	5270	Ant1	35.957
NVNT	ac40	5310	Ant1	35.977
NVNT	ac40	5510	Ant1	35.933
NVNT	ac40	5550	Ant1	35.942
NVNT	ac40	5670	Ant1	35.962
NVNT	ac40	5755	Ant1	35.98



NVNT	ac40	5795	Ant1	35.951
NVNT	ac80	5210	Ant1	75.224
NVNT	ac80	5290	Ant1	75.263
NVNT	ac80	5530	Ant1	75.273
NVNT	ac80	5610	Ant1	75.132
NVNT	ac80	5775	Ant1	75.336





OBW NVNT a 5260MHz Ant1



OBW NVNT a 5300MHz Ant1



OBW NVNT a 5320MHz Ant1





OBW NVNT a 5500MHz Ant1



OBW NVNT a 5580MHz Ant1



OBW NVNT a 5700MHz Ant1





OBW NVNT a 5745MHz Ant1







OBW NVNT a 5785MHz Ant1





OBW NVNT a 5825MHz Ant1













OBW NVNT n40 5190MHz Ant1







OBW NVNT n40 5230MHz Ant1



OBW NVNT n40 5270MHz Ant1









OBW NVNT ac20 5180MHz Ant1



OBW NVNT ac20 5200MHz Ant1



OBW NVNT ac20 5240MHz Ant1





OBW NVNT ac20 5260MHz Ant1




OBW NVNT ac20 5300MHz Ant1




OBW NVNT ac20 5320MHz Ant1







OBW NVNT ac20 5745MHz Ant1







OBW NVNT ac20 5785MHz Ant1



OBW NVNT ac20 5825MHz Ant1









OBW NVNT ac40 5670MHz Ant1







OBW NVNT ac40 5755MHz Ant1



OBW NVNT ac40 5795MHz Ant1










Maximum Power Spectral Density Level

Condi tion	Mod e	Frequen cy (MHz)	Anten na	Conducted PSD (dBm/MHz)	Duty Fact or (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdi ct
NVNT	a	5180	Ant1	2.87	0	2.87	11	Pass
NVNT	a	5200	Ant1	0.24	0	0.24	11	Pass
NVNT	a	5240	Ant1	0.63	0	0.63	11	Pass
NVNT	a	5260	Ant1	0.13	0	0.13	11	Pass
NVNT	a	5300	Ant1	0.24	0	0.24	11	Pass
NVNT	a	5320	Ant1	0.04	0	0.04	11	Pass
NVNT	a	5500	Ant1	0.37	0	0.37	11	Pass
NVNT	a	5580	Ant1	0.53	0	0.53	11	Pass
NVNT	a	5700	Ant1	0.92	0	0.92	11	Pass
NVNT	n20	5180	Ant1	-2.09	0	-2.09	11	Pass
NVNT	n20	5200	Ant1	-2.21	0	-2.21	11	Pass
NVNT	n20	5240	Ant1	-1.98	0	-1.98	11	Pass
NVNT	n20	5260	Ant1	-2.01	0	-2.01	11	Pass
NVNT	n20	5300	Ant1	-2.17	0	-2.17	11	Pass
NVNT	n20	5320	Ant1	-2.31	0	-2.31	11	Pass
NVNT	n20	5500	Ant1	-2.27	0	-2.27	11	Pass
NVNT	n20	5580	Ant1	-1.47	0	-1.47	11	Pass
NVNT	n20	5700	Ant1	-1.8	0	-1.8	11	Pass
NVNT	n40	5190	Ant1	-5.29	0	-5.29	11	Pass
NVNT	n40	5230	Ant1	-5.09	0	-5.09	11	Pass
NVNT	n40	5270	Ant1	-5.37	0	-5.37	11	Pass
NVNT	n40	5310	Ant1	-5.3	0	-5.3	11	Pass
NVNT	n40	5510	Ant1	-6.02	0	-6.02	11	Pass
NVNT	n40	5550	Ant1	-5.94	0	-5.94	11	Pass
NVNT	n40	5670	Ant1	-4.57	0	-4.57	11	Pass
NVNT	ac20	5180	Ant1	-4.63	0	-4.63	11	Pass
NVNT	ac20	5200	Ant1	-3.98	0	-3.98	11	Pass
NVNT	ac20	5240	Ant1	-4.2	0	-4.2	11	Pass
NVNT	ac20	5260	Ant1	-4.14	0	-4.14	11	Pass
NVNT	ac20	5300	Ant1	-4.53	0	-4.53	11	Pass
NVNT	ac20	5320	Ant1	-4.2	0	-4.2	11	Pass
NVNT	ac20	5500	Ant1	-3.75	0	-3.75	11	Pass
NVNT	ac20	5580	Ant1	-4.1	0	-4.1	11	Pass
NVNT	ac20	5700	Ant1	-3.47	0	-3.47	11	Pass
NVNT	ac40	5190	Ant1	-6.73	0	-6.73	11	Pass
NVNT	ac40	5230	Ant1	-6.75	0	-6.75	11	Pass
NVNT	ac40	5270	Ant1	-6.8	0	-6.8	11	Pass
NVNT	ac40	5310	Ant1	-7.02	0	-7.02	11	Pass
NVNT	ac40	5510	Ant1	-7.76	0	-7.76	11	Pass
NVNT	ac40	5550	Ant1	-7.49	0	-7.49	11	Pass
NVNT	ac40	5670	Ant1	-6.28	0	-6.28	11	Pass
NVNT	ac80	5210	Ant1	-10.52	0	-10.52	11	Pass
NVNT	ac80	5290	Ant1	-10.63	0	-10.63	11	Pass
NVNT	ac80	5530	Ant1	-10.88	0	-10.88	11	Pass
NVNT	ac80	5610	Ant1	-10.32	0	-10.32	11	Pass
Condi tion	Mod e	Frequen cy (MHz)	Anten na	Conducted PSD (dBm/500k Hz)	Duty Fact or (dB)	Total PSD (dBm/500k Hz)	Limit (dBm/500k Hz)	Verdi ct
NVNT	a	5745	Ant1	-2.01	0	-2.01	30	Pass



NVNT	a	5785	Ant1	-2.28	0	-2.28	30	Pass
NVNT	a	5825	Ant1	-2.26	0	-2.26	30	Pass
NVNT	n20	5745	Ant1	-3.77	0	-3.77	30	Pass
NVNT	n20	5785	Ant1	-4.48	0	-4.48	30	Pass
NVNT	n20	5825	Ant1	-4.68	0	-4.68	30	Pass
NVNT	n40	5755	Ant1	-7.38	0	-7.38	30	Pass
NVNT	n40	5795	Ant1	-7.51	0	-7.51	30	Pass
NVNT	ac20	5745	Ant1	-6.22	0	-6.22	30	Pass
NVNT	ac20	5785	Ant1	-6.31	0	-6.31	30	Pass
NVNT	ac20	5825	Ant1	-6.59	0	-6.59	30	Pass
NVNT	ac40	5755	Ant1	-9.51	0	-9.51	30	Pass
NVNT	ac40	5795	Ant1	-9.47	0	-9.47	30	Pass
NVNT	ac80	5775	Ant1	-12.36	0	-12.36	30	Pass





PSD NVNT a 5260MHz Ant1



PSD NVNT a 5300MHz Ant1



PSD NVNT a 5320MHz Ant1





PSD NVNT a 5500MHz Ant1









PSD NVNT a 5580MHz Ant1







PSD NVNT a 5700MHz Ant1








































PSD NVNT a 5745MHz Ant1



PSD NVNT a 5785MHz Ant1



PSD NVNT a 5825MHz Ant1





PSD NVNT n20 5745MHz Ant1









PSD NVNT n20 5785MHz Ant1




PSD NVNT n20 5825MHz Ant1











-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	a	5745	Ant1	16.317	0.5	Pass
NVNT	a	5785	Ant1	16.328	0.5	Pass
NVNT	a	5825	Ant1	16.342	0.5	Pass
NVNT	n20	5745	Ant1	17.571	0.5	Pass
NVNT	n20	5785	Ant1	17.586	0.5	Pass
NVNT	n20	5825	Ant1	17.553	0.5	Pass
NVNT	n40	5755	Ant1	36.276	0.5	Pass
NVNT	n40	5795	Ant1	36.303	0.5	Pass
NVNT	ac20	5745	Ant1	17.588	0.5	Pass
NVNT	ac20	5785	Ant1	17.558	0.5	Pass
NVNT	ac20	5825	Ant1	17.572	0.5	Pass
NVNT	ac40	5755	Ant1	36.284	0.5	Pass
NVNT	ac40	5795	Ant1	36.302	0.5	Pass
NVNT	ac80	5775	Ant1	76.333	0.5	Pass




Test Graphs

-6dB Bandwidth NVNT a 5745MHz Ant1



-6dB Bandwidth NVNT a 5785MHz Ant1



-6dB Bandwidth NVNT a 5825MHz Ant1





-6dB Bandwidth NVNT n20 5745MHz Ant1



-6dB Bandwidth NVNT n20 5785MHz Ant1




-6dB Bandwidth NVNT n20 5825MHz Ant1







-6dB Bandwidth NVNT n40 5755MHz Ant1



-6dB Bandwidth NVNT n40 5795MHz Ant1



-6dB Bandwidth NVNT ac20 5745MHz Ant1







-6dB Bandwidth NVNT ac20 5785MHz Ant1




-6dB Bandwidth NVNT ac20 5825MHz Ant1



-6dB Bandwidth NVNT ac40 5755MHz Ant1





*****END OF THE REPORT*****