




Plot 47:

Test Date	2024-05-30
Area Scan	dx=8mm dy=8mm
Zoom Scan	7x7x12,dx=4mm dy=4mm dz=2mm
Phantom	Right head
Device Position	Tilt
Band	U-NII-4 ANT 1
Signal	IEEE 802.11ac
Frequency	5795
SAR 10g (W/Kg)	0.124
SAR 1g (W/Kg)	0.346
ConvF	1.71
Relative permittivity	35.91
Conductivity (S/m)	5.25

Maximum location: X=-8.00, Y=-9.00 ; SAR Peak: 1.85 W/kg






Plot 48:

Test Date	2024-05-30
Area Scan	dx=8mm dy=8mm
Zoom Scan	7x7x12,dx=4mm dy=4mm dz=2mm
Phantom	Validation plane
Device Position	Top Side
Band	U-NII-4 ANT 1
Signal	IEEE 802.11ac
Frequency	5795
SAR 10g (W/Kg)	0.149
SAR 1g (W/Kg)	0.365
ConvF	1.71
Relative permittivity	35.91
Conductivity (S/m)	5.25

Maximum location: X=16.00, Y=16.00 ; SAR Peak: 1.43 W/kg






Plot 49:

Test Date	2024-05-29
Area Scan	dx=8mm dy=8mm
Zoom Scan	7x7x12,dx=4mm dy=4mm dz=2mm
Phantom	Right head
Device Position	Tilt
Band	U-NII-4 ANT 2
Signal	IEEE 802.11ac
Frequency	5755
SAR 10g (W/Kg)	0.198
SAR 1g (W/Kg)	0.496
ConvF	1.71
Relative permittivity	36.31
Conductivity (S/m)	5.31

Maximum location: X=-24.00, Y=-32.00 ; SAR Peak: 3.71 W/kg






Plot 50:

Test Date	2024-05-29
Area Scan	dx=8mm dy=8mm
Zoom Scan	7x7x12,dx=4mm dy=4mm dz=2mm
Phantom	Validation plane
Device Position	Top Side
Band	U-NII-4 ANT 2
Signal	IEEE 802.11ac
Frequency	5755
SAR 10g (W/Kg)	0.218
SAR 1g (W/Kg)	0.353
ConvF	1.71
Relative permittivity	36.31
Conductivity (S/m)	5.31

Maximum location: X=-24.00, Y=-64.00 ; SAR Peak: 1.72 W/kg






Plot 51:

Test Date	2024-05-29
Area Scan	dx=8mm dy=8mm
Zoom Scan	7x7x12,dx=4mm dy=4mm dz=2mm
Phantom	Right head
Device Position	Tilt
Band	U-NII-4 MIMO 1
Signal	IEEE 802.11ac
Frequency	5745
SAR 10g (W/Kg)	0.236
SAR 1g (W/Kg)	0.623
ConvF	1.71
Relative permittivity	36.31
Conductivity (S/m)	5.31

Maximum location: X=-17.00, Y=-9.00 ; SAR Peak: 2.76 W/kg






Plot 52:

Test Date	2024-05-29
Area Scan	dx=8mm dy=8mm
Zoom Scan	7x7x12,dx=4mm dy=4mm dz=2mm
Phantom	Validation plane
Device Position	Top Side
Band	U-NII-4 MIMO 1
Signal	IEEE 802.11ac
Frequency	5745
SAR 10g (W/Kg)	0.153
SAR 1g (W/Kg)	0.214
ConvF	1.71
Relative permittivity	36.31
Conductivity (S/m)	5.31

Maximum location: X=8.00, Y=26.00 ; SAR Peak: 1.57 W/kg






Plot 53:

Test Date	2024-05-29
Area Scan	dx=8mm dy=8mm
Zoom Scan	7x7x12,dx=4mm dy=4mm dz=2mm
Phantom	Right head
Device Position	Tilt
Band	U-NII-4 MIMO 2
Signal	IEEE 802.11ac
Frequency	5745
SAR 10g (W/Kg)	0.129
SAR 1g (W/Kg)	0.156
ConvF	1.71
Relative permittivity	36.31
Conductivity (S/m)	5.31

Maximum location: X=-38.00, Y=0.00 ; SAR Peak: 1.85 W/kg






Plot 54:

Test Date	2024-05-29
Area Scan	dx=8mm dy=8mm
Zoom Scan	7x7x12,dx=4mm dy=4mm dz=2mm
Phantom	Validation plane
Device Position	Top Side
Band	U-NII-4 MIMO 2
Signal	IEEE 802.11ac
Frequency	5745
SAR 10g (W/Kg)	0.224
SAR 1g (W/Kg)	0.391
ConvF	1.71
Relative permittivity	36.31
Conductivity (S/m)	5.31

Maximum location: X=-32.00, Y=-10.00 ; SAR Peak: 2.16 W/kg






Plot 55:

Test Date	2024-05-10
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	LTE band 2
Signal	LTE FDD
Frequency	1900
SAR 10g (W/Kg)	0.062
SAR 1g (W/Kg)	0.096
ConvF	2.24
Relative permittivity	40.22
Conductivity (S/m)	1.42

Maximum location: X=-48.00, Y=-57.00 ; SAR Peak: 0.25 W/kg






Plot 56:

Test Date	2024-05-10
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Bottom Side
Band	LTE band 2
Signal	LTE FDD
Frequency	1900
SAR 10g (W/Kg)	0.345
SAR 1g (W/Kg)	0.619
ConvF	2.24
Relative permittivity	40.22
Conductivity (S/m)	1.42

Maximum location: X=10.00, Y=-1.00 ; SAR Peak: 1.03 W/kg






Plot 57:

Test Date	2024-06-02
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	LTE band 4
Signal	LTE FDD
Frequency	1720
SAR 10g (W/Kg)	0.064
SAR 1g (W/Kg)	0.132
ConvF	1.91
Relative permittivity	40.82
Conductivity (S/m)	1.38

Maximum location: X=-16.00, Y=-8.00 ; SAR Peak: 0.35 W/kg






Plot 58:

Test Date	2024-06-02
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Bottom Side
Band	LTE band 4
Signal	LTE FDD
Frequency	1720
SAR 10g (W/Kg)	0.466
SAR 1g (W/Kg)	0.807
ConvF	1.91
Relative permittivity	40.82
Conductivity (S/m)	1.38

Maximum location: X=9.00, Y=2.00 ; SAR Peak: 1.25 W/kg






Plot 59:

Test Date	2024-05-13
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7, dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	LTE band 5
Signal	LTE FDD
Frequency	844
SAR 10g (W/Kg)	0.123
SAR 1g (W/Kg)	0.191
ConvF	1.70
Relative permittivity	42.59
Conductivity (S/m)	0.88

Maximum location: X=-40.00, Y=-24.00 ; SAR Peak: 0.33 W/kg






Plot 60:

Test Date	2024-05-13
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Bottom Side
Band	LTE band 5
Signal	LTE FDD
Frequency	844
SAR 10g (W/Kg)	0.112
SAR 1g (W/Kg)	0.200
ConvF	1.70
Relative permittivity	42.59
Conductivity (S/m)	0.88

Maximum location: X=7.00, Y=1.00 ; SAR Peak: 0.35 W/kg






Plot 61:

Test Date	2024-06-03
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	LTE band 7
Signal	LTE FDD
Frequency	2535
SAR 10g (W/Kg)	0.097
SAR 1g (W/Kg)	0.196
ConvF	2.35
Relative permittivity	39.11
Conductivity (S/m)	2.01

Maximum location: X=-8.00, Y=-15.00 ; SAR Peak: 0.38 W/kg






Plot 62:

Test Date	2024-06-03
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Top Side
Band	LTE band 7
Signal	LTE FDD
Frequency	2535
SAR 10g (W/Kg)	0.137
SAR 1g (W/Kg)	0.254
ConvF	2.35
Relative permittivity	39.11
Conductivity (S/m)	2.01

Maximum location: X=9.00, Y=14.00 ; SAR Peak: 0.45 W/kg






Plot 63:

Test Date	2024-05-09
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	LTE band 12
Signal	LTE FDD
Frequency	704
SAR 10g (W/Kg)	0.093
SAR 1g (W/Kg)	0.143
ConvF	1.68
Relative permittivity	42.20
Conductivity (S/m)	0.87

Maximum location: X=-55.00, Y=-23.00 ; SAR Peak: 0.23 W/kg






Plot 64:

Test Date	2024-05-09
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Bottom Side
Band	LTE band 12
Signal	LTE FDD
Frequency	704
SAR 10g (W/Kg)	0.072
SAR 1g (W/Kg)	0.146
ConvF	1.68
Relative permittivity	42.20
Conductivity (S/m)	0.87

Maximum location: X=14.00, Y=8.00 ; SAR Peak: 0.23 W/kg






Plot 65:

Test Date	2024-05-09
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	LTE band 13
Signal	LTE FDD
Frequency	782
SAR 10g (W/Kg)	0.099
SAR 1g (W/Kg)	0.138
ConvF	1.68
Relative permittivity	42.20
Conductivity (S/m)	0.87

Maximum location: X=-55.00, Y=-41.00 ; SAR Peak: 0.21 W/kg






Plot 66:

Test Date	2024-05-09
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Bottom Side
Band	LTE band 13
Signal	LTE FDD
Frequency	782
SAR 10g (W/Kg)	0.081
SAR 1g (W/Kg)	0.198
ConvF	1.68
Relative permittivity	42.20
Conductivity (S/m)	0.87

Maximum location: X=8.00, Y=-7.00 ; SAR Peak: 0.44 W/kg






Plot 67:

Test Date	2024-05-16
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7, dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	LTE band 17
Signal	LTE FDD
Frequency	709
SAR 10g (W/Kg)	0.080
SAR 1g (W/Kg)	0.147
ConvF	1.68
Relative permittivity	42.69
Conductivity (S/m)	0.92

Maximum location: X=-56.00, Y=-17.00 ; SAR Peak: 0.31 W/kg






Plot 68:

Test Date	2024-05-16
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Bottom Side
Band	LTE band 17
Signal	LTE FDD
Frequency	709
SAR 10g (W/Kg)	0.078
SAR 1g (W/Kg)	0.163
ConvF	1.68
Relative permittivity	42.69
Conductivity (S/m)	0.92

Maximum location: X=10.00, Y=1.00 ; SAR Peak: 0.28 W/kg






Plot 69:

Test Date	2024-05-14
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	LTE band 25
Signal	LTE FDD
Frequency	1905
SAR 10g (W/Kg)	0.049
SAR 1g (W/Kg)	0.099
ConvF	2.24
Relative permittivity	40.34
Conductivity (S/m)	1.42

Maximum location: X=-72.00, Y=-48.00 ; SAR Peak: 0.23 W/kg






Plot 70:

Test Date	2024-05-14
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Bottom Side
Band	LTE band 25
Signal	LTE FDD
Frequency	1905
SAR 10g (W/Kg)	0.298
SAR 1g (W/Kg)	0.552
ConvF	2.24
Relative permittivity	40.34
Conductivity (S/m)	1.42

Maximum location: X=9.00, Y=-2.00 ; SAR Peak: 0.93 W/kg





Plot 71:

Test Date	2024-06-01
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	LTE band 26
Signal	LTE FDD
Frequency	841.5
SAR 10g (W/Kg)	0.112
SAR 1g (W/Kg)	0.182
ConvF	1.70
Relative permittivity	41.87
Conductivity (S/m)	0.91

Maximum location: X=-41.00, Y=-32.00 ; SAR Peak: 0.32 W/kg

