

Appendix_J

RF Test Data for N77(3700-3980)

Conducted Measurement

Product Name: Sixfab 5G Modem Kit for Raspberry Pi 5

Trade Mark: Sixfab

Test Model: Sixfab 5G Modem Kit for Raspberry Pi 5

Environmental Conditions

Temperature:	24.6° C
Relative Humidity:	52.4%
ATM Pressure:	100.0 kPa
Test Engineer:	Simba Huang
Supervised by:	Seal Chen

TABLE OF CONTENTS

1. Effective (Isotropic) Radiated Power Output Data for SA	3
2. Peak-to-Average Ratio for SA	19
3. 26dB Bandwidth and Occupied Bandwidth for SA	22
4. Band Edge for SA	71
5. Conducted Spurious Emission for SA	82
6. Frequency Stability for SA	86
7. Modulation characteristics for SA	88

1. Effective (Isotropic) Radiated Power Output Data for SA

Test Result

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Power (dBm)	EIRP (dBm)	LIMIT	Verdict
N77-3700-3980	30	20	DFT-PI2BPSK	L	Inner_1RB_Left	21.72	24.47	33	PASS
N77-3700-3980	30	20	DFT-PI2BPSK	L	Inner_1RB_Right	21.72	24.47	33	PASS
N77-3700-3980	30	20	DFT-PI2BPSK	L	Outer_Full	21.21	23.96	33	PASS
N77-3700-3980	30	20	DFT-QPSK	L	Inner_1RB_Left	21.51	24.26	33	PASS
N77-3700-3980	30	20	DFT-QPSK	L	Inner_1RB_Right	21.75	24.5	33	PASS
N77-3700-3980	30	20	DFT-QPSK	L	Outer_Full	20.74	23.49	33	PASS
N77-3700-3980	30	20	DFT-16QAM	L	Inner_1RB_Left	20.24	22.99	33	PASS
N77-3700-3980	30	20	DFT-16QAM	L	Inner_1RB_Right	20.45	23.2	33	PASS
N77-3700-3980	30	20	DFT-16QAM	L	Outer_Full	19.68	22.43	33	PASS
N77-3700-3980	30	20	DFT-64QAM	L	Inner_1RB_Left	18.73	21.48	33	PASS
N77-3700-3980	30	20	DFT-64QAM	L	Inner_1RB_Right	18.94	21.69	33	PASS
N77-3700-3980	30	20	DFT-64QAM	L	Outer_Full	19.28	22.03	33	PASS
N77-3700-3980	30	20	DFT-256QAM	L	Inner_1RB_Left	17.05	19.8	33	PASS
N77-3700-3980	30	20	DFT-256QAM	L	Inner_1RB_Right	17.35	20.1	33	PASS
N77-3700-3980	30	20	DFT-256QAM	L	Outer_Full	17.27	20.02	33	PASS
N77-3700-3980	30	20	DFT-PI2BPSK	M	Inner_1RB_Left	21.73	24.48	33	PASS
N77-3700-3980	30	20	DFT-PI2BPSK	M	Inner_1RB_Right	21.82	24.57	33	PASS
N77-3700-3980	30	20	DFT-PI2BPSK	M	Outer_Full	19.65	22.4	33	PASS

N77-3700-3980	30	20	DFT-QPSK	M	Inner_1RB_Left	22.09	24.84	33	PASS
N77-3700-3980	30	20	DFT-QPSK	M	Inner_1RB_Right	22.29	25.04	33	PASS
N77-3700-3980	30	20	DFT-QPSK	M	Outer_Full	21.31	24.06	33	PASS
N77-3700-3980	30	20	DFT-16QAM	M	Inner_1RB_Left	20.81	23.56	33	PASS
N77-3700-3980	30	20	DFT-16QAM	M	Inner_1RB_Right	20.94	23.69	33	PASS
N77-3700-3980	30	20	DFT-16QAM	M	Outer_Full	20.28	23.03	33	PASS
N77-3700-3980	30	20	DFT-64QAM	M	Inner_1RB_Left	19.3	22.05	33	PASS
N77-3700-3980	30	20	DFT-64QAM	M	Inner_1RB_Right	19.51	22.26	33	PASS
N77-3700-3980	30	20	DFT-64QAM	M	Outer_Full	19.83	22.58	33	PASS
N77-3700-3980	30	20	DFT-256QAM	M	Inner_1RB_Left	17.62	20.37	33	PASS
N77-3700-3980	30	20	DFT-256QAM	M	Inner_1RB_Right	17.86	20.61	33	PASS
N77-3700-3980	30	20	DFT-256QAM	M	Outer_Full	17.83	20.58	33	PASS
N77-3700-3980	30	20	DFT-PI2BPSK	H	Inner_1RB_Left	21.73	24.48	33	PASS
N77-3700-3980	30	20	DFT-PI2BPSK	H	Inner_1RB_Right	21.82	24.57	33	PASS
N77-3700-3980	30	20	DFT-PI2BPSK	H	Outer_Full	21.29	24.04	33	PASS
N77-3700-3980	30	20	DFT-QPSK	H	Inner_1RB_Left	21.62	24.37	33	PASS
N77-3700-3980	30	20	DFT-QPSK	H	Inner_1RB_Right	21.79	24.54	33	PASS
N77-3700-3980	30	20	DFT-QPSK	H	Outer_Full	20.85	23.6	33	PASS
N77-3700-3980	30	20	DFT-16QAM	H	Inner_1RB_Left	20.36	23.11	33	PASS
N77-3700-3980	30	20	DFT-16QAM	H	Inner_1RB_Right	20.58	23.33	33	PASS
N77-3700-3980	30	20	DFT-16QAM	H	Outer_Full	19.8	22.55	33	PASS

N77-3700-3980	30	20	DFT-64QAM	H	Inner_1RB_Left	19.2	21.95	33	PASS
N77-3700-3980	30	20	DFT-64QAM	H	Inner_1RB_Right	19.31	22.06	33	PASS
N77-3700-3980	30	20	DFT-64QAM	H	Outer_Full	19.4	22.15	33	PASS
N77-3700-3980	30	20	DFT-256QAM	H	Inner_1RB_Left	17.36	20.11	33	PASS
N77-3700-3980	30	20	DFT-256QAM	H	Inner_1RB_Right	17.42	20.17	33	PASS
N77-3700-3980	30	20	DFT-256QAM	H	Outer_Full	17.31	20.06	33	PASS
N77-3700-3980	30	40	DFT-PI2BPSK	L	Inner_1RB_Left	21.24	23.99	33	PASS
N77-3700-3980	30	40	DFT-PI2BPSK	L	Inner_1RB_Right	21.64	24.39	33	PASS
N77-3700-3980	30	40	DFT-PI2BPSK	L	Outer_Full	21.23	23.98	33	PASS
N77-3700-3980	30	40	DFT-QPSK	L	Inner_1RB_Left	21.28	24.03	33	PASS
N77-3700-3980	30	40	DFT-QPSK	L	Inner_1RB_Right	21.65	24.4	33	PASS
N77-3700-3980	30	40	DFT-QPSK	L	Outer_Full	20.76	23.51	33	PASS
N77-3700-3980	30	40	DFT-16QAM	L	Inner_1RB_Left	20	22.75	33	PASS
N77-3700-3980	30	40	DFT-16QAM	L	Inner_1RB_Right	20.43	23.18	33	PASS
N77-3700-3980	30	40	DFT-16QAM	L	Outer_Full	19.79	22.54	33	PASS
N77-3700-3980	30	40	DFT-64QAM	L	Inner_1RB_Left	18.78	21.53	33	PASS
N77-3700-3980	30	40	DFT-64QAM	L	Inner_1RB_Right	19.18	21.93	33	PASS
N77-3700-3980	30	40	DFT-64QAM	L	Outer_Full	19.26	22.01	33	PASS
N77-3700-3980	30	40	DFT-256QAM	L	Inner_1RB_Left	16.93	19.68	33	PASS
N77-3700-3980	30	40	DFT-256QAM	L	Inner_1RB_Right	17.28	20.03	33	PASS
N77-3700-3980	30	40	DFT-256QAM	L	Outer_Full	17.26	20.01	33	PASS

N77-3700-3980	30	40	DFT-PI2BPSK	M	Inner_1RB_Left	21.73	24.48	33	PASS
N77-3700-3980	30	40	DFT-PI2BPSK	M	Inner_1RB_Right	21.95	24.7	33	PASS
N77-3700-3980	30	40	DFT-PI2BPSK	M	Outer_Full	21.62	24.37	33	PASS
N77-3700-3980	30	40	DFT-QPSK	M	Inner_1RB_Left	21.71	24.46	33	PASS
N77-3700-3980	30	40	DFT-QPSK	M	Inner_1RB_Right	21.96	24.71	33	PASS
N77-3700-3980	30	40	DFT-QPSK	M	Outer_Full	20.71	23.46	33	PASS
N77-3700-3980	30	40	DFT-16QAM	M	Inner_1RB_Left	20.41	23.16	33	PASS
N77-3700-3980	30	40	DFT-16QAM	M	Inner_1RB_Right	20.64	23.39	33	PASS
N77-3700-3980	30	40	DFT-16QAM	M	Outer_Full	20.2	22.95	33	PASS
N77-3700-3980	30	40	DFT-64QAM	M	Inner_1RB_Left	18.94	21.69	33	PASS
N77-3700-3980	30	40	DFT-64QAM	M	Inner_1RB_Right	19.14	21.89	33	PASS
N77-3700-3980	30	40	DFT-64QAM	M	Outer_Full	19.67	22.42	33	PASS
N77-3700-3980	30	40	DFT-256QAM	M	Inner_1RB_Left	17.22	19.97	33	PASS
N77-3700-3980	30	40	DFT-256QAM	M	Inner_1RB_Right	17.42	20.17	33	PASS
N77-3700-3980	30	40	DFT-256QAM	M	Outer_Full	17.65	20.4	33	PASS
N77-3700-3980	30	40	DFT-PI2BPSK	H	Inner_1RB_Left	21.18	23.93	33	PASS
N77-3700-3980	30	40	DFT-PI2BPSK	H	Inner_1RB_Right	21.25	24	33	PASS
N77-3700-3980	30	40	DFT-PI2BPSK	H	Outer_Full	21.09	23.84	33	PASS
N77-3700-3980	30	40	DFT-QPSK	H	Inner_1RB_Left	21.2	23.95	33	PASS
N77-3700-3980	30	40	DFT-QPSK	H	Inner_1RB_Right	21.31	24.06	33	PASS
N77-3700-3980	30	40	DFT-QPSK	H	Outer_Full	20.62	23.37	33	PASS

N77-3700-3980	30	40	DFT-16QAM	H	Inner_1RB_Left	20.43	23.18	33	PASS
N77-3700-3980	30	40	DFT-16QAM	H	Inner_1RB_Right	20.34	23.09	33	PASS
N77-3700-3980	30	40	DFT-16QAM	H	Outer_Full	19.6	22.35	33	PASS
N77-3700-3980	30	40	DFT-64QAM	H	Inner_1RB_Left	20.73	23.48	33	PASS
N77-3700-3980	30	40	DFT-64QAM	H	Inner_1RB_Right	18.87	21.62	33	PASS
N77-3700-3980	30	40	DFT-64QAM	H	Outer_Full	19.11	21.86	33	PASS
N77-3700-3980	30	40	DFT-256QAM	H	Inner_1RB_Left	17.73	20.48	33	PASS
N77-3700-3980	30	40	DFT-256QAM	H	Inner_1RB_Right	16.85	19.6	33	PASS
N77-3700-3980	30	40	DFT-256QAM	H	Outer_Full	17.12	19.87	33	PASS
N77-3700-3980	30	50	DFT-PI2BPSK	L	Inner_1RB_Left	21.45	24.2	33	PASS
N77-3700-3980	30	50	DFT-PI2BPSK	L	Inner_1RB_Right	22.05	24.8	33	PASS
N77-3700-3980	30	50	DFT-PI2BPSK	L	Outer_Full	21.4	24.15	33	PASS
N77-3700-3980	30	50	DFT-QPSK	L	Inner_1RB_Left	21.43	24.18	33	PASS
N77-3700-3980	30	50	DFT-QPSK	L	Inner_1RB_Right	22.07	24.82	33	PASS
N77-3700-3980	30	50	DFT-QPSK	L	Outer_Full	20.93	23.68	33	PASS
N77-3700-3980	30	50	DFT-16QAM	L	Inner_1RB_Left	20.51	23.26	33	PASS
N77-3700-3980	30	50	DFT-16QAM	L	Inner_1RB_Right	21.31	24.06	33	PASS
N77-3700-3980	30	50	DFT-16QAM	L	Outer_Full	19.97	22.72	33	PASS
N77-3700-3980	30	50	DFT-64QAM	L	Inner_1RB_Left	16.66	19.41	33	PASS
N77-3700-3980	30	50	DFT-64QAM	L	Inner_1RB_Right	19.69	22.44	33	PASS
N77-3700-3980	30	50	DFT-64QAM	L	Outer_Full	19.44	22.19	33	PASS



N77-3700-3980	30	50	DFT-256QAM	L	Inner_1RB_Left	17.66	20.41	33	PASS
N77-3700-3980	30	50	DFT-256QAM	L	Inner_1RB_Right	17.62	20.37	33	PASS
N77-3700-3980	30	50	DFT-256QAM	L	Outer_Full	17.41	20.16	33	PASS
N77-3700-3980	30	50	DFT-PI2BPSK	M	Inner_1RB_Left	21.77	24.52	33	PASS
N77-3700-3980	30	50	DFT-PI2BPSK	M	Inner_1RB_Right	21.95	24.7	33	PASS
N77-3700-3980	30	50	DFT-PI2BPSK	M	Outer_Full	21.58	24.33	33	PASS
N77-3700-3980	30	50	DFT-QPSK	M	Inner_1RB_Left	21.72	24.47	33	PASS
N77-3700-3980	30	50	DFT-QPSK	M	Inner_1RB_Right	22	24.75	33	PASS
N77-3700-3980	30	50	DFT-QPSK	M	Outer_Full	21.1	23.85	33	PASS
N77-3700-3980	30	50	DFT-16QAM	M	Inner_1RB_Left	20.99	23.74	33	PASS
N77-3700-3980	30	50	DFT-16QAM	M	Inner_1RB_Right	21.21	23.96	33	PASS
N77-3700-3980	30	50	DFT-16QAM	M	Outer_Full	20.14	22.89	33	PASS
N77-3700-3980	30	50	DFT-64QAM	M	Inner_1RB_Left	19.41	22.16	33	PASS
N77-3700-3980	30	50	DFT-64QAM	M	Inner_1RB_Right	19.58	22.33	33	PASS
N77-3700-3980	30	50	DFT-64QAM	M	Outer_Full	19.61	22.36	33	PASS
N77-3700-3980	30	50	DFT-256QAM	M	Inner_1RB_Left	17.3	20.05	33	PASS
N77-3700-3980	30	50	DFT-256QAM	M	Inner_1RB_Right	17.54	20.29	33	PASS
N77-3700-3980	30	50	DFT-256QAM	M	Outer_Full	17.57	20.32	33	PASS
N77-3700-3980	30	50	DFT-PI2BPSK	H	Inner_1RB_Left	21.42	24.17	33	PASS
N77-3700-3980	30	50	DFT-PI2BPSK	H	Inner_1RB_Right	21.43	24.18	33	PASS
N77-3700-3980	30	50	DFT-PI2BPSK	H	Outer_Full	21.11	23.86	33	PASS

N77-3700-3980	30	50	DFT-QPSK	H	Inner_1RB_Left	21.47	24.22	33	PASS
N77-3700-3980	30	50	DFT-QPSK	H	Inner_1RB_Right	21.48	24.23	33	PASS
N77-3700-3980	30	50	DFT-QPSK	H	Outer_Full	20.64	23.39	33	PASS
N77-3700-3980	30	50	DFT-16QAM	H	Inner_1RB_Left	20.69	23.44	33	PASS
N77-3700-3980	30	50	DFT-16QAM	H	Inner_1RB_Right	20.55	23.3	33	PASS
N77-3700-3980	30	50	DFT-16QAM	H	Outer_Full	19.7	22.45	33	PASS
N77-3700-3980	30	50	DFT-64QAM	H	Inner_1RB_Left	19.04	21.79	33	PASS
N77-3700-3980	30	50	DFT-64QAM	H	Inner_1RB_Right	19.08	21.83	33	PASS
N77-3700-3980	30	50	DFT-64QAM	H	Outer_Full	19.18	21.93	33	PASS
N77-3700-3980	30	50	DFT-256QAM	H	Inner_1RB_Left	16.86	19.61	33	PASS
N77-3700-3980	30	50	DFT-256QAM	H	Inner_1RB_Right	16.92	19.67	33	PASS
N77-3700-3980	30	50	DFT-256QAM	H	Outer_Full	17.12	19.87	33	PASS
N77-3700-3980	30	60	DFT-PI2BPSK	L	Inner_1RB_Left	21.29	24.04	33	PASS
N77-3700-3980	30	60	DFT-PI2BPSK	L	Inner_1RB_Right	22.01	24.76	33	PASS
N77-3700-3980	30	60	DFT-PI2BPSK	L	Outer_Full	21.4	24.15	33	PASS
N77-3700-3980	30	60	DFT-QPSK	L	Inner_1RB_Left	21.3	24.05	33	PASS
N77-3700-3980	30	60	DFT-QPSK	L	Inner_1RB_Right	22.02	24.77	33	PASS
N77-3700-3980	30	60	DFT-QPSK	L	Outer_Full	20.93	23.68	33	PASS
N77-3700-3980	30	60	DFT-16QAM	L	Inner_1RB_Left	20.35	23.1	33	PASS
N77-3700-3980	30	60	DFT-16QAM	L	Inner_1RB_Right	21.11	23.86	33	PASS
N77-3700-3980	30	60	DFT-16QAM	L	Outer_Full	19.94	22.69	33	PASS

N77-3700-3980	30	60	DFT-64QAM	L	Inner_1RB_Left	18.9	21.65	33	PASS
N77-3700-3980	30	60	DFT-64QAM	L	Inner_1RB_Right	19.69	22.44	33	PASS
N77-3700-3980	30	60	DFT-64QAM	L	Outer_Full	19.43	22.18	33	PASS
N77-3700-3980	30	60	DFT-256QAM	L	Inner_1RB_Left	16.67	19.42	33	PASS
N77-3700-3980	30	60	DFT-256QAM	L	Inner_1RB_Right	17.43	20.18	33	PASS
N77-3700-3980	30	60	DFT-256QAM	L	Outer_Full	17.41	20.16	33	PASS
N77-3700-3980	30	60	DFT-PI2BPSK	M	Inner_1RB_Left	21.63	24.38	33	PASS
N77-3700-3980	30	60	DFT-PI2BPSK	M	Inner_1RB_Right	21.81	24.56	33	PASS
N77-3700-3980	30	60	DFT-PI2BPSK	M	Outer_Full	21.57	24.32	33	PASS
N77-3700-3980	30	60	DFT-QPSK	M	Inner_1RB_Left	21.61	24.36	33	PASS
N77-3700-3980	30	60	DFT-QPSK	M	Inner_1RB_Right	21.84	24.59	33	PASS
N77-3700-3980	30	60	DFT-QPSK	M	Outer_Full	21.04	23.79	33	PASS
N77-3700-3980	30	60	DFT-16QAM	M	Inner_1RB_Left	20.71	23.46	33	PASS
N77-3700-3980	30	60	DFT-16QAM	M	Inner_1RB_Right	20.93	23.68	33	PASS
N77-3700-3980	30	60	DFT-16QAM	M	Outer_Full	20.08	22.83	33	PASS
N77-3700-3980	30	60	DFT-64QAM	M	Inner_1RB_Left	18.55	21.3	33	PASS
N77-3700-3980	30	60	DFT-64QAM	M	Inner_1RB_Right	19.47	22.22	33	PASS
N77-3700-3980	30	60	DFT-64QAM	M	Outer_Full	19.56	22.31	33	PASS
N77-3700-3980	30	60	DFT-256QAM	M	Inner_1RB_Left	17.73	20.48	33	PASS
N77-3700-3980	30	60	DFT-256QAM	M	Inner_1RB_Right	17.35	20.1	33	PASS
N77-3700-3980	30	60	DFT-256QAM	M	Outer_Full	17.53	20.28	33	PASS

N77-3700-3980	30	60	DFT-PI2BPSK	H	Inner_1RB_Left	21.38	24.13	33	PASS
N77-3700-3980	30	60	DFT-PI2BPSK	H	Inner_1RB_Right	21.4	24.15	33	PASS
N77-3700-3980	30	60	DFT-PI2BPSK	H	Outer_Full	21.16	23.91	33	PASS
N77-3700-3980	30	60	DFT-QPSK	H	Inner_1RB_Left	21.42	24.17	33	PASS
N77-3700-3980	30	60	DFT-QPSK	H	Inner_1RB_Right	21.42	24.17	33	PASS
N77-3700-3980	30	60	DFT-QPSK	H	Outer_Full	20.69	23.44	33	PASS
N77-3700-3980	30	60	DFT-16QAM	H	Inner_1RB_Left	20.47	23.22	33	PASS
N77-3700-3980	30	60	DFT-16QAM	H	Inner_1RB_Right	20.54	23.29	33	PASS
N77-3700-3980	30	60	DFT-16QAM	H	Outer_Full	19.71	22.46	33	PASS
N77-3700-3980	30	60	DFT-64QAM	H	Inner_1RB_Left	19.01	21.76	33	PASS
N77-3700-3980	30	60	DFT-64QAM	H	Inner_1RB_Right	19.06	21.81	33	PASS
N77-3700-3980	30	60	DFT-64QAM	H	Outer_Full	19.21	21.96	33	PASS
N77-3700-3980	30	60	DFT-256QAM	H	Inner_1RB_Left	16.94	19.69	33	PASS
N77-3700-3980	30	60	DFT-256QAM	H	Inner_1RB_Right	17.02	19.77	33	PASS
N77-3700-3980	30	60	DFT-256QAM	H	Outer_Full	17.18	19.93	33	PASS
N77-3700-3980	30	80	DFT-PI2BPSK	L	Inner_1RB_Left	20.94	23.69	33	PASS
N77-3700-3980	30	80	DFT-PI2BPSK	L	Inner_1RB_Right	21.82	24.57	33	PASS
N77-3700-3980	30	80	DFT-PI2BPSK	L	Outer_Full	21.43	24.18	33	PASS
N77-3700-3980	30	80	DFT-QPSK	L	Inner_1RB_Left	21	23.75	33	PASS
N77-3700-3980	30	80	DFT-QPSK	L	Inner_1RB_Right	21.93	24.68	33	PASS
N77-3700-3980	30	80	DFT-QPSK	L	Outer_Full	20.95	23.7	33	PASS

N77-3700-3980	30	80	DFT-16QAM	L	Inner_1RB_Left	19.81	22.56	33	PASS
N77-3700-3980	30	80	DFT-16QAM	L	Inner_1RB_Right	20.67	23.42	33	PASS
N77-3700-3980	30	80	DFT-16QAM	L	Outer_Full	19.98	22.73	33	PASS
N77-3700-3980	30	80	DFT-64QAM	L	Inner_1RB_Left	18.71	21.46	33	PASS
N77-3700-3980	30	80	DFT-64QAM	L	Inner_1RB_Right	19.6	22.35	33	PASS
N77-3700-3980	30	80	DFT-64QAM	L	Outer_Full	19.47	22.22	33	PASS
N77-3700-3980	30	80	DFT-256QAM	L	Inner_1RB_Left	16.36	19.11	33	PASS
N77-3700-3980	30	80	DFT-256QAM	L	Inner_1RB_Right	17.26	20.01	33	PASS
N77-3700-3980	30	80	DFT-256QAM	L	Outer_Full	17.41	20.16	33	PASS
N77-3700-3980	30	80	DFT-PI2BPSK	M	Inner_1RB_Left	21.19	23.94	33	PASS
N77-3700-3980	30	80	DFT-PI2BPSK	M	Inner_1RB_Right	21.37	24.12	33	PASS
N77-3700-3980	30	80	DFT-PI2BPSK	M	Outer_Full	21.47	24.22	33	PASS
N77-3700-3980	30	80	DFT-QPSK	M	Inner_1RB_Left	21.32	24.07	33	PASS
N77-3700-3980	30	80	DFT-QPSK	M	Inner_1RB_Right	21.44	24.19	33	PASS
N77-3700-3980	30	80	DFT-QPSK	M	Outer_Full	20.99	23.74	33	PASS
N77-3700-3980	30	80	DFT-16QAM	M	Inner_1RB_Left	20.21	22.96	33	PASS
N77-3700-3980	30	80	DFT-16QAM	M	Inner_1RB_Right	20.19	22.94	33	PASS
N77-3700-3980	30	80	DFT-16QAM	M	Outer_Full	20.03	22.78	33	PASS
N77-3700-3980	30	80	DFT-64QAM	M	Inner_1RB_Left	19.06	21.81	33	PASS
N77-3700-3980	30	80	DFT-64QAM	M	Inner_1RB_Right	19.11	21.86	33	PASS
N77-3700-3980	30	80	DFT-64QAM	M	Outer_Full	19.52	22.27	33	PASS



N77-3700-3980	30	80	DFT-256QAM	M	Inner_1RB_Left	16.65	19.4	33	PASS
N77-3700-3980	30	80	DFT-256QAM	M	Inner_1RB_Right	16.74	19.49	33	PASS
N77-3700-3980	30	80	DFT-256QAM	M	Outer_Full	17.5	20.25	33	PASS
N77-3700-3980	30	80	DFT-PI2BPSK	H	Inner_1RB_Left	20.83	23.58	33	PASS
N77-3700-3980	30	80	DFT-PI2BPSK	H	Inner_1RB_Right	21.18	23.93	33	PASS
N77-3700-3980	30	80	DFT-PI2BPSK	H	Outer_Full	21.09	23.84	33	PASS
N77-3700-3980	30	80	DFT-QPSK	H	Inner_1RB_Left	20.94	23.69	33	PASS
N77-3700-3980	30	80	DFT-QPSK	H	Inner_1RB_Right	21.34	24.09	33	PASS
N77-3700-3980	30	80	DFT-QPSK	H	Outer_Full	20.15	22.9	33	PASS
N77-3700-3980	30	80	DFT-16QAM	H	Inner_1RB_Left	19.61	22.36	33	PASS
N77-3700-3980	30	80	DFT-16QAM	H	Inner_1RB_Right	20.08	22.83	33	PASS
N77-3700-3980	30	80	DFT-16QAM	H	Outer_Full	19.66	22.41	33	PASS
N77-3700-3980	30	80	DFT-64QAM	H	Inner_1RB_Left	17.66	20.41	33	PASS
N77-3700-3980	30	80	DFT-64QAM	H	Inner_1RB_Right	18.96	21.71	33	PASS
N77-3700-3980	30	80	DFT-64QAM	H	Outer_Full	19.13	21.88	33	PASS
N77-3700-3980	30	80	DFT-256QAM	H	Inner_1RB_Left	16.74	19.49	33	PASS
N77-3700-3980	30	80	DFT-256QAM	H	Inner_1RB_Right	16.54	19.29	33	PASS
N77-3700-3980	30	80	DFT-256QAM	H	Outer_Full	17.09	19.84	33	PASS
N77-3700-3980	30	90	DFT-PI2BPSK	L	Inner_1RB_Left	20.79	23.54	33	PASS
N77-3700-3980	30	90	DFT-PI2BPSK	L	Inner_1RB_Right	21.52	24.27	33	PASS
N77-3700-3980	30	90	DFT-PI2BPSK	L	Outer_Full	21.48	24.23	33	PASS

N77-3700-3980	30	90	DFT-QPSK	L	Inner_1RB_Left	20.84	23.59	33	PASS
N77-3700-3980	30	90	DFT-QPSK	L	Inner_1RB_Right	21.59	24.34	33	PASS
N77-3700-3980	30	90	DFT-QPSK	L	Outer_Full	21	23.75	33	PASS
N77-3700-3980	30	90	DFT-16QAM	L	Inner_1RB_Left	19.73	22.48	33	PASS
N77-3700-3980	30	90	DFT-16QAM	L	Inner_1RB_Right	20.47	23.22	33	PASS
N77-3700-3980	30	90	DFT-16QAM	L	Outer_Full	19.97	22.72	33	PASS
N77-3700-3980	30	90	DFT-64QAM	L	Inner_1RB_Left	18.57	21.32	33	PASS
N77-3700-3980	30	90	DFT-64QAM	L	Inner_1RB_Right	19.33	22.08	33	PASS
N77-3700-3980	30	90	DFT-64QAM	L	Outer_Full	19.49	22.24	33	PASS
N77-3700-3980	30	90	DFT-256QAM	L	Inner_1RB_Left	16.19	18.94	33	PASS
N77-3700-3980	30	90	DFT-256QAM	L	Inner_1RB_Right	16.98	19.73	33	PASS
N77-3700-3980	30	90	DFT-256QAM	L	Outer_Full	17.5	20.25	33	PASS
N77-3700-3980	30	90	DFT-PI2BPSK	M	Inner_1RB_Left	21.11	23.86	33	PASS
N77-3700-3980	30	90	DFT-PI2BPSK	M	Inner_1RB_Right	21.09	23.84	33	PASS
N77-3700-3980	30	90	DFT-PI2BPSK	M	Outer_Full	21.45	24.2	33	PASS
N77-3700-3980	30	90	DFT-QPSK	M	Inner_1RB_Left	21.12	23.87	33	PASS
N77-3700-3980	30	90	DFT-QPSK	M	Inner_1RB_Right	21.13	23.88	33	PASS
N77-3700-3980	30	90	DFT-QPSK	M	Outer_Full	20.93	23.68	33	PASS
N77-3700-3980	30	90	DFT-16QAM	M	Inner_1RB_Left	20.15	22.9	33	PASS
N77-3700-3980	30	90	DFT-16QAM	M	Inner_1RB_Right	19.99	22.74	33	PASS
N77-3700-3980	30	90	DFT-16QAM	M	Outer_Full	19.96	22.71	33	PASS

N77-3700-3980	30	90	DFT-64QAM	M	Inner_1RB_Left	18.89	21.64	33	PASS
N77-3700-3980	30	90	DFT-64QAM	M	Inner_1RB_Right	18.86	21.61	33	PASS
N77-3700-3980	30	90	DFT-64QAM	M	Outer_Full	19.44	22.19	33	PASS
N77-3700-3980	30	90	DFT-256QAM	M	Inner_1RB_Left	16.43	19.18	33	PASS
N77-3700-3980	30	90	DFT-256QAM	M	Inner_1RB_Right	16.45	19.2	33	PASS
N77-3700-3980	30	90	DFT-256QAM	M	Outer_Full	17.45	20.2	33	PASS
N77-3700-3980	30	90	DFT-PI2BPSK	H	Inner_1RB_Left	20.59	23.34	33	PASS
N77-3700-3980	30	90	DFT-PI2BPSK	H	Inner_1RB_Right	21.01	23.76	33	PASS
N77-3700-3980	30	90	DFT-PI2BPSK	H	Outer_Full	21	23.75	33	PASS
N77-3700-3980	30	90	DFT-QPSK	H	Inner_1RB_Left	20.65	23.4	33	PASS
N77-3700-3980	30	90	DFT-QPSK	H	Inner_1RB_Right	21.05	23.8	33	PASS
N77-3700-3980	30	90	DFT-QPSK	H	Outer_Full	19.01	21.76	33	PASS
N77-3700-3980	30	90	DFT-16QAM	H	Inner_1RB_Left	19.5	22.25	33	PASS
N77-3700-3980	30	90	DFT-16QAM	H	Inner_1RB_Right	20.03	22.78	33	PASS
N77-3700-3980	30	90	DFT-16QAM	H	Outer_Full	19.49	22.24	33	PASS
N77-3700-3980	30	90	DFT-64QAM	H	Inner_1RB_Left	17.93	20.68	33	PASS
N77-3700-3980	30	90	DFT-64QAM	H	Inner_1RB_Right	18.81	21.56	33	PASS
N77-3700-3980	30	90	DFT-64QAM	H	Outer_Full	19.03	21.78	33	PASS
N77-3700-3980	30	90	DFT-256QAM	H	Inner_1RB_Left	16.82	19.57	33	PASS
N77-3700-3980	30	90	DFT-256QAM	H	Inner_1RB_Right	16.37	19.12	33	PASS
N77-3700-3980	30	90	DFT-256QAM	H	Outer_Full	17.03	19.78	33	PASS

N77-3700-3980	30	100	DFT-PI2BPSK	L	Inner_1RB_Left	20.61	23.36	33	PASS
N77-3700-3980	30	100	DFT-PI2BPSK	L	Inner_1RB_Right	21.23	23.98	33	PASS
N77-3700-3980	30	100	DFT-PI2BPSK	L	Outer_Full	21.38	24.13	33	PASS
N77-3700-3980	30	100	DFT-QPSK	L	Inner_1RB_Left	20.62	23.37	33	PASS
N77-3700-3980	30	100	DFT-QPSK	L	Inner_1RB_Right	21.25	24	33	PASS
N77-3700-3980	30	100	DFT-QPSK	L	Outer_Full	20.89	23.64	33	PASS
N77-3700-3980	30	100	DFT-16QAM	L	Inner_1RB_Left	19.63	22.38	33	PASS
N77-3700-3980	30	100	DFT-16QAM	L	Inner_1RB_Right	20.25	23	33	PASS
N77-3700-3980	30	100	DFT-16QAM	L	Outer_Full	19.89	22.64	33	PASS
N77-3700-3980	30	100	DFT-64QAM	L	Inner_1RB_Left	18.35	21.1	33	PASS
N77-3700-3980	30	100	DFT-64QAM	L	Inner_1RB_Right	19	21.75	33	PASS
N77-3700-3980	30	100	DFT-64QAM	L	Outer_Full	19.38	22.13	33	PASS
N77-3700-3980	30	100	DFT-256QAM	L	Inner_1RB_Left	16.02	18.77	33	PASS
N77-3700-3980	30	100	DFT-256QAM	L	Inner_1RB_Right	16.68	19.43	33	PASS
N77-3700-3980	30	100	DFT-256QAM	L	Outer_Full	17.39	20.14	33	PASS
N77-3700-3980	30	100	DFT-PI2BPSK	M	Inner_1RB_Left	21	23.75	33	PASS
N77-3700-3980	30	100	DFT-PI2BPSK	M	Inner_1RB_Right	20.82	23.57	33	PASS
N77-3700-3980	30	100	DFT-PI2BPSK	M	Outer_Full	21.35	24.1	33	PASS
N77-3700-3980	30	100	DFT-QPSK	M	Inner_1RB_Left	21.02	23.77	33	PASS
N77-3700-3980	30	100	DFT-QPSK	M	Inner_1RB_Right	20.82	23.57	33	PASS
N77-3700-3980	30	100	DFT-QPSK	M	Outer_Full	20.84	23.59	33	PASS

N77-3700-3980	30	100	DFT-16QAM	M	Inner_1RB_Left	19.97	22.72	33	PASS
N77-3700-3980	30	100	DFT-16QAM	M	Inner_1RB_Right	19.83	22.58	33	PASS
N77-3700-3980	30	100	DFT-16QAM	M	Outer_Full	19.88	22.63	33	PASS
N77-3700-3980	30	100	DFT-64QAM	M	Inner_1RB_Left	18.76	21.51	33	PASS
N77-3700-3980	30	100	DFT-64QAM	M	Inner_1RB_Right	18.56	21.31	33	PASS
N77-3700-3980	30	100	DFT-64QAM	M	Outer_Full	19.36	22.11	33	PASS
N77-3700-3980	30	100	DFT-256QAM	M	Inner_1RB_Left	16.4	19.15	33	PASS
N77-3700-3980	30	100	DFT-256QAM	M	Inner_1RB_Right	16.23	18.98	33	PASS
N77-3700-3980	30	100	DFT-256QAM	M	Outer_Full	17.35	20.1	33	PASS
N77-3700-3980	30	100	DFT-PI2BPSK	H	Inner_1RB_Left	20.68	23.43	33	PASS
N77-3700-3980	30	100	DFT-PI2BPSK	H	Inner_1RB_Right	20.85	23.6	33	PASS
N77-3700-3980	30	100	DFT-PI2BPSK	H	Outer_Full	20.97	23.72	33	PASS
N77-3700-3980	30	100	DFT-QPSK	H	Inner_1RB_Left	20.71	23.46	33	PASS
N77-3700-3980	30	100	DFT-QPSK	H	Inner_1RB_Right	20.92	23.67	33	PASS
N77-3700-3980	30	100	DFT-QPSK	H	Outer_Full	20.47	23.22	33	PASS
N77-3700-3980	30	100	DFT-16QAM	H	Inner_1RB_Left	18.77	21.52	33	PASS
N77-3700-3980	30	100	DFT-16QAM	H	Inner_1RB_Right	19.87	22.62	33	PASS
N77-3700-3980	30	100	DFT-16QAM	H	Outer_Full	19.51	22.26	33	PASS
N77-3700-3980	30	100	DFT-64QAM	H	Inner_1RB_Left	17.93	20.68	33	PASS
N77-3700-3980	30	100	DFT-64QAM	H	Inner_1RB_Right	18.1	20.85	33	PASS
N77-3700-3980	30	100	DFT-64QAM	H	Outer_Full	18.97	21.72	33	PASS



N77-3700-3980	30	100	DFT-256QAM	H	Inner_1RB_Left	16.12	18.87	33	PASS
N77-3700-3980	30	100	DFT-256QAM	H	Inner_1RB_Right	17.1	19.85	33	PASS
N77-3700-3980	30	100	DFT-256QAM	H	Outer_Full	16.96	19.71	33	PASS


2. Peak-to-Average Ratio for SA


Peak-to-Average Ratio(PAPR)

Test Result


Band	SCS	Bandwidth	Modulation	Channel	RB Config	DutyCycle	Factor	Result	Limit	Verdict
N77-3700-3980	30	100	DFT-256QAM	L	Outer_Full	100%	0.00	9.70	≤13	PASS
N77-3700-3980	30	100	CP-256QAM	L	Outer_Full	100%	0.00	9.85	≤13	PASS
N77-3700-3980	30	100	DFT-256QAM	M	Outer_Full	100%	0.00	9.85	≤13	PASS
N77-3700-3980	30	100	CP-256QAM	M	Outer_Full	100%	0.00	9.71	≤13	PASS
N77-3700-3980	30	100	DFT-256QAM	H	Outer_Full	100%	0.00	9.88	≤13	PASS
N77-3700-3980	30	100	CP-256QAM	H	Outer_Full	100%	0.00	10.10	≤13	PASS

Test Graphs





1-N77-3700-3980--30-100-H-1-DFT-256QAM
 -Outer_Full-270@0-Ant1-9.88-100%-0.00-9.8
 8-PASS-≤13



1-N77-3700-3980--30-100-H-2-CP-256QAM-
 Outer_Full-273@0-Ant1-10.10-100%-0.00-10
 .10-PASS-≤13

3.26dB Bandwidth and Occupied Bandwidth for SA

Test Result

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result (99%)	Result (26dB)	Verdict
N77-370 0-3980	30	20	DFT-QPSK	L	Outer_Full	17.838	18.760	PASS
N77-370 0-3980	30	20	DFT-PI2BPSK	L	Outer_Full	17.815	18.680	PASS
N77-370 0-3980	30	20	DFT-16QAM	L	Outer_Full	17.784	19.080	PASS
N77-370 0-3980	30	20	DFT-64QAM	L	Outer_Full	17.784	19.080	PASS
N77-370 0-3980	30	20	DFT-256QAM	L	Outer_Full	17.794	18.560	PASS
N77-370 0-3980	30	20	CP-QPSK	L	Outer_Full	18.17	19.200	PASS
N77-370 0-3980	30	20	CP-16QAM	L	Outer_Full	18.198	20.040	PASS
N77-370 0-3980	30	20	CP-64QAM	L	Outer_Full	18.213	19.240	PASS
N77-370 0-3980	30	20	CP-256QAM	L	Outer_Full	18.17	19.200	PASS
N77-370 0-3980	30	20	DFT-QPSK	M	Outer_Full	17.812	19.280	PASS
N77-370 0-3980	30	20	DFT-PI2BPSK	M	Outer_Full	17.827	18.600	PASS
N77-370 0-3980	30	20	DFT-16QAM	M	Outer_Full	17.799	18.680	PASS
N77-370 0-3980	30	20	DFT-64QAM	M	Outer_Full	17.806	18.680	PASS
N77-370 0-3980	30	20	DFT-256QAM	M	Outer_Full	17.717	18.880	PASS
N77-370 0-3980	30	20	CP-QPSK	M	Outer_Full	18.165	19.040	PASS
N77-370 0-3980	30	20	CP-16QAM	M	Outer_Full	18.21	19.200	PASS
N77-370 0-3980	30	20	CP-64QAM	M	Outer_Full	18.181	18.960	PASS
N77-370 0-3980	30	20	CP-256QAM	M	Outer_Full	18.207	19.120	PASS

0-3980								
N77-370 0-3980	30	20	DFT-QPSK	H	Outer_Full	17.745	19.040	PASS
N77-370 0-3980	30	20	DFT-PI2BPSK	H	Outer_Full	17.79	18.800	PASS
N77-370 0-3980	30	20	DFT-16QAM	H	Outer_Full	17.842	18.680	PASS
N77-370 0-3980	30	20	DFT-64QAM	H	Outer_Full	17.808	18.920	PASS
N77-370 0-3980	30	20	DFT-256QAM	H	Outer_Full	17.765	19.120	PASS
N77-370 0-3980	30	20	CP-QPSK	H	Outer_Full	18.215	19.600	PASS
N77-370 0-3980	30	20	CP-16QAM	H	Outer_Full	18.136	19.240	PASS
N77-370 0-3980	30	20	CP-64QAM	H	Outer_Full	18.228	19.400	PASS
N77-370 0-3980	30	20	CP-256QAM	H	Outer_Full	18.211	19.040	PASS
N77-370 0-3980	30	40	DFT-QPSK	L	Outer_Full	35.724	37.520	PASS
N77-370 0-3980	30	40	DFT-PI2BPSK	L	Outer_Full	35.709	37.760	PASS
N77-370 0-3980	30	40	DFT-16QAM	L	Outer_Full	35.796	37.760	PASS
N77-370 0-3980	30	40	DFT-64QAM	L	Outer_Full	35.792	37.760	PASS
N77-370 0-3980	30	40	DFT-256QAM	L	Outer_Full	35.703	38.080	PASS
N77-370 0-3980	30	40	CP-QPSK	L	Outer_Full	37.799	39.760	PASS
N77-370 0-3980	30	40	CP-16QAM	L	Outer_Full	37.805	41.680	PASS
N77-370 0-3980	30	40	CP-64QAM	L	Outer_Full	37.863	39.600	PASS
N77-370 0-3980	30	40	CP-256QAM	L	Outer_Full	37.817	39.520	PASS
N77-370 0-3980	30	40	DFT-QPSK	M	Outer_Full	35.796	37.680	PASS
N77-370 0-3980	30	40	DFT-PI2BPSK	M	Outer_Full	35.722	37.440	PASS
N77-370	30	40	DFT-16QAM	M	Outer_Full	35.796	37.200	PASS



0-3980								
N77-370 0-3980	30	40	DFT-64QAM	M	Outer_Full	35.791	37.760	PASS
N77-370 0-3980	30	40	DFT-256QAM	M	Outer_Full	35.819	37.600	PASS
N77-370 0-3980	30	40	CP-QPSK	M	Outer_Full	37.749	39.520	PASS
N77-370 0-3980	30	40	CP-16QAM	M	Outer_Full	37.908	39.520	PASS
N77-370 0-3980	30	40	CP-64QAM	M	Outer_Full	37.784	39.520	PASS
N77-370 0-3980	30	40	CP-256QAM	M	Outer_Full	37.86	39.520	PASS
N77-370 0-3980	30	40	DFT-QPSK	H	Outer_Full	35.748	37.760	PASS
N77-370 0-3980	30	40	DFT-PI2BPSK	H	Outer_Full	35.858	37.440	PASS
N77-370 0-3980	30	40	DFT-16QAM	H	Outer_Full	35.666	37.840	PASS
N77-370 0-3980	30	40	DFT-64QAM	H	Outer_Full	35.779	37.440	PASS
N77-370 0-3980	30	40	DFT-256QAM	H	Outer_Full	35.762	37.280	PASS
N77-370 0-3980	30	40	CP-QPSK	H	Outer_Full	37.691	39.360	PASS
N77-370 0-3980	30	40	CP-16QAM	H	Outer_Full	37.915	41.360	PASS
N77-370 0-3980	30	40	CP-64QAM	H	Outer_Full	37.793	39.440	PASS
N77-370 0-3980	30	40	CP-256QAM	H	Outer_Full	37.767	39.360	PASS
N77-370 0-3980	30	50	DFT-QPSK	L	Outer_Full	45.771	47.600	PASS
N77-370 0-3980	30	50	DFT-PI2BPSK	L	Outer_Full	45.535	48.000	PASS
N77-370 0-3980	30	50	DFT-16QAM	L	Outer_Full	45.599	47.600	PASS
N77-370 0-3980	30	50	DFT-64QAM	L	Outer_Full	45.629	47.800	PASS
N77-370 0-3980	30	50	DFT-256QAM	L	Outer_Full	45.726	47.800	PASS
N77-370	30	50	CP-QPSK	L	Outer_Full	47.454	49.200	PASS



0-3980								
N77-370 0-3980	30	50	CP-16QAM	L	Outer_Full	47.498	49.400	PASS
N77-370 0-3980	30	50	CP-64QAM	L	Outer_Full	47.552	49.200	PASS
N77-370 0-3980	30	50	CP-256QAM	L	Outer_Full	47.505	49.500	PASS
N77-370 0-3980	30	50	DFT-QPSK	M	Outer_Full	45.883	47.700	PASS
N77-370 0-3980	30	50	DFT-PI2BPSK	M	Outer_Full	45.761	47.800	PASS
N77-370 0-3980	30	50	DFT-16QAM	M	Outer_Full	45.824	47.400	PASS
N77-370 0-3980	30	50	DFT-64QAM	M	Outer_Full	45.732	47.800	PASS
N77-370 0-3980	30	50	DFT-256QAM	M	Outer_Full	45.756	48.400	PASS
N77-370 0-3980	30	50	CP-QPSK	M	Outer_Full	47.466	49.200	PASS
N77-370 0-3980	30	50	CP-16QAM	M	Outer_Full	47.415	49.900	PASS
N77-370 0-3980	30	50	CP-64QAM	M	Outer_Full	47.296	49.200	PASS
N77-370 0-3980	30	50	CP-256QAM	M	Outer_Full	47.512	49.200	PASS
N77-370 0-3980	30	50	DFT-QPSK	H	Outer_Full	45.67	47.700	PASS
N77-370 0-3980	30	50	DFT-PI2BPSK	H	Outer_Full	45.749	47.700	PASS
N77-370 0-3980	30	50	DFT-16QAM	H	Outer_Full	45.626	48.100	PASS
N77-370 0-3980	30	50	DFT-64QAM	H	Outer_Full	45.601	47.900	PASS
N77-370 0-3980	30	50	DFT-256QAM	H	Outer_Full	45.602	47.600	PASS
N77-370 0-3980	30	50	CP-QPSK	H	Outer_Full	47.569	57.200	PASS
N77-370 0-3980	30	50	CP-16QAM	H	Outer_Full	47.488	51.400	PASS
N77-370 0-3980	30	50	CP-64QAM	H	Outer_Full	47.163	49.600	PASS
N77-370	30	50	CP-256QAM	H	Outer_Full	47.454	49.500	PASS



0-3980								
N77-370 0-3980	30	60	DFT-QPSK	L	Outer_Full	57.829	60.000	PASS
N77-370 0-3980	30	60	DFT-PI2BPSK	L	Outer_Full	57.65	59.760	PASS
N77-370 0-3980	30	60	DFT-16QAM	L	Outer_Full	57.772	59.760	PASS
N77-370 0-3980	30	60	DFT-64QAM	L	Outer_Full	57.869	59.640	PASS
N77-370 0-3980	30	60	DFT-256QAM	L	Outer_Full	57.697	59.640	PASS
N77-370 0-3980	30	60	CP-QPSK	L	Outer_Full	57.945	59.640	PASS
N77-370 0-3980	30	60	CP-16QAM	L	Outer_Full	57.856	60.240	PASS
N77-370 0-3980	30	60	CP-64QAM	L	Outer_Full	57.714	59.640	PASS
N77-370 0-3980	30	60	CP-256QAM	L	Outer_Full	57.755	59.640	PASS
N77-370 0-3980	30	60	DFT-QPSK	M	Outer_Full	57.668	60.000	PASS
N77-370 0-3980	30	60	DFT-PI2BPSK	M	Outer_Full	57.717	59.640	PASS
N77-370 0-3980	30	60	DFT-16QAM	M	Outer_Full	57.778	60.000	PASS
N77-370 0-3980	30	60	DFT-64QAM	M	Outer_Full	57.66	59.880	PASS
N77-370 0-3980	30	60	DFT-256QAM	M	Outer_Full	57.711	59.880	PASS
N77-370 0-3980	30	60	CP-QPSK	M	Outer_Full	56.829	59.400	PASS
N77-370 0-3980	30	60	CP-16QAM	M	Outer_Full	57.942	59.880	PASS
N77-370 0-3980	30	60	CP-64QAM	M	Outer_Full	57.821	59.760	PASS
N77-370 0-3980	30	60	CP-256QAM	M	Outer_Full	57.598	59.760	PASS
N77-370 0-3980	30	60	DFT-QPSK	H	Outer_Full	57.732	59.760	PASS
N77-370 0-3980	30	60	DFT-PI2BPSK	H	Outer_Full	57.935	59.760	PASS
N77-370	30	60	DFT-16QAM	H	Outer_Full	57.92	59.640	PASS



0-3980								
N77-370 0-3980	30	60	DFT-64QAM	H	Outer_Full	57.676	59.880	PASS
N77-370 0-3980	30	60	DFT-256QAM	H	Outer_Full	57.803	60.000	PASS
N77-370 0-3980	30	60	CP-QPSK	H	Outer_Full	57.836	59.760	PASS
N77-370 0-3980	30	60	CP-16QAM	H	Outer_Full	57.673	59.640	PASS
N77-370 0-3980	30	60	CP-64QAM	H	Outer_Full	57.656	59.640	PASS
N77-370 0-3980	30	60	CP-256QAM	H	Outer_Full	57.847	59.640	PASS
N77-370 0-3980	30	80	DFT-QPSK	L	Outer_Full	77.048	80.160	PASS
N77-370 0-3980	30	80	DFT-PI2BPSK	L	Outer_Full	76.9	80.320	PASS
N77-370 0-3980	30	80	DFT-16QAM	L	Outer_Full	77.184	80.320	PASS
N77-370 0-3980	30	80	DFT-64QAM	L	Outer_Full	76.911	80.160	PASS
N77-370 0-3980	30	80	DFT-256QAM	L	Outer_Full	76.963	80.320	PASS
N77-370 0-3980	30	80	CP-QPSK	L	Outer_Full	77.479	81.760	PASS
N77-370 0-3980	30	80	CP-16QAM	L	Outer_Full	77.249	80.960	PASS
N77-370 0-3980	30	80	CP-64QAM	L	Outer_Full	77.273	80.640	PASS
N77-370 0-3980	30	80	CP-256QAM	L	Outer_Full	77.515	80.480	PASS
N77-370 0-3980	30	80	DFT-QPSK	M	Outer_Full	76.966	80.000	PASS
N77-370 0-3980	30	80	DFT-PI2BPSK	M	Outer_Full	76.933	80.320	PASS
N77-370 0-3980	30	80	DFT-16QAM	M	Outer_Full	76.805	80.320	PASS
N77-370 0-3980	30	80	DFT-64QAM	M	Outer_Full	77.009	80.320	PASS
N77-370 0-3980	30	80	DFT-256QAM	M	Outer_Full	76.961	80.320	PASS
N77-370	30	80	CP-QPSK	M	Outer_Full	77.439	80.640	PASS



0-3980								
N77-370 0-3980	30	80	CP-16QAM	M	Outer_Full	77.35	80.480	PASS
N77-370 0-3980	30	80	CP-64QAM	M	Outer_Full	77.464	80.640	PASS
N77-370 0-3980	30	80	CP-256QAM	M	Outer_Full	77.347	80.640	PASS
N77-370 0-3980	30	80	DFT-QPSK	H	Outer_Full	76.979	80.320	PASS
N77-370 0-3980	30	80	DFT-PI2BPSK	H	Outer_Full	77.151	80.320	PASS
N77-370 0-3980	30	80	DFT-16QAM	H	Outer_Full	77.086	80.320	PASS
N77-370 0-3980	30	80	DFT-64QAM	H	Outer_Full	77.067	80.320	PASS
N77-370 0-3980	30	80	DFT-256QAM	H	Outer_Full	76.935	80.160	PASS
N77-370 0-3980	30	80	CP-QPSK	H	Outer_Full	77.524	81.120	PASS
N77-370 0-3980	30	80	CP-16QAM	H	Outer_Full	77.47	82.240	PASS
N77-370 0-3980	30	80	CP-64QAM	H	Outer_Full	77.313	80.640	PASS
N77-370 0-3980	30	80	CP-256QAM	H	Outer_Full	77.355	80.480	PASS
N77-370 0-3980	30	90	DFT-QPSK	L	Outer_Full	86.578	90.360	PASS
N77-370 0-3980	30	90	DFT-PI2BPSK	L	Outer_Full	86.447	90.180	PASS
N77-370 0-3980	30	90	DFT-16QAM	L	Outer_Full	86.494	90.000	PASS
N77-370 0-3980	30	90	DFT-64QAM	L	Outer_Full	86.451	90.180	PASS
N77-370 0-3980	30	90	DFT-256QAM	L	Outer_Full	86.374	90.180	PASS
N77-370 0-3980	30	90	CP-QPSK	L	Outer_Full	86.782	90.000	PASS
N77-370 0-3980	30	90	CP-16QAM	L	Outer_Full	87.47	90.720	PASS
N77-370 0-3980	30	90	CP-64QAM	L	Outer_Full	87.377	90.720	PASS
N77-370	30	90	CP-256QAM	L	Outer_Full	87.229	90.720	PASS


0-3980								
N77-370 0-3980	30	90	DFT-QPSK	M	Outer_Full	86.564	90.000	PASS
N77-370 0-3980	30	90	DFT-PI2BPSK	M	Outer_Full	86.529	89.820	PASS
N77-370 0-3980	30	90	DFT-16QAM	M	Outer_Full	86.663	90.180	PASS
N77-370 0-3980	30	90	DFT-64QAM	M	Outer_Full	86.403	89.820	PASS
N77-370 0-3980	30	90	DFT-256QAM	M	Outer_Full	86.804	90.180	PASS
N77-370 0-3980	30	90	CP-QPSK	M	Outer_Full	87.273	90.900	PASS
N77-370 0-3980	30	90	CP-16QAM	M	Outer_Full	87.414	90.540	PASS
N77-370 0-3980	30	90	CP-64QAM	M	Outer_Full	87.176	90.540	PASS
N77-370 0-3980	30	90	CP-256QAM	M	Outer_Full	87.312	90.720	PASS
N77-370 0-3980	30	90	DFT-QPSK	H	Outer_Full	86.613	90.000	PASS
N77-370 0-3980	30	90	DFT-PI2BPSK	H	Outer_Full	86.685	90.000	PASS
N77-370 0-3980	30	90	DFT-16QAM	H	Outer_Full	86.839	90.180	PASS
N77-370 0-3980	30	90	DFT-64QAM	H	Outer_Full	86.904	90.000	PASS
N77-370 0-3980	30	90	DFT-256QAM	H	Outer_Full	86.775	90.180	PASS
N77-370 0-3980	30	90	CP-QPSK	H	Outer_Full	87.1	90.900	PASS
N77-370 0-3980	30	90	CP-16QAM	H	Outer_Full	87.519	98.640	PASS
N77-370 0-3980	30	90	CP-64QAM	H	Outer_Full	87.405	91.080	PASS
N77-370 0-3980	30	90	CP-256QAM	H	Outer_Full	87.195	90.720	PASS
N77-370 0-3980	30	100	DFT-QPSK	L	Outer_Full	96.166	100.000	PASS
N77-370 0-3980	30	100	DFT-PI2BPSK	L	Outer_Full	96.119	99.800	PASS
N77-370	30	100	DFT-16QAM	L	Outer_Full	96.205	99.800	PASS


0-3980								
N77-370 0-3980	30	100	DFT-64QAM	L	Outer_Full	95.975	100.000	PASS
N77-370 0-3980	30	100	DFT-256QAM	L	Outer_Full	95.871	100.000	PASS
N77-370 0-3980	30	100	CP-QPSK	L	Outer_Full	87.937	90.000	PASS
N77-370 0-3980	30	100	CP-16QAM	L	Outer_Full	97.244	100.800	PASS
N77-370 0-3980	30	100	CP-64QAM	L	Outer_Full	96.971	100.800	PASS
N77-370 0-3980	30	100	CP-256QAM	L	Outer_Full	97.11	100.800	PASS
N77-370 0-3980	30	100	DFT-QPSK	M	Outer_Full	96.195	100.000	PASS
N77-370 0-3980	30	100	DFT-PI2BPSK	M	Outer_Full	96.03	99.800	PASS
N77-370 0-3980	30	100	DFT-16QAM	M	Outer_Full	95.904	99.800	PASS
N77-370 0-3980	30	100	DFT-64QAM	M	Outer_Full	95.986	99.800	PASS
N77-370 0-3980	30	100	DFT-256QAM	M	Outer_Full	96.18	99.400	PASS
N77-370 0-3980	30	100	CP-QPSK	M	Outer_Full	97.161	100.800	PASS
N77-370 0-3980	30	100	CP-16QAM	M	Outer_Full	97.132	100.800	PASS
N77-370 0-3980	30	100	CP-64QAM	M	Outer_Full	97.221	100.800	PASS
N77-370 0-3980	30	100	CP-256QAM	M	Outer_Full	97.222	100.800	PASS
N77-370 0-3980	30	100	DFT-QPSK	H	Outer_Full	96.023	99.800	PASS
N77-370 0-3980	30	100	DFT-PI2BPSK	H	Outer_Full	96.176	99.800	PASS
N77-370 0-3980	30	100	DFT-16QAM	H	Outer_Full	96.167	99.800	PASS
N77-370 0-3980	30	100	DFT-64QAM	H	Outer_Full	95.925	99.800	PASS
N77-370 0-3980	30	100	DFT-256QAM	H	Outer_Full	96.182	99.800	PASS
N77-370	30	100	CP-QPSK	H	Outer_Full	96.765	100.600	PASS




0-3980								
N77-370 0-3980	30	100	CP-16QAM	H	Outer_Full	97.287	101.000	PASS
N77-370 0-3980	30	100	CP-64QAM	H	Outer_Full	97.233	100.800	PASS
N77-370 0-3980	30	100	CP-256QAM	H	Outer_Full	97.258	100.800	PASS

Test Graphs







1-N77-3700-3980--30-20-L-5-DFT-256QAM-Outer_Full-50@0-Ant1-17.794-18.560-≤20-P ASS




1-N77-3700-3980--30-20-L-6-CP-QPSK-Outer_Full-51@0-Ant1-8.923-9.560-≤20-PASS




1-N77-3700-3980--30-20-L-7-CP-16QAM-Outer_Full-51@0-Ant1-18.198-20.040-≤20-PASS



1-N77-3700-3980--30-20-L-8-CP-64QAM-Outer_Full-51@0-Ant1-18.213-19.240-≤20-PASS




1-N77-3700-3980--30-20-L-9-CP-256QAM-Outer_Full-51@0-Ant1-18.168-19.240-≤20-PASS




1-N77-3700-3980--30-20-M-1-DFT-QPSK-Outer_Full-51@0-Ant1-18.168-19.240-≤20-PASS


<p>uter_Full-51@0-Ant1-18.17-19.200-≤20-PAS S</p>	<p>ter_Full-50@0-Ant1-17.812-19.280-≤20-PAS S</p>																																																																																				
<table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>3.830555 GHz</td> <td>-12.50 dBm</td> <td>Occ. BW</td> <td>17.826771629 MHz</td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>3.830881 GHz</td> <td>11.46 dBm</td> <td>Occ. BW Centroid</td> <td>3.839801493 GHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>3.848749 GHz</td> <td>11.39 dBm</td> <td>Occ. BW Centroid</td> <td>3.839801493 GHz</td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>3.831635 GHz</td> <td>15.16 dBm</td> <td>Occ. BW Freq Offset</td> <td>-193.510157843 kHz</td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>18.6 MHz</td> <td>-3.22 dB</td> <td></td> <td></td> </tr> </tbody> </table>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		3.830555 GHz	-12.50 dBm	Occ. BW	17.826771629 MHz	T1	1		3.830881 GHz	11.46 dBm	Occ. BW Centroid	3.839801493 GHz	T2	1		3.848749 GHz	11.39 dBm	Occ. BW Centroid	3.839801493 GHz	M2	1		3.831635 GHz	15.16 dBm	Occ. BW Freq Offset	-193.510157843 kHz	D3	M1	1	18.6 MHz	-3.22 dB			<table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>3.830435 GHz</td> <td>-12.90 dBm</td> <td>Occ. BW</td> <td>17.798745602 MHz</td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>3.8303273 GHz</td> <td>8.57 dBm</td> <td>Occ. BW Centroid</td> <td>3.83982666 GHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>3.848726 GHz</td> <td>8.26 dBm</td> <td>Occ. BW Centroid</td> <td>3.83982666 GHz</td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>3.832715 GHz</td> <td>13.62 dBm</td> <td>Occ. BW Freq Offset</td> <td>-168.339746545 kHz</td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>18.6 MHz</td> <td>-2.46 dB</td> <td></td> <td></td> </tr> </tbody> </table>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		3.830435 GHz	-12.90 dBm	Occ. BW	17.798745602 MHz	T1	1		3.8303273 GHz	8.57 dBm	Occ. BW Centroid	3.83982666 GHz	T2	1		3.848726 GHz	8.26 dBm	Occ. BW Centroid	3.83982666 GHz	M2	1		3.832715 GHz	13.62 dBm	Occ. BW Freq Offset	-168.339746545 kHz	D3	M1	1	18.6 MHz	-2.46 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																																																															
M1	1		3.830555 GHz	-12.50 dBm	Occ. BW	17.826771629 MHz																																																																															
T1	1		3.830881 GHz	11.46 dBm	Occ. BW Centroid	3.839801493 GHz																																																																															
T2	1		3.848749 GHz	11.39 dBm	Occ. BW Centroid	3.839801493 GHz																																																																															
M2	1		3.831635 GHz	15.16 dBm	Occ. BW Freq Offset	-193.510157843 kHz																																																																															
D3	M1	1	18.6 MHz	-3.22 dB																																																																																	
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																																																															
M1	1		3.830435 GHz	-12.90 dBm	Occ. BW	17.798745602 MHz																																																																															
T1	1		3.8303273 GHz	8.57 dBm	Occ. BW Centroid	3.83982666 GHz																																																																															
T2	1		3.848726 GHz	8.26 dBm	Occ. BW Centroid	3.83982666 GHz																																																																															
M2	1		3.832715 GHz	13.62 dBm	Occ. BW Freq Offset	-168.339746545 kHz																																																																															
D3	M1	1	18.6 MHz	-2.46 dB																																																																																	
<p>1-N77-3700-3980--30-20-M-2-DFT-PI2BPSK- Outer_Full-50@0-Ant1-17.827-18.600-≤20-P ASS</p>	<p>1-N77-3700-3980--30-20-M-3-DFT-16QAM-O uter_Full-50@0-Ant1-17.799-18.680-≤20-PA SS</p>																																																																																				
<table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>3.830555 GHz</td> <td>-15.89 dBm</td> <td>Occ. BW</td> <td>17.805587986 MHz</td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>3.8308867 GHz</td> <td>10.23 dBm</td> <td>Occ. BW Centroid</td> <td>3.839789491 GHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>3.8481623 GHz</td> <td>8.28 dBm</td> <td>Occ. BW Centroid</td> <td>3.839789491 GHz</td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>3.837035 GHz</td> <td>13.67 dBm</td> <td>Occ. BW Freq Offset</td> <td>-205.508700683 kHz</td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>18.6 MHz</td> <td>0.05 dB</td> <td></td> <td></td> </tr> </tbody> </table>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		3.830555 GHz	-15.89 dBm	Occ. BW	17.805587986 MHz	T1	1		3.8308867 GHz	10.23 dBm	Occ. BW Centroid	3.839789491 GHz	T2	1		3.8481623 GHz	8.28 dBm	Occ. BW Centroid	3.839789491 GHz	M2	1		3.837035 GHz	13.67 dBm	Occ. BW Freq Offset	-205.508700683 kHz	D3	M1	1	18.6 MHz	0.05 dB			<table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>3.830395 GHz</td> <td>-17.66 dBm</td> <td>Occ. BW</td> <td>17.71696384 MHz</td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>3.8303219 GHz</td> <td>5.07 dBm</td> <td>Occ. BW Centroid</td> <td>3.839780391 GHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>3.8481639 GHz</td> <td>5.56 dBm</td> <td>Occ. BW Centroid</td> <td>3.839780391 GHz</td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>3.839555 GHz</td> <td>10.64 dBm</td> <td>Occ. BW Freq Offset</td> <td>-214.608531719 kHz</td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>18.88 MHz</td> <td>-1.45 dB</td> <td></td> <td></td> </tr> </tbody> </table>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		3.830395 GHz	-17.66 dBm	Occ. BW	17.71696384 MHz	T1	1		3.8303219 GHz	5.07 dBm	Occ. BW Centroid	3.839780391 GHz	T2	1		3.8481639 GHz	5.56 dBm	Occ. BW Centroid	3.839780391 GHz	M2	1		3.839555 GHz	10.64 dBm	Occ. BW Freq Offset	-214.608531719 kHz	D3	M1	1	18.88 MHz	-1.45 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																																																															
M1	1		3.830555 GHz	-15.89 dBm	Occ. BW	17.805587986 MHz																																																																															
T1	1		3.8308867 GHz	10.23 dBm	Occ. BW Centroid	3.839789491 GHz																																																																															
T2	1		3.8481623 GHz	8.28 dBm	Occ. BW Centroid	3.839789491 GHz																																																																															
M2	1		3.837035 GHz	13.67 dBm	Occ. BW Freq Offset	-205.508700683 kHz																																																																															
D3	M1	1	18.6 MHz	0.05 dB																																																																																	
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																																																															
M1	1		3.830395 GHz	-17.66 dBm	Occ. BW	17.71696384 MHz																																																																															
T1	1		3.8303219 GHz	5.07 dBm	Occ. BW Centroid	3.839780391 GHz																																																																															
T2	1		3.8481639 GHz	5.56 dBm	Occ. BW Centroid	3.839780391 GHz																																																																															
M2	1		3.839555 GHz	10.64 dBm	Occ. BW Freq Offset	-214.608531719 kHz																																																																															
D3	M1	1	18.88 MHz	-1.45 dB																																																																																	
<p>1-N77-3700-3980--30-20-M-4-DFT-64QAM-O uter_Full-50@0-Ant1-17.806-18.680-≤20-PA SS</p>	<p>1-N77-3700-3980--30-20-M-5-DFT-256QAM- Outer_Full-50@0-Ant1-17.717-18.880-≤20-P ASS</p>																																																																																				




1-N77-3700-3980--30-20-M-6-CP-QPSK-Out er_Full-51@0-Ant1-18.165-19.040-≤20-PASS




1-N77-3700-3980--30-20-M-7-CP-16QAM-O uter_Full-51@0-Ant1-18.21-19.200-≤20-PAS S




1-N77-3700-3980--30-20-M-8-CP-64QAM-O uter_Full-51@0-Ant1-18.181-18.960-≤20-PA SS




1-N77-3700-3980--30-20-M-9-CP-256QAM-Outer_Full-51@0-Ant1-18.207-19.120-≤20-P ASS




1-N77-3700-3980--30-20-H-1-DFT-QPSK-Ou




1-N77-3700-3980--30-20-H-2-DFT-PI2BPSK-







1-N77-3700-3980--30-20-H-7-CP-16QAM-Outer_Full-51@0-Ant1-18.136-19.240-<=20-PAS
S




1-N77-3700-3980--30-20-H-8-CP-64QAM-Outer_Full-51@0-Ant1-18.228-19.400-<=20-PAS
S




1-N77-3700-3980--30-20-H-9-CP-256QAM-Outer_Full-51@0-Ant1-18.211-19.040-<=20-PAS
SS



1-N77-3700-3980--30-40-L-1-DFT-QPSK-Outer_Full-100@0-Ant1-35.724-37.520-<=40-PAS
S




1-N77-3700-3980--30-40-L-2-DFT-PI2BPSK-Outer_Full-100@0-Ant1-35.724-37.520-<=40-PAS
S




1-N77-3700-3980--30-40-L-3-DFT-16QAM-Outer_Full-100@0-Ant1-35.724-37.520-<=40-PAS
S


<p>Outer_Full-100@0-Ant1-35.709-37.760-≤40-PASS</p>	<p>uter_Full-100@0-Ant1-35.796-37.760-≤40-PA SS</p>																																																																																				
<table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>3.700155 GHz</td> <td>-12.92 dBm</td> <td>Occ BW</td> <td>35.791757876 MHz</td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>3.7010395 GHz</td> <td>10.24 dBm</td> <td>Occ BW Centroid</td> <td>3.718935426 GHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>3.7268973 GHz</td> <td>9.40 dBm</td> <td>Occ BW Freq Offset</td> <td>-1.0595179316 MHz</td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>3.727835 GHz</td> <td>14.76 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>37.76 MHz</td> <td>0.61 dB</td> <td></td> <td></td> </tr> </tbody> </table>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		3.700155 GHz	-12.92 dBm	Occ BW	35.791757876 MHz	T1	1		3.7010395 GHz	10.24 dBm	Occ BW Centroid	3.718935426 GHz	T2	1		3.7268973 GHz	9.40 dBm	Occ BW Freq Offset	-1.0595179316 MHz	M2	1		3.727835 GHz	14.76 dBm			D3	M1	1	37.76 MHz	0.61 dB			<table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>3.699835 GHz</td> <td>-21.63 dBm</td> <td>Occ BW</td> <td>35.703289389 MHz</td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>3.7011436 GHz</td> <td>6.53 dBm</td> <td>Occ BW Centroid</td> <td>3.718995269 GHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>3.7268465 GHz</td> <td>8.33 dBm</td> <td>Occ BW Freq Offset</td> <td>-999.730457161 kHz</td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>3.707995 GHz</td> <td>11.18 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>38.08 MHz</td> <td>2.31 dB</td> <td></td> <td></td> </tr> </tbody> </table>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		3.699835 GHz	-21.63 dBm	Occ BW	35.703289389 MHz	T1	1		3.7011436 GHz	6.53 dBm	Occ BW Centroid	3.718995269 GHz	T2	1		3.7268465 GHz	8.33 dBm	Occ BW Freq Offset	-999.730457161 kHz	M2	1		3.707995 GHz	11.18 dBm			D3	M1	1	38.08 MHz	2.31 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																																																															
M1	1		3.700155 GHz	-12.92 dBm	Occ BW	35.791757876 MHz																																																																															
T1	1		3.7010395 GHz	10.24 dBm	Occ BW Centroid	3.718935426 GHz																																																																															
T2	1		3.7268973 GHz	9.40 dBm	Occ BW Freq Offset	-1.0595179316 MHz																																																																															
M2	1		3.727835 GHz	14.76 dBm																																																																																	
D3	M1	1	37.76 MHz	0.61 dB																																																																																	
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																																																															
M1	1		3.699835 GHz	-21.63 dBm	Occ BW	35.703289389 MHz																																																																															
T1	1		3.7011436 GHz	6.53 dBm	Occ BW Centroid	3.718995269 GHz																																																																															
T2	1		3.7268465 GHz	8.33 dBm	Occ BW Freq Offset	-999.730457161 kHz																																																																															
M2	1		3.707995 GHz	11.18 dBm																																																																																	
D3	M1	1	38.08 MHz	2.31 dB																																																																																	
<p>1-N77-3700-3980--30-40-L-4-DFT-64QAM-Outer_Full-100@0-Ant1-35.792-37.760-≤40-PA SS</p>	<p>1-N77-3700-3980--30-40-L-5-DFT-256QAM-Outer_Full-100@0-Ant1-35.703-38.080-≤40-PASS</p>																																																																																				
<table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>3.699955 GHz</td> <td>-17.76 dBm</td> <td>Occ BW</td> <td>37.799465355 MHz</td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>3.7011267 GHz</td> <td>6.38 dBm</td> <td>Occ BW Centroid</td> <td>3.720026458 GHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>3.7281932 GHz</td> <td>8.84 dBm</td> <td>Occ BW Freq Offset</td> <td>31.458190431 kHz</td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>3.728795 GHz</td> <td>12.78 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>38.76 MHz</td> <td>3.94 dB</td> <td></td> <td></td> </tr> </tbody> </table>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		3.699955 GHz	-17.76 dBm	Occ BW	37.799465355 MHz	T1	1		3.7011267 GHz	6.38 dBm	Occ BW Centroid	3.720026458 GHz	T2	1		3.7281932 GHz	8.84 dBm	Occ BW Freq Offset	31.458190431 kHz	M2	1		3.728795 GHz	12.78 dBm			D3	M1	1	38.76 MHz	3.94 dB			<table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>3.698075 GHz</td> <td>-13.23 dBm</td> <td>Occ BW</td> <td>37.805295142 MHz</td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>3.7010732 GHz</td> <td>9.37 dBm</td> <td>Occ BW Centroid</td> <td>3.719975891 GHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>3.7288785 GHz</td> <td>6.92 dBm</td> <td>Occ BW Freq Offset</td> <td>-19.109491745 kHz</td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>3.707435 GHz</td> <td>12.87 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>41.68 MHz</td> <td>-2.27 dB</td> <td></td> <td></td> </tr> </tbody> </table>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		3.698075 GHz	-13.23 dBm	Occ BW	37.805295142 MHz	T1	1		3.7010732 GHz	9.37 dBm	Occ BW Centroid	3.719975891 GHz	T2	1		3.7288785 GHz	6.92 dBm	Occ BW Freq Offset	-19.109491745 kHz	M2	1		3.707435 GHz	12.87 dBm			D3	M1	1	41.68 MHz	-2.27 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																																																															
M1	1		3.699955 GHz	-17.76 dBm	Occ BW	37.799465355 MHz																																																																															
T1	1		3.7011267 GHz	6.38 dBm	Occ BW Centroid	3.720026458 GHz																																																																															
T2	1		3.7281932 GHz	8.84 dBm	Occ BW Freq Offset	31.458190431 kHz																																																																															
M2	1		3.728795 GHz	12.78 dBm																																																																																	
D3	M1	1	38.76 MHz	3.94 dB																																																																																	
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																																																															
M1	1		3.698075 GHz	-13.23 dBm	Occ BW	37.805295142 MHz																																																																															
T1	1		3.7010732 GHz	9.37 dBm	Occ BW Centroid	3.719975891 GHz																																																																															
T2	1		3.7288785 GHz	6.92 dBm	Occ BW Freq Offset	-19.109491745 kHz																																																																															
M2	1		3.707435 GHz	12.87 dBm																																																																																	
D3	M1	1	41.68 MHz	-2.27 dB																																																																																	
<p>1-N77-3700-3980--30-40-L-6-CP-QPSK-Outer_Full-106@0-Ant1-37.799-39.760-≤40-PASS</p>	<p>1-N77-3700-3980--30-40-L-7-CP-16QAM-Outer_Full-106@0-Ant1-37.805-41.680-≤40-PA SS</p>																																																																																				




1-N77-3700-3980--30-40-L-8-CP-64QAM-Out_Full-106@0-Ant1-37.863-39.600-≤40-PA SS




1-N77-3700-3980--30-40-L-9-CP-256QAM-Out_Full-106@0-Ant1-37.817-39.520-≤40-PA SS




1-N77-3700-3980--30-40-M-1-DFT-QPSK-Out_Full-100@0-Ant1-35.796-37.680-≤40-PA SS



1-N77-3700-3980--30-40-M-2-DFT-PI2BPSK-Out_Full-100@0-Ant1-35.722-37.440-≤40-PASS




1-N77-3700-3980--30-40-M-3-DFT-16QAM-Out_Full-100@0-Ant1-35.796-37.680-≤40-PA SS




1-N77-3700-3980--30-40-M-4-DFT-64QAM-Out_Full-100@0-Ant1-35.796-37.680-≤40-PA SS


<p>uter_Full-100@0-Ant1-35.796-37.200-≤40-PA SS</p>	<p>uter_Full-100@0-Ant1-35.791-37.760-≤40-PA SS</p>																																																																																				
<p>MultiView Spectrum Ref Level: 30.00 dBm, Offset: 8.17 dB, RBW: 500 kHz Att: 20 dB, SWT: 1.01 ms, VBW: 1 MHz, Mode: Auto Sweep Count: 100/100 SQL</p> <p>1 Occupied Bandwidth: 1% Max M1(1): -20.25 dBm M1(1): 3.820235 GHz M2(1): 12.67 dBm M2(1): 3.826795 GHz</p> <p>H1: -13.128 dBm</p> <p>CF: 3.839995 GHz, 1001 pts, 8.0 MHz, Span: 80.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>3.820235 GHz</td> <td>-20.25 dBm</td> <td>Occ. Bar</td> <td>35.818662542 MHz</td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>3.8210487 GHz</td> <td>5.41 dBm</td> <td>Occ. Bar Centroid</td> <td>3.8383957999 GHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>3.8258673 GHz</td> <td>9.24 dBm</td> <td>Occ. Bar Centroid</td> <td>3.8501600708 GHz</td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>3.826795 GHz</td> <td>12.67 dBm</td> <td>Occ. Bar Freq Offset</td> <td>-1.037800708 MHz</td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>37.6 MHz</td> <td>-2.01 dB</td> <td></td> <td></td> </tr> </tbody> </table>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		3.820235 GHz	-20.25 dBm	Occ. Bar	35.818662542 MHz	T1	1		3.8210487 GHz	5.41 dBm	Occ. Bar Centroid	3.8383957999 GHz	T2	1		3.8258673 GHz	9.24 dBm	Occ. Bar Centroid	3.8501600708 GHz	M2	1		3.826795 GHz	12.67 dBm	Occ. Bar Freq Offset	-1.037800708 MHz	D3	M1	1	37.6 MHz	-2.01 dB			<p>MultiView Spectrum Ref Level: 30.00 dBm, Offset: 8.17 dB, RBW: 500 kHz Att: 20 dB, SWT: 1.01 ms, VBW: 1 MHz, Mode: Auto Sweep Count: 100/100 SQL</p> <p>1 Occupied Bandwidth: 1% Max M1(1): -17.38 dBm M1(1): 3.820235 GHz M2(1): 13.71 dBm M2(1): 3.826795 GHz</p> <p>H1: -12.287 dBm</p> <p>CF: 3.839995 GHz, 1001 pts, 8.0 MHz, Span: 80.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>3.820235 GHz</td> <td>-17.38 dBm</td> <td>Occ. Bar</td> <td>37.749444444 MHz</td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>3.821189 GHz</td> <td>9.42 dBm</td> <td>Occ. Bar Centroid</td> <td>3.839395384 GHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>3.8258683 GHz</td> <td>11.03 dBm</td> <td>Occ. Bar Centroid</td> <td>-1.415712527 MHz</td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>3.826795 GHz</td> <td>13.71 dBm</td> <td>Occ. Bar Freq Offset</td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>39.52 MHz</td> <td>0.69 dB</td> <td></td> <td></td> </tr> </tbody> </table>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		3.820235 GHz	-17.38 dBm	Occ. Bar	37.749444444 MHz	T1	1		3.821189 GHz	9.42 dBm	Occ. Bar Centroid	3.839395384 GHz	T2	1		3.8258683 GHz	11.03 dBm	Occ. Bar Centroid	-1.415712527 MHz	M2	1		3.826795 GHz	13.71 dBm	Occ. Bar Freq Offset		D3	M1	1	39.52 MHz	0.69 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																																																															
M1	1		3.820235 GHz	-20.25 dBm	Occ. Bar	35.818662542 MHz																																																																															
T1	1		3.8210487 GHz	5.41 dBm	Occ. Bar Centroid	3.8383957999 GHz																																																																															
T2	1		3.8258673 GHz	9.24 dBm	Occ. Bar Centroid	3.8501600708 GHz																																																																															
M2	1		3.826795 GHz	12.67 dBm	Occ. Bar Freq Offset	-1.037800708 MHz																																																																															
D3	M1	1	37.6 MHz	-2.01 dB																																																																																	
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																																																															
M1	1		3.820235 GHz	-17.38 dBm	Occ. Bar	37.749444444 MHz																																																																															
T1	1		3.821189 GHz	9.42 dBm	Occ. Bar Centroid	3.839395384 GHz																																																																															
T2	1		3.8258683 GHz	11.03 dBm	Occ. Bar Centroid	-1.415712527 MHz																																																																															
M2	1		3.826795 GHz	13.71 dBm	Occ. Bar Freq Offset																																																																																
D3	M1	1	39.52 MHz	0.69 dB																																																																																	
<p>1-N77-3700-3980--30-40-M-5-DFT-256QAM-Outer_Full-100@0-Ant1-35.819-37.600-≤40-PASS</p>	<p>1-N77-3700-3980--30-40-M-6-CP-QPSK-Outer_Full-106@0-Ant1-37.749-39.520-≤40-PASS</p>																																																																																				
<p>MultiView Spectrum Ref Level: 30.00 dBm, Offset: 8.17 dB, RBW: 500 kHz Att: 20 dB, SWT: 1.01 ms, VBW: 1 MHz, Mode: Auto Sweep Count: 100/100 SQL</p> <p>1 Occupied Bandwidth: 1% Max M1(1): -15.70 dBm M1(1): 3.820235 GHz M2(1): 12.83 dBm M2(1): 3.827915 GHz</p> <p>H1: -13.171 dBm</p> <p>CF: 3.839995 GHz, 1001 pts, 8.0 MHz, Span: 80.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>3.820235 GHz</td> <td>-15.70 dBm</td> <td>Occ. Bar</td> <td>37.908246459 MHz</td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>3.8210149 GHz</td> <td>9.52 dBm</td> <td>Occ. Bar Centroid</td> <td>3.839398999 GHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>3.8269211 GHz</td> <td>7.23 dBm</td> <td>Occ. Bar Centroid</td> <td>-26.000658758 MHz</td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>3.827915 GHz</td> <td>12.83 dBm</td> <td>Occ. Bar Freq Offset</td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>39.52 MHz</td> <td>0.27 dB</td> <td></td> <td></td> </tr> </tbody> </table>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		3.820235 GHz	-15.70 dBm	Occ. Bar	37.908246459 MHz	T1	1		3.8210149 GHz	9.52 dBm	Occ. Bar Centroid	3.839398999 GHz	T2	1		3.8269211 GHz	7.23 dBm	Occ. Bar Centroid	-26.000658758 MHz	M2	1		3.827915 GHz	12.83 dBm	Occ. Bar Freq Offset		D3	M1	1	39.52 MHz	0.27 dB			<p>MultiView Spectrum Ref Level: 30.00 dBm, Offset: 8.17 dB, RBW: 500 kHz Att: 20 dB, SWT: 1.01 ms, VBW: 1 MHz, Mode: Auto Sweep Count: 100/100 SQL</p> <p>1 Occupied Bandwidth: 1% Max M1(1): -14.89 dBm M1(1): 3.820315 GHz M2(1): 12.52 dBm M2(1): 3.821435 GHz</p> <p>H1: -13.425 dBm</p> <p>CF: 3.839995 GHz, 1001 pts, 8.0 MHz, Span: 80.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>3.820315 GHz</td> <td>-14.89 dBm</td> <td>Occ. Bar</td> <td>37.78412556 MHz</td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>3.821166 GHz</td> <td>7.87 dBm</td> <td>Occ. Bar Centroid</td> <td>3.839398057 GHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>3.8269911 GHz</td> <td>8.35 dBm</td> <td>Occ. Bar Centroid</td> <td>3.056841389 MHz</td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>3.821435 GHz</td> <td>12.52 dBm</td> <td>Occ. Bar Freq Offset</td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>39.52 MHz</td> <td>-3.18 dB</td> <td></td> <td></td> </tr> </tbody> </table>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		3.820315 GHz	-14.89 dBm	Occ. Bar	37.78412556 MHz	T1	1		3.821166 GHz	7.87 dBm	Occ. Bar Centroid	3.839398057 GHz	T2	1		3.8269911 GHz	8.35 dBm	Occ. Bar Centroid	3.056841389 MHz	M2	1		3.821435 GHz	12.52 dBm	Occ. Bar Freq Offset		D3	M1	1	39.52 MHz	-3.18 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																																																															
M1	1		3.820235 GHz	-15.70 dBm	Occ. Bar	37.908246459 MHz																																																																															
T1	1		3.8210149 GHz	9.52 dBm	Occ. Bar Centroid	3.839398999 GHz																																																																															
T2	1		3.8269211 GHz	7.23 dBm	Occ. Bar Centroid	-26.000658758 MHz																																																																															
M2	1		3.827915 GHz	12.83 dBm	Occ. Bar Freq Offset																																																																																
D3	M1	1	39.52 MHz	0.27 dB																																																																																	
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																																																															
M1	1		3.820315 GHz	-14.89 dBm	Occ. Bar	37.78412556 MHz																																																																															
T1	1		3.821166 GHz	7.87 dBm	Occ. Bar Centroid	3.839398057 GHz																																																																															
T2	1		3.8269911 GHz	8.35 dBm	Occ. Bar Centroid	3.056841389 MHz																																																																															
M2	1		3.821435 GHz	12.52 dBm	Occ. Bar Freq Offset																																																																																
D3	M1	1	39.52 MHz	-3.18 dB																																																																																	
<p>1-N77-3700-3980--30-40-M-7-CP-16QAM-Outer_Full-106@0-Ant1-37.908-39.520-≤40-PA SS</p>	<p>1-N77-3700-3980--30-40-M-8-CP-64QAM-Outer_Full-106@0-Ant1-37.784-39.520-≤40-PA SS</p>																																																																																				




1-N77-3700-3980--30-40-M-9-CP-256QAM-Outer_Full-106@0-Ant1-37.86-39.520-≤40-P ASS




1-N77-3700-3980--30-40-H-1-DFT-QPSK-Ou ter_Full-100@0-Ant1-35.748-37.760-≤40-PA SS




1-N77-3700-3980--30-40-H-2-DFT-PI2BPSK-Outer_Full-100@0-Ant1-35.858-37.440-≤40-PASS



1-N77-3700-3980--30-40-H-3-DFT-16QAM-Ou ter_Full-100@0-Ant1-35.666-37.840-≤40-PA SS




1-N77-3700-3980--30-40-H-4-DFT-64QAM-O




1-N77-3700-3980--30-40-H-5-DFT-256QAM-


<p>uter_Full-100@0-Ant1-35.779-37.440-≤40-PA SS</p>	<p>Outer_Full-100@0-Ant1-35.762-37.280-≤40- PASS</p>																																																																																				
<p>MultiView Spectrum Ref Level 30.00 dBm Offset 0.07 dB RBW 500 kHz Att 30 dB SWT 1.01 ms VBW 1 MHz Mode Auto Sweep Count 100/100 1 Occupied Bandwidth M1(1) -14.81 dBm M2(1) 12.13 dBm H1 -13.874 dBm CF 3.959 995 GHz 1001 pts 8.0 MHz/ Span 80.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>3.940 395 GHz</td> <td>-14.81 dBm</td> <td>Occ BW</td> <td>37.690 553 4 MHz</td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>3.941 324 8 GHz</td> <td>4.57 dBm</td> <td>Occ BW Centroid</td> <td>3.960 170 105 GHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>3.970 915 4 GHz</td> <td>5.80 dBm</td> <td>Occ BW Freq Offset</td> <td>175.104 965 947 kHz</td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>3.959 395 GHz</td> <td>12.13 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>39.36 MHz</td> <td>-2.96 dB</td> <td></td> <td></td> </tr> </tbody> </table>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		3.940 395 GHz	-14.81 dBm	Occ BW	37.690 553 4 MHz	T1	1		3.941 324 8 GHz	4.57 dBm	Occ BW Centroid	3.960 170 105 GHz	T2	1		3.970 915 4 GHz	5.80 dBm	Occ BW Freq Offset	175.104 965 947 kHz	M2	1		3.959 395 GHz	12.13 dBm			D3	M1	1	39.36 MHz	-2.96 dB			<p>MultiView Spectrum Ref Level 30.00 dBm Offset 0.07 dB RBW 500 kHz Att 30 dB SWT 1.01 ms VBW 1 MHz Mode Auto Sweep Count 100/100 1 Occupied Bandwidth M1(1) -13.51 dBm M2(1) 13.16 dBm H1 -12.839 dBm CF 3.959 995 GHz 1001 pts 8.0 MHz/ Span 80.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>3.938 475 GHz</td> <td>-13.51 dBm</td> <td>Occ BW</td> <td>37.914 980 33 MHz</td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>3.941 010 3 GHz</td> <td>6.53 dBm</td> <td>Occ BW Centroid</td> <td>3.959 967 764 GHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>3.939 925 3 GHz</td> <td>8.78 dBm</td> <td>Occ BW Freq Offset</td> <td>-27.236 043 011 kHz</td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>3.960 075 GHz</td> <td>13.16 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>41.36 MHz</td> <td>-0.96 dB</td> <td></td> <td></td> </tr> </tbody> </table>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		3.938 475 GHz	-13.51 dBm	Occ BW	37.914 980 33 MHz	T1	1		3.941 010 3 GHz	6.53 dBm	Occ BW Centroid	3.959 967 764 GHz	T2	1		3.939 925 3 GHz	8.78 dBm	Occ BW Freq Offset	-27.236 043 011 kHz	M2	1		3.960 075 GHz	13.16 dBm			D3	M1	1	41.36 MHz	-0.96 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																																																															
M1	1		3.940 395 GHz	-14.81 dBm	Occ BW	37.690 553 4 MHz																																																																															
T1	1		3.941 324 8 GHz	4.57 dBm	Occ BW Centroid	3.960 170 105 GHz																																																																															
T2	1		3.970 915 4 GHz	5.80 dBm	Occ BW Freq Offset	175.104 965 947 kHz																																																																															
M2	1		3.959 395 GHz	12.13 dBm																																																																																	
D3	M1	1	39.36 MHz	-2.96 dB																																																																																	
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																																																															
M1	1		3.938 475 GHz	-13.51 dBm	Occ BW	37.914 980 33 MHz																																																																															
T1	1		3.941 010 3 GHz	6.53 dBm	Occ BW Centroid	3.959 967 764 GHz																																																																															
T2	1		3.939 925 3 GHz	8.78 dBm	Occ BW Freq Offset	-27.236 043 011 kHz																																																																															
M2	1		3.960 075 GHz	13.16 dBm																																																																																	
D3	M1	1	41.36 MHz	-0.96 dB																																																																																	
<p>1-N77-3700-3980--30-40-H-6-CP-QPSK-Out er_Full-106@0-Ant1-37.691-39.360-≤40-PAS S</p>	<p>1-N77-3700-3980--30-40-H-7-CP-16QAM-Ou ter_Full-106@0-Ant1-37.915-41.360-≤40-PA SS</p>																																																																																				
<p>MultiView Spectrum Ref Level 30.00 dBm Offset 0.07 dB RBW 500 kHz Att 30 dB SWT 1.01 ms VBW 1 MHz Mode Auto Sweep Count 100/100 1 Occupied Bandwidth M1(1) -14.25 dBm M2(1) 13.34 dBm H1 -12.657 dBm CF 3.959 995 GHz 1001 pts 8.0 MHz/ Span 80.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>3.940 315 GHz</td> <td>-14.25 dBm</td> <td>Occ BW</td> <td>37.792 652 948 MHz</td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>3.941 136 GHz</td> <td>6.93 dBm</td> <td>Occ BW Centroid</td> <td>3.960 032 285 GHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>3.970 916 GHz</td> <td>9.23 dBm</td> <td>Occ BW Freq Offset</td> <td>37.284 774 344 kHz</td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>3.967 035 GHz</td> <td>13.34 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>39.44 MHz</td> <td>-1.25 dB</td> <td></td> <td></td> </tr> </tbody> </table>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		3.940 315 GHz	-14.25 dBm	Occ BW	37.792 652 948 MHz	T1	1		3.941 136 GHz	6.93 dBm	Occ BW Centroid	3.960 032 285 GHz	T2	1		3.970 916 GHz	9.23 dBm	Occ BW Freq Offset	37.284 774 344 kHz	M2	1		3.967 035 GHz	13.34 dBm			D3	M1	1	39.44 MHz	-1.25 dB			<p>MultiView Spectrum Ref Level 30.00 dBm Offset 0.07 dB RBW 500 kHz Att 30 dB SWT 1.01 ms VBW 1 MHz Mode Auto Sweep Count 100/100 1 Occupied Bandwidth M1(1) -19.87 dBm M2(1) 9.99 dBm H1 -16.070 dBm CF 3.959 995 GHz 1001 pts 8.0 MHz/ Span 80.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>3.940 315 GHz</td> <td>-19.87 dBm</td> <td>Occ BW</td> <td>37.766 543 086 MHz</td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>3.941 106 8 GHz</td> <td>4.31 dBm</td> <td>Occ BW Centroid</td> <td>3.959 990 031 GHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>3.970 873 3 GHz</td> <td>3.22 dBm</td> <td>Occ BW Freq Offset</td> <td>4.969 213 837 kHz</td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>3.960 875 GHz</td> <td>9.99 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>39.36 MHz</td> <td>1.39 dB</td> <td></td> <td></td> </tr> </tbody> </table>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		3.940 315 GHz	-19.87 dBm	Occ BW	37.766 543 086 MHz	T1	1		3.941 106 8 GHz	4.31 dBm	Occ BW Centroid	3.959 990 031 GHz	T2	1		3.970 873 3 GHz	3.22 dBm	Occ BW Freq Offset	4.969 213 837 kHz	M2	1		3.960 875 GHz	9.99 dBm			D3	M1	1	39.36 MHz	1.39 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																																																															
M1	1		3.940 315 GHz	-14.25 dBm	Occ BW	37.792 652 948 MHz																																																																															
T1	1		3.941 136 GHz	6.93 dBm	Occ BW Centroid	3.960 032 285 GHz																																																																															
T2	1		3.970 916 GHz	9.23 dBm	Occ BW Freq Offset	37.284 774 344 kHz																																																																															
M2	1		3.967 035 GHz	13.34 dBm																																																																																	
D3	M1	1	39.44 MHz	-1.25 dB																																																																																	
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																																																															
M1	1		3.940 315 GHz	-19.87 dBm	Occ BW	37.766 543 086 MHz																																																																															
T1	1		3.941 106 8 GHz	4.31 dBm	Occ BW Centroid	3.959 990 031 GHz																																																																															
T2	1		3.970 873 3 GHz	3.22 dBm	Occ BW Freq Offset	4.969 213 837 kHz																																																																															
M2	1		3.960 875 GHz	9.99 dBm																																																																																	
D3	M1	1	39.36 MHz	1.39 dB																																																																																	
<p>1-N77-3700-3980--30-40-H-8-CP-64QAM-Ou ter_Full-106@0-Ant1-37.793-39.440-≤40-PA SS</p>	<p>1-N77-3700-3980--30-40-H-9-CP-256QAM-O uter_Full-106@0-Ant1-37.767-39.360-≤40-PA SS</p>																																																																																				




1-N77-3700-3980--30-50-L-1-DFT-QPSK-Out er_Full-128@0-Ant1-45.771-47.600-≤50-PAS S




1-N77-3700-3980--30-50-L-2-DFT-PI2BPSK-Outer_Full-128@0-Ant1-45.535-48.000-≤50-PASS




1-N77-3700-3980--30-50-L-3-DFT-16QAM-Outer_Full-128@0-Ant1-45.599-47.600-≤50-PASS



1-N77-3700-3980--30-50-L-4-DFT-64QAM-Outer_Full-128@0-Ant1-45.629-47.800-≤50-PASS




1-N77-3700-3980--30-50-L-5-DFT-256QAM-Outer_Full-128@0-Ant1-45.725-47.600-≤50-PASS




1-N77-3700-3980--30-50-L-6-CP-QPSK-Outer_Full-128@0-Ant1-45.725-47.600-≤50-PASS


<p>Outer_Full-128@0-Ant1-45.726-47.800-≤50-PASS</p>	<p>r_Full-133@0-Ant1-47.454-49.200-≤50-PASS</p>																																																																																				
<table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>3.700 405 GHz</td> <td>-17.88 dBm</td> <td>Occ Bar</td> <td>47.498 454 989 MHz</td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>3.701 247.2 GHz</td> <td>6.22 dBm</td> <td>Occ Bar Centroid</td> <td>3.724 956 461 GHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>3.748 767.7 GHz</td> <td>6.91 dBm</td> <td>Occ Bar Centroid</td> <td>45.528 821 912 kHz</td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>3.724 805 GHz</td> <td>12.76 dBm</td> <td>Occ Bar Freq Offset</td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>49.4 MHz</td> <td>-0.68 dB</td> <td></td> <td></td> </tr> </tbody> </table>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		3.700 405 GHz	-17.88 dBm	Occ Bar	47.498 454 989 MHz	T1	1		3.701 247.2 GHz	6.22 dBm	Occ Bar Centroid	3.724 956 461 GHz	T2	1		3.748 767.7 GHz	6.91 dBm	Occ Bar Centroid	45.528 821 912 kHz	M2	1		3.724 805 GHz	12.76 dBm	Occ Bar Freq Offset		D3	M1	1	49.4 MHz	-0.68 dB			<table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>3.700 405 GHz</td> <td>-20.18 dBm</td> <td>Occ Bar</td> <td>47.551 617 261 MHz</td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>3.701 297.7 GHz</td> <td>6.83 dBm</td> <td>Occ Bar Centroid</td> <td>3.725 073 527 GHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>3.748 849.3 GHz</td> <td>9.53 dBm</td> <td>Occ Bar Centroid</td> <td>68.526 144 622 kHz</td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>3.724 905 GHz</td> <td>11.59 dBm</td> <td>Occ Bar Freq Offset</td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>49.2 MHz</td> <td>3.65 dB</td> <td></td> <td></td> </tr> </tbody> </table>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		3.700 405 GHz	-20.18 dBm	Occ Bar	47.551 617 261 MHz	T1	1		3.701 297.7 GHz	6.83 dBm	Occ Bar Centroid	3.725 073 527 GHz	T2	1		3.748 849.3 GHz	9.53 dBm	Occ Bar Centroid	68.526 144 622 kHz	M2	1		3.724 905 GHz	11.59 dBm	Occ Bar Freq Offset		D3	M1	1	49.2 MHz	3.65 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																																																															
M1	1		3.700 405 GHz	-17.88 dBm	Occ Bar	47.498 454 989 MHz																																																																															
T1	1		3.701 247.2 GHz	6.22 dBm	Occ Bar Centroid	3.724 956 461 GHz																																																																															
T2	1		3.748 767.7 GHz	6.91 dBm	Occ Bar Centroid	45.528 821 912 kHz																																																																															
M2	1		3.724 805 GHz	12.76 dBm	Occ Bar Freq Offset																																																																																
D3	M1	1	49.4 MHz	-0.68 dB																																																																																	
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																																																															
M1	1		3.700 405 GHz	-20.18 dBm	Occ Bar	47.551 617 261 MHz																																																																															
T1	1		3.701 297.7 GHz	6.83 dBm	Occ Bar Centroid	3.725 073 527 GHz																																																																															
T2	1		3.748 849.3 GHz	9.53 dBm	Occ Bar Centroid	68.526 144 622 kHz																																																																															
M2	1		3.724 905 GHz	11.59 dBm	Occ Bar Freq Offset																																																																																
D3	M1	1	49.2 MHz	3.65 dB																																																																																	
<p>1-N77-3700-3980--30-50-L-7-CP-16QAM-Outer_Full-133@0-Ant1-47.498-49.400-≤50-PASS</p>	<p>1-N77-3700-3980--30-50-L-8-CP-64QAM-Outer_Full-133@0-Ant1-47.552-49.200-≤50-PASS</p>																																																																																				
<table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>3.700 205 GHz</td> <td>-24.69 dBm</td> <td>Occ Bar</td> <td>47.505 190 183 MHz</td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>3.701 271.9 GHz</td> <td>4.59 dBm</td> <td>Occ Bar Centroid</td> <td>3.725 024 446 GHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>3.748 777.7 GHz</td> <td>5.09 dBm</td> <td>Occ Bar Centroid</td> <td>19.445 547 778 kHz</td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>3.703 505 GHz</td> <td>8.80 dBm</td> <td>Occ Bar Freq Offset</td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>49.5 MHz</td> <td>6.90 dB</td> <td></td> <td></td> </tr> </tbody> </table>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		3.700 205 GHz	-24.69 dBm	Occ Bar	47.505 190 183 MHz	T1	1		3.701 271.9 GHz	4.59 dBm	Occ Bar Centroid	3.725 024 446 GHz	T2	1		3.748 777.7 GHz	5.09 dBm	Occ Bar Centroid	19.445 547 778 kHz	M2	1		3.703 505 GHz	8.80 dBm	Occ Bar Freq Offset		D3	M1	1	49.5 MHz	6.90 dB			<table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>3.815 395 GHz</td> <td>-18.22 dBm</td> <td>Occ Bar</td> <td>45.883 314 376 MHz</td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>3.816 163.9 GHz</td> <td>10.79 dBm</td> <td>Occ Bar Centroid</td> <td>3.839 105 558 GHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>3.862 047.2 GHz</td> <td>11.79 dBm</td> <td>Occ Bar Centroid</td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>3.828 895 GHz</td> <td>14.47 dBm</td> <td>Occ Bar Freq Offset</td> <td>-883.442 386 363 kHz</td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>47.7 MHz</td> <td>0.07 dB</td> <td></td> <td></td> </tr> </tbody> </table>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		3.815 395 GHz	-18.22 dBm	Occ Bar	45.883 314 376 MHz	T1	1		3.816 163.9 GHz	10.79 dBm	Occ Bar Centroid	3.839 105 558 GHz	T2	1		3.862 047.2 GHz	11.79 dBm	Occ Bar Centroid		M2	1		3.828 895 GHz	14.47 dBm	Occ Bar Freq Offset	-883.442 386 363 kHz	D3	M1	1	47.7 MHz	0.07 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																																																															
M1	1		3.700 205 GHz	-24.69 dBm	Occ Bar	47.505 190 183 MHz																																																																															
T1	1		3.701 271.9 GHz	4.59 dBm	Occ Bar Centroid	3.725 024 446 GHz																																																																															
T2	1		3.748 777.7 GHz	5.09 dBm	Occ Bar Centroid	19.445 547 778 kHz																																																																															
M2	1		3.703 505 GHz	8.80 dBm	Occ Bar Freq Offset																																																																																
D3	M1	1	49.5 MHz	6.90 dB																																																																																	
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																																																															
M1	1		3.815 395 GHz	-18.22 dBm	Occ Bar	45.883 314 376 MHz																																																																															
T1	1		3.816 163.9 GHz	10.79 dBm	Occ Bar Centroid	3.839 105 558 GHz																																																																															
T2	1		3.862 047.2 GHz	11.79 dBm	Occ Bar Centroid																																																																																
M2	1		3.828 895 GHz	14.47 dBm	Occ Bar Freq Offset	-883.442 386 363 kHz																																																																															
D3	M1	1	47.7 MHz	0.07 dB																																																																																	
<p>1-N77-3700-3980--30-50-L-9-CP-256QAM-Outer_Full-133@0-Ant1-47.505-49.500-≤50-PASS</p>	<p>1-N77-3700-3980--30-50-M-1-DFT-QPSK-Outer_Full-128@0-Ant1-45.883-47.700-≤50-PASS</p>																																																																																				




1-N77-3700-3980--30-50-M-2-DFT-PI2BPSK-Outer_Full-128@0-Ant1-45.761-47.800-≤50-PASS




1-N77-3700-3980--30-50-M-3-DFT-16QAM-Outer_Full-128@0-Ant1-45.824-47.400-≤50-PA-SS




1-N77-3700-3980--30-50-M-4-DFT-64QAM-Outer_Full-128@0-Ant1-45.732-47.800-≤50-PA-SS



1-N77-3700-3980--30-50-M-5-DFT-256QAM-Outer_Full-128@0-Ant1-45.756-48.400-≤50-PASS



1-N77-3700-3980--30-50-M-6-CP-QPSK-Out



1-N77-3700-3980--30-50-M-7-CP-16QAM-O

<p>er_Full-133@0-Ant1-47.466-49.200-≤50-PAS S</p>	<p>uter_Full-133@0-Ant1-47.415-49.900-≤50-PA SS</p>																																																																																				
<table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>3.815 495 GHz</td> <td>-20.62 dBm</td> <td>Occ. Bw</td> <td>47.296 050 138 MHz</td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>3.816 498 GHz</td> <td>7.43 dBm</td> <td>Occ. Bw Centroid</td> <td>3.840 056 778 GHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>3.863 798 GHz</td> <td>4.30 dBm</td> <td>Occ. Bw Freq Offset</td> <td>61.777 671 305 MHz</td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>3.847 295 GHz</td> <td>10.66 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>49.2 MHz</td> <td>-5.75 dB</td> <td></td> <td></td> </tr> </tbody> </table>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		3.815 495 GHz	-20.62 dBm	Occ. Bw	47.296 050 138 MHz	T1	1		3.816 498 GHz	7.43 dBm	Occ. Bw Centroid	3.840 056 778 GHz	T2	1		3.863 798 GHz	4.30 dBm	Occ. Bw Freq Offset	61.777 671 305 MHz	M2	1		3.847 295 GHz	10.66 dBm			D3	M1	1	49.2 MHz	-5.75 dB			<table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>3.815 395 GHz</td> <td>-23.33 dBm</td> <td>Occ. Bw</td> <td>47.512 231 863 MHz</td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>3.816 232 GHz</td> <td>4.70 dBm</td> <td>Occ. Bw Centroid</td> <td>3.839 989 351 GHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>3.863 795 GHz</td> <td>4.29 dBm</td> <td>Occ. Bw Freq Offset</td> <td>-5.648 967 058 MHz</td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>3.829 695 GHz</td> <td>8.54 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>49.2 MHz</td> <td>-0.84 dB</td> <td></td> <td></td> </tr> </tbody> </table>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		3.815 395 GHz	-23.33 dBm	Occ. Bw	47.512 231 863 MHz	T1	1		3.816 232 GHz	4.70 dBm	Occ. Bw Centroid	3.839 989 351 GHz	T2	1		3.863 795 GHz	4.29 dBm	Occ. Bw Freq Offset	-5.648 967 058 MHz	M2	1		3.829 695 GHz	8.54 dBm			D3	M1	1	49.2 MHz	-0.84 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																																																															
M1	1		3.815 495 GHz	-20.62 dBm	Occ. Bw	47.296 050 138 MHz																																																																															
T1	1		3.816 498 GHz	7.43 dBm	Occ. Bw Centroid	3.840 056 778 GHz																																																																															
T2	1		3.863 798 GHz	4.30 dBm	Occ. Bw Freq Offset	61.777 671 305 MHz																																																																															
M2	1		3.847 295 GHz	10.66 dBm																																																																																	
D3	M1	1	49.2 MHz	-5.75 dB																																																																																	
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																																																															
M1	1		3.815 395 GHz	-23.33 dBm	Occ. Bw	47.512 231 863 MHz																																																																															
T1	1		3.816 232 GHz	4.70 dBm	Occ. Bw Centroid	3.839 989 351 GHz																																																																															
T2	1		3.863 795 GHz	4.29 dBm	Occ. Bw Freq Offset	-5.648 967 058 MHz																																																																															
M2	1		3.829 695 GHz	8.54 dBm																																																																																	
D3	M1	1	49.2 MHz	-0.84 dB																																																																																	
<p>1-N77-3700-3980--30-50-M-8-CP-64QAM-O uter_Full-133@0-Ant1-47.296-49.200-≤50-PA SS</p>	<p>1-N77-3700-3980--30-50-M-9-CP-256QAM- Outer_Full-133@0-Ant1-47.512-49.200-≤50- PASS</p>																																																																																				
<table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>3.930 085 GHz</td> <td>-11.63 dBm</td> <td>Occ. Bw</td> <td>45.670 020 99 MHz</td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>3.931 287 GHz</td> <td>12.16 dBm</td> <td>Occ. Bw Centroid</td> <td>3.954 122 561 GHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>3.976 916 GHz</td> <td>10.82 dBm</td> <td>Occ. Bw Freq Offset</td> <td>-62.433 440 096 MHz</td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>3.961 785 GHz</td> <td>14.58 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>47.7 MHz</td> <td>-6.82 dB</td> <td></td> <td></td> </tr> </tbody> </table>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		3.930 085 GHz	-11.63 dBm	Occ. Bw	45.670 020 99 MHz	T1	1		3.931 287 GHz	12.16 dBm	Occ. Bw Centroid	3.954 122 561 GHz	T2	1		3.976 916 GHz	10.82 dBm	Occ. Bw Freq Offset	-62.433 440 096 MHz	M2	1		3.961 785 GHz	14.58 dBm			D3	M1	1	47.7 MHz	-6.82 dB			<table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>3.930 085 GHz</td> <td>-17.89 dBm</td> <td>Occ. Bw</td> <td>45.748 563 928 MHz</td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>3.931 296 GHz</td> <td>10.02 dBm</td> <td>Occ. Bw Centroid</td> <td>3.954 080 918 GHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>3.976 913 GHz</td> <td>10.03 dBm</td> <td>Occ. Bw Freq Offset</td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>3.965 485 GHz</td> <td>15.26 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>47.7 MHz</td> <td>3.89 dB</td> <td></td> <td></td> </tr> </tbody> </table>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		3.930 085 GHz	-17.89 dBm	Occ. Bw	45.748 563 928 MHz	T1	1		3.931 296 GHz	10.02 dBm	Occ. Bw Centroid	3.954 080 918 GHz	T2	1		3.976 913 GHz	10.03 dBm	Occ. Bw Freq Offset		M2	1		3.965 485 GHz	15.26 dBm			D3	M1	1	47.7 MHz	3.89 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																																																															
M1	1		3.930 085 GHz	-11.63 dBm	Occ. Bw	45.670 020 99 MHz																																																																															
T1	1		3.931 287 GHz	12.16 dBm	Occ. Bw Centroid	3.954 122 561 GHz																																																																															
T2	1		3.976 916 GHz	10.82 dBm	Occ. Bw Freq Offset	-62.433 440 096 MHz																																																																															
M2	1		3.961 785 GHz	14.58 dBm																																																																																	
D3	M1	1	47.7 MHz	-6.82 dB																																																																																	
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																																																															
M1	1		3.930 085 GHz	-17.89 dBm	Occ. Bw	45.748 563 928 MHz																																																																															
T1	1		3.931 296 GHz	10.02 dBm	Occ. Bw Centroid	3.954 080 918 GHz																																																																															
T2	1		3.976 913 GHz	10.03 dBm	Occ. Bw Freq Offset																																																																																
M2	1		3.965 485 GHz	15.26 dBm																																																																																	
D3	M1	1	47.7 MHz	3.89 dB																																																																																	
<p>1-N77-3700-3980--30-50-H-1-DFT-QPSK-Ou ter_Full-128@0-Ant1-45.67-47.700-≤50-PAS S</p>	<p>1-N77-3700-3980--30-50-H-2-DFT-PI2BPSK- Outer_Full-128@0-Ant1-45.749-47.700-≤50- PASS</p>																																																																																				