

90.00 mm



CoolKiller
Sure Winner

Branding business: Shenzhen Dieyun Technology Co., LTD
Manufacture factory: Sanjiang Industrial Zone, Hengli Town, Dongguan City
China's official website: www.coolkiller.cn
Foreign website: www.coolkiller.net
Mailbox: coolkiller2021@163.com

132.00 mm

CoolKiller

178-61Bluetooth mechanical keyboard


IN THE BOX:

Bluetooth mechanical keyboard ×1
The USB line x 1
Pull out key x 1
Distribution key cap ×1
Instruction x 1
Keyboard bag x 1

Quick Start Guide

If you are a Windows user, press FN+Z to switch to Windows

Mac/Windows



1. Connect the Bluetooth



Turn on the power



Fn + Q puts the keyboard into pairing mode,
The keyboard pairing name is CK 178-61 5.0

2. Connect the cable



+



+



Fn + T puts the keyboard into
wired mode

4. Change the lamp effect



Fn + \ | keyboard into the lighting mode
Fn + > Switch colors



Fn + L makes the keyboard enter
Side indicator mode switch

5. Disable the auto sleep mode



If you sit for two minutes without using it, the keyboard automatically goes into sleep mode to save power



178-61 Keyboard specifications

Key: 61 key
Switch: Mechanical
Battery: 1600 mAh
Working time: about 6 hours when the backlight is on
Charging time: 3 hours
Charging port: USB Type-C

Bluetooth name: CK 178-61 5.0

Charging

Charge ESC key under the white light is always bright, full of light off, low voltage red flashing.

*1, light working current 250mA sustainable time about 6 hours (always working).

*2, lamp off working current 40mA sustainable time about 36 hours (always working).

*3, standby current 0.5mA Standby time of about 55 days.

*4, the keyboard has no action for 2 minutes. Enter the standby mode.

Press any key to start the keyboard and enter the working mode.

Backlight and side light

- short press fn + \ | swappable backlighting lighting model
- Press FN + > to switch the backlight color
- Press FN + 《Light brightness reduction
- Press FN + 》 to increase light intensity
- Press fn+L to switch modes

Bluetooth

Bluetooth mode

1. Wave the keyboard toggle switch to "ON".
2. Keyboard backlight will turn on.
3. Hold down fn+Q for 4 seconds to activate Bluetooth pairing (Q blinks).
4. Search your device for the Bluetooth device "CK 178-61 5.0" and connect

(the Q key is always on when the pairing is successful).

Note: (this keyboard supports three devices through key combination "fn+Q", "fn+W" and "fn+E")

The cable model

1. Use USB Type-C to connect to the computer
2. Keyboard backlight will turn on.
3. Hold down fn+T (T blinks at short intervals and is steady on after the connection is successful).

Back to the

1. The keyboard starts on the last connected device by default
 2. Fn +Q (fn+W, fn+E) The white indicator blinks back to connect slowly
- * The keyboard must have been paired with a modified device to enable this function

Close the keyboard

Turn the wave switch to OFF. At this time, the bluetooth mode of this product are turned OFF, and the wired mode and charging can be carried out.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that

interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Warning: changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment

The device has been evaluated to meet general RF exposure requirements, the device can be used in portable exposure conditions without restriction