

# User Manual

## Model: JY-M570W/JY-367W

Automatic pairing function, connect the power supply and search for the previously paired signal for 3 seconds, if it cannot be detected, it will automatically start pairing and pair with the new transmitter signal;

(1), + key (+/right/down): the cursor moves right or down in the UI operation interface, and the parameter is adjusted;

Single-channel display the parking line H→W→M setting (H up and down, W wide and narrow, M left and right);

(2), MENU key: short press to enter or quit the UI interface;

Short press on the UI menu operation interface to return to the previous interface;

(3), - key (-/left/up): the cursor moves left or up, parameter is adjusted;

Display mode switching under LIVE mode: CAM1→CAM2→CAM1+CAM2;

Parking line setting can adjust the parking line position on the screen;

(4), OK key: menu operation function confirmation;

Single-channel image display Short press to enter the mirror setting, press + or - key to set;

(5), Power button: Short press to turn off or turn on the screen display;

### **FCC Warning**

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

**Radiation Exposure Statement**

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.