

ANNEX D


Test Report

For

Project No.:	8134EU012202W
Client:	Dongguan Youshifa Electronic Technology Co., Ltd.
Manufacturer:	Dongguan Youshifa Electronic Technology Co., Ltd.
Product Description:	4 inches portable speaker with lights / IVSP1648
Test Engineer:	<i>Mikey zhu</i>
Test Date:	2023-11-24

Test Summary

Item	Result
Duty Cycle	Pass
Bandwidth	Pass
Maximum Conducted Output Power	Pass
Carrier Frequency Separation	Pass
Number of Hopping Frequencies	Pass
Time of Occupancy (Dwell Time)	Pass
Unwanted Emissions In Non-restricted Frequency Bands	Pass




1. Duty Cycle


1.1 Ant1


1.1.1 Test Result



Ant1								
Mode	TX Type	Frequency (MHz)	Packet Type	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
GFSK	SISO	2402	DH5	2.906	3.751	77.47	1.11	0.03
		2441	DH5	2.906	3.751	77.47	1.11	0.03
		2480	DH5	2.905	3.751	77.45	1.11	0.03
Pi/4DQPSK	SISO	2402	2DH5	2.911	3.749	77.65	1.10	0.04
		2441	2DH5	2.911	3.749	77.65	1.10	0.03
		2480	2DH5	2.912	3.751	77.63	1.10	2.83
8DPSK	SISO	2402	3DH5	2.914	3.750	77.71	1.10	0.04
		2441	3DH5	2.914	3.750	77.71	1.10	0.04
		2480	3DH5	2.915	3.751	77.71	1.10	0.04


1.1.2 Test Graph












2. Bandwidth



2.1 OBW


2.1.1 Test Result


Mode	TX Type	Frequency (MHz)	Packet Type	ANT	99% Occupied Bandwidth (MHz)	Verdict
					Result	
GFSK	SISO	2402	DH5	1	0.837	Pass
		2441	DH5	1	0.835	Pass
		2480	DH5	1	0.829	Pass
Pi/4DQPSK	SISO	2402	2DH5	1	1.171	Pass
		2441	2DH5	1	1.170	Pass
		2480	2DH5	1	1.169	Pass
8DPSK	SISO	2402	3DH5	1	1.187	Pass
		2441	3DH5	1	1.188	Pass
		2480	3DH5	1	1.188	Pass


2.1.2 Test Graph













2.2 20dB BW



2.2.1 Test Result



Mode	TX Type	Frequency (MHz)	Packet Type	ANT	20dB Bandwidth (MHz)	Verdict
					Result	
GFSK	SISO	2402	DH5	1	0.951	Pass
		2441	DH5	1	0.951	Pass
		2480	DH5	1	0.952	Pass
Pi/4DQPSK	SISO	2402	2DH5	1	1.300	Pass
		2441	2DH5	1	1.305	Pass
		2480	2DH5	1	1.304	Pass
8DPSK	SISO	2402	3DH5	1	1.325	Pass
		2441	3DH5	1	1.316	Pass
		2480	3DH5	1	1.321	Pass


2.2.2 Test Graph












3. Maximum Conducted Output Power


3.1 Power



3.1.1 Test Result



Mode	TX Type	Frequency (MHz)	Packet Type	Maximum Peak Conducted Output Power (dBm)		Verdict
				ANT1	Limit	
GFSK	SISO	2402	DH5	-2.49	<=30	Pass
		2441	DH5	-3.52	<=30	Pass
		2480	DH5	-4.63	<=30	Pass
Pi/4DQPSK	SISO	2402	2DH5	-0.10	<=20.97	Pass
		2441	2DH5	-1.00	<=20.97	Pass
		2480	2DH5	-2.17	<=20.97	Pass
8DPSK	SISO	2402	3DH5	0.33	<=20.97	Pass
		2441	3DH5	-0.59	<=20.97	Pass
		2480	3DH5	-1.77	<=20.97	Pass


3.1.2 Test Graph












4. Carrier Frequency Separation


4.1 Ant1

4.1.1 Test Result

Ant1							
Mode	TX Type	Frequency (MHz)	Packet Type	Channel Separation (MHz)	20dB Bandwidth (MHz)	Limit (MHz)	Verdict
GFSK	SISO	HOPP	DH5	1.000	0.952	≥ 0.952	Pass
Pi/4DQPSK	SISO	HOPP	2DH5	1.003	1.305	≥ 0.87	Pass
8DPSK	SISO	HOPP	3DH5	1.001	1.325	≥ 0.883	Pass

4.1.2 Test Graph






5. Number of Hopping Frequencies


5.1 HoppNum

5.1.1 Test Result

Mode	TX Type	Frequency (MHz)	Packet Type	Num of Hopping Frequencies		Verdict
				ANT1	Limit	
GFSK	SISO	HOPP	DH5	79	>=15	Pass
Pi/4DQPSK	SISO	HOPP	2DH5	79	>=15	Pass
8DPSK	SISO	HOPP	3DH5	79	>=15	Pass

5.1.2 Test Graph






6. Time of Occupancy (Dwell Time)



6.1 Ant1



6.1.1 Test Result



Ant1									
Mode	TX Type	Frequency (MHz)	Packet Type	Duration of Single Pulse (ms)	Observation Period (s)	Num of Pulse in Observation Period	Dwell Time (ms)	Limit (ms)	Verdict
GFSK	SISO	HOPP	DH1	0.420	31.600	308	129.360	<=400	Pass
			DH3	1.664	31.600	165	274.560	<=400	Pass
			DH5	2.910	31.600	105	305.550	<=400	Pass
Pi/4DQPSK	SISO	HOPP	2DH1	0.410	31.600	320	131.200	<=400	Pass
			2DH3	1.668	31.600	161	268.548	<=400	Pass
			2DH5	2.916	31.600	105	306.180	<=400	Pass
8DPSK	SISO	HOPP	3DH1	0.402	31.600	315	126.630	<=400	Pass
			3DH3	1.654	31.600	126	208.404	<=400	Pass
			3DH5	2.904	31.600	105	304.920	<=400	Pass



6.1.2 Test Graph



























7. Unwanted Emissions In Non-restricted Frequency Bands


7.1 Ref



7.1.1 Test Result



Mode	TX Type	Frequency (MHz)	Packet Type	ANT	Level of Reference (dBm)
GFSK	SISO	2402	DH5	1	-2.95
		2441	DH5	1	-3.86
		2480	DH5	1	-4.97
Pi/4DQPSK	SISO	2402	2DH5	1	-3.03
		2441	2DH5	1	-3.81
		2480	2DH5	1	-4.88
8DPSK	SISO	2402	3DH5	1	-3.12
		2441	3DH5	1	-3.92
		2480	3DH5	1	-4.98



Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2020, the channel contains the maximum PSD level was used to establish the reference level.


7.1.2 Test Graph












7.2 CSE


7.2.1 Test Result


Mode	TX Type	Frequency (MHz)	Packet Type	ANT	Level of Reference (dBm)	Limit (dBm)	Verdict
GFSK	SISO	2402	DH5	1	-2.95	-22.95	Pass
		2441	DH5	1	-2.95	-22.95	Pass
		2480	DH5	1	-2.95	-22.95	Pass
		HOPP	DH5	1	-2.95	-22.95	Pass
Pi/4DQPSK	SISO	2402	2DH5	1	-3.03	-23.03	Pass
		2441	2DH5	1	-3.03	-23.03	Pass
		2480	2DH5	1	-3.03	-23.03	Pass
		HOPP	2DH5	1	-3.03	-23.03	Pass
8DPSK	SISO	2402	3DH5	1	-3.12	-23.12	Pass
		2441	3DH5	1	-3.12	-23.12	Pass
		2480	3DH5	1	-3.12	-23.12	Pass
		HOPP	3DH5	1	-3.12	-23.12	Pass



Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2020, the channel contains the maximum PSD level was used to establish the reference level.


7.2.2 Test Graph


































----- End of Report -----