

Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240300043402

Page: 1 of 6

1 Cover Page

RF Exposure Evaluation Report

Application No.: KSCR2403000434AU
FCC ID: 2BB3401010101
Applicant: Freetech Intelligent Systems Co., Ltd.
Address of Applicant: 16 Xingfa Road, Tongxiang City, Jiaxing City, Zhejiang Province, China
Manufacturer: Freetech Intelligent Systems Co., Ltd.
Address of Manufacturer: 16 Xingfa Road, Tongxiang City, Jiaxing City, Zhejiang Province, China
Factory: Freetech Intelligent Systems Co., Ltd.
Address of Factory: 16 Xingfa Road, Tongxiang City, Jiaxing City, Zhejiang Province, China
Equipment Under Test (EUT):
EUT Name: Side Rear Millimeter Wave Radar
Model No.: CVR10
Trade Mark: 
Standard(s) : FCC Rules 47 CFR §2.1091
KDB447498 D01 General RF Exposure Guidance v06
Date of Receipt: 2024-03-15
Date of Test: 2024-03-25 to 2024-04-03
Date of Issue: 2024-04-11

Test Result:	Pass*
---------------------	--------------

* In the configuration tested, the EUT complied with the standards specified above.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240300043402

Page: 2 of 6

<i>Revision Record</i>			
<i>Version</i>	<i>Description</i>	<i>Date</i>	<i>Remark</i>
00	Original	2024-04-11	

Authorized for issue by:			
Tested By	<i>Maker Qi</i>		
	_____ Maker_Qi/Project Engineer		
Approved By	<i>Terry Hou</i>		
	_____ Terry Hou /Reviewer		



Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240300043402

Page: 3 of 6

2 Contents

	Page
1 Cover Page	1
2 Contents	3
3 General Information	4
3.1 Technical Specifications	4
3.2 Test Location	5
3.3 Test Facility.....	5
4 Test Standards and Limits	6
4.1 FCC Radiofrequency radiation exposure limits	6
5 Measurement and Calculation	6
5.1 Maximum transmit power	6
5.2 MPE Calculation	6



Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240300043402

Page: 4 of 6

3 General Information

Power supply:	DC 12V
---------------	--------

3.1 Technical Specifications

77G

Operation Frequency Range :	76GHz to 81GHz
Modulation :	FMCW
Antenna type :	Integrated Patch Antenna

3.2 Test Location

All tests were performed at:

Compliance Certification Services (Kunshan) Inc.

No.10 Weiye Rd, Innovation park, Eco&Tec, Development Zone, Kunshan City, Jiangsu, China.

Tel: +86 512 5735 5888 Fax: +86 512 5737 0818

No tests were sub-contracted.

Note:

1.SGS is not responsible for wrong test results due to incorrect information (e.g. max. clock frequency, highest internal frequency, antenna gain, cable loss, etc) is provided by the applicant. (if applicable).

2.SGS is not responsible for the authenticity, integrity and the validity of the conclusion based on results of the data provided by applicant. (if applicable).

3. Sample source: sent by customer.

3.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

- **A2LA**

Compliance Certification Services (Kunshan) Inc. is accredited by the American Association for Laboratory Accreditation (A2LA). Certificate No. 2541.01.

- **FCC**

Compliance Certification Services Inc. has been recognized as an accredited testing laboratory. Designation Number: CN1172.

- **ISED**

Compliance Certification Services (Kunshan) Inc. has been recognized by Innovation, Science and Economic Development Canada (ISED) as an accredited testing laboratory.

Company Number: 2324E

- **VCCI**

The 3m and 10m Semi-anechoic chamber and Shielded Room of Compliance Certification Services (Kunshan) Inc. has been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: R-20134, R-11600, C-11707, T-11499, G-10216 respectively.



Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240300043402

Page: 6 of 6

4 Test Standards and Limits

4.1 FCC Radiofrequency radiation exposure limits

According to §1.1310, the limit for general population/uncontrolled exposures

Frequency	Power density(mW/cm ²)	Averaging time(minutes)
300MHz~1.5GHz	f/1500	30
1.5GHz~100GHz	1.0	30

5 Measurement and Calculation

5.1 Maximum transmit power

The Power Data is based on the RF Test Report KSCR240300043401

Frequency (GHz)	dBuV/m @ 3m	E.I.R.P. Power (dBm)	Tune Up Power (dBm)	Tune Up Power (mW)
76.586	120.90	25.67	26	398.11

Remark:

$E[\text{dB}\mu\text{V}/\text{m}] = \text{EIRP}[\text{dBm}] - 20 \log(d[\text{meters}]) + 104.77$, where E = field strength and d = distance at which field strength limit is specified in the rules

$\text{EIRP}[\text{dBm}] = E[\text{dB}\mu\text{V}/\text{m}] + 20 \log(d[\text{meters}]) - 104.77$

5.2 MPE Calculation

According to the formula $S = PG/4\pi R^2$, we can calculate S which is MPE.

Note:

- 1) P (mW)
- 2) G (Antenna gain in numeric)
- 3) R = distance to the center of radiation of antenna (in meter) = 20cm
- 4) MPE limit = 1mW/cm²

$$S = \frac{PG}{4R^2\pi} = 398.11 / (4 * 3.1416 * 20^2) = 0.079 \text{ mW/cm}^2 < 1 \text{ mW/cm}^2$$

So the device is exclusion from SAR test.

--The End of Report--