

1. Effective (Isotropic) Radiated Power Output Data

1.1 Band5_ERP

1.1.1 Test Result

Band: 5									
ENV	Mode		Frequency (MHz)	Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict	
	Network	Subset				Result	Limit		
NTNV	RMC	12.2kbps RMC	826.4	21.80	1.28	20.93	<=38.45	Pass	
			836.6	21.59	1.28	20.72	<=38.45	Pass	
			846.6	21.56	1.28	20.69	<=38.45	Pass	
	HSDPA	Subtest 1	826.4	19.66	1.28	18.79	<=38.45	Pass	
		Subtest 2	826.4	19.76	1.28	18.89	<=38.45	Pass	
		Subtest 3	826.4	19.77	1.28	18.90	<=38.45	Pass	
		Subtest 4	826.4	19.91	1.28	19.04	<=38.45	Pass	
		Subtest 1	836.6	19.73	1.28	18.86	<=38.45	Pass	
		Subtest 2	836.6	19.73	1.28	18.86	<=38.45	Pass	
		Subtest 3	836.6	19.70	1.28	18.83	<=38.45	Pass	
		Subtest 4	836.6	19.69	1.28	18.82	<=38.45	Pass	
		Subtest 1	846.6	19.32	1.28	18.45	<=38.45	Pass	
		Subtest 2	846.6	19.36	1.28	18.49	<=38.45	Pass	
		Subtest 3	846.6	19.41	1.28	18.54	<=38.45	Pass	
		Subtest 4	846.6	19.45	1.28	18.58	<=38.45	Pass	
		HSUPA	Subtest 1	826.4	17.43	1.28	16.56	<=38.45	Pass
			Subtest 2	826.4	17.90	1.28	17.03	<=38.45	Pass
			Subtest 3	826.4	17.86	1.28	16.99	<=38.45	Pass
			Subtest 4	826.4	17.83	1.28	16.96	<=38.45	Pass
	Subtest 5		826.4	17.90	1.28	17.03	<=38.45	Pass	
	Subtest 1		836.6	17.41	1.28	16.54	<=38.45	Pass	
	Subtest 2		836.6	17.43	1.28	16.56	<=38.45	Pass	
	Subtest 3		836.6	17.93	1.28	17.06	<=38.45	Pass	
	Subtest 4		836.6	17.83	1.28	16.96	<=38.45	Pass	
	Subtest 5		836.6	17.55	1.28	16.68	<=38.45	Pass	
	Subtest 1		846.6	17.35	1.28	16.48	<=38.45	Pass	
	Subtest 2		846.6	17.37	1.28	16.50	<=38.45	Pass	
	Subtest 3		846.6	17.83	1.28	16.96	<=38.45	Pass	
	Subtest 4		846.6	17.83	1.28	16.96	<=38.45	Pass	
	Subtest 5	846.6	17.64	1.28	16.77	<=38.45	Pass		
Note1: ERP=Conducted Power+Antenna Gain-2.15									

2. Frequency Stability

2.1 Band5

2.1.1 Test Result

Band: 5						
Network	Frequency	Temp.	Voltage	Freq. Error	Freq. vs. Rated (ppm)	Verdict

	(MHz)	(°C)	(VDC)	(Hz)	Result	Limit	
RMC	826.4	20	3.27	2.403	0.0029	-2.5 to 2.5	Pass
			3.85	2.403	0.0029	-2.5 to 2.5	Pass
			4.43	1.953	0.0024	-2.5 to 2.5	Pass
		-30	3.85	1.960	0.0024	-2.5 to 2.5	Pass
		-20	3.85	2.117	0.0026	-2.5 to 2.5	Pass
		-10	3.85	1.974	0.0024	-2.5 to 2.5	Pass
		0	3.85	2.232	0.0027	-2.5 to 2.5	Pass
		10	3.85	2.124	0.0026	-2.5 to 2.5	Pass
		30	3.85	2.224	0.0027	-2.5 to 2.5	Pass
		40	3.85	2.396	0.0029	-2.5 to 2.5	Pass
		50	3.85	1.960	0.0024	-2.5 to 2.5	Pass
	836.6	20	3.27	-0.601	-0.0007	-2.5 to 2.5	Pass
			3.85	-0.830	-0.0010	-2.5 to 2.5	Pass
			4.43	-0.808	-0.0010	-2.5 to 2.5	Pass
		-30	3.85	-0.494	-0.0006	-2.5 to 2.5	Pass
		-20	3.85	-0.308	-0.0004	-2.5 to 2.5	Pass
		-10	3.85	-0.215	-0.0003	-2.5 to 2.5	Pass
		0	3.85	-0.451	-0.0005	-2.5 to 2.5	Pass
		10	3.85	-0.830	-0.0010	-2.5 to 2.5	Pass
		30	3.85	-0.479	-0.0006	-2.5 to 2.5	Pass
		40	3.85	-0.207	-0.0002	-2.5 to 2.5	Pass
		50	3.85	-0.501	-0.0006	-2.5 to 2.5	Pass
	846.6	20	3.27	-3.719	-0.0044	-2.5 to 2.5	Pass
			3.85	-3.705	-0.0044	-2.5 to 2.5	Pass
			4.43	-3.884	-0.0046	-2.5 to 2.5	Pass
		-30	3.85	-3.676	-0.0043	-2.5 to 2.5	Pass
		-20	3.85	-3.684	-0.0044	-2.5 to 2.5	Pass
		-10	3.85	-3.583	-0.0042	-2.5 to 2.5	Pass
		0	3.85	-3.812	-0.0045	-2.5 to 2.5	Pass
		10	3.85	-3.405	-0.0040	-2.5 to 2.5	Pass
		30	3.85	-3.541	-0.0042	-2.5 to 2.5	Pass
		40	3.85	-3.691	-0.0044	-2.5 to 2.5	Pass
		50	3.85	-3.769	-0.0045	-2.5 to 2.5	Pass
HSDPA	826.4	20	3.27	3.662	0.0044	-2.5 to 2.5	Pass
			3.85	3.548	0.0043	-2.5 to 2.5	Pass
			4.43	3.598	0.0044	-2.5 to 2.5	Pass
		-30	3.85	3.147	0.0038	-2.5 to 2.5	Pass
		-20	3.85	3.240	0.0039	-2.5 to 2.5	Pass
		-10	3.85	3.469	0.0042	-2.5 to 2.5	Pass
		0	3.85	3.476	0.0042	-2.5 to 2.5	Pass
		10	3.85	3.669	0.0044	-2.5 to 2.5	Pass
		30	3.85	3.519	0.0043	-2.5 to 2.5	Pass
		40	3.85	3.912	0.0047	-2.5 to 2.5	Pass
		50	3.85	3.569	0.0043	-2.5 to 2.5	Pass
	836.6	20	3.27	-1.223	-0.0015	-2.5 to 2.5	Pass
			3.85	-0.708	-0.0008	-2.5 to 2.5	Pass
			4.43	-0.923	-0.0011	-2.5 to 2.5	Pass
		-30	3.85	-0.544	-0.0007	-2.5 to 2.5	Pass
		-20	3.85	-0.544	-0.0007	-2.5 to 2.5	Pass
		-10	3.85	-0.579	-0.0007	-2.5 to 2.5	Pass
		0	3.85	-0.722	-0.0009	-2.5 to 2.5	Pass
		10	3.85	-0.937	-0.0011	-2.5 to 2.5	Pass
		30	3.85	-0.622	-0.0007	-2.5 to 2.5	Pass
		40	3.85	-0.587	-0.0007	-2.5 to 2.5	Pass
		50	3.85	-0.844	-0.0010	-2.5 to 2.5	Pass
	846.6	20	3.27	-0.966	-0.0011	-2.5 to 2.5	Pass
			3.85	-1.209	-0.0014	-2.5 to 2.5	Pass
			4.43	-1.302	-0.0015	-2.5 to 2.5	Pass
		-30	3.85	-0.830	-0.0010	-2.5 to 2.5	Pass
		-20	3.85	-1.202	-0.0014	-2.5 to 2.5	Pass

		-10	3.85	-1.345	-0.0016	-2.5 to 2.5	Pass
		0	3.85	-1.230	-0.0015	-2.5 to 2.5	Pass
		10	3.85	-1.223	-0.0014	-2.5 to 2.5	Pass
		30	3.85	-1.209	-0.0014	-2.5 to 2.5	Pass
		40	3.85	-1.001	-0.0012	-2.5 to 2.5	Pass
		50	3.85	-1.001	-0.0012	-2.5 to 2.5	Pass
HSUPA	826.4	20	3.27	2.475	0.0030	-2.5 to 2.5	Pass
			3.85	3.140	0.0038	-2.5 to 2.5	Pass
			4.43	3.226	0.0039	-2.5 to 2.5	Pass
		-30	3.85	3.097	0.0037	-2.5 to 2.5	Pass
		-20	3.85	3.047	0.0037	-2.5 to 2.5	Pass
		-10	3.85	3.104	0.0038	-2.5 to 2.5	Pass
		0	3.85	3.126	0.0038	-2.5 to 2.5	Pass
		10	3.85	3.090	0.0037	-2.5 to 2.5	Pass
		30	3.85	3.519	0.0043	-2.5 to 2.5	Pass
		40	3.85	3.126	0.0038	-2.5 to 2.5	Pass
		50	3.85	2.689	0.0033	-2.5 to 2.5	Pass
	836.6	20	3.27	-0.708	-0.0008	-2.5 to 2.5	Pass
			3.85	-0.758	-0.0009	-2.5 to 2.5	Pass
			4.43	-0.916	-0.0011	-2.5 to 2.5	Pass
		-30	3.85	-0.923	-0.0011	-2.5 to 2.5	Pass
		-20	3.85	-0.579	-0.0007	-2.5 to 2.5	Pass
		-10	3.85	-1.037	-0.0012	-2.5 to 2.5	Pass
		0	3.85	-0.536	-0.0006	-2.5 to 2.5	Pass
		10	3.85	-0.279	-0.0003	-2.5 to 2.5	Pass
		30	3.85	-0.215	-0.0003	-2.5 to 2.5	Pass
		40	3.85	-0.093	-0.0001	-2.5 to 2.5	Pass
		50	3.85	-0.751	-0.0009	-2.5 to 2.5	Pass
	846.6	20	3.27	-7.703	-0.0091	-2.5 to 2.5	Pass
			3.85	-9.012	-0.0106	-2.5 to 2.5	Pass
			4.43	-7.482	-0.0088	-2.5 to 2.5	Pass
		-30	3.85	-9.327	-0.0110	-2.5 to 2.5	Pass
		-20	3.85	-7.217	-0.0085	-2.5 to 2.5	Pass
		-10	3.85	-9.041	-0.0107	-2.5 to 2.5	Pass
		0	3.85	-7.753	-0.0092	-2.5 to 2.5	Pass
		10	3.85	-9.377	-0.0111	-2.5 to 2.5	Pass
		30	3.85	-7.303	-0.0086	-2.5 to 2.5	Pass
		40	3.85	-9.291	-0.0110	-2.5 to 2.5	Pass
		50	3.85	-7.625	-0.0090	-2.5 to 2.5	Pass


3. Modulation Characteristics


3.1 Band5

3.1.1 Test Result

Band: 5						
ENV	Mode		Frequency (MHz)	Modulation Characteristics		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	836.6	Refer To Test Graph		Pass
	HSDPA	Subtest 1	836.6	Refer To Test Graph		Pass
	HSUPA	Subtest 1	836.6	Refer To Test Graph		Pass

3.1.2 Test Graph






4. 99% & 26dB Bandwidth

4.1 Band5_OBW


4.1.1 Test Result

Band: 5					
ENV	Mode		Frequency (MHz)	99% Occupied Bandwidth (MHz)	Verdict
	Network	Subset		Result	
NTNV	RMC	12.2kbps RMC	826.4	4.180	Pass
			836.6	4.154	Pass
			846.6	4.129	Pass
	HSDPA	Subtest 1	826.4	4.151	Pass
			836.6	4.163	Pass
			846.6	4.220	Pass
	HSUPA	Subtest 1	826.4	4.156	Pass
			836.6	4.164	Pass
			846.6	4.218	Pass


4.1.2 Test Graph




Band5_RMC_HCH_846.6MHz_12.2kbps_RMC_NTNV




Band5_HSDPA_LCH_826.4MHz_Subtest 1_NTNV




Band5_HSDPA_MCH_836.6MHz_Subtest 1_NTNV




Band5_HSDPA_HCH_846.6MHz_Subtest 1_NTNV




Band5_HSUPA_LCH_826.4MHz_Subtest 1_NTNV



Band5_HSUPA_MCH_836.6MHz_Subtest 1_NTNV



Band5 HSUPA HCH 846.6MHz Subtest 1 NTN




4.2 Band5_XDB


4.2.1 Test Result

Band: 5					
ENV	Mode		Frequency (MHz)	26dB Bandwidth (MHz)	Verdict
	Network	Subset		Result	
NTNV	RMC	12.2kbps RMC	826.4	4.758	Pass
			836.6	4.763	Pass
			846.6	4.740	Pass
	HSDPA	Subtest 1	826.4	4.736	Pass
			836.6	4.748	Pass
			846.6	6.179	Pass
	HSUPA	Subtest 1	826.4	4.758	Pass
			836.6	4.784	Pass
			846.6	6.922	Pass


4.2.2 Test Graph




Band5_RMC_HCH_846.6MHz_12.2kbps_RMC_NTNV




Band5_HSDPA_LCH_826.4MHz_Subtest 1_NTNV




Band5 HSDPA MCH 836.6MHz Subtest 1 NTN




Band5_HSDPA_HCH_846.6MHz_Subtest 1 NTN




Band5_HSUPA_LCH_826.4MHz_Subtest 1_NTNV



Band5_HSUPA_MCH_836.6MHz_Subtest 1_NTNV



Band5 HSUPA HCH 846.6MHz Subtest 1 NTN




5. Peak-Average Ratio

5.1 Band5


5.1.1 Test Result

Band: 5						
ENV	Mode		Frequency (MHz)	Peak-Average Ratio (dB)		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	826.4	2.83	<=13	Pass
			836.6	2.90	<=13	Pass
			846.6	2.91	<=13	Pass
	HSDPA	Subtest 1	826.4	5.67	<=13	Pass
			836.6	5.73	<=13	Pass
			846.6	5.70	<=13	Pass
	HSUPA	Subtest 1	826.4	5.70	<=13	Pass
			836.6	5.77	<=13	Pass
			846.6	5.72	<=13	Pass


5.1.2 Test Graph




Band5_RMC_HCH_846.6MHz_12.2kbps_RMC_NTNV




Band5_HSDPA_LCH_826.4MHz_Subtest 1_NTNV




Band5 HSDPA MCH 836.6MHz Subtest 1 NTN




Band5 HSDPA HCH 846.6MHz Subtest 1 NTN




Band5_HSUPA_LCH_826.4MHz_Subtest 1_NTNV



Band5_HSUPA_MCH_836.6MHz_Subtest 1_NTNV





2023-08-14 12:41:27


6. Spurious Emission

6.1 Band5


6.1.1 Test Result

Band: 5						
ENV	Mode		Frequency (MHz)	Spurious Emission		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	826.4	Refer To Test Graph		Pass
			836.6	Refer To Test Graph		Pass
			846.6	Refer To Test Graph		Pass
	HSDPA	Subtest 1	826.4	Refer To Test Graph		Pass
			836.6	Refer To Test Graph		Pass
			846.6	Refer To Test Graph		Pass
	HSUPA	Subtest 1	826.4	Refer To Test Graph		Pass
			836.6	Refer To Test Graph		Pass
			846.6	Refer To Test Graph		Pass


6.1.2 Test Graph




Band5_RMC_MCH_836.6MHz_12.2kbps_RMC_NTNV




Band5_RMC_HCH_846.6MHz_12.2kbps_RMC_NTNV




Band5_RMC_HCH_846.6MHz_12.2kbps_RMC_NTNV




Band5_HSDPA_LCH_826.4MHz_Subtest 1_NTNV




Band5_HSDPA_LCH_826.4MHz_Subtest 1_NTNV




Band5_HSDPA_MCH_836.6MHz_Subtest 1_NTNV




Band5_HSDPA_HCH_846.6MHz_Subtest 1_NTNV




Band5_HSDPA_HCH_846.6MHz_Subtest 1_NTNV




Band5 HSUPA LCH 826.4MHz Subtest 1 NTN




Band5 HSUPA LCH 826.4MHz Subtest 1 NTN




Band5_HSUPA_MCH_836.6MHz_Subtest 1_NTNV



Band5_HSUPA_HCH_846.6MHz_Subtest 1_NTNV



Band5 HSUPA HCH 846.6MHz Subtest 1 NTN



7. Form731

7.1 Form731_Power

7.1.1 Test Result

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
5	3.84	826.4	846.6	0.1514	0.0111	ppm	4M22F9W	24E	21.80

7.2 Form731_ERP

7.2.1 Test Result

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
5	3.84	826.4	846.6	0.1239	0.0111	ppm	4M22F9W	24E	20.93