

1. Effective (Isotropic) Radiated Power Output Data

1.1 Band2_EIRP

1.1.1 Test Result

Band: 2									
ENV	Mode		Frequency (MHz)	Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict	
	Network	Subset				Result	Limit		
NTNV	RMC	12.2kbps RMC	1852.4	21.00	1.18	22.18	<=33.01	Pass	
			1880	21.35	1.18	22.53	<=33.01	Pass	
			1907.6	20.70	1.18	21.88	<=33.01	Pass	
	HSDPA	Subtest 1	1852.4	19.00	1.18	20.18	<=33.01	Pass	
		Subtest 2	1852.4	18.91	1.18	20.09	<=33.01	Pass	
		Subtest 3	1852.4	18.86	1.18	20.04	<=33.01	Pass	
		Subtest 4	1852.4	18.97	1.18	20.15	<=33.01	Pass	
		Subtest 1	1880	19.37	1.18	20.55	<=33.01	Pass	
		Subtest 2	1880	19.32	1.18	20.50	<=33.01	Pass	
		Subtest 3	1880	19.29	1.18	20.47	<=33.01	Pass	
		Subtest 4	1880	19.33	1.18	20.51	<=33.01	Pass	
		Subtest 1	1907.6	18.75	1.18	19.93	<=33.01	Pass	
		Subtest 2	1907.6	18.75	1.18	19.93	<=33.01	Pass	
		Subtest 3	1907.6	18.73	1.18	19.91	<=33.01	Pass	
		Subtest 4	1907.6	18.84	1.18	20.02	<=33.01	Pass	
		HSUPA	Subtest 1	1852.4	17.34	1.18	18.52	<=33.01	Pass
			Subtest 2	1852.4	17.41	1.18	18.59	<=33.01	Pass
			Subtest 3	1852.4	17.43	1.18	18.61	<=33.01	Pass
			Subtest 4	1852.4	16.82	1.18	18.00	<=33.01	Pass
			Subtest 5	1852.4	17.30	1.18	18.48	<=33.01	Pass
			Subtest 1	1880	17.63	1.18	18.81	<=33.01	Pass
			Subtest 2	1880	17.28	1.18	18.46	<=33.01	Pass
			Subtest 3	1880	17.87	1.18	19.05	<=33.01	Pass
	Subtest 4		1880	17.39	1.18	18.57	<=33.01	Pass	
	Subtest 5		1880	17.23	1.18	18.41	<=33.01	Pass	
	Subtest 1		1907.6	17.06	1.18	18.24	<=33.01	Pass	
	Subtest 2		1907.6	16.41	1.18	17.59	<=33.01	Pass	
	Subtest 3		1907.6	16.80	1.18	17.98	<=33.01	Pass	
	Subtest 4		1907.6	16.87	1.18	18.05	<=33.01	Pass	
	Subtest 5		1907.6	17.11	1.18	18.29	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain									

2. Frequency Stability

2.1 Band2

2.1.1 Test Result

Band: 2							
Network	Frequency (MHz)	Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
					Result	Limit	
RMC	1852.4	20	10.2	5.214	0.0028	-2.5 to 2.5	Pass

			12	5.622	0.0030	-2.5 to 2.5	Pass
			13.8	4.442	0.0024	-2.5 to 2.5	Pass
		-30	12	4.642	0.0025	-2.5 to 2.5	Pass
		-20	12	4.685	0.0025	-2.5 to 2.5	Pass
		-10	12	4.849	0.0026	-2.5 to 2.5	Pass
		0	12	5.064	0.0027	-2.5 to 2.5	Pass
		10	12	5.851	0.0032	-2.5 to 2.5	Pass
		30	12	5.057	0.0027	-2.5 to 2.5	Pass
		40	12	4.313	0.0023	-2.5 to 2.5	Pass
		50	12	5.779	0.0031	-2.5 to 2.5	Pass
	1880	20	10.2	-1.545	-0.0008	-2.5 to 2.5	Pass
			12	-1.051	-0.0006	-2.5 to 2.5	Pass
			13.8	-1.116	-0.0006	-2.5 to 2.5	Pass
		-30	12	-1.202	-0.0006	-2.5 to 2.5	Pass
		-20	12	-1.287	-0.0007	-2.5 to 2.5	Pass
		-10	12	-1.109	-0.0006	-2.5 to 2.5	Pass
		0	12	-0.322	-0.0002	-2.5 to 2.5	Pass
		10	12	-0.951	-0.0005	-2.5 to 2.5	Pass
		30	12	-1.402	-0.0007	-2.5 to 2.5	Pass
		40	12	-0.579	-0.0003	-2.5 to 2.5	Pass
		50	12	-0.758	-0.0004	-2.5 to 2.5	Pass
	1907.6	20	10.2	-7.632	-0.0040	-2.5 to 2.5	Pass
			12	-7.818	-0.0041	-2.5 to 2.5	Pass
			13.8	-7.460	-0.0039	-2.5 to 2.5	Pass
		-30	12	-7.589	-0.0040	-2.5 to 2.5	Pass
		-20	12	-7.746	-0.0041	-2.5 to 2.5	Pass
		-10	12	-7.274	-0.0038	-2.5 to 2.5	Pass
		0	12	-8.025	-0.0042	-2.5 to 2.5	Pass
		10	12	-8.340	-0.0044	-2.5 to 2.5	Pass
		30	12	-8.576	-0.0045	-2.5 to 2.5	Pass
		40	12	-7.796	-0.0041	-2.5 to 2.5	Pass
		50	12	-8.183	-0.0043	-2.5 to 2.5	Pass
HSDPA	1852.4	20	10.2	6.001	0.0032	-2.5 to 2.5	Pass
			12	5.894	0.0032	-2.5 to 2.5	Pass
			13.8	6.580	0.0036	-2.5 to 2.5	Pass
		-30	12	6.244	0.0034	-2.5 to 2.5	Pass
		-20	12	6.738	0.0036	-2.5 to 2.5	Pass
		-10	12	6.909	0.0037	-2.5 to 2.5	Pass
		0	12	6.530	0.0035	-2.5 to 2.5	Pass
		10	12	6.294	0.0034	-2.5 to 2.5	Pass
		30	12	6.831	0.0037	-2.5 to 2.5	Pass
		40	12	7.160	0.0039	-2.5 to 2.5	Pass
		50	12	6.294	0.0034	-2.5 to 2.5	Pass
	1880	20	10.2	1.094	0.0006	-2.5 to 2.5	Pass
			12	0.107	0.0001	-2.5 to 2.5	Pass
			13.8	1.137	0.0006	-2.5 to 2.5	Pass
		-30	12	0.873	0.0005	-2.5 to 2.5	Pass
		-20	12	0.479	0.0003	-2.5 to 2.5	Pass
		-10	12	0.930	0.0005	-2.5 to 2.5	Pass
		0	12	0.057	0.0000	-2.5 to 2.5	Pass
		10	12	1.223	0.0007	-2.5 to 2.5	Pass
		30	12	0.100	0.0001	-2.5 to 2.5	Pass
		40	12	1.044	0.0006	-2.5 to 2.5	Pass
		50	12	0.215	0.0001	-2.5 to 2.5	Pass
	1907.6	20	10.2	-7.868	-0.0041	-2.5 to 2.5	Pass
			12	-8.819	-0.0046	-2.5 to 2.5	Pass
			13.8	-7.210	-0.0038	-2.5 to 2.5	Pass
		-30	12	-7.396	-0.0039	-2.5 to 2.5	Pass
		-20	12	-7.195	-0.0038	-2.5 to 2.5	Pass
		-10	12	-7.811	-0.0041	-2.5 to 2.5	Pass
		0	12	-8.054	-0.0042	-2.5 to 2.5	Pass

		10	12	-7.145	-0.0037	-2.5 to 2.5	Pass
		30	12	-7.081	-0.0037	-2.5 to 2.5	Pass
		40	12	-8.562	-0.0045	-2.5 to 2.5	Pass
		50	12	-7.811	-0.0041	-2.5 to 2.5	Pass
HSUPA	1852.4	20	10.2	5.937	0.0032	-2.5 to 2.5	Pass
			12	6.959	0.0038	-2.5 to 2.5	Pass
			13.8	6.559	0.0035	-2.5 to 2.5	Pass
		-30	12	6.201	0.0033	-2.5 to 2.5	Pass
		-20	12	6.444	0.0035	-2.5 to 2.5	Pass
		-10	12	5.658	0.0031	-2.5 to 2.5	Pass
		0	12	7.074	0.0038	-2.5 to 2.5	Pass
		10	12	6.108	0.0033	-2.5 to 2.5	Pass
		30	12	7.274	0.0039	-2.5 to 2.5	Pass
		40	12	5.715	0.0031	-2.5 to 2.5	Pass
		50	12	5.586	0.0030	-2.5 to 2.5	Pass
	1880	20	10.2	-1.752	-0.0009	-2.5 to 2.5	Pass
			12	-0.987	-0.0005	-2.5 to 2.5	Pass
			13.8	-1.459	-0.0008	-2.5 to 2.5	Pass
		-30	12	-2.224	-0.0012	-2.5 to 2.5	Pass
		-20	12	-1.731	-0.0009	-2.5 to 2.5	Pass
		-10	12	-1.781	-0.0009	-2.5 to 2.5	Pass
		0	12	-0.715	-0.0004	-2.5 to 2.5	Pass
		10	12	-1.452	-0.0008	-2.5 to 2.5	Pass
		30	12	-1.495	-0.0008	-2.5 to 2.5	Pass
		40	12	-1.831	-0.0010	-2.5 to 2.5	Pass
		50	12	-1.223	-0.0007	-2.5 to 2.5	Pass
	1907.6	20	10.2	-6.702	-0.0035	-2.5 to 2.5	Pass
			12	-7.811	-0.0041	-2.5 to 2.5	Pass
			13.8	-6.509	-0.0034	-2.5 to 2.5	Pass
		-30	12	-6.330	-0.0033	-2.5 to 2.5	Pass
		-20	12	-7.610	-0.0040	-2.5 to 2.5	Pass
		-10	12	-7.052	-0.0037	-2.5 to 2.5	Pass
		0	12	-7.625	-0.0040	-2.5 to 2.5	Pass
		10	12	-6.874	-0.0036	-2.5 to 2.5	Pass
		30	12	-6.716	-0.0035	-2.5 to 2.5	Pass
		40	12	-7.625	-0.0040	-2.5 to 2.5	Pass
		50	12	-7.339	-0.0038	-2.5 to 2.5	Pass


3. Modulation Characteristics

3.1 Band2


3.1.1 Test Result

Band: 2						
ENV	Mode		Frequency (MHz)	Modulation Characteristics		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	1880	Refer To Test Graph		Pass
	HSDPA	Subtest 1	1880	Refer To Test Graph		Pass
	HSUPA	Subtest 1	1880	Refer To Test Graph		Pass

3.1.2 Test Graph



Band2 HSUPA MCH 1880MHz Subtest 1 NTN




4. 99% & 26dB Bandwidth

4.1 Band2_OBW


4.1.1 Test Result

Band: 2						
ENV	Mode		Frequency (MHz)	99% Occupied Bandwidth (MHz)		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	1852.4	4.136	/	Pass
			1880	4.150	/	Pass
			1907.6	4.129	/	Pass
	HSDPA	Subtest 1	1852.4	4.179	/	Pass
			1880	4.195	/	Pass
			1907.6	4.173	/	Pass
	HSUPA	Subtest 1	1852.4	4.189	/	Pass
			1880	4.205	/	Pass
			1907.6	4.182	/	Pass


4.1.2 Test Graph




Band2_RMC_HCH_1907.6MHz_12.2kbps_RMC_NTNV




Band2_HSDPA_LCH_1852.4MHz_Subtest 1_NTNV




Band2_HSDPA_MCH_1880MHz_Subtest 1_NTNV




Band2_HSDPA_HCH_1907.6MHz_Subtest 1_NTNV




Band2_HSUPA_LCH_1852.4MHz_Subtest 1_NTNV



Band2_HSUPA_MCH_1880MHz_Subtest 1_NTNV



Band2_HSUPA_HCH_1907.6MHz_Subtest 1_NTNV




4.2 Band2_XDB


4.2.1 Test Result

Band: 2						
ENV	Mode		Frequency (MHz)	26dB Bandwidth (MHz)		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	1852.4	4.737	/	Pass
			1880	4.745	/	Pass
			1907.6	4.737	/	Pass
	HSDPA	Subtest 1	1852.4	5.982	/	Pass
			1880	5.631	/	Pass
			1907.6	6.015	/	Pass
	HSUPA	Subtest 1	1852.4	5.976	/	Pass
			1880	5.876	/	Pass
			1907.6	5.666	/	Pass


4.2.2 Test Graph




Band2_RMC_HCH_1907.6MHz_12.2kbps_RMC_NTNV




Band2_HSDPA_LCH_1852.4MHz_Subtest 1_NTNV




Band2_HSDPA_MCH_1880MHz_Subtest 1_NTNV




Band2_HSDPA_HCH_1907.6MHz_Subtest 1_NTNV




Band2_HSUPA_LCH_1852.4MHz_Subtest 1_NTNV



Band2_HSUPA_MCH_1880MHz_Subtest 1_NTNV



Band2_HSUPA_HCH_1907.6MHz_Subtest 1_NTNV




5. Peak-Average Ratio

5.1 Band2


5.1.1 Test Result

Band: 2						
ENV	Mode		Frequency (MHz)	Peak-Average Ratio (dB)		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	1852.4	3.04	<=13	Pass
			1880	3.01	<=13	Pass
			1907.6	3.04	<=13	Pass
	HSDPA	Subtest 1	1852.4	5.55	<=13	Pass
			1880	5.59	<=13	Pass
			1907.6	5.65	<=13	Pass
	HSUPA	Subtest 1	1852.4	5.59	<=13	Pass
			1880	5.63	<=13	Pass
			1907.6	5.64	<=13	Pass


5.1.2 Test Graph




Band2_RMC_HCH_1907.6MHz_12.2kbps_RMC_NTNV




Band2_HSDPA_LCH_1852.4MHz_Subtest 1_NTNV




Band2_HSDPA_MCH_1880MHz_Subtest 1_NTNV




Band2_HSDPA_HCH_1907.6MHz_Subtest 1_NTNV




Band2_HSUPA_LCH_1852.4MHz_Subtest 1_NTNV



Band2_HSUPA_MCH_1880MHz_Subtest 1_NTNV



Band2_HSUPA_HCH_1907.6MHz_Subtest 1_NTNV



2023-10-27 03:24:52


6. Spurious Emission

6.1 Band2


6.1.1 Test Result

Band: 2					
ENV	Mode		Frequency (MHz)	Spurious Emission	
	Network	Subset		Result	Limit
NTNV	RMC	12.2kbps RMC	1852.4	Refer To Test Graph	Pass
			1880	Refer To Test Graph	Pass
			1907.6	Refer To Test Graph	Pass
	HSDPA	Subtest 1	1852.4	Refer To Test Graph	Pass
			1880	Refer To Test Graph	Pass
			1907.6	Refer To Test Graph	Pass
	HSUPA	Subtest 1	1852.4	Refer To Test Graph	Pass
			1880	Refer To Test Graph	Pass
			1907.6	Refer To Test Graph	Pass


6.1.2 Test Graph




Band2_RMC_LCH_1852.4MHz_12.2kbps_RMC_NTNV




Band2_RMC_MCH_1880MHz_12.2kbps_RMC_NTNV




Band2_RMC_MCH_1880MHz_12.2kbps RMC_NTNV




Band2_RMC_HCH_1907.6MHz_12.2kbps RMC_NTNV




Band2_RMC_HCH_1907.6MHz_12.2kbps RMC_NTNV




Band2_RMC_HCH_1907.6MHz_12.2kbps RMC_NTNV




Band2_HSDPA_LCH_1852.4MHz_Subtest 1_NTNV




Band2_HSDPA_LCH_1852.4MHz_Subtest 1_NTNV




Band2_HSDPA_LCH_1852.4MHz_Subtest 1_NTNV




Band2_HSDPA_MCH_1880MHz_Subtest 1_NTNV




Band2_HSDPA_MCH_1880MHz_Subtest 1_NTNV




Band2_HSDPA_HCH_1907.6MHz_Subtest 1_NTNV




Band2_HSDPA_HCH_1907.6MHz_Subtest 1_NTNV




Band2_HSDPA_HCH_1907.6MHz_Subtest 1_NTNV




Band2_HSUPA_LCH_1852.4MHz_Subtest 1_NTNV




Band2_HSUPA_LCH_1852.4MHz_Subtest 1_NTNV




Band2_HSUPA_LCH_1852.4MHz_Subtest 1_NTNV




Band2_HSUPA_MCH_1880MHz_Subtest 1_NTNV




Band2_HSUPA_MCH_1880MHz_Subtest 1_NTNV




Band2_HSUPA_HCH_1907.6MHz_Subtest 1_NTNV



Band2_HSUPA_HCH_1907.6MHz_Subtest 1_NTNV



Band2_HSUPA_HCH_1907.6MHz_Subtest 1_NTNV



7. Form731

7.1 Form731_Power

7.1.1 Test Result

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
2	3.84	1852.4	1907.6	0.1365	0.0046	ppm	4M21F9W	24E	21.35

7.2 Form731_EIRP

7.2.1 Test Result

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
2	3.84	1852.4	1907.6	0.1791	0.0046	ppm	4M21F9W	24E	22.53