


Annex A.5 Spurious Emission at Antenna Terminals

1. LTE_Band2


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.69	-13	Pass	2986
30	1000	0.1	RMS	906.4	-62.2	-13	Pass	9701
1000	1840	1	RMS	1840	-49.42	-13	Pass	841
1840	1920	1	RMS	1850.2	20.73	60	Pass	401
1920	3000	1	RMS	2657	-47.03	-13	Pass	1081
3000	12000	1	RMS	11984	-40.96	-13	Pass	9001
12000	20000	1	RMS	19998	-29.14	-13	Pass	8001




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.04	-13	Pass	2986
30	1000	0.1	RMS	934.2	-62.42	-13	Pass	9701
1000	1840	1	RMS	1840	-50.05	-13	Pass	841
1840	1920	1	RMS	1850.2	19.74	60	Pass	401
1920	3000	1	RMS	2649	-47.02	-13	Pass	1081
3000	12000	1	RMS	11986	-40.94	-13	Pass	9001
12000	20000	1	RMS	19996	-29.09	-13	Pass	8001




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.23	-13	Pass	2986
30	1000	0.1	RMS	944.4	-62.31	-13	Pass	9701
1000	1840	1	RMS	1839	-49.46	-13	Pass	841
1840	1920	1	RMS	1879.6	19.53	60	Pass	401
1920	3000	1	RMS	2647	-47.02	-13	Pass	1081
3000	12000	1	RMS	11959	-40.94	-13	Pass	9001
12000	20000	1	RMS	20000	-29.12	-13	Pass	8001




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.62	-13	Pass	2986
30	1000	0.1	RMS	908.2	-62.27	-13	Pass	9701
1000	1840	1	RMS	1840	-49.49	-13	Pass	841
1840	1920	1	RMS	1879.6	18.59	60	Pass	401
1920	3000	1	RMS	2657	-47.03	-13	Pass	1081
3000	12000	1	RMS	11963	-40.98	-13	Pass	9001
12000	20000	1	RMS	19998	-29	-13	Pass	8001




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.66	-13	Pass	2986
30	1000	0.1	RMS	908.9	-62.28	-13	Pass	9701
1000	1840	1	RMS	1840	-49.56	-13	Pass	841
1840	1920	1	RMS	1908.8	19.78	60	Pass	401
1920	3000	1	RMS	2647	-47.02	-13	Pass	1081
3000	12000	1	RMS	11954	-40.95	-13	Pass	9001
12000	20000	1	RMS	19999	-29.17	-13	Pass	8001




1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.88	-13	Pass	2986
30	1000	0.1	RMS	922.8	-62.29	-13	Pass	9701
1000	1840	1	RMS	1840	-49.56	-13	Pass	841
1840	1920	1	RMS	1908.8	18.95	60	Pass	401
1920	3000	1	RMS	2654	-47.08	-13	Pass	1081
3000	12000	1	RMS	11957	-40.96	-13	Pass	9001
12000	20000	1	RMS	19998	-29.11	-13	Pass	8001




1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.54	-13	Pass	2986
30	1000	0.1	RMS	925.3	-62.35	-13	Pass	9701
1000	1840	1	RMS	1840	-49.39	-13	Pass	841
1840	1920	1	RMS	1850.2	20.77	60	Pass	401
1920	3000	1	RMS	2653	-47.05	-13	Pass	1081
3000	12000	1	RMS	11954	-40.91	-13	Pass	9001
12000	20000	1	RMS	19999	-29.18	-13	Pass	8001




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.19	-13	Pass	2986
30	1000	0.1	RMS	775.7	-62.22	-13	Pass	9701
1000	1840	1	RMS	1839	-50.03	-13	Pass	841
1840	1920	1	RMS	1850.2	19.79	60	Pass	401
1920	3000	1	RMS	2653	-47.03	-13	Pass	1081
3000	12000	1	RMS	11980	-40.95	-13	Pass	9001
12000	20000	1	RMS	19999	-29.13	-13	Pass	8001



1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.12	-13	Pass	2986
30	1000	0.1	RMS	922.9	-62.43	-13	Pass	9701
1000	1840	1	RMS	1840	-49.46	-13	Pass	841
1840	1920	1	RMS	1878.8	19.7	60	Pass	401
1920	3000	1	RMS	2651	-47.01	-13	Pass	1081
3000	12000	1	RMS	11995	-40.97	-13	Pass	9001
12000	20000	1	RMS	19999	-29.08	-13	Pass	8001



1.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.37	-13	Pass	2986
30	1000	0.1	RMS	964.9	-62.35	-13	Pass	9701
1000	1840	1	RMS	1840	-49.57	-13	Pass	841
1840	1920	1	RMS	1878.8	18.8	60	Pass	401
1920	3000	1	RMS	2653	-47.02	-13	Pass	1081
3000	12000	1	RMS	11979	-40.9	-13	Pass	9001
12000	20000	1	RMS	20000	-29.15	-13	Pass	8001



1.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.22	-13	Pass	2986
30	1000	0.1	RMS	933.4	-62.34	-13	Pass	9701
1000	1840	1	RMS	1839	-49.54	-13	Pass	841
1840	1920	1	RMS	1907.2	19.68	60	Pass	401
1920	3000	1	RMS	2647	-46.97	-13	Pass	1081
3000	12000	1	RMS	11976	-40.97	-13	Pass	9001
12000	20000	1	RMS	19999	-29.2	-13	Pass	8001



1.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.88	-13	Pass	2986
30	1000	0.1	RMS	925.4	-62.24	-13	Pass	9701
1000	1840	1	RMS	1840	-49.67	-13	Pass	841
1840	1920	1	RMS	1907.2	18.78	60	Pass	401
1920	3000	1	RMS	2647	-47.04	-13	Pass	1081
3000	12000	1	RMS	12000	-40.94	-13	Pass	9001
12000	20000	1	RMS	20000	-29.05	-13	Pass	8001



1.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.8	-13	Pass	2986
30	1000	0.1	RMS	936.9	-62.24	-13	Pass	9701
1000	1840	1	RMS	1840	-49.57	-13	Pass	841
1840	1920	1	RMS	1850.4	20.7	60	Pass	401
1920	3000	1	RMS	2648	-47.03	-13	Pass	1081
3000	12000	1	RMS	11980	-40.9	-13	Pass	9001
12000	20000	1	RMS	19992	-29.14	-13	Pass	8001



1.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.23	-13	Pass	2986
30	1000	0.1	RMS	902.7	-62.35	-13	Pass	9701
1000	1840	1	RMS	1840	-50.09	-13	Pass	841
1840	1920	1	RMS	1850.4	19.71	60	Pass	401
1920	3000	1	RMS	2655	-47.07	-13	Pass	1081
3000	12000	1	RMS	12000	-40.95	-13	Pass	9001
12000	20000	1	RMS	20000	-29.13	-13	Pass	8001



1.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.14	-13	Pass	2986
30	1000	0.1	RMS	909.6	-62.45	-13	Pass	9701
1000	1840	1	RMS	1840	-49.46	-13	Pass	841
1840	1920	1	RMS	1877.8	19.54	60	Pass	401
1920	3000	1	RMS	2647	-47.04	-13	Pass	1081
3000	12000	1	RMS	11985	-41.02	-13	Pass	9001
12000	20000	1	RMS	19998	-29.12	-13	Pass	8001



1.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.52	-13	Pass	2986
30	1000	0.1	RMS	940.2	-62.32	-13	Pass	9701
1000	1840	1	RMS	1840	-49.49	-13	Pass	841
1840	1920	1	RMS	1877.8	18.64	60	Pass	401
1920	3000	1	RMS	2650	-46.98	-13	Pass	1081
3000	12000	1	RMS	11973	-40.97	-13	Pass	9001
12000	20000	1	RMS	20000	-29.1	-13	Pass	8001



1.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.63	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.72	-13	Pass	2986
30	1000	0.1	RMS	923.1	-62.26	-13	Pass	9701
1000	1840	1	RMS	1840	-49.53	-13	Pass	841
1840	1920	1	RMS	1905.4	19.35	60	Pass	401
1920	3000	1	RMS	2650	-47	-13	Pass	1081
3000	12000	1	RMS	11935	-41	-13	Pass	9001
12000	20000	1	RMS	20000	-29.06	-13	Pass	8001



1.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.71	-13	Pass	2986
30	1000	0.1	RMS	926.4	-62.34	-13	Pass	9701
1000	1840	1	RMS	1839	-49.68	-13	Pass	841
1840	1920	1	RMS	1905.4	18.53	60	Pass	401
1920	3000	1	RMS	2657	-47.1	-13	Pass	1081
3000	12000	1	RMS	11956	-41	-13	Pass	9001
12000	20000	1	RMS	20000	-29.11	-13	Pass	8001



1.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.91	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.94	-13	Pass	2986
30	1000	0.1	RMS	895.7	-62.29	-13	Pass	9701
1000	1840	1	RMS	1840	-49.44	-13	Pass	841
1840	1920	1	RMS	1850.6	20.43	60	Pass	401
1920	3000	1	RMS	2654	-47.03	-13	Pass	1081
3000	12000	1	RMS	11965	-40.96	-13	Pass	9001
12000	20000	1	RMS	19999	-29.15	-13	Pass	8001



1.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.52	-13	Pass	2986
30	1000	0.1	RMS	887.6	-62.37	-13	Pass	9701
1000	1840	1	RMS	1840	-50.06	-13	Pass	841
1840	1920	1	RMS	1850.6	19.49	60	Pass	401
1920	3000	1	RMS	2656	-47.07	-13	Pass	1081
3000	12000	1	RMS	11953	-40.92	-13	Pass	9001
12000	20000	1	RMS	19998	-29.09	-13	Pass	8001



1.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.42	-13	Pass	2986
30	1000	0.1	RMS	936.5	-62.28	-13	Pass	9701
1000	1840	1	RMS	1840	-49.48	-13	Pass	841
1840	1920	1	RMS	1875.6	19.39	60	Pass	401
1920	3000	1	RMS	2648	-47.05	-13	Pass	1081
3000	12000	1	RMS	11964	-40.95	-13	Pass	9001
12000	20000	1	RMS	19996	-29.19	-13	Pass	8001



1.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.42	-13	Pass	2986
30	1000	0.1	RMS	933	-62.25	-13	Pass	9701
1000	1840	1	RMS	1840	-49.62	-13	Pass	841
1840	1920	1	RMS	1875.6	18.61	60	Pass	401
1920	3000	1	RMS	2647	-47.03	-13	Pass	1081
3000	12000	1	RMS	11985	-40.94	-13	Pass	9001
12000	20000	1	RMS	20000	-29	-13	Pass	8001



1.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.89	-13	Pass	2986
30	1000	0.1	RMS	991.8	-62.29	-13	Pass	9701
1000	1840	1	RMS	1840	-49.55	-13	Pass	841
1840	1920	1	RMS	1900.6	18.56	60	Pass	401
1920	3000	1	RMS	2648	-47.03	-13	Pass	1081
3000	12000	1	RMS	11962	-40.96	-13	Pass	9001
12000	20000	1	RMS	19999	-29.11	-13	Pass	8001



1.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.86	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.92	-13	Pass	2986
30	1000	0.1	RMS	898.5	-62.4	-13	Pass	9701
1000	1840	1	RMS	1840	-50.11	-13	Pass	841
1840	1920	1	RMS	1900.6	17.5	60	Pass	401
1920	3000	1	RMS	2657	-47.03	-13	Pass	1081
3000	12000	1	RMS	11936	-41.04	-13	Pass	9001
12000	20000	1	RMS	19998	-29.2	-13	Pass	8001



1.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.24	-13	Pass	2986
30	1000	0.1	RMS	904.1	-62.3	-13	Pass	9701
1000	1840	1	RMS	1840	-49.34	-13	Pass	841
1840	1920	1	RMS	1850.8	20.4	60	Pass	401
1920	3000	1	RMS	2653	-47.06	-13	Pass	1081
3000	12000	1	RMS	11983	-40.92	-13	Pass	9001
12000	20000	1	RMS	19994	-29.14	-13	Pass	8001



1.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.24	-13	Pass	2986
30	1000	0.1	RMS	933.8	-62.26	-13	Pass	9701
1000	1840	1	RMS	1838	-49.86	-13	Pass	841
1840	1920	1	RMS	1850.8	19.48	60	Pass	401
1920	3000	1	RMS	2658	-46.96	-13	Pass	1081
3000	12000	1	RMS	11987	-41.01	-13	Pass	9001
12000	20000	1	RMS	19999	-29.18	-13	Pass	8001



1.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.48	-13	Pass	2986
30	1000	0.1	RMS	922.9	-62.34	-13	Pass	9701
1000	1840	1	RMS	1840	-49.39	-13	Pass	841
1840	1920	1	RMS	1873.4	19.27	60	Pass	401
1920	3000	1	RMS	2647	-47.09	-13	Pass	1081
3000	12000	1	RMS	11979	-40.91	-13	Pass	9001
12000	20000	1	RMS	19999	-29.17	-13	Pass	8001



1.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.45	-13	Pass	2986
30	1000	0.1	RMS	914.2	-62.37	-13	Pass	9701
1000	1840	1	RMS	1839	-49.66	-13	Pass	841
1840	1920	1	RMS	1873.4	18.57	60	Pass	401
1920	3000	1	RMS	2658	-47.09	-13	Pass	1081
3000	12000	1	RMS	11957	-40.99	-13	Pass	9001
12000	20000	1	RMS	19998	-29.14	-13	Pass	8001



1.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.39	-13	Pass	2986
30	1000	0.1	RMS	933.6	-62.27	-13	Pass	9701
1000	1840	1	RMS	1839	-50.18	-13	Pass	841
1840	1920	1	RMS	1895.8	18.52	60	Pass	401
1920	3000	1	RMS	2651	-47.02	-13	Pass	1081
3000	12000	1	RMS	11998	-40.99	-13	Pass	9001
12000	20000	1	RMS	19999	-29.1	-13	Pass	8001



1.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.9	-13	Pass	2986
30	1000	0.1	RMS	842.8	-62.3	-13	Pass	9701
1000	1840	1	RMS	1839	-50.22	-13	Pass	841
1840	1920	1	RMS	1895.8	17.53	60	Pass	401
1920	3000	1	RMS	2651	-47.06	-13	Pass	1081
3000	12000	1	RMS	11974	-40.96	-13	Pass	9001
12000	20000	1	RMS	19998	-29.09	-13	Pass	8001



1.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.92	-13	Pass	2986
30	1000	0.1	RMS	939.7	-62.35	-13	Pass	9701
1000	1840	1	RMS	1840	-50	-13	Pass	841
1840	1920	1	RMS	1851	20.3	60	Pass	401
1920	3000	1	RMS	2643	-47.08	-13	Pass	1081
3000	12000	1	RMS	11957	-40.98	-13	Pass	9001
12000	20000	1	RMS	19992	-29.14	-13	Pass	8001



1.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55	-13	Pass	2986
30	1000	0.1	RMS	929	-62.38	-13	Pass	9701
1000	1840	1	RMS	1840	-49.88	-13	Pass	841
1840	1920	1	RMS	1851	19.33	60	Pass	401
1920	3000	1	RMS	2656	-47.07	-13	Pass	1081
3000	12000	1	RMS	11982	-40.95	-13	Pass	9001
12000	20000	1	RMS	19999	-29.09	-13	Pass	8001



1.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.17	-13	Pass	2986
30	1000	0.1	RMS	923.1	-62.31	-13	Pass	9701
1000	1840	1	RMS	1840	-49.47	-13	Pass	841
1840	1920	1	RMS	1871	19.19	60	Pass	401
1920	3000	1	RMS	2649	-47.04	-13	Pass	1081
3000	12000	1	RMS	11997	-40.94	-13	Pass	9001
12000	20000	1	RMS	19996	-29.13	-13	Pass	8001



1.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.1	-13	Pass	2986
30	1000	0.1	RMS	908.3	-62.35	-13	Pass	9701
1000	1840	1	RMS	1840	-49.65	-13	Pass	841
1840	1920	1	RMS	1871	18.36	60	Pass	401
1920	3000	1	RMS	2650	-47.06	-13	Pass	1081
3000	12000	1	RMS	11993	-40.96	-13	Pass	9001
12000	20000	1	RMS	19999	-29.12	-13	Pass	8001



1.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.33	-13	Pass	2986
30	1000	0.1	RMS	934.7	-62.22	-13	Pass	9701
1000	1840	1	RMS	1840	-50.17	-13	Pass	841
1840	1920	1	RMS	1891	19.21	60	Pass	401
1920	3000	1	RMS	2652	-47.04	-13	Pass	1081
3000	12000	1	RMS	11992	-40.97	-13	Pass	9001
12000	20000	1	RMS	20000	-29.1	-13	Pass	8001



1.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.99	-13	Pass	2986
30	1000	0.1	RMS	987.1	-62.21	-13	Pass	9701
1000	1840	1	RMS	1840	-50.17	-13	Pass	841
1840	1920	1	RMS	1891	18.3	60	Pass	401
1920	3000	1	RMS	2648	-47.05	-13	Pass	1081
3000	12000	1	RMS	11983	-40.86	-13	Pass	9001
12000	20000	1	RMS	19999	-29.16	-13	Pass	8001



2. LTE_Band4


2.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.73	-13	Pass	2986
30	1000	0.1	RMS	929.1	-62.28	-13	Pass	9701
1000	1700	1	RMS	1700	-50.4	-13	Pass	701
1700	1765	1	RMS	1710.238	19.92	60	Pass	401
1765	3000	1	RMS	2657	-46.99	-13	Pass	1236
3000	12000	1	RMS	11960	-40.99	-13	Pass	9001
12000	20000	1	RMS	19999	-29.09	-13	Pass	8001




2.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.47	-13	Pass	2986
30	1000	0.1	RMS	919.6	-62.42	-13	Pass	9701
1000	1700	1	RMS	1700	-50.56	-13	Pass	701
1700	1765	1	RMS	1710.238	18.99	60	Pass	401
1765	3000	1	RMS	2641	-47.02	-13	Pass	1236
3000	12000	1	RMS	11972	-40.93	-13	Pass	9001
12000	20000	1	RMS	19994	-29.14	-13	Pass	8001




2.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.89	-13	Pass	2986
30	1000	0.1	RMS	934.2	-62.36	-13	Pass	9701
1000	1700	1	RMS	1700	-50.54	-13	Pass	701
1700	1765	1	RMS	1732.013	18.29	60	Pass	401
1765	3000	1	RMS	2657	-47.06	-13	Pass	1236
3000	12000	1	RMS	11961	-40.99	-13	Pass	9001
12000	20000	1	RMS	20000	-29.12	-13	Pass	8001




2.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.69	-13	Pass	2986
30	1000	0.1	RMS	921.7	-62.26	-13	Pass	9701
1000	1700	1	RMS	1700	-50.63	-13	Pass	701
1700	1765	1	RMS	1732.013	17.36	60	Pass	401
1765	3000	1	RMS	2659	-47.05	-13	Pass	1236
3000	12000	1	RMS	11961	-40.96	-13	Pass	9001
12000	20000	1	RMS	20000	-29.08	-13	Pass	8001




2.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.23	-13	Pass	2986
30	1000	0.1	RMS	933.2	-62.22	-13	Pass	9701
1000	1700	1	RMS	1700	-50.62	-13	Pass	701
1700	1765	1	RMS	1753.788	19.05	60	Pass	401
1765	3000	1	RMS	2656	-47.02	-13	Pass	1236
3000	12000	1	RMS	11969	-40.88	-13	Pass	9001
12000	20000	1	RMS	19999	-29.1	-13	Pass	8001




2.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.99	-13	Pass	2986
30	1000	0.1	RMS	914.4	-62.3	-13	Pass	9701
1000	1700	1	RMS	1700	-50.7	-13	Pass	701
1700	1765	1	RMS	1753.788	18.07	60	Pass	401
1765	3000	1	RMS	2648	-47.07	-13	Pass	1236
3000	12000	1	RMS	11999	-40.98	-13	Pass	9001
12000	20000	1	RMS	20000	-29.1	-13	Pass	8001




2.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.87	-13	Pass	2986
30	1000	0.1	RMS	921.9	-62.28	-13	Pass	9701
1000	1700	1	RMS	1700	-50.44	-13	Pass	701
1700	1765	1	RMS	1710.238	19.99	60	Pass	401
1765	3000	1	RMS	2651	-47.01	-13	Pass	1236
3000	12000	1	RMS	11959	-40.94	-13	Pass	9001
12000	20000	1	RMS	19996	-29.16	-13	Pass	8001




2.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.7	-13	Pass	2986
30	1000	0.1	RMS	875.1	-62.4	-13	Pass	9701
1000	1700	1	RMS	1700	-50.59	-13	Pass	701
1700	1765	1	RMS	1710.238	19.1	60	Pass	401
1765	3000	1	RMS	2641	-47.06	-13	Pass	1236
3000	12000	1	RMS	11980	-40.95	-13	Pass	9001
12000	20000	1	RMS	20000	-29.06	-13	Pass	8001



2.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.66	-13	Pass	2986
30	1000	0.1	RMS	878.6	-62.4	-13	Pass	9701
1000	1700	1	RMS	1700	-50.56	-13	Pass	701
1700	1765	1	RMS	1731.2	18.34	60	Pass	401
1765	3000	1	RMS	2656	-47.05	-13	Pass	1236
3000	12000	1	RMS	11968	-40.97	-13	Pass	9001
12000	20000	1	RMS	19993	-29.05	-13	Pass	8001



2.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.59	-13	Pass	2986
30	1000	0.1	RMS	887.8	-62.25	-13	Pass	9701
1000	1700	1	RMS	1700	-50.68	-13	Pass	701
1700	1765	1	RMS	1731.2	17.69	60	Pass	401
1765	3000	1	RMS	2652	-47.04	-13	Pass	1236
3000	12000	1	RMS	11938	-40.97	-13	Pass	9001
12000	20000	1	RMS	20000	-29.07	-13	Pass	8001



2.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.05	-13	Pass	2986
30	1000	0.1	RMS	920.6	-62.32	-13	Pass	9701
1000	1700	1	RMS	1700	-50.58	-13	Pass	701
1700	1765	1	RMS	1752.163	18.91	60	Pass	401
1765	3000	1	RMS	2653	-47	-13	Pass	1236
3000	12000	1	RMS	11952	-40.94	-13	Pass	9001
12000	20000	1	RMS	20000	-29.13	-13	Pass	8001



2.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.99	-13	Pass	2986
30	1000	0.1	RMS	936.6	-62.34	-13	Pass	9701
1000	1700	1	RMS	1700	-50.7	-13	Pass	701
1700	1765	1	RMS	1752.163	18.08	60	Pass	401
1765	3000	1	RMS	2643	-47.07	-13	Pass	1236
3000	12000	1	RMS	11978	-40.91	-13	Pass	9001
12000	20000	1	RMS	20000	-29.13	-13	Pass	8001



2.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.23	-13	Pass	2986
30	1000	0.1	RMS	928.8	-62.28	-13	Pass	9701
1000	1700	1	RMS	1700	-50.5	-13	Pass	701
1700	1765	1	RMS	1710.4	19.81	60	Pass	401
1765	3000	1	RMS	2649	-47.02	-13	Pass	1236
3000	12000	1	RMS	11994	-40.99	-13	Pass	9001
12000	20000	1	RMS	20000	-29.09	-13	Pass	8001



2.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.75	-13	Pass	2986
30	1000	0.1	RMS	939.9	-62.32	-13	Pass	9701
1000	1700	1	RMS	1700	-50.52	-13	Pass	701
1700	1765	1	RMS	1710.4	19.16	60	Pass	401
1765	3000	1	RMS	2648	-47.09	-13	Pass	1236
3000	12000	1	RMS	11986	-40.94	-13	Pass	9001
12000	20000	1	RMS	20000	-29.15	-13	Pass	8001



2.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.35	-13	Pass	2986
30	1000	0.1	RMS	908.2	-62.43	-13	Pass	9701
1000	1700	1	RMS	1700	-50.69	-13	Pass	701
1700	1765	1	RMS	1730.388	18.06	60	Pass	401
1765	3000	1	RMS	2654	-47.02	-13	Pass	1236
3000	12000	1	RMS	11975	-40.97	-13	Pass	9001
12000	20000	1	RMS	20000	-29.14	-13	Pass	8001



2.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.33	-13	Pass	2986
30	1000	0.1	RMS	928.2	-62.26	-13	Pass	9701
1000	1700	1	RMS	1699	-51.05	-13	Pass	701
1700	1765	1	RMS	1730.388	17.21	60	Pass	401
1765	3000	1	RMS	2652	-47.02	-13	Pass	1236
3000	12000	1	RMS	11991	-40.98	-13	Pass	9001
12000	20000	1	RMS	19998	-29.07	-13	Pass	8001



2.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.95	-13	Pass	2986
30	1000	0.1	RMS	914.7	-62.22	-13	Pass	9701
1000	1700	1	RMS	1700	-50.57	-13	Pass	701
1700	1765	1	RMS	1750.375	19.12	60	Pass	401
1765	3000	1	RMS	2654	-47.05	-13	Pass	1236
3000	12000	1	RMS	11958	-40.96	-13	Pass	9001
12000	20000	1	RMS	19996	-29.07	-13	Pass	8001



2.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.88	-13	Pass	2986
30	1000	0.1	RMS	884.5	-62.31	-13	Pass	9701
1000	1700	1	RMS	1700	-50.61	-13	Pass	701
1700	1765	1	RMS	1750.375	18.38	60	Pass	401
1765	3000	1	RMS	2653	-46.99	-13	Pass	1236
3000	12000	1	RMS	11979	-40.92	-13	Pass	9001
12000	20000	1	RMS	20000	-29	-13	Pass	8001



2.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.88	-13	Pass	2986
30	1000	0.1	RMS	935.3	-62.35	-13	Pass	9701
1000	1700	1	RMS	1700	-50.38	-13	Pass	701
1700	1765	1	RMS	1710.563	19.66	60	Pass	401
1765	3000	1	RMS	2645	-47.04	-13	Pass	1236
3000	12000	1	RMS	11976	-40.95	-13	Pass	9001
12000	20000	1	RMS	19999	-29.05	-13	Pass	8001



2.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.42	-13	Pass	2986
30	1000	0.1	RMS	948.5	-62.31	-13	Pass	9701
1000	1700	1	RMS	1700	-50.5	-13	Pass	701
1700	1765	1	RMS	1710.563	18.81	60	Pass	401
1765	3000	1	RMS	2654	-47.03	-13	Pass	1236
3000	12000	1	RMS	11960	-40.98	-13	Pass	9001
12000	20000	1	RMS	19994	-29.11	-13	Pass	8001



2.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.74	-13	Pass	2986
30	1000	0.1	RMS	938.2	-62.41	-13	Pass	9701
1000	1700	1	RMS	1700	-50.63	-13	Pass	701
1700	1765	1	RMS	1728.113	17.84	60	Pass	401
1765	3000	1	RMS	2651	-47	-13	Pass	1236
3000	12000	1	RMS	11980	-40.94	-13	Pass	9001
12000	20000	1	RMS	19999	-29.14	-13	Pass	8001



2.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.1	-13	Pass	2986
30	1000	0.1	RMS	888.8	-62.33	-13	Pass	9701
1000	1700	1	RMS	1700	-50.94	-13	Pass	701
1700	1765	1	RMS	1728.113	16.84	60	Pass	401
1765	3000	1	RMS	2654	-47.03	-13	Pass	1236
3000	12000	1	RMS	11976	-40.96	-13	Pass	9001
12000	20000	1	RMS	19996	-29.12	-13	Pass	8001



2.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.07	-13	Pass	2986
30	1000	0.1	RMS	903.8	-62.33	-13	Pass	9701
1000	1700	1	RMS	1700	-50.53	-13	Pass	701
1700	1765	1	RMS	1745.663	19.1	60	Pass	401
1765	3000	1	RMS	2646	-47	-13	Pass	1236
3000	12000	1	RMS	11957	-40.97	-13	Pass	9001
12000	20000	1	RMS	19999	-29.11	-13	Pass	8001



2.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.48	-13	Pass	2986
30	1000	0.1	RMS	920.1	-62.35	-13	Pass	9701
1000	1700	1	RMS	1700	-50.65	-13	Pass	701
1700	1765	1	RMS	1745.663	18.3	60	Pass	401
1765	3000	1	RMS	2648	-47.05	-13	Pass	1236
3000	12000	1	RMS	11993	-40.96	-13	Pass	9001
12000	20000	1	RMS	20000	-29.1	-13	Pass	8001



2.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56	-13	Pass	2986
30	1000	0.1	RMS	911	-62.29	-13	Pass	9701
1000	1700	1	RMS	1698	-50.04	-13	Pass	701
1700	1765	1	RMS	1710.888	19.66	60	Pass	401
1765	3000	1	RMS	2654	-47.06	-13	Pass	1236
3000	12000	1	RMS	11952	-40.93	-13	Pass	9001
12000	20000	1	RMS	19999	-29.01	-13	Pass	8001



2.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.87	-13	Pass	2986
30	1000	0.1	RMS	942.9	-62.28	-13	Pass	9701
1000	1700	1	RMS	1698	-50.13	-13	Pass	701
1700	1765	1	RMS	1710.888	18.89	60	Pass	401
1765	3000	1	RMS	2651	-47.03	-13	Pass	1236
3000	12000	1	RMS	11999	-40.94	-13	Pass	9001
12000	20000	1	RMS	19990	-29.12	-13	Pass	8001



2.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.51	-13	Pass	2986
30	1000	0.1	RMS	935.3	-62.32	-13	Pass	9701
1000	1700	1	RMS	1700	-50.62	-13	Pass	701
1700	1765	1	RMS	1725.838	18.15	60	Pass	401
1765	3000	1	RMS	2654	-47	-13	Pass	1236
3000	12000	1	RMS	11993	-40.95	-13	Pass	9001
12000	20000	1	RMS	20000	-29.08	-13	Pass	8001



2.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.86	-13	Pass	2986
30	1000	0.1	RMS	901.5	-62.28	-13	Pass	9701
1000	1700	1	RMS	1700	-50.97	-13	Pass	701
1700	1765	1	RMS	1725.838	17.18	60	Pass	401
1765	3000	1	RMS	2649	-46.96	-13	Pass	1236
3000	12000	1	RMS	11995	-40.95	-13	Pass	9001
12000	20000	1	RMS	20000	-29.1	-13	Pass	8001



2.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.13	-13	Pass	2986
30	1000	0.1	RMS	921.3	-62.37	-13	Pass	9701
1000	1700	1	RMS	1700	-50.58	-13	Pass	701
1700	1765	1	RMS	1740.788	18.85	60	Pass	401
1765	3000	1	RMS	1772	-41.59	-13	Pass	1236
3000	12000	1	RMS	11975	-40.96	-13	Pass	9001
12000	20000	1	RMS	20000	-29.13	-13	Pass	8001



2.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.49	-13	Pass	2986
30	1000	0.1	RMS	913.9	-62.3	-13	Pass	9701
1000	1700	1	RMS	1700	-50.67	-13	Pass	701
1700	1765	1	RMS	1740.788	17.94	60	Pass	401
1765	3000	1	RMS	1768	-42.45	-13	Pass	1236
3000	12000	1	RMS	11960	-40.99	-13	Pass	9001
12000	20000	1	RMS	19998	-29.06	-13	Pass	8001



2.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-52.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.69	-13	Pass	2986
30	1000	0.1	RMS	929.8	-62.28	-13	Pass	9701
1000	1700	1	RMS	1700	-50.38	-13	Pass	701
1700	1765	1	RMS	1711.05	19.61	60	Pass	401
1765	3000	1	RMS	2658	-46.97	-13	Pass	1236
3000	12000	1	RMS	11990	-40.96	-13	Pass	9001
12000	20000	1	RMS	19997	-29.11	-13	Pass	8001



2.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.32	-13	Pass	2986
30	1000	0.1	RMS	798.6	-62.28	-13	Pass	9701
1000	1700	1	RMS	1700	-50.36	-13	Pass	701
1700	1765	1	RMS	1711.05	18.78	60	Pass	401
1765	3000	1	RMS	2652	-47.03	-13	Pass	1236
3000	12000	1	RMS	11970	-41	-13	Pass	9001
12000	20000	1	RMS	19996	-29.12	-13	Pass	8001



2.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.6	-13	Pass	2986
30	1000	0.1	RMS	920.1	-62.29	-13	Pass	9701
1000	1700	1	RMS	1700	-50.74	-13	Pass	701
1700	1765	1	RMS	1723.563	18.16	60	Pass	401
1765	3000	1	RMS	2664	-47	-13	Pass	1236
3000	12000	1	RMS	11973	-40.95	-13	Pass	9001
12000	20000	1	RMS	19999	-29.11	-13	Pass	8001



2.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.58	-13	Pass	2986
30	1000	0.1	RMS	945	-62.31	-13	Pass	9701
1000	1700	1	RMS	1700	-50.94	-13	Pass	701
1700	1765	1	RMS	1723.563	17.19	60	Pass	401
1765	3000	1	RMS	2644	-47.07	-13	Pass	1236
3000	12000	1	RMS	11983	-40.83	-13	Pass	9001
12000	20000	1	RMS	20000	-29.08	-13	Pass	8001



2.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.97	-13	Pass	2986
30	1000	0.1	RMS	904.7	-62.38	-13	Pass	9701
1000	1700	1	RMS	1700	-50.51	-13	Pass	701
1700	1765	1	RMS	1736.075	18.56	60	Pass	401
1765	3000	1	RMS	1772	-38.76	-13	Pass	1236
3000	12000	1	RMS	11989	-40.97	-13	Pass	9001
12000	20000	1	RMS	19999	-29	-13	Pass	8001



2.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.69	-13	Pass	2986
30	1000	0.1	RMS	915.7	-62.33	-13	Pass	9701
1000	1700	1	RMS	1700	-50.43	-13	Pass	701
1700	1765	1	RMS	1736.075	17.67	60	Pass	401
1765	3000	1	RMS	1772	-38.96	-13	Pass	1236
3000	12000	1	RMS	11987	-40.92	-13	Pass	9001
12000	20000	1	RMS	20000	-29.14	-13	Pass	8001



3. LTE_Band5


3.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.61	-13	Pass	2986
30	814	0.1	RMS	813.5	-58.26	-13	Pass	7841
814	860	0.1	RMS	824.2	16.91	60	Pass	461
860	1000	0.1	RMS	916.5	-62.58	-13	Pass	1401
1000	3000	1	RMS	2655	-47.03	-13	Pass	2001
3000	10000	1	RMS	3297	-42.38	-13	Pass	7001




3.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.16	-13	Pass	2986
30	814	0.1	RMS	808.9	-58.62	-13	Pass	7841
814	860	0.1	RMS	824.2	15.88	60	Pass	461
860	1000	0.1	RMS	911.3	-62.68	-13	Pass	1401
1000	3000	1	RMS	2657	-47.03	-13	Pass	2001
3000	10000	1	RMS	3297	-43.17	-13	Pass	7001




3.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.68	-13	Pass	2986
30	814	0.1	RMS	813.8	-59.02	-13	Pass	7841
814	860	0.1	RMS	836	17.73	60	Pass	461
860	1000	0.1	RMS	920.8	-62.57	-13	Pass	1401
1000	3000	1	RMS	2656	-47.03	-13	Pass	2001
3000	10000	1	RMS	7696	-43.31	-13	Pass	7001




3.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.26	-13	Pass	2986
30	814	0.1	RMS	813.2	-60.5	-13	Pass	7841
814	860	0.1	RMS	836	16.5	60	Pass	461
860	1000	0.1	RMS	922.1	-62.66	-13	Pass	1401
1000	3000	1	RMS	2645	-47.03	-13	Pass	2001
3000	10000	1	RMS	7705	-43.29	-13	Pass	7001




3.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.99	-13	Pass	2986
30	814	0.1	RMS	811.1	-58.5	-13	Pass	7841
814	860	0.1	RMS	847.8	17.24	60	Pass	461
860	1000	0.1	RMS	933.3	-62.47	-13	Pass	1401
1000	3000	1	RMS	2651	-47.05	-13	Pass	2001
3000	10000	1	RMS	7709	-43.31	-13	Pass	7001




3.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.94	-13	Pass	2986
30	814	0.1	RMS	813.8	-58.78	-13	Pass	7841
814	860	0.1	RMS	847.8	16.36	60	Pass	461
860	1000	0.1	RMS	922.4	-62.62	-13	Pass	1401
1000	3000	1	RMS	2654	-47.03	-13	Pass	2001
3000	10000	1	RMS	7708	-43.31	-13	Pass	7001




3.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.51	-13	Pass	2986
30	814	0.1	RMS	814	-58.54	-13	Pass	7841
814	860	0.1	RMS	824.2	17.21	60	Pass	461
860	1000	0.1	RMS	931.2	-62.57	-13	Pass	1401
1000	3000	1	RMS	2652	-46.99	-13	Pass	2001
3000	10000	1	RMS	3297	-42.19	-13	Pass	7001




3.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.27	-13	Pass	2986
30	814	0.1	RMS	814	-58.47	-13	Pass	7841
814	860	0.1	RMS	824.2	16.05	60	Pass	461
860	1000	0.1	RMS	942	-62.66	-13	Pass	1401
1000	3000	1	RMS	2651	-47.02	-13	Pass	2001
3000	10000	1	RMS	3297	-43.13	-13	Pass	7001



3.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.17	-13	Pass	2986
30	814	0.1	RMS	813.8	-58.94	-13	Pass	7841
814	860	0.1	RMS	835.2	17.82	60	Pass	461
860	1000	0.1	RMS	933.1	-62.49	-13	Pass	1401
1000	3000	1	RMS	2653	-47.02	-13	Pass	2001
3000	10000	1	RMS	7706	-43.28	-13	Pass	7001



3.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.49	-13	Pass	2986
30	814	0.1	RMS	812.8	-60.47	-13	Pass	7841
814	860	0.1	RMS	835.2	16.79	60	Pass	461
860	1000	0.1	RMS	922.8	-62.71	-13	Pass	1401
1000	3000	1	RMS	2655	-47.01	-13	Pass	2001
3000	10000	1	RMS	7724	-43.31	-13	Pass	7001



3.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.96	-13	Pass	2986
30	814	0.1	RMS	812.7	-58.62	-13	Pass	7841
814	860	0.1	RMS	846.2	18.13	60	Pass	461
860	1000	0.1	RMS	916	-62.65	-13	Pass	1401
1000	3000	1	RMS	2650	-47.01	-13	Pass	2001
3000	10000	1	RMS	7699	-43.29	-13	Pass	7001



3.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.73	-13	Pass	2986
30	814	0.1	RMS	812.6	-60.17	-13	Pass	7841
814	860	0.1	RMS	846.2	17.09	60	Pass	461
860	1000	0.1	RMS	932.1	-62.6	-13	Pass	1401
1000	3000	1	RMS	2653	-47	-13	Pass	2001
3000	10000	1	RMS	7716	-43.3	-13	Pass	7001



3.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.53	-13	Pass	2986
30	814	0.1	RMS	813.3	-58.49	-13	Pass	7841
814	860	0.1	RMS	824.3	16.98	60	Pass	461
860	1000	0.1	RMS	907.7	-62.65	-13	Pass	1401
1000	3000	1	RMS	2648	-47.04	-13	Pass	2001
3000	10000	1	RMS	3297	-42.9	-13	Pass	7001



3.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.04	-13	Pass	2986
30	814	0.1	RMS	814	-58.66	-13	Pass	7841
814	860	0.1	RMS	824.3	16.2	60	Pass	461
860	1000	0.1	RMS	912.1	-62.71	-13	Pass	1401
1000	3000	1	RMS	2651	-47.06	-13	Pass	2001
3000	10000	1	RMS	7690	-43.34	-13	Pass	7001



3.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.98	-13	Pass	2986
30	814	0.1	RMS	813.9	-58.84	-13	Pass	7841
814	860	0.1	RMS	834.3	17.78	60	Pass	461
860	1000	0.1	RMS	925.8	-62.6	-13	Pass	1401
1000	3000	1	RMS	2660	-47.04	-13	Pass	2001
3000	10000	1	RMS	7711	-43.26	-13	Pass	7001



3.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.68	-13	Pass	2986
30	814	0.1	RMS	813.6	-60.39	-13	Pass	7841
814	860	0.1	RMS	834.3	16.78	60	Pass	461
860	1000	0.1	RMS	920.9	-62.65	-13	Pass	1401
1000	3000	1	RMS	2651	-47.05	-13	Pass	2001
3000	10000	1	RMS	7731	-43.27	-13	Pass	7001



3.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.71	-13	Pass	2986
30	814	0.1	RMS	813.7	-58.67	-13	Pass	7841
814	860	0.1	RMS	844.3	17.88	60	Pass	461
860	1000	0.1	RMS	905.8	-61.1	-13	Pass	1401
1000	3000	1	RMS	2653	-47.04	-13	Pass	2001
3000	10000	1	RMS	7700	-43.3	-13	Pass	7001



3.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55	-13	Pass	2986
30	814	0.1	RMS	813.6	-59.65	-13	Pass	7841
814	860	0.1	RMS	844.3	16.92	60	Pass	461
860	1000	0.1	RMS	905.8	-61.36	-13	Pass	1401
1000	3000	1	RMS	2655	-47.03	-13	Pass	2001
3000	10000	1	RMS	7708	-43.31	-13	Pass	7001



3.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.94	-13	Pass	2986
30	814	0.1	RMS	814	-58.33	-13	Pass	7841
814	860	0.1	RMS	824.6	17.27	60	Pass	461
860	1000	0.1	RMS	896.8	-62.64	-13	Pass	1401
1000	3000	1	RMS	2655	-47.05	-13	Pass	2001
3000	10000	1	RMS	3298	-43.14	-13	Pass	7001



3.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.43	-13	Pass	2986
30	814	0.1	RMS	813.9	-58.64	-13	Pass	7841
814	860	0.1	RMS	824.6	16.56	60	Pass	461
860	1000	0.1	RMS	937.8	-62.67	-13	Pass	1401
1000	3000	1	RMS	2644	-47.03	-13	Pass	2001
3000	10000	1	RMS	7720	-43.29	-13	Pass	7001



3.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.78	-13	Pass	2986
30	814	0.1	RMS	812.9	-58.69	-13	Pass	7841
814	860	0.1	RMS	832.1	17.94	60	Pass	461
860	1000	0.1	RMS	907.2	-62.62	-13	Pass	1401
1000	3000	1	RMS	2656	-47.05	-13	Pass	2001
3000	10000	1	RMS	7711	-43.24	-13	Pass	7001



3.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.09	-13	Pass	2986
30	814	0.1	RMS	814	-58.77	-13	Pass	7841
814	860	0.1	RMS	832.1	17.14	60	Pass	461
860	1000	0.1	RMS	910.4	-62.6	-13	Pass	1401
1000	3000	1	RMS	2655	-47.05	-13	Pass	2001
3000	10000	1	RMS	7724	-43.32	-13	Pass	7001



3.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.88	-13	Pass	2986
30	814	0.1	RMS	809.5	-58.91	-13	Pass	7841
814	860	0.1	RMS	839.6	17.67	60	Pass	461
860	1000	0.1	RMS	913	-62.65	-13	Pass	1401
1000	3000	1	RMS	2651	-47.02	-13	Pass	2001
3000	10000	1	RMS	7715	-43.29	-13	Pass	7001



3.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.3	-13	Pass	2986
30	814	0.1	RMS	813.5	-60.47	-13	Pass	7841
814	860	0.1	RMS	839.6	16.52	60	Pass	461
860	1000	0.1	RMS	908.8	-62.69	-13	Pass	1401
1000	3000	1	RMS	2648	-47.05	-13	Pass	2001
3000	10000	1	RMS	7709	-43.29	-13	Pass	7001



4. LTE_Band18(part22)


4.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23965, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.63	-13	Pass	401
0.15	30	0.01	RMS	0.21	-70.95	-13	Pass	2986
30	814	0.1	RMS	813.8	-58.83	-13	Pass	7841
814	841	0.1	RMS	824.328	17.47	60	Pass	401
841	1000	0.1	RMS	844.8	-56.56	-13	Pass	1591
1000	3000	1	RMS	2875	-48.49	-13	Pass	2001
3000	10000	1	RMS	8909	-39.5	-13	Pass	7001




4.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23965, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.65	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.65	-13	Pass	2986
30	814	0.1	RMS	813.8	-58.94	-13	Pass	7841
814	841	0.1	RMS	824.328	16.77	60	Pass	401
841	1000	0.1	RMS	846	-57.61	-13	Pass	1591
1000	3000	1	RMS	2879	-48.52	-13	Pass	2001
3000	10000	1	RMS	8899	-39.53	-13	Pass	7001




4.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23970, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.89	-13	Pass	2986
30	814	0.1	RMS	813.7	-58.83	-13	Pass	7841
814	841	0.1	RMS	824.868	17.42	60	Pass	401
841	1000	0.1	RMS	844	-57.27	-13	Pass	1591
1000	3000	1	RMS	2878	-48.52	-13	Pass	2001
3000	10000	1	RMS	8890	-39.55	-13	Pass	7001




4.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23970, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.55	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.87	-13	Pass	2986
30	814	0.1	RMS	813.9	-59.04	-13	Pass	7841
814	841	0.1	RMS	824.868	16.63	60	Pass	401
841	1000	0.1	RMS	844.1	-57.44	-13	Pass	1591
1000	3000	1	RMS	2869	-48.5	-13	Pass	2001
3000	10000	1	RMS	8907	-39.49	-13	Pass	7001




4.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.81	-13	Pass	401
0.15	30	0.01	RMS	0.2	-70.8	-13	Pass	2986
30	814	0.1	RMS	814	-57.36	-13	Pass	7841
814	841	0.1	RMS	825.34	17.71	60	Pass	401
841	1000	0.1	RMS	844.6	-55.83	-13	Pass	1591
1000	3000	1	RMS	2880	-48.5	-13	Pass	2001
3000	10000	1	RMS	8905	-39.52	-13	Pass	7001



4.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.02	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.37	-13	Pass	2986
30	814	0.1	RMS	813.4	-59.11	-13	Pass	7841
814	841	0.1	RMS	825.34	16.8	60	Pass	401
841	1000	0.1	RMS	844.5	-57.17	-13	Pass	1591
1000	3000	1	RMS	2880	-48.52	-13	Pass	2001
3000	10000	1	RMS	8901	-39.56	-13	Pass	7001



5. LTE_Band18(part90)


5.1. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:1, Channel:23875, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-45.47	-13	Pass	401
0.15	30	0.01	Peak	0.15	-49.1	-13	Pass	2986
30	810	0.1	Peak	809.6	-48.96	-13	Pass	7801
810	829	0.1	Peak	815.368	22.87	60	Pass	401
829	1000	0.1	Peak	835.4	-46.13	-13	Pass	1711
1000	3000	1	Peak	2772	-35.4	-13	Pass	2001
3000	10000	1	Peak	9515	-30.66	-13	Pass	7001




5.2. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:2, Channel:23875, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-44.67	-13	Pass	401
0.15	30	0.01	Peak	0.15	-46.33	-13	Pass	2986
30	810	0.1	Peak	809.6	-50.29	-13	Pass	7801
810	829	0.1	Peak	815.368	23.22	60	Pass	401
829	1000	0.1	Peak	835.5	-48.65	-13	Pass	1711
1000	3000	1	Peak	2944	-35.86	-13	Pass	2001
3000	10000	1	Peak	9535	-30.54	-13	Pass	7001




5.3. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:3, Channel:23895, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-44.11	-13	Pass	401
0.15	30	0.01	Peak	0.16	-47.46	-13	Pass	2986
30	810	0.1	Peak	808.8	-50.09	-13	Pass	7801
810	829	0.1	Peak	817.363	24	60	Pass	401
829	1000	0.1	Peak	841.6	-49.32	-13	Pass	1711
1000	3000	1	Peak	2779	-35.83	-13	Pass	2001
3000	10000	1	Peak	8159	-30.85	-13	Pass	7001




5.4. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:4, Channel:23895, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-46.14	-13	Pass	401
0.15	30	0.01	Peak	0.18	-47.77	-13	Pass	2986
30	810	0.1	Peak	808.7	-49.95	-13	Pass	7801
810	829	0.1	Peak	817.315	23.75	60	Pass	401
829	1000	0.1	Peak	835.5	-49.2	-13	Pass	1711
1000	3000	1	Peak	2627	-35.56	-13	Pass	2001
3000	10000	1	Peak	9545	-31.02	-13	Pass	7001




5.5. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:5, Channel:23915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-46.63	-13	Pass	401
0.15	30	0.01	Peak	0.15	-48.5	-13	Pass	2986
30	810	0.1	Peak	809.1	-48.09	-13	Pass	7801
810	829	0.1	Peak	819.405	23.31	60	Pass	401
829	1000	0.1	Peak	838.3	-46.94	-13	Pass	1711
1000	3000	1	Peak	2646	-35.33	-13	Pass	2001
3000	10000	1	Peak	7756	-31.11	-13	Pass	7001



5.6. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:6, Channel:23915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-44.55	-13	Pass	401
0.15	30	0.01	Peak	0.15	-48.01	-13	Pass	2986
30	810	0.1	Peak	809.2	-51.68	-13	Pass	7801
810	829	0.1	Peak	819.358	23.16	60	Pass	401
829	1000	0.1	Peak	836	-47.64	-13	Pass	1711
1000	3000	1	Peak	2666	-35.55	-13	Pass	2001
3000	10000	1	Peak	7706	-30.4	-13	Pass	7001



6. LTE_Band19


6.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:24025, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.47	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.82	-13	Pass	2986
30	820	0.1	RMS	817.8	-57.82	-13	Pass	7901
820	856	0.1	RMS	830.35	17.66	60	Pass	401
856	1000	0.1	RMS	895.5	-63.58	-13	Pass	1441
1000	3000	1	RMS	2870	-48.52	-13	Pass	2001
3000	10000	1	RMS	8905	-39.56	-13	Pass	7001




6.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:24025, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.57	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.55	-13	Pass	2986
30	820	0.1	RMS	817.8	-58.07	-13	Pass	7901
820	856	0.1	RMS	830.35	17.05	60	Pass	401
856	1000	0.1	RMS	896.8	-63.57	-13	Pass	1441
1000	3000	1	RMS	2876	-48.5	-13	Pass	2001
3000	10000	1	RMS	8901	-39.51	-13	Pass	7001




6.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:24075, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.53	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.89	-13	Pass	2986
30	820	0.1	RMS	816.1	-59.42	-13	Pass	7901
820	856	0.1	RMS	835.3	17.64	60	Pass	401
856	1000	0.1	RMS	891	-63.57	-13	Pass	1441
1000	3000	1	RMS	2869	-48.49	-13	Pass	2001
3000	10000	1	RMS	8894	-39.58	-13	Pass	7001




6.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:24075, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.63	-13	Pass	2986
30	820	0.1	RMS	816.2	-59.95	-13	Pass	7901
820	856	0.1	RMS	835.3	16.88	60	Pass	401
856	1000	0.1	RMS	884.1	-63.53	-13	Pass	1441
1000	3000	1	RMS	2872	-48.49	-13	Pass	2001
3000	10000	1	RMS	8900	-39.54	-13	Pass	7001




6.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:24125, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.41	-13	Pass	2986
30	820	0.1	RMS	818.5	-57.25	-13	Pass	7901
820	856	0.1	RMS	840.34	17.87	60	Pass	401
856	1000	0.1	RMS	894.1	-63.55	-13	Pass	1441
1000	3000	1	RMS	2867	-48.52	-13	Pass	2001
3000	10000	1	RMS	8900	-39.53	-13	Pass	7001




6.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:24125, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.43	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.16	-13	Pass	2986
30	820	0.1	RMS	818.6	-59.13	-13	Pass	7901
820	856	0.1	RMS	840.34	17.08	60	Pass	401
856	1000	0.1	RMS	891.4	-63.48	-13	Pass	1441
1000	3000	1	RMS	2878	-48.52	-13	Pass	2001
3000	10000	1	RMS	8900	-39.54	-13	Pass	7001




6.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:24050, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.99	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.2	-13	Pass	2986
30	820	0.1	RMS	817.4	-56.93	-13	Pass	7901
820	856	0.1	RMS	830.62	17.59	60	Pass	401
856	1000	0.1	RMS	888.3	-63.45	-13	Pass	1441
1000	3000	1	RMS	2870	-48.5	-13	Pass	2001
3000	10000	1	RMS	8907	-39.53	-13	Pass	7001




6.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:24050, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.49	-13	Pass	2986
30	820	0.1	RMS	817.4	-57.52	-13	Pass	7901
820	856	0.1	RMS	830.62	16.73	60	Pass	401
856	1000	0.1	RMS	886.1	-63.39	-13	Pass	1441
1000	3000	1	RMS	2878	-48.51	-13	Pass	2001
3000	10000	1	RMS	8913	-39.49	-13	Pass	7001



6.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:24075, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.14	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.88	-13	Pass	2986
30	820	0.1	RMS	815.5	-57.62	-13	Pass	7901
820	856	0.1	RMS	833.05	17.6	60	Pass	401
856	1000	0.1	RMS	887.5	-63.49	-13	Pass	1441
1000	3000	1	RMS	2871	-48.48	-13	Pass	2001
3000	10000	1	RMS	8899	-39.52	-13	Pass	7001



6.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:24075, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.61	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.18	-13	Pass	2986
30	820	0.1	RMS	815.5	-59.92	-13	Pass	7901
820	856	0.1	RMS	833.14	16.48	60	Pass	401
856	1000	0.1	RMS	897.8	-63.51	-13	Pass	1441
1000	3000	1	RMS	2871	-48.5	-13	Pass	2001
3000	10000	1	RMS	8903	-39.54	-13	Pass	7001



6.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:24100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.75	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.87	-13	Pass	2986
30	820	0.1	RMS	818	-59.26	-13	Pass	7901
820	856	0.1	RMS	835.57	17.94	60	Pass	401
856	1000	0.1	RMS	889.2	-63.57	-13	Pass	1441
1000	3000	1	RMS	2870	-48.49	-13	Pass	2001
3000	10000	1	RMS	8908	-39.53	-13	Pass	7001



6.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:24100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.32	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.32	-13	Pass	2986
30	820	0.1	RMS	816.4	-59.52	-13	Pass	7901
820	856	0.1	RMS	835.57	16.78	60	Pass	401
856	1000	0.1	RMS	880.7	-63.36	-13	Pass	1441
1000	3000	1	RMS	2877	-48.53	-13	Pass	2001
3000	10000	1	RMS	8900	-39.56	-13	Pass	7001



6.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:24075, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.22	-13	Pass	2986
30	820	0.1	RMS	817.5	-53.75	-13	Pass	7901
820	856	0.1	RMS	830.8	17.43	60	Pass	401
856	1000	0.1	RMS	892.7	-63.56	-13	Pass	1441
1000	3000	1	RMS	2870	-48.47	-13	Pass	2001
3000	10000	1	RMS	8898	-39.52	-13	Pass	7001



6.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:24075, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.69	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.52	-13	Pass	2986
30	820	0.1	RMS	817.5	-54.49	-13	Pass	7901
820	856	0.1	RMS	830.89	16.62	60	Pass	401
856	1000	0.1	RMS	881.7	-63.51	-13	Pass	1441
1000	3000	1	RMS	2873	-48.49	-13	Pass	2001
3000	10000	1	RMS	8899	-39.53	-13	Pass	7001



7. LTE_Band25


7.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.31	-13	Pass	2986
30	1000	0.1	RMS	945.4	-62.36	-13	Pass	9701
1000	1840	1	RMS	1840	-49.39	-13	Pass	841
1840	1925	1	RMS	1850.2	20.73	60	Pass	401
1925	3000	1	RMS	2657	-47.02	-13	Pass	1076
3000	12000	1	RMS	11961	-40.93	-13	Pass	9001
12000	20000	1	RMS	20000	-29.16	-13	Pass	8001




7.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:26047, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.45	-13	Pass	2986
30	1000	0.1	RMS	964.8	-62.33	-13	Pass	9701
1000	1840	1	RMS	1840	-50.03	-13	Pass	841
1840	1925	1	RMS	1850.2	19.77	60	Pass	401
1925	3000	1	RMS	2650	-46.93	-13	Pass	1076
3000	12000	1	RMS	11972	-40.99	-13	Pass	9001
12000	20000	1	RMS	19999	-28.97	-13	Pass	8001




7.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:26365, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.93	-13	Pass	2986
30	1000	0.1	RMS	973.5	-62.32	-13	Pass	9701
1000	1840	1	RMS	1840	-49.48	-13	Pass	841
1840	1925	1	RMS	1882.075	19.39	60	Pass	401
1925	3000	1	RMS	2643	-47.02	-13	Pass	1076
3000	12000	1	RMS	11989	-40.98	-13	Pass	9001
12000	20000	1	RMS	20000	-29.07	-13	Pass	8001




7.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:26365, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.88	-13	Pass	2986
30	1000	0.1	RMS	909.5	-62.25	-13	Pass	9701
1000	1840	1	RMS	1840	-49.61	-13	Pass	841
1840	1925	1	RMS	1882.075	18.55	60	Pass	401
1925	3000	1	RMS	2643	-47.05	-13	Pass	1076
3000	12000	1	RMS	11953	-40.96	-13	Pass	9001
12000	20000	1	RMS	19999	-29.16	-13	Pass	8001




7.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.6	-13	Pass	2986
30	1000	0.1	RMS	931.7	-62.31	-13	Pass	9701
1000	1840	1	RMS	1840	-49.54	-13	Pass	841
1840	1925	1	RMS	1913.95	18.43	60	Pass	401
1925	3000	1	RMS	2648	-47.05	-13	Pass	1076
3000	12000	1	RMS	11987	-40.94	-13	Pass	9001
12000	20000	1	RMS	20000	-29.09	-13	Pass	8001




7.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:26683, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.65	-13	Pass	2986
30	1000	0.1	RMS	980.7	-62.15	-13	Pass	9701
1000	1840	1	RMS	1840	-49.61	-13	Pass	841
1840	1925	1	RMS	1913.738	17.6	60	Pass	401
1925	3000	1	RMS	2653	-47.01	-13	Pass	1076
3000	12000	1	RMS	11991	-40.98	-13	Pass	9001
12000	20000	1	RMS	19996	-29.05	-13	Pass	8001




7.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.55	-13	Pass	2986
30	1000	0.1	RMS	929.4	-62.33	-13	Pass	9701
1000	1840	1	RMS	1840	-49.4	-13	Pass	841
1840	1925	1	RMS	1850.2	20.8	60	Pass	401
1925	3000	1	RMS	2643	-47.02	-13	Pass	1076
3000	12000	1	RMS	11952	-40.98	-13	Pass	9001
12000	20000	1	RMS	19998	-29.19	-13	Pass	8001




7.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.41	-13	Pass	2986
30	1000	0.1	RMS	893.9	-62.35	-13	Pass	9701
1000	1840	1	RMS	1840	-49.98	-13	Pass	841
1840	1925	1	RMS	1850.2	19.88	60	Pass	401
1925	3000	1	RMS	2651	-47	-13	Pass	1076
3000	12000	1	RMS	11961	-40.97	-13	Pass	9001
12000	20000	1	RMS	20000	-29.09	-13	Pass	8001



7.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:26365, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.84	-13	Pass	2986
30	1000	0.1	RMS	904.3	-62.32	-13	Pass	9701
1000	1840	1	RMS	1840	-49.61	-13	Pass	841
1840	1925	1	RMS	1881.225	19.57	60	Pass	401
1925	3000	1	RMS	2643	-47.04	-13	Pass	1076
3000	12000	1	RMS	11998	-40.92	-13	Pass	9001
12000	20000	1	RMS	19999	-29.15	-13	Pass	8001



7.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:26365, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.11	-13	Pass	2986
30	1000	0.1	RMS	913.1	-62.28	-13	Pass	9701
1000	1840	1	RMS	1840	-49.65	-13	Pass	841
1840	1925	1	RMS	1881.225	18.79	60	Pass	401
1925	3000	1	RMS	2638	-47	-13	Pass	1076
3000	12000	1	RMS	11954	-40.96	-13	Pass	9001
12000	20000	1	RMS	20000	-28.99	-13	Pass	8001



7.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.03	-13	Pass	2986
30	1000	0.1	RMS	939.3	-62.26	-13	Pass	9701
1000	1840	1	RMS	1840	-49.65	-13	Pass	841
1840	1925	1	RMS	1912.25	19.1	60	Pass	401
1925	3000	1	RMS	2654	-47.02	-13	Pass	1076
3000	12000	1	RMS	11963	-41	-13	Pass	9001
12000	20000	1	RMS	19998	-29.15	-13	Pass	8001



7.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.77	-13	Pass	2986
30	1000	0.1	RMS	896.2	-62.36	-13	Pass	9701
1000	1840	1	RMS	1840	-50.17	-13	Pass	841
1840	1925	1	RMS	1912.25	18.11	60	Pass	401
1925	3000	1	RMS	2660	-47.1	-13	Pass	1076
3000	12000	1	RMS	12000	-40.88	-13	Pass	9001
12000	20000	1	RMS	19998	-29.07	-13	Pass	8001



7.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.96	-13	Pass	2986
30	1000	0.1	RMS	946.4	-62.33	-13	Pass	9701
1000	1840	1	RMS	1840	-50.02	-13	Pass	841
1840	1925	1	RMS	1850.413	20.52	60	Pass	401
1925	3000	1	RMS	2659	-47.08	-13	Pass	1076
3000	12000	1	RMS	11993	-40.94	-13	Pass	9001
12000	20000	1	RMS	20000	-29.05	-13	Pass	8001



7.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:26065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.17	-13	Pass	2986
30	1000	0.1	RMS	947.9	-62.31	-13	Pass	9701
1000	1840	1	RMS	1840	-50.13	-13	Pass	841
1840	1925	1	RMS	1850.413	19.7	60	Pass	401
1925	3000	1	RMS	2658	-47.08	-13	Pass	1076
3000	12000	1	RMS	11984	-40.99	-13	Pass	9001
12000	20000	1	RMS	20000	-28.96	-13	Pass	8001



7.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:26365, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.36	-13	Pass	2986
30	1000	0.1	RMS	940.5	-62.31	-13	Pass	9701
1000	1840	1	RMS	1840	-49.66	-13	Pass	841
1840	1925	1	RMS	1880.375	19.38	60	Pass	401
1925	3000	1	RMS	2646	-47.08	-13	Pass	1076
3000	12000	1	RMS	11962	-40.95	-13	Pass	9001
12000	20000	1	RMS	19998	-29.1	-13	Pass	8001



7.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:26365, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.21	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.77	-13	Pass	2986
30	1000	0.1	RMS	955.2	-62.36	-13	Pass	9701
1000	1840	1	RMS	1840	-49.75	-13	Pass	841
1840	1925	1	RMS	1880.375	18.52	60	Pass	401
1925	3000	1	RMS	2652	-47.04	-13	Pass	1076
3000	12000	1	RMS	11986	-40.91	-13	Pass	9001
12000	20000	1	RMS	19996	-29.12	-13	Pass	8001



7.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.51	-13	Pass	2986
30	1000	0.1	RMS	929.3	-62.38	-13	Pass	9701
1000	1840	1	RMS	1840	-49.62	-13	Pass	841
1840	1925	1	RMS	1910.338	20.01	60	Pass	401
1925	3000	1	RMS	2652	-47.09	-13	Pass	1076
3000	12000	1	RMS	11949	-40.96	-13	Pass	9001
12000	20000	1	RMS	19996	-29.1	-13	Pass	8001



7.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.54	-13	Pass	2986
30	1000	0.1	RMS	904.7	-62.37	-13	Pass	9701
1000	1840	1	RMS	1839	-50.23	-13	Pass	841
1840	1925	1	RMS	1910.338	19.04	60	Pass	401
1925	3000	1	RMS	2657	-47.08	-13	Pass	1076
3000	12000	1	RMS	11961	-40.93	-13	Pass	9001
12000	20000	1	RMS	19999	-29.08	-13	Pass	8001



7.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.41	-13	Pass	2986
30	1000	0.1	RMS	935.1	-62.36	-13	Pass	9701
1000	1840	1	RMS	1840	-50.06	-13	Pass	841
1840	1925	1	RMS	1850.625	20.34	60	Pass	401
1925	3000	1	RMS	2656	-47.11	-13	Pass	1076
3000	12000	1	RMS	11997	-40.91	-13	Pass	9001
12000	20000	1	RMS	20000	-29.12	-13	Pass	8001



7.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:26090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.02	-13	Pass	401
0.15	30	0.01	RMS	0.17	-55.73	-13	Pass	2986
30	1000	0.1	RMS	939.4	-62.39	-13	Pass	9701
1000	1840	1	RMS	1840	-49.98	-13	Pass	841
1840	1925	1	RMS	1850.625	19.36	60	Pass	401
1925	3000	1	RMS	2650	-47.11	-13	Pass	1076
3000	12000	1	RMS	11956	-40.98	-13	Pass	9001
12000	20000	1	RMS	19999	-29.11	-13	Pass	8001



7.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:26365, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.63	-13	Pass	2986
30	1000	0.1	RMS	909.2	-62.33	-13	Pass	9701
1000	1840	1	RMS	1840	-49.53	-13	Pass	841
1840	1925	1	RMS	1878.038	19.18	60	Pass	401
1925	3000	1	RMS	2653	-47.11	-13	Pass	1076
3000	12000	1	RMS	11990	-40.93	-13	Pass	9001
12000	20000	1	RMS	20000	-29.08	-13	Pass	8001



7.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:26365, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.48	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.05	-13	Pass	2986
30	1000	0.1	RMS	925.7	-62.3	-13	Pass	9701
1000	1840	1	RMS	1840	-49.7	-13	Pass	841
1840	1925	1	RMS	1878.038	18.38	60	Pass	401
1925	3000	1	RMS	2656	-47.08	-13	Pass	1076
3000	12000	1	RMS	11968	-41	-13	Pass	9001
12000	20000	1	RMS	20000	-29.1	-13	Pass	8001



7.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.89	-13	Pass	2986
30	1000	0.1	RMS	933.8	-62.15	-13	Pass	9701
1000	1840	1	RMS	1840	-49.59	-13	Pass	841
1840	1925	1	RMS	1905.663	19.08	60	Pass	401
1925	3000	1	RMS	2646	-47.07	-13	Pass	1076
3000	12000	1	RMS	11962	-40.96	-13	Pass	9001
12000	20000	1	RMS	19999	-29.13	-13	Pass	8001



7.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.3	-13	Pass	2986
30	1000	0.1	RMS	949.2	-62.3	-13	Pass	9701
1000	1840	1	RMS	1840	-49.8	-13	Pass	841
1840	1925	1	RMS	1905.663	18.19	60	Pass	401
1925	3000	1	RMS	2660	-47.13	-13	Pass	1076
3000	12000	1	RMS	11945	-40.93	-13	Pass	9001
12000	20000	1	RMS	19995	-29.11	-13	Pass	8001



7.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.37	-13	Pass	2986
30	1000	0.1	RMS	907.1	-62.25	-13	Pass	9701
1000	1840	1	RMS	1838	-49.76	-13	Pass	841
1840	1925	1	RMS	1850.838	20.38	60	Pass	401
1925	3000	1	RMS	2652	-47.09	-13	Pass	1076
3000	12000	1	RMS	11944	-40.99	-13	Pass	9001
12000	20000	1	RMS	19999	-29.01	-13	Pass	8001



7.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.16	-13	Pass	2986
30	1000	0.1	RMS	933	-62.22	-13	Pass	9701
1000	1840	1	RMS	1838	-49.82	-13	Pass	841
1840	1925	1	RMS	1850.838	19.5	60	Pass	401
1925	3000	1	RMS	2656	-47.13	-13	Pass	1076
3000	12000	1	RMS	11941	-40.92	-13	Pass	9001
12000	20000	1	RMS	20000	-29.13	-13	Pass	8001



7.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:26365, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.75	-13	Pass	2986
30	1000	0.1	RMS	905.4	-62.35	-13	Pass	9701
1000	1840	1	RMS	1840	-49.55	-13	Pass	841
1840	1925	1	RMS	1875.913	19.19	60	Pass	401
1925	3000	1	RMS	2655	-47.12	-13	Pass	1076
3000	12000	1	RMS	11983	-41	-13	Pass	9001
12000	20000	1	RMS	20000	-29.03	-13	Pass	8001



7.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:26365, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.31	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.03	-13	Pass	2986
30	1000	0.1	RMS	940.1	-62.24	-13	Pass	9701
1000	1840	1	RMS	1840	-49.68	-13	Pass	841
1840	1925	1	RMS	1875.913	18.41	60	Pass	401
1925	3000	1	RMS	2641	-47.1	-13	Pass	1076
3000	12000	1	RMS	11986	-40.95	-13	Pass	9001
12000	20000	1	RMS	20000	-29.02	-13	Pass	8001



7.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.96	-13	Pass	2986
30	1000	0.1	RMS	920.3	-62.33	-13	Pass	9701
1000	1840	1	RMS	1840	-49.52	-13	Pass	841
1840	1925	1	RMS	1900.775	18.65	60	Pass	401
1925	3000	1	RMS	2660	-47.08	-13	Pass	1076
3000	12000	1	RMS	11958	-41.01	-13	Pass	9001
12000	20000	1	RMS	19997	-29.14	-13	Pass	8001



7.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.38	-13	Pass	2986
30	1000	0.1	RMS	908.3	-62.4	-13	Pass	9701
1000	1840	1	RMS	1840	-49.69	-13	Pass	841
1840	1925	1	RMS	1900.775	17.72	60	Pass	401
1925	3000	1	RMS	2661	-47.09	-13	Pass	1076
3000	12000	1	RMS	11979	-40.96	-13	Pass	9001
12000	20000	1	RMS	19999	-29.06	-13	Pass	8001



7.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.69	-13	Pass	2986
30	1000	0.1	RMS	934	-62.32	-13	Pass	9701
1000	1840	1	RMS	1840	-49.92	-13	Pass	841
1840	1925	1	RMS	1851.05	20.35	60	Pass	401
1925	3000	1	RMS	2658	-47.07	-13	Pass	1076
3000	12000	1	RMS	11998	-40.95	-13	Pass	9001
12000	20000	1	RMS	19997	-29.12	-13	Pass	8001



7.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.13	-13	Pass	2986
30	1000	0.1	RMS	936.2	-62.39	-13	Pass	9701
1000	1840	1	RMS	1840	-50.04	-13	Pass	841
1840	1925	1	RMS	1851.05	19.32	60	Pass	401
1925	3000	1	RMS	2651	-47.06	-13	Pass	1076
3000	12000	1	RMS	11996	-40.97	-13	Pass	9001
12000	20000	1	RMS	19998	-29.06	-13	Pass	8001



7.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:26365, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.69	-13	Pass	2986
30	1000	0.1	RMS	939.2	-62.35	-13	Pass	9701
1000	1840	1	RMS	1840	-49.54	-13	Pass	841
1840	1925	1	RMS	1873.575	19.21	60	Pass	401
1925	3000	1	RMS	2653	-47.04	-13	Pass	1076
3000	12000	1	RMS	11939	-40.94	-13	Pass	9001
12000	20000	1	RMS	20000	-29.09	-13	Pass	8001



7.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:26365, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.01	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.3	-13	Pass	2986
30	1000	0.1	RMS	946.4	-62.43	-13	Pass	9701
1000	1840	1	RMS	1838	-49.55	-13	Pass	841
1840	1925	1	RMS	1873.575	18.48	60	Pass	401
1925	3000	1	RMS	2651	-47.08	-13	Pass	1076
3000	12000	1	RMS	11965	-40.96	-13	Pass	9001
12000	20000	1	RMS	19998	-29.11	-13	Pass	8001



7.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.97	-13	Pass	2986
30	1000	0.1	RMS	937.4	-62.21	-13	Pass	9701
1000	1840	1	RMS	1840	-50.27	-13	Pass	841
1840	1925	1	RMS	1896.1	18.3	60	Pass	401
1925	3000	1	RMS	2654	-47.09	-13	Pass	1076
3000	12000	1	RMS	11984	-41.02	-13	Pass	9001
12000	20000	1	RMS	19999	-29.02	-13	Pass	8001



7.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.92	-13	Pass	2986
30	1000	0.1	RMS	935	-62.18	-13	Pass	9701
1000	1840	1	RMS	1840	-50.21	-13	Pass	841
1840	1925	1	RMS	1896.1	17.44	60	Pass	401
1925	3000	1	RMS	2653	-47.06	-13	Pass	1076
3000	12000	1	RMS	11967	-40.96	-13	Pass	9001
12000	20000	1	RMS	19999	-29.09	-13	Pass	8001



8. LTE_Band26(part22)


8.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.36	-13	Pass	2986
30	814	0.1	RMS	808.9	-58.18	-13	Pass	7841
814	860	0.1	RMS	824.2	16.84	60	Pass	461
860	1000	0.1	RMS	961.7	-62.62	-13	Pass	1401
1000	3000	1	RMS	2654	-47.1	-13	Pass	2001
3000	10000	1	RMS	3297	-42.33	-13	Pass	7001




8.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.76	-13	Pass	2986
30	814	0.1	RMS	814	-58.39	-13	Pass	7841
814	860	0.1	RMS	824.2	15.82	60	Pass	461
860	1000	0.1	RMS	944.1	-62.72	-13	Pass	1401
1000	3000	1	RMS	2655	-47.09	-13	Pass	2001
3000	10000	1	RMS	3297	-43.27	-13	Pass	7001




8.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.3	-13	Pass	2986
30	814	0.1	RMS	813.4	-60.42	-13	Pass	7841
814	860	0.1	RMS	836	17.54	60	Pass	461
860	1000	0.1	RMS	953.7	-62.6	-13	Pass	1401
1000	3000	1	RMS	2647	-47.11	-13	Pass	2001
3000	10000	1	RMS	7714	-43.26	-13	Pass	7001




8.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.6	-13	Pass	2986
30	814	0.1	RMS	813.9	-60.34	-13	Pass	7841
814	860	0.1	RMS	836	16.53	60	Pass	461
860	1000	0.1	RMS	999	-62.65	-13	Pass	1401
1000	3000	1	RMS	2655	-47.12	-13	Pass	2001
3000	10000	1	RMS	7717	-43.31	-13	Pass	7001




8.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.61	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.85	-13	Pass	2986
30	814	0.1	RMS	811	-58.66	-13	Pass	7841
814	860	0.1	RMS	847.8	17.28	60	Pass	461
860	1000	0.1	RMS	933	-62.54	-13	Pass	1401
1000	3000	1	RMS	2650	-47.09	-13	Pass	2001
3000	10000	1	RMS	7718	-43.3	-13	Pass	7001




8.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.61	-13	Pass	2986
30	814	0.1	RMS	813.4	-58.76	-13	Pass	7841
814	860	0.1	RMS	847.8	16.49	60	Pass	461
860	1000	0.1	RMS	952.1	-62.68	-13	Pass	1401
1000	3000	1	RMS	2646	-47.1	-13	Pass	2001
3000	10000	1	RMS	7696	-43.23	-13	Pass	7001




8.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.86	-13	Pass	2986
30	814	0.1	RMS	813.9	-58.24	-13	Pass	7841
814	860	0.1	RMS	824.2	17.25	60	Pass	461
860	1000	0.1	RMS	896.1	-62.62	-13	Pass	1401
1000	3000	1	RMS	2650	-47.08	-13	Pass	2001
3000	10000	1	RMS	3297	-42.21	-13	Pass	7001




8.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.73	-13	Pass	2986
30	814	0.1	RMS	814	-58.73	-13	Pass	7841
814	860	0.1	RMS	824.2	16.34	60	Pass	461
860	1000	0.1	RMS	926.4	-62.59	-13	Pass	1401
1000	3000	1	RMS	2651	-47.11	-13	Pass	2001
3000	10000	1	RMS	3297	-42.97	-13	Pass	7001



8.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.02	-13	Pass	2986
30	814	0.1	RMS	814	-60.41	-13	Pass	7841
814	860	0.1	RMS	835.2	17.87	60	Pass	461
860	1000	0.1	RMS	941.3	-62.56	-13	Pass	1401
1000	3000	1	RMS	2651	-47.12	-13	Pass	2001
3000	10000	1	RMS	7716	-43.27	-13	Pass	7001



8.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.01	-13	Pass	2986
30	814	0.1	RMS	813	-60.47	-13	Pass	7841
814	860	0.1	RMS	835.2	16.78	60	Pass	461
860	1000	0.1	RMS	938.3	-62.64	-13	Pass	1401
1000	3000	1	RMS	2652	-47.11	-13	Pass	2001
3000	10000	1	RMS	7693	-43.29	-13	Pass	7001



8.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.13	-13	Pass	2986
30	814	0.1	RMS	809.1	-58.37	-13	Pass	7841
814	860	0.1	RMS	846.2	18.28	60	Pass	461
860	1000	0.1	RMS	907.6	-62.44	-13	Pass	1401
1000	3000	1	RMS	2652	-47.09	-13	Pass	2001
3000	10000	1	RMS	7722	-43.22	-13	Pass	7001



8.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.92	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.18	-13	Pass	2986
30	814	0.1	RMS	812.6	-59.91	-13	Pass	7841
814	860	0.1	RMS	846.2	17.15	60	Pass	461
860	1000	0.1	RMS	907.7	-62.59	-13	Pass	1401
1000	3000	1	RMS	2649	-47.08	-13	Pass	2001
3000	10000	1	RMS	7725	-43.24	-13	Pass	7001



8.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.01	-13	Pass	2986
30	814	0.1	RMS	814	-58.47	-13	Pass	7841
814	860	0.1	RMS	824.3	17	60	Pass	461
860	1000	0.1	RMS	922.5	-62.59	-13	Pass	1401
1000	3000	1	RMS	2652	-47.09	-13	Pass	2001
3000	10000	1	RMS	3297	-42.95	-13	Pass	7001



8.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.94	-13	Pass	2986
30	814	0.1	RMS	813.9	-58.7	-13	Pass	7841
814	860	0.1	RMS	824.3	16.31	60	Pass	461
860	1000	0.1	RMS	934.1	-62.74	-13	Pass	1401
1000	3000	1	RMS	2648	-47.11	-13	Pass	2001
3000	10000	1	RMS	7696	-43.23	-13	Pass	7001



8.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.6	-13	Pass	2986
30	814	0.1	RMS	813.4	-58.71	-13	Pass	7841
814	860	0.1	RMS	834.3	17.72	60	Pass	461
860	1000	0.1	RMS	929.5	-62.53	-13	Pass	1401
1000	3000	1	RMS	2652	-47.08	-13	Pass	2001
3000	10000	1	RMS	7728	-43.27	-13	Pass	7001



8.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.07	-13	Pass	2986
30	814	0.1	RMS	814	-60.35	-13	Pass	7841
814	860	0.1	RMS	834.3	16.66	60	Pass	461
860	1000	0.1	RMS	947.7	-62.65	-13	Pass	1401
1000	3000	1	RMS	2660	-47.13	-13	Pass	2001
3000	10000	1	RMS	7707	-43.28	-13	Pass	7001



8.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.9	-13	Pass	2986
30	814	0.1	RMS	813.6	-58.54	-13	Pass	7841
814	860	0.1	RMS	844.3	17.85	60	Pass	461
860	1000	0.1	RMS	905.8	-61.25	-13	Pass	1401
1000	3000	1	RMS	2651	-47.07	-13	Pass	2001
3000	10000	1	RMS	7699	-43.31	-13	Pass	7001



8.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.29	-13	Pass	2986
30	814	0.1	RMS	813.6	-59.9	-13	Pass	7841
814	860	0.1	RMS	844.3	16.89	60	Pass	461
860	1000	0.1	RMS	905.8	-61.56	-13	Pass	1401
1000	3000	1	RMS	2651	-47.08	-13	Pass	2001
3000	10000	1	RMS	7710	-43.28	-13	Pass	7001



8.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.33	-13	Pass	2986
30	814	0.1	RMS	813.8	-58.19	-13	Pass	7841
814	860	0.1	RMS	824.6	17.37	60	Pass	461
860	1000	0.1	RMS	900.3	-62.58	-13	Pass	1401
1000	3000	1	RMS	2650	-47.1	-13	Pass	2001
3000	10000	1	RMS	3298	-43.01	-13	Pass	7001



8.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.6	-13	Pass	2986
30	814	0.1	RMS	814	-58.67	-13	Pass	7841
814	860	0.1	RMS	824.6	16.57	60	Pass	461
860	1000	0.1	RMS	967.1	-62.71	-13	Pass	1401
1000	3000	1	RMS	2653	-47.1	-13	Pass	2001
3000	10000	1	RMS	7703	-43.2	-13	Pass	7001



8.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.75	-13	Pass	2986
30	814	0.1	RMS	812.9	-58.57	-13	Pass	7841
814	860	0.1	RMS	832.1	17.98	60	Pass	461
860	1000	0.1	RMS	940.7	-62.66	-13	Pass	1401
1000	3000	1	RMS	2659	-47.13	-13	Pass	2001
3000	10000	1	RMS	7683	-43.21	-13	Pass	7001



8.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.04	-13	Pass	2986
30	814	0.1	RMS	812.8	-58.63	-13	Pass	7841
814	860	0.1	RMS	832.1	17.13	60	Pass	461
860	1000	0.1	RMS	919.6	-62.66	-13	Pass	1401
1000	3000	1	RMS	2649	-47.13	-13	Pass	2001
3000	10000	1	RMS	7709	-43.26	-13	Pass	7001



8.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.7	-13	Pass	2986
30	814	0.1	RMS	808.9	-58.07	-13	Pass	7841
814	860	0.1	RMS	839.6	17.58	60	Pass	461
860	1000	0.1	RMS	932.8	-62.58	-13	Pass	1401
1000	3000	1	RMS	2659	-47.11	-13	Pass	2001
3000	10000	1	RMS	7726	-43.33	-13	Pass	7001



8.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.07	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.7	-13	Pass	2986
30	814	0.1	RMS	808.9	-59.62	-13	Pass	7841
814	860	0.1	RMS	839.6	16.64	60	Pass	461
860	1000	0.1	RMS	913.1	-62.69	-13	Pass	1401
1000	3000	1	RMS	2653	-47.11	-13	Pass	2001
3000	10000	1	RMS	7699	-43.28	-13	Pass	7001



8.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.84	-13	Pass	2986
30	814	0.1	RMS	811.5	-54.05	-13	Pass	7841
814	860	0.1	RMS	824.8	16.81	60	Pass	461
860	1000	0.1	RMS	926.2	-62.61	-13	Pass	1401
1000	3000	1	RMS	2649	-47.09	-13	Pass	2001
3000	10000	1	RMS	3299	-42.97	-13	Pass	7001



8.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.36	-13	Pass	2986
30	814	0.1	RMS	811.6	-54.62	-13	Pass	7841
814	860	0.1	RMS	824.8	16.05	60	Pass	461
860	1000	0.1	RMS	919	-62.69	-13	Pass	1401
1000	3000	1	RMS	2651	-47.13	-13	Pass	2001
3000	10000	1	RMS	7708	-43.35	-13	Pass	7001



8.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55	-13	Pass	2986
30	814	0.1	RMS	813.9	-58.41	-13	Pass	7841
814	860	0.1	RMS	829.8	17.26	60	Pass	461
860	1000	0.1	RMS	917.4	-62.49	-13	Pass	1401
1000	3000	1	RMS	2649	-47.07	-13	Pass	2001
3000	10000	1	RMS	7717	-43.29	-13	Pass	7001



8.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.84	-13	Pass	2986
30	814	0.1	RMS	814	-58.64	-13	Pass	7841
814	860	0.1	RMS	829.8	16.52	60	Pass	461
860	1000	0.1	RMS	944.4	-62.58	-13	Pass	1401
1000	3000	1	RMS	2653	-47.02	-13	Pass	2001
3000	10000	1	RMS	7702	-43.28	-13	Pass	7001



8.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.96	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.71	-13	Pass	2986
30	814	0.1	RMS	813.9	-58.77	-13	Pass	7841
814	860	0.1	RMS	834.8	17.62	60	Pass	461
860	1000	0.1	RMS	967.5	-62.58	-13	Pass	1401
1000	3000	1	RMS	2653	-47.09	-13	Pass	2001
3000	10000	1	RMS	7727	-43.24	-13	Pass	7001



8.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.75	-13	Pass	2986
30	814	0.1	RMS	813.7	-60.39	-13	Pass	7841
814	860	0.1	RMS	834.8	16.59	60	Pass	461
860	1000	0.1	RMS	938.4	-62.57	-13	Pass	1401
1000	3000	1	RMS	2653	-47.05	-13	Pass	2001
3000	10000	1	RMS	7718	-43.3	-13	Pass	7001



9. LTE_Band26(part90)


9.1. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-45.82	-13	Pass	401
0.15	30	0.01	Peak	0.15	-47.69	-13	Pass	2986
30	809	0.1	Peak	808.7	-49.42	-13	Pass	7791
809	829	0.1	Peak	814.2	23.18	60	Pass	401
829	1000	0.1	Peak	836.3	-46.6	-13	Pass	1711
1000	3000	1	Peak	2629	-35.55	-13	Pass	2001
3000	10000	1	Peak	7681	-30.68	-13	Pass	7001




9.2. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-45.25	-13	Pass	401
0.15	30	0.01	Peak	0.15	-48.65	-13	Pass	2986
30	809	0.1	Peak	809	-49.54	-13	Pass	7791
809	829	0.1	Peak	814.2	23.43	60	Pass	401
829	1000	0.1	Peak	845	-46.26	-13	Pass	1711
1000	3000	1	Peak	2661	-35.47	-13	Pass	2001
3000	10000	1	Peak	7649	-30.96	-13	Pass	7001




9.3. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-44.6	-13	Pass	401
0.15	30	0.01	Peak	0.15	-49.02	-13	Pass	2986
30	809	0.1	Peak	808.8	-50.12	-13	Pass	7791
809	829	0.1	Peak	818.5	23.48	60	Pass	401
829	1000	0.1	Peak	837.7	-47.36	-13	Pass	1711
1000	3000	1	Peak	2620	-34.97	-13	Pass	2001
3000	10000	1	Peak	7726	-30.77	-13	Pass	7001




9.4. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-45.06	-13	Pass	401
0.15	30	0.01	Peak	0.16	-48.56	-13	Pass	2986
30	809	0.1	Peak	808.8	-51.18	-13	Pass	7791
809	829	0.1	Peak	818.55	23.39	60	Pass	401
829	1000	0.1	Peak	836.9	-48.28	-13	Pass	1711
1000	3000	1	Peak	2989	-35.47	-13	Pass	2001
3000	10000	1	Peak	7692	-30.72	-13	Pass	7001




9.5. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-46.48	-13	Pass	401
0.15	30	0.01	Peak	0.15	-49.08	-13	Pass	2986
30	809	0.1	Peak	808.7	-49.27	-13	Pass	7791
809	829	0.1	Peak	822.85	22.08	60	Pass	401
829	1000	0.1	Peak	836.9	-46.49	-13	Pass	1711
1000	3000	1	Peak	2772	-35.66	-13	Pass	2001
3000	10000	1	Peak	7677	-31.16	-13	Pass	7001




9.6. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-46.21	-13	Pass	401
0.15	30	0.01	Peak	0.17	-48.47	-13	Pass	2986
30	809	0.1	Peak	808.5	-49.93	-13	Pass	7791
809	829	0.1	Peak	822.8	22.87	60	Pass	401
829	1000	0.1	Peak	838.6	-46.78	-13	Pass	1711
1000	3000	1	Peak	2642	-35.72	-13	Pass	2001
3000	10000	1	Peak	9546	-31.22	-13	Pass	7001




9.7. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:7, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-43.92	-13	Pass	401
0.15	30	0.01	Peak	0.15	-48.75	-13	Pass	2986
30	809	0.1	Peak	809	-48.33	-13	Pass	7791
809	829	0.1	Peak	814.2	22.81	60	Pass	401
829	1000	0.1	Peak	845	-44.47	-13	Pass	1711
1000	3000	1	Peak	2825	-35.52	-13	Pass	2001
3000	10000	1	Peak	7684	-31.33	-13	Pass	7001




9.8. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:8, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-45.62	-13	Pass	401
0.15	30	0.01	Peak	0.15	-46.85	-13	Pass	2986
30	809	0.1	Peak	808.8	-49.61	-13	Pass	7791
809	829	0.1	Peak	814.25	23.33	60	Pass	401
829	1000	0.1	Peak	844.9	-44.79	-13	Pass	1711
1000	3000	1	Peak	2661	-35.49	-13	Pass	2001
3000	10000	1	Peak	7729	-30.75	-13	Pass	7001




9.9. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:9, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-45.73	-13	Pass	401
0.15	30	0.01	Peak	0.17	-48.86	-13	Pass	2986
30	809	0.1	Peak	808.6	-49.11	-13	Pass	7791
809	829	0.1	Peak	817.75	23.9	60	Pass	401
829	1000	0.1	Peak	836.2	-46.27	-13	Pass	1711
1000	3000	1	Peak	2676	-35.64	-13	Pass	2001
3000	10000	1	Peak	9915	-31.17	-13	Pass	7001




9.10. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:10, Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-44.69	-13	Pass	401
0.15	30	0.01	Peak	0.17	-48.25	-13	Pass	2986
30	809	0.1	Peak	808.9	-50.76	-13	Pass	7791
809	829	0.1	Peak	817.75	23.75	60	Pass	401
829	1000	0.1	Peak	848.4	-46.23	-13	Pass	1711
1000	3000	1	Peak	2648	-35.21	-13	Pass	2001
3000	10000	1	Peak	8386	-31.04	-13	Pass	7001




9.11. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-46.05	-13	Pass	401
0.15	30	0.01	Peak	0.17	-48.64	-13	Pass	2986
30	809	0.1	Peak	808.7	-50.14	-13	Pass	7791
809	829	0.1	Peak	821.25	22.91	60	Pass	401
829	1000	0.1	Peak	837.3	-47.37	-13	Pass	1711
1000	3000	1	Peak	2631	-35.17	-13	Pass	2001
3000	10000	1	Peak	7730	-30.65	-13	Pass	7001




9.12. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:12, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-45.26	-13	Pass	401
0.15	30	0.01	Peak	0.16	-47.27	-13	Pass	2986
30	809	0.1	Peak	809	-49.56	-13	Pass	7791
809	829	0.1	Peak	821.25	22.92	60	Pass	401
829	1000	0.1	Peak	837.2	-46.68	-13	Pass	1711
1000	3000	1	Peak	2767	-35.4	-13	Pass	2001
3000	10000	1	Peak	7733	-30.98	-13	Pass	7001




9.13. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:13, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-45.98	-13	Pass	401
0.15	30	0.01	Peak	0.15	-47.51	-13	Pass	2986
30	809	0.1	Peak	808.2	-48.73	-13	Pass	7791
809	829	0.1	Peak	814.4	23.49	60	Pass	401
829	1000	0.1	Peak	835.2	-46.56	-13	Pass	1711
1000	3000	1	Peak	2443	-35.5	-13	Pass	2001
3000	10000	1	Peak	7696	-30.6	-13	Pass	7001




9.14. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:14, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-44.88	-13	Pass	401
0.15	30	0.01	Peak	0.15	-48.9	-13	Pass	2986
30	809	0.1	Peak	808.5	-49.38	-13	Pass	7791
809	829	0.1	Peak	814.25	23.29	60	Pass	401
829	1000	0.1	Peak	844.5	-46.65	-13	Pass	1711
1000	3000	1	Peak	2886	-35.18	-13	Pass	2001
3000	10000	1	Peak	9507	-30.84	-13	Pass	7001




9.15. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:15, Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-45.64	-13	Pass	401
0.15	30	0.01	Peak	0.16	-49	-13	Pass	2986
30	809	0.1	Peak	808.8	-48.63	-13	Pass	7791
809	829	0.1	Peak	816.9	23.73	60	Pass	401
829	1000	0.1	Peak	846.8	-47.45	-13	Pass	1711
1000	3000	1	Peak	2640	-35.36	-13	Pass	2001
3000	10000	1	Peak	7713	-30.98	-13	Pass	7001




9.16. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:16, Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-45.11	-13	Pass	401
0.15	30	0.01	Peak	0.17	-46.26	-13	Pass	2986
30	809	0.1	Peak	792.2	-51.11	-13	Pass	7791
809	829	0.1	Peak	816.85	23.46	60	Pass	401
829	1000	0.1	Peak	847.6	-48.8	-13	Pass	1711
1000	3000	1	Peak	2608	-35.05	-13	Pass	2001
3000	10000	1	Peak	9508	-30.52	-13	Pass	7001




9.17. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:17, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-45.88	-13	Pass	401
0.15	30	0.01	Peak	0.16	-48.38	-13	Pass	2986
30	809	0.1	Peak	808.6	-49.18	-13	Pass	7791
809	829	0.1	Peak	819.35	23	60	Pass	401
829	1000	0.1	Peak	836.7	-46.77	-13	Pass	1711
1000	3000	1	Peak	2669	-35.76	-13	Pass	2001
3000	10000	1	Peak	7005	-31.24	-13	Pass	7001




9.18. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:18, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-44.72	-13	Pass	401
0.15	30	0.01	Peak	0.15	-48.97	-13	Pass	2986
30	809	0.1	Peak	808.5	-50.91	-13	Pass	7791
809	829	0.1	Peak	819.35	23.25	60	Pass	401
829	1000	0.1	Peak	838.6	-48.73	-13	Pass	1711
1000	3000	1	Peak	2626	-35.37	-13	Pass	2001
3000	10000	1	Peak	7719	-30.36	-13	Pass	7001




9.19. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:19, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-44.37	-13	Pass	401
0.15	30	0.01	Peak	0.15	-45.65	-13	Pass	2986
30	809	0.1	Peak	808.7	-49.72	-13	Pass	7791
809	829	0.1	Peak	814.55	22.84	60	Pass	401
829	1000	0.1	Peak	832.2	-31.38	-13	Pass	1711
1000	3000	1	Peak	2653	-35.25	-13	Pass	2001
3000	10000	1	Peak	8052	-31.33	-13	Pass	7001



9.20. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:20, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-44.42	-13	Pass	401
0.15	30	0.01	Peak	0.17	-47.85	-13	Pass	2986
30	809	0.1	Peak	808.4	-49.27	-13	Pass	7791
809	829	0.1	Peak	814.6	23.29	60	Pass	401
829	1000	0.1	Peak	832.3	-33.05	-13	Pass	1711
1000	3000	1	Peak	2587	-35.2	-13	Pass	2001
3000	10000	1	Peak	7728	-31.19	-13	Pass	7001



10. LTE_Band66


10.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.26	-13	Pass	2986
30	1000	0.1	RMS	892.2	-62.39	-13	Pass	9701
1000	1700	1	RMS	1700	-50.35	-13	Pass	701
1700	1790	1	RMS	1710.35	19.81	60	Pass	401
1790	3000	1	RMS	2653	-47.05	-13	Pass	1211
3000	12000	1	RMS	11985	-40.98	-13	Pass	9001
12000	20000	1	RMS	20000	-29.14	-13	Pass	8001




10.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.03	-13	Pass	2986
30	1000	0.1	RMS	895.3	-62.42	-13	Pass	9701
1000	1700	1	RMS	1700	-50.52	-13	Pass	701
1700	1790	1	RMS	1710.35	19.02	60	Pass	401
1790	3000	1	RMS	2652	-47.06	-13	Pass	1211
3000	12000	1	RMS	11942	-40.96	-13	Pass	9001
12000	20000	1	RMS	20000	-29.09	-13	Pass	8001




10.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.83	-13	Pass	2986
30	1000	0.1	RMS	931.2	-62.21	-13	Pass	9701
1000	1700	1	RMS	1700	-50.57	-13	Pass	701
1700	1790	1	RMS	1744.55	19.26	60	Pass	401
1790	3000	1	RMS	2651	-47	-13	Pass	1211
3000	12000	1	RMS	11977	-40.97	-13	Pass	9001
12000	20000	1	RMS	19999	-29.12	-13	Pass	8001




10.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.82	-13	Pass	2986
30	1000	0.1	RMS	934.2	-62.34	-13	Pass	9701
1000	1700	1	RMS	1700	-50.62	-13	Pass	701
1700	1790	1	RMS	1744.55	18.42	60	Pass	401
1790	3000	1	RMS	2651	-47.07	-13	Pass	1211
3000	12000	1	RMS	11988	-40.98	-13	Pass	9001
12000	20000	1	RMS	19999	-29.13	-13	Pass	8001




10.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.08	-13	Pass	2986
30	1000	0.1	RMS	933.3	-62.32	-13	Pass	9701
1000	1700	1	RMS	1700	-49.94	-13	Pass	701
1700	1790	1	RMS	1778.75	20.59	60	Pass	401
1790	3000	1	RMS	2656	-47.03	-13	Pass	1211
3000	12000	1	RMS	11961	-41.02	-13	Pass	9001
12000	20000	1	RMS	19997	-29.15	-13	Pass	8001




10.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.75	-13	Pass	2986
30	1000	0.1	RMS	950.9	-62.31	-13	Pass	9701
1000	1700	1	RMS	1700	-50.54	-13	Pass	701
1700	1790	1	RMS	1778.75	19.55	60	Pass	401
1790	3000	1	RMS	2648	-47.03	-13	Pass	1211
3000	12000	1	RMS	11995	-40.95	-13	Pass	9001
12000	20000	1	RMS	19998	-29.11	-13	Pass	8001




10.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.76	-13	Pass	2986
30	1000	0.1	RMS	901.9	-62.36	-13	Pass	9701
1000	1700	1	RMS	1700	-50.32	-13	Pass	701
1700	1790	1	RMS	1710.35	19.8	60	Pass	401
1790	3000	1	RMS	2658	-46.98	-13	Pass	1211
3000	12000	1	RMS	11956	-40.95	-13	Pass	9001
12000	20000	1	RMS	19998	-29.15	-13	Pass	8001




10.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.56	-13	Pass	2986
30	1000	0.1	RMS	901.5	-62.26	-13	Pass	9701
1000	1700	1	RMS	1700	-50.57	-13	Pass	701
1700	1790	1	RMS	1710.35	18.98	60	Pass	401
1790	3000	1	RMS	2649	-47.04	-13	Pass	1211
3000	12000	1	RMS	11990	-41.01	-13	Pass	9001
12000	20000	1	RMS	19995	-29.17	-13	Pass	8001



10.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.45	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.74	-13	Pass	2986
30	1000	0.1	RMS	921.4	-62.4	-13	Pass	9701
1000	1700	1	RMS	1700	-50.57	-13	Pass	701
1700	1790	1	RMS	1743.65	18.97	60	Pass	401
1790	3000	1	RMS	2650	-47.03	-13	Pass	1211
3000	12000	1	RMS	11975	-41.01	-13	Pass	9001
12000	20000	1	RMS	20000	-29.13	-13	Pass	8001



10.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.39	-13	Pass	2986
30	1000	0.1	RMS	934.8	-62.33	-13	Pass	9701
1000	1700	1	RMS	1700	-50.67	-13	Pass	701
1700	1790	1	RMS	1743.65	18.25	60	Pass	401
1790	3000	1	RMS	2659	-47.05	-13	Pass	1211
3000	12000	1	RMS	12000	-40.96	-13	Pass	9001
12000	20000	1	RMS	19999	-29.1	-13	Pass	8001



10.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.97	-13	Pass	2986
30	1000	0.1	RMS	935.6	-62.38	-13	Pass	9701
1000	1700	1	RMS	1700	-50.47	-13	Pass	701
1700	1790	1	RMS	1777.175	19.9	60	Pass	401
1790	3000	1	RMS	2657	-47.03	-13	Pass	1211
3000	12000	1	RMS	11997	-41.01	-13	Pass	9001
12000	20000	1	RMS	19996	-29.01	-13	Pass	8001



10.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.7	-13	Pass	2986
30	1000	0.1	RMS	924.2	-62.28	-13	Pass	9701
1000	1700	1	RMS	1700	-50.59	-13	Pass	701
1700	1790	1	RMS	1777.175	19.1	60	Pass	401
1790	3000	1	RMS	2650	-47.04	-13	Pass	1211
3000	12000	1	RMS	11996	-40.94	-13	Pass	9001
12000	20000	1	RMS	19999	-29.1	-13	Pass	8001



10.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.43	-13	Pass	2986
30	1000	0.1	RMS	936.9	-62.17	-13	Pass	9701
1000	1700	1	RMS	1700	-50.35	-13	Pass	701
1700	1790	1	RMS	1710.35	19.98	60	Pass	401
1790	3000	1	RMS	2649	-46.98	-13	Pass	1211
3000	12000	1	RMS	11993	-41.03	-13	Pass	9001
12000	20000	1	RMS	19996	-29.15	-13	Pass	8001



10.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.43	-13	Pass	2986
30	1000	0.1	RMS	935.9	-62.3	-13	Pass	9701
1000	1700	1	RMS	1700	-50.53	-13	Pass	701
1700	1790	1	RMS	1710.35	19.12	60	Pass	401
1790	3000	1	RMS	2649	-47.02	-13	Pass	1211
3000	12000	1	RMS	11968	-40.96	-13	Pass	9001
12000	20000	1	RMS	20000	-29.17	-13	Pass	8001



10.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.5	-13	Pass	2986
30	1000	0.1	RMS	936.7	-62.34	-13	Pass	9701
1000	1700	1	RMS	1700	-50.6	-13	Pass	701
1700	1790	1	RMS	1742.75	18.81	60	Pass	401
1790	3000	1	RMS	2648	-47.08	-13	Pass	1211
3000	12000	1	RMS	11950	-40.94	-13	Pass	9001
12000	20000	1	RMS	19995	-29.12	-13	Pass	8001



10.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.39	-13	Pass	2986
30	1000	0.1	RMS	940	-62.3	-13	Pass	9701
1000	1700	1	RMS	1700	-50.59	-13	Pass	701
1700	1790	1	RMS	1742.75	17.99	60	Pass	401
1790	3000	1	RMS	2651	-47.01	-13	Pass	1211
3000	12000	1	RMS	11986	-40.96	-13	Pass	9001
12000	20000	1	RMS	20000	-29.14	-13	Pass	8001



10.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.03	-13	Pass	2986
30	1000	0.1	RMS	930.7	-62.43	-13	Pass	9701
1000	1700	1	RMS	1700	-50.57	-13	Pass	701
1700	1790	1	RMS	1775.375	18.75	60	Pass	401
1790	3000	1	RMS	2658	-47.07	-13	Pass	1211
3000	12000	1	RMS	11995	-41	-13	Pass	9001
12000	20000	1	RMS	19996	-29.14	-13	Pass	8001



10.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.55	-13	Pass	2986
30	1000	0.1	RMS	933	-62.42	-13	Pass	9701
1000	1700	1	RMS	1700	-50.97	-13	Pass	701
1700	1790	1	RMS	1775.375	17.82	60	Pass	401
1790	3000	1	RMS	2646	-47.04	-13	Pass	1211
3000	12000	1	RMS	11989	-40.93	-13	Pass	9001
12000	20000	1	RMS	19998	-29.1	-13	Pass	8001



10.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.88	-13	Pass	2986
30	1000	0.1	RMS	940.6	-62.17	-13	Pass	9701
1000	1700	1	RMS	1700	-50.39	-13	Pass	701
1700	1790	1	RMS	1710.575	19.64	60	Pass	401
1790	3000	1	RMS	2653	-47.04	-13	Pass	1211
3000	12000	1	RMS	11985	-40.97	-13	Pass	9001
12000	20000	1	RMS	20000	-29.13	-13	Pass	8001



10.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.14	-13	Pass	2986
30	1000	0.1	RMS	903.1	-62.26	-13	Pass	9701
1000	1700	1	RMS	1700	-50.51	-13	Pass	701
1700	1790	1	RMS	1710.575	18.85	60	Pass	401
1790	3000	1	RMS	2646	-47.07	-13	Pass	1211
3000	12000	1	RMS	11948	-40.97	-13	Pass	9001
12000	20000	1	RMS	19999	-29.04	-13	Pass	8001



10.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.72	-13	Pass	2986
30	1000	0.1	RMS	912.1	-62.43	-13	Pass	9701
1000	1700	1	RMS	1700	-50.47	-13	Pass	701
1700	1790	1	RMS	1740.5	18.61	60	Pass	401
1790	3000	1	RMS	2646	-47.07	-13	Pass	1211
3000	12000	1	RMS	11999	-40.94	-13	Pass	9001
12000	20000	1	RMS	19994	-29.17	-13	Pass	8001



10.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.02	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.92	-13	Pass	2986
30	1000	0.1	RMS	921.5	-62.41	-13	Pass	9701
1000	1700	1	RMS	1700	-50.61	-13	Pass	701
1700	1790	1	RMS	1740.5	17.84	60	Pass	401
1790	3000	1	RMS	2651	-47.05	-13	Pass	1211
3000	12000	1	RMS	11991	-40.99	-13	Pass	9001
12000	20000	1	RMS	20000	-29.1	-13	Pass	8001



10.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.7	-13	Pass	2986
30	1000	0.1	RMS	891.1	-62.33	-13	Pass	9701
1000	1700	1	RMS	1700	-50.66	-13	Pass	701
1700	1790	1	RMS	1770.65	18.3	60	Pass	401
1790	3000	1	RMS	2657	-46.98	-13	Pass	1211
3000	12000	1	RMS	11983	-40.96	-13	Pass	9001
12000	20000	1	RMS	20000	-29.05	-13	Pass	8001



10.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.34	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.38	-13	Pass	2986
30	1000	0.1	RMS	945.6	-62.38	-13	Pass	9701
1000	1700	1	RMS	1700	-51	-13	Pass	701
1700	1790	1	RMS	1770.65	17.17	60	Pass	401
1790	3000	1	RMS	2661	-47.05	-13	Pass	1211
3000	12000	1	RMS	11948	-40.97	-13	Pass	9001
12000	20000	1	RMS	20000	-29.2	-13	Pass	8001



10.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.32	-13	Pass	2986
30	1000	0.1	RMS	930.1	-62.3	-13	Pass	9701
1000	1700	1	RMS	1698	-50.14	-13	Pass	701
1700	1790	1	RMS	1710.8	19.64	60	Pass	401
1790	3000	1	RMS	2637	-47.06	-13	Pass	1211
3000	12000	1	RMS	11993	-40.89	-13	Pass	9001
12000	20000	1	RMS	19999	-29.13	-13	Pass	8001



10.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.24	-13	Pass	2986
30	1000	0.1	RMS	934.9	-62.15	-13	Pass	9701
1000	1700	1	RMS	1698	-50.24	-13	Pass	701
1700	1790	1	RMS	1710.8	18.86	60	Pass	401
1790	3000	1	RMS	2656	-47.01	-13	Pass	1211
3000	12000	1	RMS	11991	-40.95	-13	Pass	9001
12000	20000	1	RMS	19993	-29.16	-13	Pass	8001



10.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.16	-13	Pass	2986
30	1000	0.1	RMS	963.1	-62.3	-13	Pass	9701
1000	1700	1	RMS	1700	-50.54	-13	Pass	701
1700	1790	1	RMS	1738.25	18.52	60	Pass	401
1790	3000	1	RMS	2649	-47	-13	Pass	1211
3000	12000	1	RMS	11983	-40.94	-13	Pass	9001
12000	20000	1	RMS	20000	-29.16	-13	Pass	8001



10.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.49	-13	Pass	2986
30	1000	0.1	RMS	913.2	-62.26	-13	Pass	9701
1000	1700	1	RMS	1700	-50.62	-13	Pass	701
1700	1790	1	RMS	1738.25	17.84	60	Pass	401
1790	3000	1	RMS	2653	-46.97	-13	Pass	1211
3000	12000	1	RMS	11997	-40.93	-13	Pass	9001
12000	20000	1	RMS	19998	-29.11	-13	Pass	8001



10.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.92	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.87	-13	Pass	2986
30	1000	0.1	RMS	928.2	-62.32	-13	Pass	9701
1000	1700	1	RMS	1700	-50.96	-13	Pass	701
1700	1790	1	RMS	1765.925	17.99	60	Pass	401
1790	3000	1	RMS	2657	-46.99	-13	Pass	1211
3000	12000	1	RMS	11998	-40.95	-13	Pass	9001
12000	20000	1	RMS	20000	-29.1	-13	Pass	8001



10.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.86	-13	Pass	2986
30	1000	0.1	RMS	942.6	-62.24	-13	Pass	9701
1000	1700	1	RMS	1700	-50.93	-13	Pass	701
1700	1790	1	RMS	1765.925	17.05	60	Pass	401
1790	3000	1	RMS	2641	-46.96	-13	Pass	1211
3000	12000	1	RMS	11975	-40.97	-13	Pass	9001
12000	20000	1	RMS	19999	-29.1	-13	Pass	8001



10.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.32	-13	Pass	2986
30	1000	0.1	RMS	923	-62.32	-13	Pass	9701
1000	1700	1	RMS	1700	-50.25	-13	Pass	701
1700	1790	1	RMS	1711.025	19.66	60	Pass	401
1790	3000	1	RMS	2653	-46.98	-13	Pass	1211
3000	12000	1	RMS	11947	-40.98	-13	Pass	9001
12000	20000	1	RMS	20000	-29.18	-13	Pass	8001



10.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.29	-13	Pass	2986
30	1000	0.1	RMS	936.8	-62.28	-13	Pass	9701
1000	1700	1	RMS	1700	-50.39	-13	Pass	701
1700	1790	1	RMS	1711.025	18.83	60	Pass	401
1790	3000	1	RMS	2651	-46.92	-13	Pass	1211
3000	12000	1	RMS	11954	-40.97	-13	Pass	9001
12000	20000	1	RMS	20000	-29.21	-13	Pass	8001



10.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.2	-13	Pass	2986
30	1000	0.1	RMS	930	-62.27	-13	Pass	9701
1000	1700	1	RMS	1700	-50.34	-13	Pass	701
1700	1790	1	RMS	1736	18.61	60	Pass	401
1790	3000	1	RMS	2652	-46.98	-13	Pass	1211
3000	12000	1	RMS	11953	-40.91	-13	Pass	9001
12000	20000	1	RMS	19997	-29.1	-13	Pass	8001



10.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.75	-13	Pass	2986
30	1000	0.1	RMS	964.5	-62.47	-13	Pass	9701
1000	1700	1	RMS	1700	-50.46	-13	Pass	701
1700	1790	1	RMS	1736	17.83	60	Pass	401
1790	3000	1	RMS	2644	-46.94	-13	Pass	1211
3000	12000	1	RMS	11960	-40.96	-13	Pass	9001
12000	20000	1	RMS	20000	-29.14	-13	Pass	8001



10.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.23	-13	Pass	2986
30	1000	0.1	RMS	863.2	-62.26	-13	Pass	9701
1000	1700	1	RMS	1700	-50.93	-13	Pass	701
1700	1790	1	RMS	1761.2	18.03	60	Pass	401
1790	3000	1	RMS	2650	-46.92	-13	Pass	1211
3000	12000	1	RMS	11982	-40.9	-13	Pass	9001
12000	20000	1	RMS	19999	-29.19	-13	Pass	8001



10.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.57	-13	Pass	2986
30	1000	0.1	RMS	900.9	-62.35	-13	Pass	9701
1000	1700	1	RMS	1700	-50.84	-13	Pass	701
1700	1790	1	RMS	1761.2	17.19	60	Pass	401
1790	3000	1	RMS	2654	-46.98	-13	Pass	1211
3000	12000	1	RMS	11990	-40.97	-13	Pass	9001
12000	20000	1	RMS	20000	-29.09	-13	Pass	8001



11. LTE_Band40(2305-2315)


11.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:38725, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.39	-40	Pass	401
0.15	30	0.01	RMS	0.17	-67.48	-40	Pass	2986
30	1000	0.1	RMS	999.199	-59.79	-40	Pass	9701
1000	2200	1	RMS	2195	-47.34	-40	Pass	1201
2200	2395	1	RMS	2304.813	17.43	60	Pass	401
2395	3000	1	RMS	2870	-44.77	-40	Pass	606
3000	12000	1	RMS	8898	-55.38	-40	Pass	9002
12000	26500	1	RMS	25197	-42.93	-40	Pass	14502




11.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:38725, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.38	-40	Pass	401
0.15	30	0.01	RMS	0.15	-66.8	-40	Pass	2986
30	1000	0.1	RMS	902.135	-59.74	-40	Pass	9701
1000	2200	1	RMS	2200	-47.32	-40	Pass	1201
2200	2395	1	RMS	2305.3	17.1	60	Pass	401
2395	3000	1	RMS	2876	-44.77	-40	Pass	606
3000	12000	1	RMS	8892	-55.34	-40	Pass	9002
12000	26500	1	RMS	25203	-42.89	-40	Pass	14502




11.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:38750, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.62	-40	Pass	401
0.15	30	0.01	RMS	0.15	-66.76	-40	Pass	2986
30	1000	0.1	RMS	894.93	-59.51	-40	Pass	9701
1000	2200	1	RMS	2200	-47.33	-40	Pass	1201
2200	2395	1	RMS	2307.738	17.26	60	Pass	401
2395	3000	1	RMS	2869	-44.73	-40	Pass	606
3000	12000	1	RMS	8897	-55.35	-40	Pass	9002
12000	26500	1	RMS	25202	-42.99	-40	Pass	14502




11.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:38750, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.62	-40	Pass	401
0.15	30	0.01	RMS	0.15	-66.38	-40	Pass	2986
30	1000	0.1	RMS	875.918	-59.73	-40	Pass	9701
1000	2200	1	RMS	2192	-47.32	-40	Pass	1201
2200	2395	1	RMS	2307.738	16.38	60	Pass	401
2395	3000	1	RMS	2871	-44.75	-40	Pass	606
3000	12000	1	RMS	8900	-55.25	-40	Pass	9002
12000	26500	1	RMS	25200	-42.9	-40	Pass	14502




11.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:38775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.02	-40	Pass	401
0.15	30	0.01	RMS	0.15	-67.54	-40	Pass	2986
30	1000	0.1	RMS	880.02	-59.54	-40	Pass	9701
1000	2200	1	RMS	2194	-47.29	-40	Pass	1201
2200	2395	1	RMS	2310.175	18.18	60	Pass	401
2395	3000	1	RMS	2878	-44.77	-40	Pass	606
3000	12000	1	RMS	8901	-55.25	-40	Pass	9002
12000	26500	1	RMS	25199	-42.99	-40	Pass	14502




11.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:38775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.59	-40	Pass	401
0.15	30	0.01	RMS	0.17	-66.84	-40	Pass	2986
30	1000	0.1	RMS	893.229	-59.66	-40	Pass	9701
1000	2200	1	RMS	2196	-47.26	-40	Pass	1201
2200	2395	1	RMS	2309.688	16.04	60	Pass	401
2395	3000	1	RMS	2871	-44.74	-40	Pass	606
3000	12000	1	RMS	8900	-55.29	-40	Pass	9002
12000	26500	1	RMS	25201	-42.91	-40	Pass	14502




11.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:38750, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.82	-40	Pass	401
0.15	30	0.01	RMS	0.15	-66.26	-40	Pass	2986
30	1000	0.1	RMS	998.699	-59.54	-40	Pass	9701
1000	2200	1	RMS	2192	-47.25	-40	Pass	1201
2200	2395	1	RMS	2305.3	18.33	60	Pass	401
2395	3000	1	RMS	2870	-44.7	-40	Pass	606
3000	12000	1	RMS	8900	-55.31	-40	Pass	9002
12000	26500	1	RMS	25202	-42.93	-40	Pass	14502



11.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:38750, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.29	-40	Pass	401
0.15	30	0.01	RMS	0.15	-66.68	-40	Pass	2986
30	1000	0.1	RMS	877.419	-59.6	-40	Pass	9701
1000	2200	1	RMS	2194	-47.25	-40	Pass	1201
2200	2395	1	RMS	2305.3	15.75	60	Pass	401
2395	3000	1	RMS	2873	-44.71	-40	Pass	606
3000	12000	1	RMS	8904	-55.27	-40	Pass	9002
12000	26500	1	RMS	25202	-42.85	-40	Pass	14502



12. LTE_Band40(2350-2360)


12.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:39175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.61	-40	Pass	401
0.15	30	0.01	RMS	0.16	-66.59	-40	Pass	2986
30	1000	0.1	RMS	876.418	-59.5	-40	Pass	9701
1000	2200	1	RMS	2197	-47.26	-40	Pass	1201
2200	2395	1	RMS	2350.15	17.11	60	Pass	401
2395	3000	1	RMS	2874	-44.69	-40	Pass	606
3000	12000	1	RMS	8902	-55.3	-40	Pass	9002
12000	26500	1	RMS	25201	-42.91	-40	Pass	14502




12.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:39175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.07	-40	Pass	401
0.15	30	0.01	RMS	0.15	-66.98	-40	Pass	2986
30	1000	0.1	RMS	880.521	-59.51	-40	Pass	9701
1000	2200	1	RMS	2195	-47.22	-40	Pass	1201
2200	2395	1	RMS	2350.15	15.93	60	Pass	401
2395	3000	1	RMS	2872	-44.68	-40	Pass	606
3000	12000	1	RMS	8901	-55.3	-40	Pass	9002
12000	26500	1	RMS	25204	-42.95	-40	Pass	14502




12.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:39200, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.94	-40	Pass	401
0.15	30	0.01	RMS	0.15	-66.86	-40	Pass	2986
30	1000	0.1	RMS	882.222	-59.63	-40	Pass	9701
1000	2200	1	RMS	2200	-47.26	-40	Pass	1201
2200	2395	1	RMS	2352.588	17.16	60	Pass	401
2395	3000	1	RMS	2871	-44.68	-40	Pass	606
3000	12000	1	RMS	8903	-55.25	-40	Pass	9002
12000	26500	1	RMS	25202	-42.92	-40	Pass	14502




12.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:39200, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.67	-40	Pass	401
0.15	30	0.01	RMS	0.15	-66.8	-40	Pass	2986
30	1000	0.1	RMS	892.229	-59.65	-40	Pass	9701
1000	2200	1	RMS	2198	-47.21	-40	Pass	1201
2200	2395	1	RMS	2352.588	15.8	60	Pass	401
2395	3000	1	RMS	2870	-44.7	-40	Pass	606
3000	12000	1	RMS	8904	-55.28	-40	Pass	9002
12000	26500	1	RMS	25201	-42.83	-40	Pass	14502




12.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:39225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.54	-40	Pass	401
0.15	30	0.01	RMS	0.26	-66.98	-40	Pass	2986
30	1000	0.1	RMS	893.63	-59.44	-40	Pass	9701
1000	2200	1	RMS	2196	-47.25	-40	Pass	1201
2200	2395	1	RMS	2355.025	17.33	60	Pass	401
2395	3000	1	RMS	2869	-44.74	-40	Pass	606
3000	12000	1	RMS	8901	-55.24	-40	Pass	9002
12000	26500	1	RMS	25201	-42.91	-40	Pass	14502




12.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:39225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.82	-40	Pass	401
0.15	30	0.01	RMS	0.17	-66.81	-40	Pass	2986
30	1000	0.1	RMS	885.424	-59.59	-40	Pass	9701
1000	2200	1	RMS	2197	-47.18	-40	Pass	1201
2200	2395	1	RMS	2355.025	16	60	Pass	401
2395	3000	1	RMS	2871	-44.67	-40	Pass	606
3000	12000	1	RMS	8901	-55.32	-40	Pass	9002
12000	26500	1	RMS	25200	-42.87	-40	Pass	14502




12.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:39200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.6	-40	Pass	401
0.15	30	0.01	RMS	0.18	-66.82	-40	Pass	2986
30	1000	0.1	RMS	887.525	-59.66	-40	Pass	9701
1000	2200	1	RMS	2197	-47.21	-40	Pass	1201
2200	2395	1	RMS	2350.15	16.13	60	Pass	401
2395	3000	1	RMS	2876	-44.68	-40	Pass	606
3000	12000	1	RMS	8902	-55.24	-40	Pass	9002
12000	26500	1	RMS	25201	-42.84	-40	Pass	14502



12.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:39200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.51	-40	Pass	401
0.15	30	0.01	RMS	0.17	-66.41	-40	Pass	2986
30	1000	0.1	RMS	738.4	-59.6	-40	Pass	9701
1000	2200	1	RMS	2199	-47.23	-40	Pass	1201
2200	2395	1	RMS	2350.15	15.25	60	Pass	401
2395	3000	1	RMS	2871	-44.71	-40	Pass	606
3000	12000	1	RMS	8902	-55.27	-40	Pass	9002
12000	26500	1	RMS	25205	-42.87	-40	Pass	14502



--BLANK BELOW--