



**7.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:26365, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.66	-13	58.66	Pass	401
0.15	30	0.01	RMS	0.21	-71.41	-13	58.41	Pass	2986
30	1000	0.1	RMS	869.814	-64.63	-13	51.63	Pass	9701
1000	1840	1	RMS	1832	-53.11	-13	40.11	Pass	841
1840	1925	1	RMS	1881.863	20.42	60	39.58	Pass	401
1925	3000	1	RMS	2875	-50.24	-13	37.24	Pass	1076
3000	12000	1	RMS	11890	-43.08	-13	30.08	Pass	9002
12000	20000	1	RMS	16400	-37.37	-13	24.37	Pass	8001




**7.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.9	-13	58.9	Pass	401
0.15	30	0.01	RMS	0.17	-71.83	-13	58.83	Pass	2986
30	1000	0.1	RMS	868.413	-64.67	-13	51.67	Pass	9701
1000	1840	1	RMS	1837	-53.04	-13	40.04	Pass	841
1840	1925	1	RMS	1913.738	21.3	60	38.7	Pass	401
1925	3000	1	RMS	2873	-50.23	-13	37.23	Pass	1076
3000	12000	1	RMS	11895	-43.04	-13	30.04	Pass	9002
12000	20000	1	RMS	16396	-37.32	-13	24.32	Pass	8001




**7.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:26683, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.2	-13	57.2	Pass	401
0.15	30	0.01	RMS	0.15	-70.33	-13	57.33	Pass	2986
30	1000	0.1	RMS	868.513	-64.7	-13	51.7	Pass	9701
1000	1840	1	RMS	1839	-53.05	-13	40.05	Pass	841
1840	1925	1	RMS	1913.738	20.44	60	39.56	Pass	401
1925	3000	1	RMS	2874	-50.25	-13	37.25	Pass	1076
3000	12000	1	RMS	11902	-43.02	-13	30.02	Pass	9002
12000	20000	1	RMS	16402	-37.33	-13	24.33	Pass	8001




**7.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.18	-13	58.18	Pass	401
0.15	30	0.01	RMS	0.16	-70.76	-13	57.76	Pass	2986
30	1000	0.1	RMS	869.413	-64.82	-13	51.82	Pass	9701
1000	1840	1	RMS	1840	-52.7	-13	39.7	Pass	841
1840	1925	1	RMS	1850.2	21.43	60	38.57	Pass	401
1925	3000	1	RMS	2858	-50.21	-13	37.21	Pass	1076
3000	12000	1	RMS	11901	-42.97	-13	29.97	Pass	9002
12000	20000	1	RMS	16398	-37.39	-13	24.39	Pass	8001




**7.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.66	-13	58.66	Pass	401
0.15	30	0.01	RMS	0.17	-71.88	-13	58.88	Pass	2986
30	1000	0.1	RMS	884.223	-64.57	-13	51.57	Pass	9701
1000	1840	1	RMS	1840	-52.74	-13	39.74	Pass	841
1840	1925	1	RMS	1850.2	20.62	60	39.38	Pass	401
1925	3000	1	RMS	2865	-50.2	-13	37.2	Pass	1076
3000	12000	1	RMS	11902	-43	-13	30	Pass	9002
12000	20000	1	RMS	16400	-37.38	-13	24.38	Pass	8001




**7.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:26365, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.48	-13	58.48	Pass	401
0.15	30	0.01	RMS	0.21	-71.09	-13	58.09	Pass	2986
30	1000	0.1	RMS	893.93	-64.78	-13	51.78	Pass	9701
1000	1840	1	RMS	1839	-53.1	-13	40.1	Pass	841
1840	1925	1	RMS	1881.225	20.95	60	39.05	Pass	401
1925	3000	1	RMS	2865	-50.21	-13	37.21	Pass	1076
3000	12000	1	RMS	11899	-42.93	-13	29.93	Pass	9002
12000	20000	1	RMS	16400	-37.34	-13	24.34	Pass	8001




**7.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:26365, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.14	-13	58.14	Pass	401
0.15	30	0.01	RMS	0.15	-70.97	-13	57.97	Pass	2986
30	1000	0.1	RMS	868.413	-64.5	-13	51.5	Pass	9701
1000	1840	1	RMS	1832	-53.08	-13	40.08	Pass	841
1840	1925	1	RMS	1881.225	20.15	60	39.85	Pass	401
1925	3000	1	RMS	2870	-50.21	-13	37.21	Pass	1076
3000	12000	1	RMS	11903	-43.05	-13	30.05	Pass	9002
12000	20000	1	RMS	16398	-37.39	-13	24.39	Pass	8001




**7.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.5	-13	58.5	Pass	401
0.15	30	0.01	RMS	0.17	-71.75	-13	58.75	Pass	2986
30	1000	0.1	RMS	867.112	-64.67	-13	51.67	Pass	9701
1000	1840	1	RMS	1834	-53.05	-13	40.05	Pass	841
1840	1925	1	RMS	1912.038	21.9	60	38.1	Pass	401
1925	3000	1	RMS	2866	-50.23	-13	37.23	Pass	1076
3000	12000	1	RMS	11899	-43	-13	30	Pass	9002
12000	20000	1	RMS	16403	-37.31	-13	24.31	Pass	8001




**7.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.13	-13	58.13	Pass	401
0.15	30	0.01	RMS	0.18	-71.98	-13	58.98	Pass	2986
30	1000	0.1	RMS	877.019	-64.51	-13	51.51	Pass	9701
1000	1840	1	RMS	1835	-53.14	-13	40.14	Pass	841
1840	1925	1	RMS	1912.038	20.98	60	39.02	Pass	401
1925	3000	1	RMS	2872	-50.28	-13	37.28	Pass	1076
3000	12000	1	RMS	11906	-43	-13	30	Pass	9002
12000	20000	1	RMS	16401	-37.22	-13	24.22	Pass	8001




**7.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.28	-13	58.28	Pass	401
0.15	30	0.01	RMS	0.16	-71.59	-13	58.59	Pass	2986
30	1000	0.1	RMS	885.524	-64.71	-13	51.71	Pass	9701
1000	1840	1	RMS	1840	-52.76	-13	39.76	Pass	841
1840	1925	1	RMS	1850.2	21.76	60	38.24	Pass	401
1925	3000	1	RMS	2870	-50.2	-13	37.2	Pass	1076
3000	12000	1	RMS	11900	-43.03	-13	30.03	Pass	9002
12000	20000	1	RMS	16400	-37.26	-13	24.26	Pass	8001




**7.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:26065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.79	-13	58.79	Pass	401
0.15	30	0.01	RMS	0.22	-71.59	-13	58.59	Pass	2986
30	1000	0.1	RMS	875.918	-64.63	-13	51.63	Pass	9701
1000	1840	1	RMS	1840	-52.76	-13	39.76	Pass	841
1840	1925	1	RMS	1850.2	20.85	60	39.15	Pass	401
1925	3000	1	RMS	2855	-50.26	-13	37.26	Pass	1076
3000	12000	1	RMS	11897	-42.95	-13	29.95	Pass	9002
12000	20000	1	RMS	16400	-37.32	-13	24.32	Pass	8001




**7.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:26365, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.77	-13	58.77	Pass	401
0.15	30	0.01	RMS	0.15	-70.86	-13	57.86	Pass	2986
30	1000	0.1	RMS	865.511	-64.71	-13	51.71	Pass	9701
1000	1840	1	RMS	1840	-53.12	-13	40.12	Pass	841
1840	1925	1	RMS	1880.163	21.01	60	38.99	Pass	401
1925	3000	1	RMS	2870	-50.23	-13	37.23	Pass	1076
3000	12000	1	RMS	11902	-43.02	-13	30.02	Pass	9002
12000	20000	1	RMS	16399	-37.35	-13	24.35	Pass	8001




**7.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:26365, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.13	-13	58.13	Pass	401
0.15	30	0.01	RMS	0.16	-71.32	-13	58.32	Pass	2986
30	1000	0.1	RMS	870.814	-64.57	-13	51.57	Pass	9701
1000	1840	1	RMS	1834	-53.1	-13	40.1	Pass	841
1840	1925	1	RMS	1880.163	20.33	60	39.67	Pass	401
1925	3000	1	RMS	2871	-50.26	-13	37.26	Pass	1076
3000	12000	1	RMS	11900	-43.04	-13	30.04	Pass	9002
12000	20000	1	RMS	16401	-37.36	-13	24.36	Pass	8001




**7.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.34	-13	58.34	Pass	401
0.15	30	0.01	RMS	0.18	-71.29	-13	58.29	Pass	2986
30	1000	0.1	RMS	874.217	-64.63	-13	51.63	Pass	9701
1000	1840	1	RMS	1832	-53.11	-13	40.11	Pass	841
1840	1925	1	RMS	1910.125	21.89	60	38.11	Pass	401
1925	3000	1	RMS	2860	-50.24	-13	37.24	Pass	1076
3000	12000	1	RMS	11903	-43	-13	30	Pass	9002
12000	20000	1	RMS	16400	-37.34	-13	24.34	Pass	8001




**7.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.49	-13	58.49	Pass	401
0.15	30	0.01	RMS	0.15	-71.96	-13	58.96	Pass	2986
30	1000	0.1	RMS	884.323	-64.66	-13	51.66	Pass	9701
1000	1840	1	RMS	1834	-53.09	-13	40.09	Pass	841
1840	1925	1	RMS	1910.125	21.07	60	38.93	Pass	401
1925	3000	1	RMS	2859	-50.25	-13	37.25	Pass	1076
3000	12000	1	RMS	11899	-43	-13	30	Pass	9002
12000	20000	1	RMS	16398	-37.32	-13	24.32	Pass	8001




**7.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.29	-13	58.29	Pass	401
0.15	30	0.01	RMS	0.15	-71.14	-13	58.14	Pass	2986
30	1000	0.1	RMS	866.211	-64.72	-13	51.72	Pass	9701
1000	1840	1	RMS	1833	-52.12	-13	39.12	Pass	841
1840	1925	1	RMS	1850.413	21.64	60	38.36	Pass	401
1925	3000	1	RMS	2876	-50.25	-13	37.25	Pass	1076
3000	12000	1	RMS	11897	-43.02	-13	30.02	Pass	9002
12000	20000	1	RMS	16400	-37.27	-13	24.27	Pass	8001




**7.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:26090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.04	-13	59.04	Pass	401
0.15	30	0.01	RMS	0.16	-71.15	-13	58.15	Pass	2986
30	1000	0.1	RMS	875.317	-64.59	-13	51.59	Pass	9701
1000	1840	1	RMS	1833	-52.17	-13	39.17	Pass	841
1840	1925	1	RMS	1850.413	20.99	60	39.01	Pass	401
1925	3000	1	RMS	2865	-50.15	-13	37.15	Pass	1076
3000	12000	1	RMS	11899	-42.96	-13	29.96	Pass	9002
12000	20000	1	RMS	16399	-37.33	-13	24.33	Pass	8001




7.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:26365, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.95	-13	58.95	Pass	401
0.15	30	0.01	RMS	0.19	-71.76	-13	58.76	Pass	2986
30	1000	0.1	RMS	868.913	-64.71	-13	51.71	Pass	9701
1000	1840	1	RMS	1837	-53.09	-13	40.09	Pass	841
1840	1925	1	RMS	1878.038	21.1	60	38.9	Pass	401
1925	3000	1	RMS	2866	-50.2	-13	37.2	Pass	1076
3000	12000	1	RMS	11903	-43.06	-13	30.06	Pass	9002
12000	20000	1	RMS	16400	-37.31	-13	24.31	Pass	8001




**7.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:26365, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.3	-13	58.3	Pass	401
0.15	30	0.01	RMS	0.16	-71.2	-13	58.2	Pass	2986
30	1000	0.1	RMS	884.924	-64.61	-13	51.61	Pass	9701
1000	1840	1	RMS	1835	-53.05	-13	40.05	Pass	841
1840	1925	1	RMS	1878.038	20.26	60	39.74	Pass	401
1925	3000	1	RMS	2864	-50.19	-13	37.19	Pass	1076
3000	12000	1	RMS	11902	-43	-13	30	Pass	9002
12000	20000	1	RMS	16400	-37.3	-13	24.3	Pass	8001




**7.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.61	-13	58.61	Pass	401
0.15	30	0.01	RMS	0.17	-71.14	-13	58.14	Pass	2986
30	1000	0.1	RMS	888.126	-64.72	-13	51.72	Pass	9701
1000	1840	1	RMS	1837	-53.07	-13	40.07	Pass	841
1840	1925	1	RMS	1905.45	21.74	60	38.26	Pass	401
1925	3000	1	RMS	2871	-50.23	-13	37.23	Pass	1076
3000	12000	1	RMS	11901	-43.03	-13	30.03	Pass	9002
12000	20000	1	RMS	16397	-37.35	-13	24.35	Pass	8001




**7.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.5	-13	58.5	Pass	401
0.15	30	0.01	RMS	0.22	-71.77	-13	58.77	Pass	2986
30	1000	0.1	RMS	870.014	-64.6	-13	51.6	Pass	9701
1000	1840	1	RMS	1838	-53.04	-13	40.04	Pass	841
1840	1925	1	RMS	1905.45	20.82	60	39.18	Pass	401
1925	3000	1	RMS	2869	-50.22	-13	37.22	Pass	1076
3000	12000	1	RMS	11904	-43.04	-13	30.04	Pass	9002
12000	20000	1	RMS	16400	-37.39	-13	24.39	Pass	8001




**7.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.8	-13	58.8	Pass	401
0.15	30	0.01	RMS	0.15	-70.87	-13	57.87	Pass	2986
30	1000	0.1	RMS	869.814	-64.66	-13	51.66	Pass	9701
1000	1840	1	RMS	1838	-49.42	-13	36.42	Pass	841
1840	1925	1	RMS	1850.625	21.48	60	38.52	Pass	401
1925	3000	1	RMS	2874	-50.19	-13	37.19	Pass	1076
3000	12000	1	RMS	11894	-42.99	-13	29.99	Pass	9002
12000	20000	1	RMS	16400	-37.37	-13	24.37	Pass	8001




**7.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.88	-13	58.88	Pass	401
0.15	30	0.01	RMS	0.15	-70.97	-13	57.97	Pass	2986
30	1000	0.1	RMS	871.715	-64.79	-13	51.79	Pass	9701
1000	1840	1	RMS	1838	-48.92	-13	35.92	Pass	841
1840	1925	1	RMS	1850.625	20.76	60	39.24	Pass	401
1925	3000	1	RMS	2863	-50.23	-13	37.23	Pass	1076
3000	12000	1	RMS	11901	-42.96	-13	29.96	Pass	9002
12000	20000	1	RMS	16401	-37.25	-13	24.25	Pass	8001




**7.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:26365, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.51	-13	56.51	Pass	401
0.15	30	0.01	RMS	0.16	-71.27	-13	58.27	Pass	2986
30	1000	0.1	RMS	869.113	-64.62	-13	51.62	Pass	9701
1000	1840	1	RMS	1840	-53.08	-13	40.08	Pass	841
1840	1925	1	RMS	1875.7	21.08	60	38.92	Pass	401
1925	3000	1	RMS	2872	-50.24	-13	37.24	Pass	1076
3000	12000	1	RMS	11896	-43.04	-13	30.04	Pass	9002
12000	20000	1	RMS	16400	-37.33	-13	24.33	Pass	8001




**7.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:26365, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.97	-13	57.97	Pass	401
0.15	30	0.01	RMS	0.16	-71.33	-13	58.33	Pass	2986
30	1000	0.1	RMS	891.628	-64.72	-13	51.72	Pass	9701
1000	1840	1	RMS	1835	-53.11	-13	40.11	Pass	841
1840	1925	1	RMS	1875.7	20.22	60	39.78	Pass	401
1925	3000	1	RMS	2877	-50.24	-13	37.24	Pass	1076
3000	12000	1	RMS	11902	-43.02	-13	30.02	Pass	9002
12000	20000	1	RMS	16400	-37.32	-13	24.32	Pass	8001




**7.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.05	-13	58.05	Pass	401
0.15	30	0.01	RMS	0.16	-71.76	-13	58.76	Pass	2986
30	1000	0.1	RMS	869.113	-64.62	-13	51.62	Pass	9701
1000	1840	1	RMS	1839	-53.07	-13	40.07	Pass	841
1840	1925	1	RMS	1900.775	21.58	60	38.42	Pass	401
1925	3000	1	RMS	2860	-50.22	-13	37.22	Pass	1076
3000	12000	1	RMS	11903	-42.99	-13	29.99	Pass	9002
12000	20000	1	RMS	16400	-37.3	-13	24.3	Pass	8001




**7.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.87	-13	56.87	Pass	401
0.15	30	0.01	RMS	0.18	-70.56	-13	57.56	Pass	2986
30	1000	0.1	RMS	873.016	-64.6	-13	51.6	Pass	9701
1000	1840	1	RMS	1838	-53.08	-13	40.08	Pass	841
1840	1925	1	RMS	1900.775	20.72	60	39.28	Pass	401
1925	3000	1	RMS	2860	-50.24	-13	37.24	Pass	1076
3000	12000	1	RMS	11895	-42.99	-13	29.99	Pass	9002
12000	20000	1	RMS	16400	-37.35	-13	24.35	Pass	8001




**7.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31,
Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.54	-13	58.54	Pass	401
0.15	30	0.01	RMS	0.25	-72.41	-13	59.41	Pass	2986
30	1000	0.1	RMS	888.426	-64.76	-13	51.76	Pass	9701
1000	1840	1	RMS	1833	-48.32	-13	35.32	Pass	841
1840	1925	1	RMS	1851.05	21.41	60	38.59	Pass	401
1925	3000	1	RMS	2864	-50.24	-13	37.24	Pass	1076
3000	12000	1	RMS	11899	-43.08	-13	30.08	Pass	9002
12000	20000	1	RMS	16399	-37.36	-13	24.36	Pass	8001




**7.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.31	-13	58.31	Pass	401
0.15	30	0.01	RMS	0.15	-71.49	-13	58.49	Pass	2986
30	1000	0.1	RMS	892.829	-64.62	-13	51.62	Pass	9701
1000	1840	1	RMS	1833	-48.7	-13	35.7	Pass	841
1840	1925	1	RMS	1851.05	20.73	60	39.27	Pass	401
1925	3000	1	RMS	2873	-50.21	-13	37.21	Pass	1076
3000	12000	1	RMS	11896	-42.98	-13	29.98	Pass	9002
12000	20000	1	RMS	16399	-37.36	-13	24.36	Pass	8001




**7.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:26365, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.82	-13	58.82	Pass	401
0.15	30	0.01	RMS	0.16	-71.56	-13	58.56	Pass	2986
30	1000	0.1	RMS	882.522	-64.52	-13	51.52	Pass	9701
1000	1840	1	RMS	1838	-50.27	-13	37.27	Pass	841
1840	1925	1	RMS	1873.575	20.7	60	39.3	Pass	401
1925	3000	1	RMS	2860	-50.21	-13	37.21	Pass	1076
3000	12000	1	RMS	11901	-43.04	-13	30.04	Pass	9002
12000	20000	1	RMS	16400	-37.32	-13	24.32	Pass	8001




**7.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:26365, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.81	-13	57.81	Pass	401
0.15	30	0.01	RMS	0.17	-70.97	-13	57.97	Pass	2986
30	1000	0.1	RMS	877.719	-64.73	-13	51.73	Pass	9701
1000	1840	1	RMS	1838	-50.99	-13	37.99	Pass	841
1840	1925	1	RMS	1873.575	19.9	60	40.1	Pass	401
1925	3000	1	RMS	2861	-50.21	-13	37.21	Pass	1076
3000	12000	1	RMS	11899	-43.06	-13	30.06	Pass	9002
12000	20000	1	RMS	16400	-37.36	-13	24.36	Pass	8001




**7.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.65	-13	58.65	Pass	401
0.15	30	0.01	RMS	0.15	-71.47	-13	58.47	Pass	2986
30	1000	0.1	RMS	879.12	-64.71	-13	51.71	Pass	9701
1000	1840	1	RMS	1834	-62.24	-13	49.24	Pass	841
1840	1925	1	RMS	1895.888	21.22	60	38.78	Pass	401
1925	3000	1	RMS	2876	-50.26	-13	37.26	Pass	1076
3000	12000	1	RMS	11909	-43.04	-13	30.04	Pass	9002
12000	20000	1	RMS	16401	-37.4	-13	24.4	Pass	8001



**7.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.31	-13	58.31	Pass	401
0.15	30	0.01	RMS	0.19	-71.9	-13	58.9	Pass	2986
30	1000	0.1	RMS	869.013	-64.71	-13	51.71	Pass	9701
1000	1840	1	RMS	1833	-53.07	-13	40.07	Pass	841
1840	1925	1	RMS	1895.888	20.3	60	39.7	Pass	401
1925	3000	1	RMS	2858	-50.22	-13	37.22	Pass	1076
3000	12000	1	RMS	11901	-43.03	-13	30.03	Pass	9002
12000	20000	1	RMS	16402	-37.34	-13	24.34	Pass	8001



8. LTE_Band66


8.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.7	-13	57.7	Pass	401
0.15	30	0.01	RMS	0.15	-71.39	-13	58.39	Pass	2986
30	1000	0.1	RMS	892.729	-64.57	-13	51.57	Pass	9701
1000	1700	1	RMS	1700	-52.79	-13	39.79	Pass	701
1700	1790	1	RMS	1710.125	22.08	60	37.92	Pass	401
1790	3000	1	RMS	2872	-50.1	-13	37.1	Pass	1211
3000	12000	1	RMS	11904	-42.87	-13	29.87	Pass	9002
12000	20000	1	RMS	16400	-37.25	-13	24.25	Pass	8001




8.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.15	-13	58.15	Pass	401
0.15	30	0.01	RMS	0.2	-71.29	-13	58.29	Pass	2986
30	1000	0.1	RMS	884.624	-64.53	-13	51.53	Pass	9701
1000	1700	1	RMS	1700	-52.91	-13	39.91	Pass	701
1700	1790	1	RMS	1710.125	21.25	60	38.75	Pass	401
1790	3000	1	RMS	2874	-50.16	-13	37.16	Pass	1211
3000	12000	1	RMS	11901	-42.99	-13	29.99	Pass	9002
12000	20000	1	RMS	16400	-37.28	-13	24.28	Pass	8001




**8.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.95	-13	57.95	Pass	401
0.15	30	0.01	RMS	0.15	-70.82	-13	57.82	Pass	2986
30	1000	0.1	RMS	876.918	-64.59	-13	51.59	Pass	9701
1000	1700	1	RMS	1681	-53.45	-13	40.45	Pass	701
1700	1790	1	RMS	1744.325	21.93	60	38.07	Pass	401
1790	3000	1	RMS	2874	-50.07	-13	37.07	Pass	1211
3000	12000	1	RMS	11892	-42.91	-13	29.91	Pass	9002
12000	20000	1	RMS	16400	-37.12	-13	24.12	Pass	8001




8.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.65	-13	57.65	Pass	401
0.15	30	0.01	RMS	0.22	-70.59	-13	57.59	Pass	2986
30	1000	0.1	RMS	869.514	-64.53	-13	51.53	Pass	9701
1000	1700	1	RMS	1677	-53.47	-13	40.47	Pass	701
1700	1790	1	RMS	1744.325	21.1	60	38.9	Pass	401
1790	3000	1	RMS	2864	-50.08	-13	37.08	Pass	1211
3000	12000	1	RMS	11902	-42.91	-13	29.91	Pass	9002
12000	20000	1	RMS	16401	-37.14	-13	24.14	Pass	8001




**8.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.89	-13	57.89	Pass	401
0.15	30	0.01	RMS	0.15	-70.8	-13	57.8	Pass	2986
30	1000	0.1	RMS	869.013	-64.54	-13	51.54	Pass	9701
1000	1700	1	RMS	1678	-53.47	-13	40.47	Pass	701
1700	1790	1	RMS	1778.75	22.19	60	37.81	Pass	401
1790	3000	1	RMS	2874	-50.11	-13	37.11	Pass	1211
3000	12000	1	RMS	11911	-42.95	-13	29.95	Pass	9002
12000	20000	1	RMS	16399	-37.22	-13	24.22	Pass	8001




**8.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.88	-13	58.88	Pass	401
0.15	30	0.01	RMS	0.16	-71.51	-13	58.51	Pass	2986
30	1000	0.1	RMS	870.014	-64.56	-13	51.56	Pass	9701
1000	1700	1	RMS	1683	-53.51	-13	40.51	Pass	701
1700	1790	1	RMS	1778.75	21.25	60	38.75	Pass	401
1790	3000	1	RMS	2872	-50.07	-13	37.07	Pass	1211
3000	12000	1	RMS	11901	-42.78	-13	29.78	Pass	9002
12000	20000	1	RMS	16400	-37.23	-13	24.23	Pass	8001




8.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.51	-13	58.51	Pass	401
0.15	30	0.01	RMS	0.25	-71.81	-13	58.81	Pass	2986
30	1000	0.1	RMS	877.119	-64.57	-13	51.57	Pass	9701
1000	1700	1	RMS	1700	-52.82	-13	39.82	Pass	701
1700	1790	1	RMS	1710.125	21.86	60	38.14	Pass	401
1790	3000	1	RMS	2863	-50.1	-13	37.1	Pass	1211
3000	12000	1	RMS	11901	-42.9	-13	29.9	Pass	9002
12000	20000	1	RMS	16401	-37.16	-13	24.16	Pass	8001




**8.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.3	-13	58.3	Pass	401
0.15	30	0.01	RMS	0.16	-71.79	-13	58.79	Pass	2986
30	1000	0.1	RMS	871.015	-64.29	-13	51.29	Pass	9701
1000	1700	1	RMS	1700	-52.96	-13	39.96	Pass	701
1700	1790	1	RMS	1710.125	21.16	60	38.84	Pass	401
1790	3000	1	RMS	2867	-50.08	-13	37.08	Pass	1211
3000	12000	1	RMS	11898	-42.96	-13	29.96	Pass	9002
12000	20000	1	RMS	16400	-37.21	-13	24.21	Pass	8001




8.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71	-13	58	Pass	401
0.15	30	0.01	RMS	0.16	-71.35	-13	58.35	Pass	2986
30	1000	0.1	RMS	867.612	-64.57	-13	51.57	Pass	9701
1000	1700	1	RMS	1681	-53.43	-13	40.43	Pass	701
1700	1790	1	RMS	1743.65	21.91	60	38.09	Pass	401
1790	3000	1	RMS	2862	-50.08	-13	37.08	Pass	1211
3000	12000	1	RMS	11895	-42.85	-13	29.85	Pass	9002
12000	20000	1	RMS	16399	-37.1	-13	24.1	Pass	8001




**8.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.34	-13	58.34	Pass	401
0.15	30	0.01	RMS	0.15	-71.69	-13	58.69	Pass	2986
30	1000	0.1	RMS	870.214	-64.48	-13	51.48	Pass	9701
1000	1700	1	RMS	1683	-53.5	-13	40.5	Pass	701
1700	1790	1	RMS	1743.65	21.1	60	38.9	Pass	401
1790	3000	1	RMS	2862	-50.11	-13	37.11	Pass	1211
3000	12000	1	RMS	11900	-42.87	-13	29.87	Pass	9002
12000	20000	1	RMS	16399	-37.13	-13	24.13	Pass	8001




8.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.24	-13	57.24	Pass	401
0.15	30	0.01	RMS	0.15	-71.16	-13	58.16	Pass	2986
30	1000	0.1	RMS	894.93	-64.51	-13	51.51	Pass	9701
1000	1700	1	RMS	1678	-53.51	-13	40.51	Pass	701
1700	1790	1	RMS	1777.175	22.08	60	37.92	Pass	401
1790	3000	1	RMS	2870	-50.07	-13	37.07	Pass	1211
3000	12000	1	RMS	11907	-42.9	-13	29.9	Pass	9002
12000	20000	1	RMS	16401	-37.22	-13	24.22	Pass	8001




**8.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.98	-13	57.98	Pass	401
0.15	30	0.01	RMS	0.15	-71.05	-13	58.05	Pass	2986
30	1000	0.1	RMS	878.319	-64.46	-13	51.46	Pass	9701
1000	1700	1	RMS	1677	-53.46	-13	40.46	Pass	701
1700	1790	1	RMS	1777.175	21.18	60	38.82	Pass	401
1790	3000	1	RMS	2873	-50.09	-13	37.09	Pass	1211
3000	12000	1	RMS	11902	-42.94	-13	29.94	Pass	9002
12000	20000	1	RMS	16399	-37.22	-13	24.22	Pass	8001




**8.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.79	-13	58.79	Pass	401
0.15	30	0.01	RMS	0.21	-72.25	-13	59.25	Pass	2986
30	1000	0.1	RMS	872.716	-64.57	-13	51.57	Pass	9701
1000	1700	1	RMS	1700	-52.96	-13	39.96	Pass	701
1700	1790	1	RMS	1710.125	21.97	60	38.03	Pass	401
1790	3000	1	RMS	2861	-50.1	-13	37.1	Pass	1211
3000	12000	1	RMS	11901	-42.93	-13	29.93	Pass	9002
12000	20000	1	RMS	16399	-37.15	-13	24.15	Pass	8001




**8.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.39	-13	58.39	Pass	401
0.15	30	0.01	RMS	0.16	-70.76	-13	57.76	Pass	2986
30	1000	0.1	RMS	871.415	-64.5	-13	51.5	Pass	9701
1000	1700	1	RMS	1700	-53.07	-13	40.07	Pass	701
1700	1790	1	RMS	1710.35	21.3	60	38.7	Pass	401
1790	3000	1	RMS	2860	-50.11	-13	37.11	Pass	1211
3000	12000	1	RMS	11896	-42.91	-13	29.91	Pass	9002
12000	20000	1	RMS	16401	-37.12	-13	24.12	Pass	8001




**8.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.9	-13	57.9	Pass	401
0.15	30	0.01	RMS	0.15	-70.68	-13	57.68	Pass	2986
30	1000	0.1	RMS	884.423	-64.65	-13	51.65	Pass	9701
1000	1700	1	RMS	1672	-53.47	-13	40.47	Pass	701
1700	1790	1	RMS	1742.75	21.97	60	38.03	Pass	401
1790	3000	1	RMS	2873	-50.08	-13	37.08	Pass	1211
3000	12000	1	RMS	11892	-42.88	-13	29.88	Pass	9002
12000	20000	1	RMS	16403	-37.18	-13	24.18	Pass	8001




**8.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.06	-13	59.06	Pass	401
0.15	30	0.01	RMS	0.15	-71.37	-13	58.37	Pass	2986
30	1000	0.1	RMS	873.116	-64.56	-13	51.56	Pass	9701
1000	1700	1	RMS	1682	-53.45	-13	40.45	Pass	701
1700	1790	1	RMS	1742.75	21.19	60	38.81	Pass	401
1790	3000	1	RMS	2866	-50.09	-13	37.09	Pass	1211
3000	12000	1	RMS	11901	-42.87	-13	29.87	Pass	9002
12000	20000	1	RMS	16399	-37.23	-13	24.23	Pass	8001




**8.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.59	-13	58.59	Pass	401
0.15	30	0.01	RMS	0.17	-70.99	-13	57.99	Pass	2986
30	1000	0.1	RMS	881.622	-64.65	-13	51.65	Pass	9701
1000	1700	1	RMS	1679	-53.47	-13	40.47	Pass	701
1700	1790	1	RMS	1775.15	22.41	60	37.59	Pass	401
1790	3000	1	RMS	2865	-50.06	-13	37.06	Pass	1211
3000	12000	1	RMS	11901	-42.88	-13	29.88	Pass	9002
12000	20000	1	RMS	16400	-37.25	-13	24.25	Pass	8001




**8.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.45	-13	57.45	Pass	401
0.15	30	0.01	RMS	0.15	-71.29	-13	58.29	Pass	2986
30	1000	0.1	RMS	885.824	-64.45	-13	51.45	Pass	9701
1000	1700	1	RMS	1672	-53.45	-13	40.45	Pass	701
1700	1790	1	RMS	1775.15	21.68	60	38.32	Pass	401
1790	3000	1	RMS	2874	-50.11	-13	37.11	Pass	1211
3000	12000	1	RMS	11902	-42.87	-13	29.87	Pass	9002
12000	20000	1	RMS	16403	-37.18	-13	24.18	Pass	8001




**8.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.36	-13	57.36	Pass	401
0.15	30	0.01	RMS	0.17	-71.11	-13	58.11	Pass	2986
30	1000	0.1	RMS	890.628	-64.52	-13	51.52	Pass	9701
1000	1700	1	RMS	1693	-52.85	-13	39.85	Pass	701
1700	1790	1	RMS	1710.575	22.13	60	37.87	Pass	401
1790	3000	1	RMS	2860	-50.08	-13	37.08	Pass	1211
3000	12000	1	RMS	11897	-42.94	-13	29.94	Pass	9002
12000	20000	1	RMS	16398	-37.19	-13	24.19	Pass	8001




**8.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.55	-13	58.55	Pass	401
0.15	30	0.01	RMS	0.15	-70.98	-13	57.98	Pass	2986
30	1000	0.1	RMS	872.015	-64.38	-13	51.38	Pass	9701
1000	1700	1	RMS	1693	-52.85	-13	39.85	Pass	701
1700	1790	1	RMS	1710.575	21.43	60	38.57	Pass	401
1790	3000	1	RMS	2863	-50.11	-13	37.11	Pass	1211
3000	12000	1	RMS	11903	-42.85	-13	29.85	Pass	9002
12000	20000	1	RMS	16400	-37.22	-13	24.22	Pass	8001




8.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.24	-13	57.24	Pass	401
0.15	30	0.01	RMS	0.15	-71.73	-13	58.73	Pass	2986
30	1000	0.1	RMS	876.318	-64.61	-13	51.61	Pass	9701
1000	1700	1	RMS	1681	-53.47	-13	40.47	Pass	701
1700	1790	1	RMS	1740.5	22	60	38	Pass	401
1790	3000	1	RMS	2871	-50.09	-13	37.09	Pass	1211
3000	12000	1	RMS	11902	-42.96	-13	29.96	Pass	9002
12000	20000	1	RMS	16401	-37.17	-13	24.17	Pass	8001




**8.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.77	-13	57.77	Pass	401
0.15	30	0.01	RMS	0.22	-71.35	-13	58.35	Pass	2986
30	1000	0.1	RMS	988.693	-64.62	-13	51.62	Pass	9701
1000	1700	1	RMS	1675	-53.48	-13	40.48	Pass	701
1700	1790	1	RMS	1740.5	21.22	60	38.78	Pass	401
1790	3000	1	RMS	2873	-50.09	-13	37.09	Pass	1211
3000	12000	1	RMS	11897	-42.89	-13	29.89	Pass	9002
12000	20000	1	RMS	16400	-37.13	-13	24.13	Pass	8001




8.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.82	-13	57.82	Pass	401
0.15	30	0.01	RMS	0.25	-71.76	-13	58.76	Pass	2986
30	1000	0.1	RMS	873.316	-64.59	-13	51.59	Pass	9701
1000	1700	1	RMS	1680	-53.4	-13	40.4	Pass	701
1700	1790	1	RMS	1770.425	22.2	60	37.8	Pass	401
1790	3000	1	RMS	2867	-50.13	-13	37.13	Pass	1211
3000	12000	1	RMS	11901	-42.91	-13	29.91	Pass	9002
12000	20000	1	RMS	16401	-37.16	-13	24.16	Pass	8001




**8.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.99	-13	57.99	Pass	401
0.15	30	0.01	RMS	0.23	-71.03	-13	58.03	Pass	2986
30	1000	0.1	RMS	875.918	-64.56	-13	51.56	Pass	9701
1000	1700	1	RMS	1679	-53.47	-13	40.47	Pass	701
1700	1790	1	RMS	1770.425	21.32	60	38.68	Pass	401
1790	3000	1	RMS	2860	-50.02	-13	37.02	Pass	1211
3000	12000	1	RMS	11896	-42.88	-13	29.88	Pass	9002
12000	20000	1	RMS	16400	-37.1	-13	24.1	Pass	8001




**8.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.1	-13	58.1	Pass	401
0.15	30	0.01	RMS	0.17	-71.77	-13	58.77	Pass	2986
30	1000	0.1	RMS	876.718	-64.53	-13	51.53	Pass	9701
1000	1700	1	RMS	1698	-45.31	-13	32.31	Pass	701
1700	1790	1	RMS	1710.8	22.14	60	37.86	Pass	401
1790	3000	1	RMS	2861	-50.09	-13	37.09	Pass	1211
3000	12000	1	RMS	11902	-42.83	-13	29.83	Pass	9002
12000	20000	1	RMS	16402	-37.23	-13	24.23	Pass	8001




**8.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71	-13	58	Pass	401
0.15	30	0.01	RMS	0.17	-71.32	-13	58.32	Pass	2986
30	1000	0.1	RMS	871.815	-64.51	-13	51.51	Pass	9701
1000	1700	1	RMS	1697	-44.59	-13	31.59	Pass	701
1700	1790	1	RMS	1710.8	21.35	60	38.65	Pass	401
1790	3000	1	RMS	2871	-50.08	-13	37.08	Pass	1211
3000	12000	1	RMS	11899	-42.86	-13	29.86	Pass	9002
12000	20000	1	RMS	16398	-37.16	-13	24.16	Pass	8001




**8.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.75	-13	57.75	Pass	401
0.15	30	0.01	RMS	0.18	-71.21	-13	58.21	Pass	2986
30	1000	0.1	RMS	882.722	-64.58	-13	51.58	Pass	9701
1000	1700	1	RMS	1678	-53.49	-13	40.49	Pass	701
1700	1790	1	RMS	1738.25	21.95	60	38.05	Pass	401
1790	3000	1	RMS	2874	-49.98	-13	36.98	Pass	1211
3000	12000	1	RMS	11904	-42.85	-13	29.85	Pass	9002
12000	20000	1	RMS	16401	-37.11	-13	24.11	Pass	8001




**8.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.9	-13	58.9	Pass	401
0.15	30	0.01	RMS	0.16	-71.49	-13	58.49	Pass	2986
30	1000	0.1	RMS	870.014	-64.42	-13	51.42	Pass	9701
1000	1700	1	RMS	1673	-53.45	-13	40.45	Pass	701
1700	1790	1	RMS	1738.25	21.19	60	38.81	Pass	401
1790	3000	1	RMS	2873	-50.11	-13	37.11	Pass	1211
3000	12000	1	RMS	11902	-42.82	-13	29.82	Pass	9002
12000	20000	1	RMS	16402	-37.27	-13	24.27	Pass	8001




8.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.88	-13	57.88	Pass	401
0.15	30	0.01	RMS	0.15	-71.06	-13	58.06	Pass	2986
30	1000	0.1	RMS	876.818	-64.59	-13	51.59	Pass	9701
1000	1700	1	RMS	1677	-53.49	-13	40.49	Pass	701
1700	1790	1	RMS	1765.7	22.15	60	37.85	Pass	401
1790	3000	1	RMS	1792	-46.23	-13	33.23	Pass	1211
3000	12000	1	RMS	11901	-42.79	-13	29.79	Pass	9002
12000	20000	1	RMS	16399	-37.16	-13	24.16	Pass	8001




**8.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.07	-13	59.07	Pass	401
0.15	30	0.01	RMS	0.15	-71.31	-13	58.31	Pass	2986
30	1000	0.1	RMS	876.118	-64.52	-13	51.52	Pass	9701
1000	1700	1	RMS	1674	-53.43	-13	40.43	Pass	701
1700	1790	1	RMS	1765.7	21.34	60	38.66	Pass	401
1790	3000	1	RMS	1793	-46.49	-13	33.49	Pass	1211
3000	12000	1	RMS	11895	-42.9	-13	29.9	Pass	9002
12000	20000	1	RMS	16403	-37.22	-13	24.22	Pass	8001




8.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.95	-13	57.95	Pass	401
0.15	30	0.01	RMS	0.19	-70.75	-13	57.75	Pass	2986
30	1000	0.1	RMS	872.115	-64.47	-13	51.47	Pass	9701
1000	1700	1	RMS	1693	-43.69	-13	30.69	Pass	701
1700	1790	1	RMS	1711.025	22.24	60	37.76	Pass	401
1790	3000	1	RMS	2861	-50.07	-13	37.07	Pass	1211
3000	12000	1	RMS	11896	-42.87	-13	29.87	Pass	9002
12000	20000	1	RMS	16402	-37.18	-13	24.18	Pass	8001




**8.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.8	-13	57.8	Pass	401
0.15	30	0.01	RMS	0.17	-71.24	-13	58.24	Pass	2986
30	1000	0.1	RMS	869.313	-64.57	-13	51.57	Pass	9701
1000	1700	1	RMS	1693	-44.96	-13	31.96	Pass	701
1700	1790	1	RMS	1711.025	21.41	60	38.59	Pass	401
1790	3000	1	RMS	2863	-50.07	-13	37.07	Pass	1211
3000	12000	1	RMS	11903	-42.84	-13	29.84	Pass	9002
12000	20000	1	RMS	16400	-37.25	-13	24.25	Pass	8001




8.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.71	-13	57.71	Pass	401
0.15	30	0.01	RMS	0.15	-71.94	-13	58.94	Pass	2986
30	1000	0.1	RMS	895.731	-64.62	-13	51.62	Pass	9701
1000	1700	1	RMS	1700	-53.23	-13	40.23	Pass	701
1700	1790	1	RMS	1736	21.93	60	38.07	Pass	401
1790	3000	1	RMS	2864	-50.12	-13	37.12	Pass	1211
3000	12000	1	RMS	11907	-42.87	-13	29.87	Pass	9002
12000	20000	1	RMS	16400	-37.17	-13	24.17	Pass	8001




**8.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.16	-13	58.16	Pass	401
0.15	30	0.01	RMS	0.15	-70.98	-13	57.98	Pass	2986
30	1000	0.1	RMS	876.718	-64.47	-13	51.47	Pass	9701
1000	1700	1	RMS	1700	-53.29	-13	40.29	Pass	701
1700	1790	1	RMS	1736	21.23	60	38.77	Pass	401
1790	3000	1	RMS	2865	-50.13	-13	37.13	Pass	1211
3000	12000	1	RMS	11898	-42.89	-13	29.89	Pass	9002
12000	20000	1	RMS	16400	-37.24	-13	24.24	Pass	8001




**8.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.55	-13	58.55	Pass	401
0.15	30	0.01	RMS	0.15	-70.93	-13	57.93	Pass	2986
30	1000	0.1	RMS	885.424	-64.41	-13	51.41	Pass	9701
1000	1700	1	RMS	1676	-53.43	-13	40.43	Pass	701
1700	1790	1	RMS	1760.975	21.9	60	38.1	Pass	401
1790	3000	1	RMS	1797	-46.66	-13	33.66	Pass	1211
3000	12000	1	RMS	11902	-42.85	-13	29.85	Pass	9002
12000	20000	1	RMS	16400	-37.24	-13	24.24	Pass	8001



**8.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.23	-13	58.23	Pass	401
0.15	30	0.01	RMS	0.15	-71.72	-13	58.72	Pass	2986
30	1000	0.1	RMS	885.024	-64.46	-13	51.46	Pass	9701
1000	1700	1	RMS	1679	-53.46	-13	40.46	Pass	701
1700	1790	1	RMS	1760.975	21.1	60	38.9	Pass	401
1790	3000	1	RMS	1797	-46.78	-13	33.78	Pass	1211
3000	12000	1	RMS	11898	-42.92	-13	29.92	Pass	9002
12000	20000	1	RMS	16399	-37.15	-13	24.15	Pass	8001



9. LTE_Band26(part22)


9.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.33	-13	58.33	Pass	401
0.15	30	0.01	RMS	0.16	-71.93	-13	58.93	Pass	2986
30	814	0.1	RMS	813.9	-64.41	-13	51.41	Pass	7841
814	860	0.1	RMS	824.2	18.04	60	41.96	Pass	461
860	1000	0.1	RMS	869.5	-64.52	-13	51.52	Pass	1401
1000	3000	1	RMS	1648	-48.91	-13	35.91	Pass	2001
3000	10000	1	RMS	7650	-43.59	-13	30.59	Pass	7001




**9.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.12	-13	59.12	Pass	401
0.15	30	0.01	RMS	0.15	-70.8	-13	57.8	Pass	2986
30	814	0.1	RMS	813.4	-64.53	-13	51.53	Pass	7841
814	860	0.1	RMS	824.2	17.18	60	42.82	Pass	461
860	1000	0.1	RMS	869.4	-64.56	-13	51.56	Pass	1401
1000	3000	1	RMS	1648	-49.82	-13	36.82	Pass	2001
3000	10000	1	RMS	7647	-43.68	-13	30.68	Pass	7001




**9.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.01	-13	58.01	Pass	401
0.15	30	0.01	RMS	0.15	-71.55	-13	58.55	Pass	2986
30	814	0.1	RMS	740.3	-65.01	-13	52.01	Pass	7841
814	860	0.1	RMS	836	18.64	60	41.36	Pass	461
860	1000	0.1	RMS	997.3	-64.58	-13	51.58	Pass	1401
1000	3000	1	RMS	1672	-48.78	-13	35.78	Pass	2001
3000	10000	1	RMS	7650	-43.51	-13	30.51	Pass	7001




**9.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.56	-13	58.56	Pass	401
0.15	30	0.01	RMS	0.15	-70.29	-13	57.29	Pass	2986
30	814	0.1	RMS	738.4	-64.97	-13	51.97	Pass	7841
814	860	0.1	RMS	836.1	17.7	60	42.3	Pass	461
860	1000	0.1	RMS	879.6	-64.51	-13	51.51	Pass	1401
1000	3000	1	RMS	1672	-49.64	-13	36.64	Pass	2001
3000	10000	1	RMS	7649	-43.68	-13	30.68	Pass	7001




**9.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.12	-13	58.12	Pass	401
0.15	30	0.01	RMS	0.15	-71.42	-13	58.42	Pass	2986
30	814	0.1	RMS	742.7	-64.99	-13	51.99	Pass	7841
814	860	0.1	RMS	847.8	18.34	60	41.66	Pass	461
860	1000	0.1	RMS	880.7	-64.57	-13	51.57	Pass	1401
1000	3000	1	RMS	1695	-47.68	-13	34.68	Pass	2001
3000	10000	1	RMS	7650	-43.64	-13	30.64	Pass	7001




**9.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.97	-13	57.97	Pass	401
0.15	30	0.01	RMS	0.15	-71.36	-13	58.36	Pass	2986
30	814	0.1	RMS	745.4	-64.97	-13	51.97	Pass	7841
814	860	0.1	RMS	847.8	17.46	60	42.54	Pass	461
860	1000	0.1	RMS	890	-64.6	-13	51.6	Pass	1401
1000	3000	1	RMS	1695	-48.85	-13	35.85	Pass	2001
3000	10000	1	RMS	7649	-43.62	-13	30.62	Pass	7001




**9.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.88	-13	58.88	Pass	401
0.15	30	0.01	RMS	0.15	-71.47	-13	58.47	Pass	2986
30	814	0.1	RMS	813.5	-64.18	-13	51.18	Pass	7841
814	860	0.1	RMS	824.2	18.17	60	41.83	Pass	461
860	1000	0.1	RMS	870	-64.56	-13	51.56	Pass	1401
1000	3000	1	RMS	1648	-49.33	-13	36.33	Pass	2001
3000	10000	1	RMS	7646	-43.61	-13	30.61	Pass	7001




**9.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.16	-13	58.16	Pass	401
0.15	30	0.01	RMS	0.17	-71.17	-13	58.17	Pass	2986
30	814	0.1	RMS	813.5	-64.66	-13	51.66	Pass	7841
814	860	0.1	RMS	824.2	17.25	60	42.75	Pass	461
860	1000	0.1	RMS	869.7	-64.27	-13	51.27	Pass	1401
1000	3000	1	RMS	1648	-49.84	-13	36.84	Pass	2001
3000	10000	1	RMS	7648	-43.62	-13	30.62	Pass	7001




**9.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.15	-13	58.15	Pass	401
0.15	30	0.01	RMS	0.22	-71.7	-13	58.7	Pass	2986
30	814	0.1	RMS	721.5	-65.02	-13	52.02	Pass	7841
814	860	0.1	RMS	835.2	18.73	60	41.27	Pass	461
860	1000	0.1	RMS	871.5	-64.51	-13	51.51	Pass	1401
1000	3000	1	RMS	1670	-48.05	-13	35.05	Pass	2001
3000	10000	1	RMS	7648	-43.65	-13	30.65	Pass	7001




**9.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.13	-13	58.13	Pass	401
0.15	30	0.01	RMS	0.17	-71.3	-13	58.3	Pass	2986
30	814	0.1	RMS	742.1	-64.98	-13	51.98	Pass	7841
814	860	0.1	RMS	835.2	17.6	60	42.4	Pass	461
860	1000	0.1	RMS	869.9	-64.42	-13	51.42	Pass	1401
1000	3000	1	RMS	1670	-48.87	-13	35.87	Pass	2001
3000	10000	1	RMS	7651	-43.55	-13	30.55	Pass	7001




**9.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.3	-13	57.3	Pass	401
0.15	30	0.01	RMS	0.15	-70.79	-13	57.79	Pass	2986
30	814	0.1	RMS	746.1	-64.96	-13	51.96	Pass	7841
814	860	0.1	RMS	846.2	18.44	60	41.56	Pass	461
860	1000	0.1	RMS	871.5	-64.59	-13	51.59	Pass	1401
1000	3000	1	RMS	1692	-48.79	-13	35.79	Pass	2001
3000	10000	1	RMS	7644	-43.65	-13	30.65	Pass	7001




**9.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.38	-13	58.38	Pass	401
0.15	30	0.01	RMS	0.16	-71.26	-13	58.26	Pass	2986
30	814	0.1	RMS	737.6	-64.94	-13	51.94	Pass	7841
814	860	0.1	RMS	846.2	17.4	60	42.6	Pass	461
860	1000	0.1	RMS	880.5	-64.63	-13	51.63	Pass	1401
1000	3000	1	RMS	1692	-49.58	-13	36.58	Pass	2001
3000	10000	1	RMS	7500	-43.58	-13	30.58	Pass	7001




**9.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.66	-13	57.66	Pass	401
0.15	30	0.01	RMS	0.15	-71.38	-13	58.38	Pass	2986
30	814	0.1	RMS	813.9	-64.58	-13	51.58	Pass	7841
814	860	0.1	RMS	824.3	18.35	60	41.65	Pass	461
860	1000	0.1	RMS	870.5	-64.49	-13	51.49	Pass	1401
1000	3000	1	RMS	1648	-49.15	-13	36.15	Pass	2001
3000	10000	1	RMS	7646	-43.61	-13	30.61	Pass	7001




**9.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.75	-13	58.75	Pass	401
0.15	30	0.01	RMS	0.21	-71.98	-13	58.98	Pass	2986
30	814	0.1	RMS	813.2	-64.78	-13	51.78	Pass	7841
814	860	0.1	RMS	824.3	17.41	60	42.59	Pass	461
860	1000	0.1	RMS	870.5	-64.37	-13	51.37	Pass	1401
1000	3000	1	RMS	1648	-49.75	-13	36.75	Pass	2001
3000	10000	1	RMS	7499	-43.65	-13	30.65	Pass	7001




**9.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.42	-13	58.42	Pass	401
0.15	30	0.01	RMS	0.18	-71.68	-13	58.68	Pass	2986
30	814	0.1	RMS	751.5	-64.95	-13	51.95	Pass	7841
814	860	0.1	RMS	834.3	18.56	60	41.44	Pass	461
860	1000	0.1	RMS	870.8	-64.47	-13	51.47	Pass	1401
1000	3000	1	RMS	1668	-48.12	-13	35.12	Pass	2001
3000	10000	1	RMS	7647	-43.66	-13	30.66	Pass	7001




**9.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.92	-13	56.92	Pass	401
0.15	30	0.01	RMS	0.16	-71.67	-13	58.67	Pass	2986
30	814	0.1	RMS	747.9	-64.92	-13	51.92	Pass	7841
814	860	0.1	RMS	834.3	17.74	60	42.26	Pass	461
860	1000	0.1	RMS	997.1	-64.5	-13	51.5	Pass	1401
1000	3000	1	RMS	1668	-48.93	-13	35.93	Pass	2001
3000	10000	1	RMS	7652	-43.53	-13	30.53	Pass	7001




**9.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.71	-13	58.71	Pass	401
0.15	30	0.01	RMS	0.17	-71.67	-13	58.67	Pass	2986
30	814	0.1	RMS	740	-64.97	-13	51.97	Pass	7841
814	860	0.1	RMS	844.3	17.97	60	42.03	Pass	461
860	1000	0.1	RMS	875.5	-64.57	-13	51.57	Pass	1401
1000	3000	1	RMS	1688	-49.51	-13	36.51	Pass	2001
3000	10000	1	RMS	7645	-43.63	-13	30.63	Pass	7001




**9.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.36	-13	58.36	Pass	401
0.15	30	0.01	RMS	0.15	-71.24	-13	58.24	Pass	2986
30	814	0.1	RMS	740.2	-64.8	-13	51.8	Pass	7841
814	860	0.1	RMS	844.3	17.15	60	42.85	Pass	461
860	1000	0.1	RMS	872.3	-64.59	-13	51.59	Pass	1401
1000	3000	1	RMS	2874	-50.12	-13	37.12	Pass	2001
3000	10000	1	RMS	7639	-43.66	-13	30.66	Pass	7001




**9.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.46	-13	57.46	Pass	401
0.15	30	0.01	RMS	0.19	-71.33	-13	58.33	Pass	2986
30	814	0.1	RMS	813.9	-64.56	-13	51.56	Pass	7841
814	860	0.1	RMS	824.6	18.89	60	41.11	Pass	461
860	1000	0.1	RMS	869.9	-64.52	-13	51.52	Pass	1401
1000	3000	1	RMS	1649	-49.32	-13	36.32	Pass	2001
3000	10000	1	RMS	7650	-43.61	-13	30.61	Pass	7001




**9.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.56	-13	58.56	Pass	401
0.15	30	0.01	RMS	0.16	-71.53	-13	58.53	Pass	2986
30	814	0.1	RMS	811.6	-64.79	-13	51.79	Pass	7841
814	860	0.1	RMS	824.6	17.96	60	42.04	Pass	461
860	1000	0.1	RMS	870	-64.44	-13	51.44	Pass	1401
1000	3000	1	RMS	1649	-49.91	-13	36.91	Pass	2001
3000	10000	1	RMS	7649	-43.62	-13	30.62	Pass	7001




**9.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.16	-13	59.16	Pass	401
0.15	30	0.01	RMS	0.17	-71.24	-13	58.24	Pass	2986
30	814	0.1	RMS	725.6	-65.02	-13	52.02	Pass	7841
814	860	0.1	RMS	832.1	19.15	60	40.85	Pass	461
860	1000	0.1	RMS	893.9	-64.47	-13	51.47	Pass	1401
1000	3000	1	RMS	1664	-48.78	-13	35.78	Pass	2001
3000	10000	1	RMS	7649	-43.62	-13	30.62	Pass	7001




**9.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.96	-13	57.96	Pass	401
0.15	30	0.01	RMS	0.18	-71.76	-13	58.76	Pass	2986
30	814	0.1	RMS	739	-64.96	-13	51.96	Pass	7841
814	860	0.1	RMS	832.1	18.03	60	41.97	Pass	461
860	1000	0.1	RMS	872.4	-64.6	-13	51.6	Pass	1401
1000	3000	1	RMS	1664	-49.67	-13	36.67	Pass	2001
3000	10000	1	RMS	7641	-43.59	-13	30.59	Pass	7001




**9.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.12	-13	57.12	Pass	401
0.15	30	0.01	RMS	0.15	-71.31	-13	58.31	Pass	2986
30	814	0.1	RMS	744.7	-64.91	-13	51.91	Pass	7841
814	860	0.1	RMS	839.6	18.94	60	41.06	Pass	461
860	1000	0.1	RMS	887	-64.43	-13	51.43	Pass	1401
1000	3000	1	RMS	1679	-49.28	-13	36.28	Pass	2001
3000	10000	1	RMS	7651	-43.62	-13	30.62	Pass	7001




**9.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.6	-13	59.6	Pass	401
0.15	30	0.01	RMS	0.15	-71.22	-13	58.22	Pass	2986
30	814	0.1	RMS	811.6	-64.9	-13	51.9	Pass	7841
814	860	0.1	RMS	839.6	18.14	60	41.86	Pass	461
860	1000	0.1	RMS	870.1	-64.52	-13	51.52	Pass	1401
1000	3000	1	RMS	1679	-50	-13	37	Pass	2001
3000	10000	1	RMS	7501	-43.66	-13	30.66	Pass	7001




**9.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.89	-13	58.89	Pass	401
0.15	30	0.01	RMS	0.19	-71.89	-13	58.89	Pass	2986
30	814	0.1	RMS	811.5	-52.63	-13	39.63	Pass	7841
814	860	0.1	RMS	824.8	18.18	60	41.82	Pass	461
860	1000	0.1	RMS	881.6	-64.58	-13	51.58	Pass	1401
1000	3000	1	RMS	1649	-49.56	-13	36.56	Pass	2001
3000	10000	1	RMS	7648	-43.58	-13	30.58	Pass	7001




**9.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.74	-13	57.74	Pass	401
0.15	30	0.01	RMS	0.18	-71.55	-13	58.55	Pass	2986
30	814	0.1	RMS	811.5	-51.73	-13	38.73	Pass	7841
814	860	0.1	RMS	824.8	17.33	60	42.67	Pass	461
860	1000	0.1	RMS	869.8	-64.48	-13	51.48	Pass	1401
1000	3000	1	RMS	1649	-49.99	-13	36.99	Pass	2001
3000	10000	1	RMS	7652	-43.65	-13	30.65	Pass	7001




**9.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.62	-13	57.62	Pass	401
0.15	30	0.01	RMS	0.18	-71.91	-13	58.91	Pass	2986
30	814	0.1	RMS	812.8	-64.65	-13	51.65	Pass	7841
814	860	0.1	RMS	829.8	18.22	60	41.78	Pass	461
860	1000	0.1	RMS	877.1	-64.44	-13	51.44	Pass	1401
1000	3000	1	RMS	1659	-49.34	-13	36.34	Pass	2001
3000	10000	1	RMS	7650	-43.65	-13	30.65	Pass	7001




**9.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.56	-13	58.56	Pass	401
0.15	30	0.01	RMS	0.23	-72.07	-13	59.07	Pass	2986
30	814	0.1	RMS	743.6	-64.92	-13	51.92	Pass	7841
814	860	0.1	RMS	829.8	17.18	60	42.82	Pass	461
860	1000	0.1	RMS	882	-64.49	-13	51.49	Pass	1401
1000	3000	1	RMS	2871	-50.07	-13	37.07	Pass	2001
3000	10000	1	RMS	7648	-43.61	-13	30.61	Pass	7001




**9.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.48	-13	58.48	Pass	401
0.15	30	0.01	RMS	0.15	-71	-13	58	Pass	2986
30	814	0.1	RMS	739.2	-64.99	-13	51.99	Pass	7841
814	860	0.1	RMS	834.8	18.21	60	41.79	Pass	461
860	1000	0.1	RMS	882.3	-64.52	-13	51.52	Pass	1401
1000	3000	1	RMS	1669	-47.98	-13	34.98	Pass	2001
3000	10000	1	RMS	7649	-43.63	-13	30.63	Pass	7001



**9.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.36	-13	58.36	Pass	401
0.15	30	0.01	RMS	0.16	-71.32	-13	58.32	Pass	2986
30	814	0.1	RMS	716.3	-64.84	-13	51.84	Pass	7841
814	860	0.1	RMS	834.8	17.39	60	42.61	Pass	461
860	1000	0.1	RMS	871.1	-64.5	-13	51.5	Pass	1401
1000	3000	1	RMS	1669	-48.64	-13	35.64	Pass	2001
3000	10000	1	RMS	7646	-43.63	-13	30.63	Pass	7001



10. LTE_Band26(part90)


10.1. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-63.7	-13	50.7	Pass	401
0.15	30	0.01	Peak	0.17	-63.14	-13	50.14	Pass	2986
30	809	0.1	Peak	739.7	-53.86	-13	40.86	Pass	7791
809	829	0.1	Peak	814.2	23.5	60	36.5	Pass	401
829	1000	0.1	Peak	883.3	-53.15	-13	40.15	Pass	1711
1000	3000	1	Peak	2994	-38.39	-13	25.39	Pass	2001
3000	10000	1	Peak	7933	-31.71	-13	18.71	Pass	7001




10.2. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-61.38	-13	48.38	Pass	401
0.15	30	0.01	Peak	0.27	-63.17	-13	50.17	Pass	2986
30	809	0.1	Peak	720.8	-54.02	-13	41.02	Pass	7791
809	829	0.1	Peak	814.3	24.33	60	35.67	Pass	401
829	1000	0.1	Peak	876.3	-53.6	-13	40.6	Pass	1711
1000	3000	1	Peak	1628	-37.49	-13	24.49	Pass	2001
3000	10000	1	Peak	7077	-31.9	-13	18.9	Pass	7001




10.3. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.59	-13	52.59	Pass	401
0.15	30	0.01	Peak	0.15	-63.99	-13	50.99	Pass	2986
30	809	0.1	Peak	739.6	-53.72	-13	40.72	Pass	7791
809	829	0.1	Peak	818.55	24.73	60	35.27	Pass	401
829	1000	0.1	Peak	951.8	-53.74	-13	40.74	Pass	1711
1000	3000	1	Peak	1637	-34.99	-13	21.99	Pass	2001
3000	10000	1	Peak	7046	-32.36	-13	19.36	Pass	7001




10.4. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.31	-13	52.31	Pass	401
0.15	30	0.01	Peak	0.2	-64.05	-13	51.05	Pass	2986
30	809	0.1	Peak	706.1	-54.22	-13	41.22	Pass	7791
809	829	0.1	Peak	818.6	24.31	60	35.69	Pass	401
829	1000	0.1	Peak	890.7	-53.15	-13	40.15	Pass	1711
1000	3000	1	Peak	1637	-37.31	-13	24.31	Pass	2001
3000	10000	1	Peak	6966	-32.49	-13	19.49	Pass	7001




10.5. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-63.5	-13	50.5	Pass	401
0.15	30	0.01	Peak	0.21	-62.84	-13	49.84	Pass	2986
30	809	0.1	Peak	730.9	-53.52	-13	40.52	Pass	7791
809	829	0.1	Peak	822.8	24.35	60	35.65	Pass	401
829	1000	0.1	Peak	829	-50.49	-13	37.49	Pass	1711
1000	3000	1	Peak	1646	-37.52	-13	24.52	Pass	2001
3000	10000	1	Peak	6803	-31.82	-13	18.82	Pass	7001




10.6. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-64.59	-13	51.59	Pass	401
0.15	30	0.01	Peak	0.15	-63.71	-13	50.71	Pass	2986
30	809	0.1	Peak	461.1	-54.23	-13	41.23	Pass	7791
809	829	0.1	Peak	822.85	24.81	60	35.19	Pass	401
829	1000	0.1	Peak	829.1	-50.9	-13	37.9	Pass	1711
1000	3000	1	Peak	1646	-36.83	-13	23.83	Pass	2001
3000	10000	1	Peak	7769	-32.22	-13	19.22	Pass	7001




10.7. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:7, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-63.87	-13	50.87	Pass	401
0.15	30	0.01	Peak	0.23	-63.84	-13	50.84	Pass	2986
30	809	0.1	Peak	774.1	-53.96	-13	40.96	Pass	7791
809	829	0.1	Peak	814.25	23.96	60	36.04	Pass	401
829	1000	0.1	Peak	836.1	-53.55	-13	40.55	Pass	1711
1000	3000	1	Peak	1628	-38.54	-13	25.54	Pass	2001
3000	10000	1	Peak	7410	-31.93	-13	18.93	Pass	7001




10.8. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:8, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-63.66	-13	50.66	Pass	401
0.15	30	0.01	Peak	0.17	-64.09	-13	51.09	Pass	2986
30	809	0.1	Peak	692.1	-53.52	-13	40.52	Pass	7791
809	829	0.1	Peak	814.25	23.7	60	36.3	Pass	401
829	1000	0.1	Peak	831.7	-54.04	-13	41.04	Pass	1711
1000	3000	1	Peak	1628	-38.17	-13	25.17	Pass	2001
3000	10000	1	Peak	6912	-32	-13	19	Pass	7001




10.9. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:9, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-62.14	-13	49.14	Pass	401
0.15	30	0.01	Peak	0.15	-62.55	-13	49.55	Pass	2986
30	809	0.1	Peak	751.5	-53.18	-13	40.18	Pass	7791
809	829	0.1	Peak	817.7	23.96	60	36.04	Pass	401
829	1000	0.1	Peak	901.1	-53.38	-13	40.38	Pass	1711
1000	3000	1	Peak	1635	-37.84	-13	24.84	Pass	2001
3000	10000	1	Peak	7846	-31.96	-13	18.96	Pass	7001




10.10. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:10, Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-64.2	-13	51.2	Pass	401
0.15	30	0.01	Peak	0.21	-63.16	-13	50.16	Pass	2986
30	809	0.1	Peak	381.7	-53.75	-13	40.75	Pass	7791
809	829	0.1	Peak	817.75	23.92	60	36.08	Pass	401
829	1000	0.1	Peak	884.8	-53.63	-13	40.63	Pass	1711
1000	3000	1	Peak	1636	-37.81	-13	24.81	Pass	2001
3000	10000	1	Peak	7631	-32.3	-13	19.3	Pass	7001




10.11. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-63.94	-13	50.94	Pass	401
0.15	30	0.01	Peak	0.3	-63.79	-13	50.79	Pass	2986
30	809	0.1	Peak	735.6	-54.4	-13	41.4	Pass	7791
809	829	0.1	Peak	821.2	24.02	60	35.98	Pass	401
829	1000	0.1	Peak	829.3	-52.32	-13	39.32	Pass	1711
1000	3000	1	Peak	1643	-37.85	-13	24.85	Pass	2001
3000	10000	1	Peak	7182	-32.39	-13	19.39	Pass	7001




10.12. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:12, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-64.55	-13	51.55	Pass	401
0.15	30	0.01	Peak	0.16	-63.5	-13	50.5	Pass	2986
30	809	0.1	Peak	731.2	-53.67	-13	40.67	Pass	7791
809	829	0.1	Peak	821.25	24.35	60	35.65	Pass	401
829	1000	0.1	Peak	829.3	-53.03	-13	40.03	Pass	1711
1000	3000	1	Peak	1642	-36.42	-13	23.42	Pass	2001
3000	10000	1	Peak	7192	-32.07	-13	19.07	Pass	7001




10.13. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:13, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-64.03	-13	51.03	Pass	401
0.15	30	0.01	Peak	0.15	-63.06	-13	50.06	Pass	2986
30	809	0.1	Peak	759.6	-53.86	-13	40.86	Pass	7791
809	829	0.1	Peak	814.3	23.25	60	36.75	Pass	401
829	1000	0.1	Peak	848.3	-53.48	-13	40.48	Pass	1711
1000	3000	1	Peak	1629	-37.29	-13	24.29	Pass	2001
3000	10000	1	Peak	7537	-32.4	-13	19.4	Pass	7001




10.14. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:14, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.57	-13	52.57	Pass	401
0.15	30	0.01	Peak	0.29	-63.7	-13	50.7	Pass	2986
30	809	0.1	Peak	763.2	-53.86	-13	40.86	Pass	7791
809	829	0.1	Peak	814.35	23.83	60	36.17	Pass	401
829	1000	0.1	Peak	921.8	-53.98	-13	40.98	Pass	1711
1000	3000	1	Peak	1628	-37.69	-13	24.69	Pass	2001
3000	10000	1	Peak	7068	-31.81	-13	18.81	Pass	7001




10.15. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:15, Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-64.7	-13	51.7	Pass	401
0.15	30	0.01	Peak	0.18	-63.44	-13	50.44	Pass	2986
30	809	0.1	Peak	758.5	-53.85	-13	40.85	Pass	7791
809	829	0.1	Peak	816.85	24.17	60	35.83	Pass	401
829	1000	0.1	Peak	867.7	-53.4	-13	40.4	Pass	1711
1000	3000	1	Peak	1634	-37.41	-13	24.41	Pass	2001
3000	10000	1	Peak	7793	-32.5	-13	19.5	Pass	7001




10.16. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:16, Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-64.22	-13	51.22	Pass	401
0.15	30	0.01	Peak	0.18	-64.16	-13	51.16	Pass	2986
30	809	0.1	Peak	721.5	-53.47	-13	40.47	Pass	7791
809	829	0.1	Peak	816.85	24.27	60	35.73	Pass	401
829	1000	0.1	Peak	863	-53.55	-13	40.55	Pass	1711
1000	3000	1	Peak	1634	-38.2	-13	25.2	Pass	2001
3000	10000	1	Peak	7645	-31.93	-13	18.93	Pass	7001




10.17. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:17, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-63.85	-13	50.85	Pass	401
0.15	30	0.01	Peak	0.26	-64.86	-13	51.86	Pass	2986
30	809	0.1	Peak	778.6	-54.03	-13	41.03	Pass	7791
809	829	0.1	Peak	819.35	24.11	60	35.89	Pass	401
829	1000	0.1	Peak	829.9	-53.55	-13	40.55	Pass	1711
1000	3000	1	Peak	1638	-36.38	-13	23.38	Pass	2001
3000	10000	1	Peak	7583	-32.33	-13	19.33	Pass	7001




10.18. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:18, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-63.29	-13	50.29	Pass	401
0.15	30	0.01	Peak	0.19	-63.79	-13	50.79	Pass	2986
30	809	0.1	Peak	724	-54.41	-13	41.41	Pass	7791
809	829	0.1	Peak	819.4	24.54	60	35.46	Pass	401
829	1000	0.1	Peak	829.9	-53.44	-13	40.44	Pass	1711
1000	3000	1	Peak	1638	-36.94	-13	23.94	Pass	2001
3000	10000	1	Peak	7950	-32.6	-13	19.6	Pass	7001




10.19. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:19, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-64	-13	51	Pass	401
0.15	30	0.01	Peak	0.17	-63.49	-13	50.49	Pass	2986
30	809	0.1	Peak	780.1	-52.93	-13	39.93	Pass	7791
809	829	0.1	Peak	814.55	24.5	60	35.5	Pass	401
829	1000	0.1	Peak	832.3	-40.78	-13	27.78	Pass	1711
1000	3000	1	Peak	1629	-36.87	-13	23.87	Pass	2001
3000	10000	1	Peak	6814	-32.23	-13	19.23	Pass	7001



10.20. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:20, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-64.68	-13	51.68	Pass	401
0.15	30	0.01	Peak	0.25	-64.47	-13	51.47	Pass	2986
30	809	0.1	Peak	760.6	-53.89	-13	40.89	Pass	7791
809	829	0.1	Peak	814.6	24.26	60	35.74	Pass	401
829	1000	0.1	Peak	832.2	-40.04	-13	27.04	Pass	1711
1000	3000	1	Peak	1629	-36.25	-13	23.25	Pass	2001
3000	10000	1	Peak	7512	-31.61	-13	18.61	Pass	7001



--BLANK BELOW--