




# APPROVAL SHEET

## 承认书

CUSTOMER NAME 客户名称		
CUSTOMER P/N 客户料号		
PART NAME 品 名	2.4G/5.8G Antenna L=210MM	
P/ N 料 号	YJC-6C210-B10	
APPROVAL REV. 版 次	A1	
DELIVERY DATE 送样日期		
PREPARED BY 承 办		
CHECKED BY 审 核		
APPROVED BY 核 准		
Customer Approved 客 户 承 认		
Prepared By 承 办	Checked By 审 核	Approved By 核 准


Add: Building A.C, Hongyu Guangming Valley, No. 11, Shiwei Community, Ma Tian Ban, Guangming District, Shenzhen




## 2D、3D(2.4G/5.8G):

Frequency (MHz)	Efficiency (%)	Gain. (dBi)
2400MHz	65.46	4.72
2410MHz	67.92	4.87
2420MHz	71.61	4.83
2430MHz	70.31	4.7
2440MHz	71.12	4.58
2450MHz	75.16	4.74
2460MHz	74.82	4.71
2470MHz	72.61	4.5
2480MHz	74.13	4.47
2490MHz	75.51	4.61
2500MHz	72.44	4.33
5150MHz	69.98	5.42
5250MHz	68.39	5.28
5350MHz	61.8	5.29
5450MHz	62.52	5.04
5550MHz	60.81	5.07
5650MHz	63.53	5.22
5750MHz	64.27	4.54
5850MHz	68.87	5.31


Phi 0 2D :



Phi 90 2D




Theta 90







3D 2400:




3D 2450:



3D 2500:




3D 5150:







3D 5550:



3D 5850:




REV	DATE	DESCRIPTION	MWE
A0	2022-07-09	新版发行	吴佳雄
A1	2022-07-14	更新数据资料	吴佳雄



频率范围(Frequency Range)	2400-2500/5150-5850MHz
增益 (Gain)	5.0dBi
电压驻波比(VSWR)	<1.92
极化 (Polarization)	Linear. Vertical
最大功率(Max power rating)	50W
特性阻抗 (Impedance)	50Ω

- 要求:
1. 成品须 100%全检OK.
  2. 成品采用环保制程.
  3. 符合ROHS要求.
  4. 未注公差请以一般公差为准.
  5. \*为重点标注尺寸.



物料名称 (PART NAME) 品名/物料	规格 (LIMIT)	比例 (SCALE)	版本 (REV)
产品名称 (PRODUCT NAME) 2.4G/5.8G 黑色一体天线	产品规格 (PRODUCT SPECIFICATION)		图号 (NO.)
设计: 吴佳雄	设计: 吴佳雄	第1页, 共1页	YJC-6C210-B10
审核: 方文峰	审核: 方文峰		日期/日期 (ORIGINAL DATE) 2022-07-14
深圳市英佳创电子科技有限公司 SHENZHEN YINGJIAKUANG TECHNOLOGY ELECTRONIC CO.,LTD			

RoHS

