


Test Result of Number of Hopping Frequency


Frequency Range	Measured Quantity of Hopping Channel	Limit	Result
2400 to 2483.5 MHz	79	≥15	Pass



Test Result of Dwell Time


GFSK

Data Mode	Number of transfer in a 31.6 (79Hopping*0.4s)	Package transfer time (msec)	Dwell time (s)	Limit (s)	Result
1DH5	17 (times / 5 sec) * 6.32 = 107.44 times	2.93	0.3147992	0.4	Pass



8DPSK

Data Mode	Number of transfer in a 31.6 (79Hopping*0.4s)	Package transfer time (msec)	Dwell time (s)	Limit (s)	Result
3DH5	17 (times / 5 sec) * 6.32 = 107.44 times	2.93	0.3147992	0.4	Pass




Appendix B: Test Results of Radiated Spurious Emissions & Mains

Conducted Emission Test

<EUT Standalone>

Band Edges, 2.31GHz ~ 2.9GHz





GFSK

Low Channel (Horizontal) Average

Low Channel (Vertical) Average

TÜVRheinland
TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

TÜVRheinland
TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2379.15	41.24	4.15	37.09	54.00	-12.76	312	202	Average	Horizontal	
2 *	2402.00	98.02	60.90	37.12	54.00	44.02	312	202	Average	Horizontal	
3	2828.73	42.41	4.88	37.53	54.00	-11.59	312	202	Average	Horizontal	

Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2374.78	41.32	4.24	37.08	54.00	-12.68	279	155	Average	Vertical	
2 *	2402.00	98.06	59.86	37.12	54.00	42.98	279	155	Average	Vertical	
3	2898.58	43.14	5.18	37.96	54.00	-10.86	279	155	Average	Vertical	


GFSK

Middle Channel (Horizontal) Peak

Middle Channel (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2348.11	53.79	16.74	37.05	74.00	-20.21	240	205	Peak	Horizontal	
2 *	2441.00	97.96	60.56	37.40	74.00	23.96	240	205	Peak	Horizontal	
3	2852.09	55.21	17.48	37.73	74.00	-18.79	240	205	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2361.00	53.54	16.47	37.07	74.00	-20.46	100	200	Peak	Vertical	
2 *	2441.00	94.85	57.48	37.40	74.00	20.88	100	200	Peak	Vertical	
3	2578.33	55.68	18.21	37.47	74.00	-18.32	100	200	Peak	Vertical	


GFSK

Middle Channel (Horizontal) Average

Middle Channel (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2384.18	41.18	4.89	37.89	54.00	-12.82	240	205 Average	Horizontal
2 *	2441.00	97.77	68.37	37.40	54.00	43.77	240	205 Average	Horizontal
3	2842.18	42.53	4.88	37.65	54.00	-11.47	240	205 Average	Horizontal



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2372.07	41.16	4.88	37.08	54.00	-12.84	100	200 Average	Vertical
2 *	2441.00	94.68	57.28	37.40	54.00	40.68	100	200 Average	Vertical
3	2636.39	42.47	5.16	37.31	54.00	-11.53	100	200 Average	Vertical


GFSK

High Channel (Horizontal) Peak

High Channel (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dB/m	dBuV/m	dB	cm	deg			
1	2387.76	52.97	15.87	37.10	74.00	-21.03	100		71 Peak	Horizontal	
2 *	2489.00	97.18	59.70	37.48	74.00	23.18	100		71 Peak	Horizontal	
3	2891.98	55.18	17.25	37.93	74.00	-18.82	100		71 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dB/m	dBuV/m	dB	cm	deg			
1	2377.02	53.67	16.58	37.09	74.00	-20.33	100		175 Peak	Vertical	
2 *	2489.00	96.45	58.97	37.48	74.00	22.45	100		175 Peak	Vertical	
3	2897.64	55.05	17.09	37.96	74.00	-18.95	100		175 Peak	Vertical	


GFSK

High Channel (Horizontal) Average

High Channel (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2355.08	41.26	4.19	37.07	54.00	-12.74	100	71 Average	Horizontal	
2 *	2480.00	96.98	59.59	37.48	54.00	42.98	100	71 Average	Horizontal	
3	2840.41	42.47	4.84	37.63	54.00	-11.53	100	71 Average	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





Freq	Level	Read	Level	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2379.03	41.16	4.07	37.09	54.00	-12.84	100	175 Average	Vertical	
2 *	2480.00	96.25	58.77	37.48	54.00	42.25	100	175 Average	Vertical	
3	2880.18	42.38	4.51	37.87	54.00	-11.62	100	175 Average	Vertical	

8DPSK

Low Channel (Horizontal) Peak

Low Channel (Vertical) Peak



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dB/m	dBuV/m	dB	cm	deg			
1	2383.04	54.58	17.49	37.09	74.00	-19.42	314	202	Peak	Horizontal	
2 *	2402.00	100.71	63.59	37.12	74.00	26.71	314	202	Peak	Horizontal	
3	2787.31	55.59	18.28	37.31	74.00	-18.41	314	202	Peak	Horizontal	

Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dB/m	dBuV/m	dB	cm	deg			
1	2374.31	53.77	16.69	37.08	74.00	-20.23	282	152	Peak	Vertical	
2 *	2402.00	98.97	61.85	37.12	74.00	24.97	282	152	Peak	Vertical	
3	2630.13	54.91	17.57	37.34	74.00	-19.09	282	152	Peak	Vertical	


8DPSK

Low Channel (Horizontal) Average

Low Channel (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2378.09	41.99	4.99	37.09	54.00	-12.01	314	202	Average	Horizontal	
2 *	2402.00	96.62	59.58	37.12	54.00	42.62	314	202	Average	Horizontal	
3	2885.60	42.50	4.61	37.89	54.00	-11.50	314	202	Average	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2388.71	41.57	4.47	37.10	54.00	-12.43	282	152	Average	Vertical	
2 *	2402.00	95.04	57.92	37.12	54.00	41.04	282	152	Average	Vertical	
3	2877.23	43.64	5.78	37.86	54.00	-10.36	282	152	Average	Vertical	


8DPSK

Middle Channel (Horizontal) Peak

Middle Channel (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2369.15	54.52	17.45	37.07	74.00	-19.48	303	204	Peak	Horizontal	
2 *	2441.00	100.41	63.81	37.40	74.00	26.41	303	204	Peak	Horizontal	
3	2867.31	55.44	17.63	37.81	74.00	-18.56	303	204	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2345.99	53.34	16.30	37.04	74.00	-20.66	118	205	Peak	Vertical	
2 *	2441.00	97.97	60.57	37.40	74.00	23.97	118	205	Peak	Vertical	
3	2495.26	54.78	17.28	37.50	74.00	-19.22	118	205	Peak	Vertical	


8DPSK

Middle Channel (Horizontal) Average

Middle Channel (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2379.86	41.25	4.16	37.09	54.00	-12.75	303	204 Average	Horizontal
2 *	2441.00	96.31	56.91	37.40	54.00	42.31	303	204 Average	Horizontal
3	2855.63	42.41	4.66	37.75	54.00	-11.59	303	204 Average	Horizontal



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2390.00	41.22	4.12	37.10	54.00	-12.70	118	205 Average	Vertical
2 *	2441.00	94.03	56.63	37.40	54.00	40.03	118	205 Average	Vertical
3	2829.20	42.39	4.86	37.53	54.00	-11.61	118	205 Average	Vertical


8DPSK

High Channel (Horizontal) Peak

High Channel (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2351.18	54.47	17.41	37.06	74.00	-19.53	125	69	Peak	Horizontal	
2 *	2489.00	99.22	61.74	37.48	74.00	25.22	125	69	Peak	Horizontal	
3	2495.97	55.70	18.20	37.50	74.00	-18.30	125	69	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2343.28	53.91	16.89	37.02	74.00	-20.89	336	171	Peak	Vertical	
2 *	2489.00	99.61	62.13	37.48	74.00	25.61	336	171	Peak	Vertical	
3	2843.71	55.79	18.12	37.67	74.00	-18.21	336	171	Peak	Vertical	


8DPSK

High Channel (Horizontal) Average

High Channel (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2368.06	41.26	4.18	37.08	54.00	-12.74	125	69 Average	Horizontal	
2 *	2489.00	95.18	57.79	37.48	54.00	41.18	125	69 Average	Horizontal	
3	2498.56	42.93	5.43	37.50	54.00	-11.07	125	69 Average	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2373.01	41.15	4.07	37.08	54.00	-12.85	336	171 Average	Vertical	
2 *	2489.00	95.63	58.15	37.48	54.00	41.63	336	171 Average	Vertical	
3	2831.09	43.18	5.63	37.55	54.00	-10.82	336	171 Average	Vertical	

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


8DPSK

Low Channel(Open) 9kHz~150kHz

Low Channel(Open) 150kHz~30MHz




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	PoI/Phase	Note
1	0.03	56.37	37.42	18.95	119.13	-62.76	100	88	Peak	Open	
2	0.06	40.69	21.84	18.85	111.82	-71.13	100	291	Peak	Open	
3	0.07	43.45	24.73	18.72	111.12	-67.67	100	152	Peak	Open	
4	0.11	30.60	12.63	17.97	106.73	-76.13	100	126	Peak	Open	
5	0.13	35.23	17.19	18.04	105.51	-70.28	100	90	Peak	Open	
6	0.14	33.97	15.90	18.07	104.96	-70.99	100	35	Peak	Open	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	PoI/Phase	Note
1	0.15	50.48	32.27	18.13	104.88	-53.68	100	72	Peak	Open	
2	0.31	40.89	21.10	18.99	69.47	-29.38	100	147	Peak	Open	
3	4.30	32.25	12.71	19.54	69.50	-37.25	100	306	Peak	Open	
4	11.16	34.69	13.95	21.64	69.50	-34.81	100	358	Peak	Open	
5	15.61	34.17	12.23	21.94	69.50	-35.33	100	300	Peak	Open	
6	23.13	36.28	14.81	22.27	69.50	-33.22	100	293	Peak	Open	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


8DPSK

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fongfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	43.58	22.05	30.12	-7.27	40.00	-17.15	302	11	Peak	Horizontal	
2	134.76	39.60	47.65	-8.05	43.50	-3.90	200	183	Peak	Horizontal	
3	239.52	32.73	41.04	-8.31	46.00	-13.27	100	61	Peak	Horizontal	
4	312.27	33.71	40.23	-6.52	46.00	-13.29	100	138	Peak	Horizontal	
5	520.58	30.64	32.78	-2.14	46.00	-15.36	200	257	Peak	Horizontal	
6	811.82	34.83	32.06	2.77	46.00	-11.17	100	56	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fongfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	33.88	24.67	33.28	-8.61	40.00	-15.33	100	131	Peak	Vertical	
2	140.58	31.68	39.33	-7.65	43.50	-11.82	200	335	Peak	Vertical	
3	239.52	28.38	36.69	-8.31	46.00	-17.62	200	158	Peak	Vertical	
4	504.33	27.82	30.71	-2.89	46.00	-18.18	104	360	Peak	Vertical	
5	527.61	29.31	31.43	-2.12	46.00	-16.69	100	189	Peak	Vertical	
6	838.98	33.12	29.82	3.30	46.00	-12.88	200	278	Peak	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


GFSK

Low Channel (Horizontal)

Low Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note								
1	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg												
1	4894.00	36.96	47.35	-10.40	54.00	-17.04	125	189	Average	Horizontal									
2	4894.00	42.65	53.05	-10.40	74.00	-31.35	125	189	Peak	Horizontal									



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note								
1	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg												
1	4894.00	36.41	46.81	-10.40	54.00	-17.59	100	192	Average	Vertical									
2	4894.00	41.20	51.60	-10.40	74.00	-32.80	100	192	Peak	Vertical									


GFSK

Middle Channel (Horizontal)

Middle Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
Limit	Over	APos	TPos	Remark	Pol/Phase	Note														
75																				
55																				
4882.00	40.19	50.53	-10.34	74.00	-33.81	300	335	Average	Horizontal											
4882.00	40.19	50.53	-10.34	74.00	-33.81	300	335	Peak	Horizontal											



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
Limit	Over	APos	TPos	Remark	Pol/Phase	Note														
75																				
55																				
4882.00	40.14	50.48	-10.34	74.00	-33.86	400	76	Average	Vertical											
4882.00	40.14	50.48	-10.34	74.00	-33.86	400	76	Peak	Vertical											


GFSK

High Channel (Horizontal)

High Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4969.00	34.08	44.30	-10.22	54.00	-19.92	200	164 Average	Horizontal	
2	4969.00	39.63	49.85	-10.22	74.00	-34.37	200	164 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4969.00	31.84	42.06	-10.22	54.00	-22.16	200	32 Average	Vertical	
2	4969.00	39.58	49.89	-10.22	74.00	-34.42	200	32 Peak	Vertical	


8DPSK

Low Channel (Horizontal)

Low Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit	cm	deg			
Factor							
dB/m							
45.23		-19.17	100	197	Average	Horizontal	
53.01		-31.39	100	197	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit	cm	deg			
Factor							
dB/m							
44.97		-19.43	300	143	Average	Vertical	
52.81		-31.59	300	143	Peak	Vertical	


8DPSK

Middle Channel (Horizontal)

Middle Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Line	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4882.00	32.52	42.86	-10.34	54.00	-21.48	300		1 Average	Horizontal	
2	4882.00	43.24	53.58	-10.34	74.00	-30.76	300		1 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Line	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4882.00	34.12	44.46	-10.34	54.00	-19.88	300		131 Average	Vertical	
2	4882.00	43.89	54.23	-10.34	74.00	-30.11	300		131 Peak	Vertical	


8DPSK

High Channel (Horizontal)

High Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	Read Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
4968.00	38.05	48.27	-10.22	54.00	-23.95	100	182	Average	Horizontal	
4968.00	41.72	51.94	-10.22	74.00	-32.28	100	182	Peak	Horizontal	




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	Read Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
4968.00	34.47	44.69	-10.22	54.00	-19.53	300	140	Average	Vertical	
4968.00	44.01	54.23	-10.22	74.00	-29.99	300	140	Peak	Vertical	

<EUT with Charger Box>
Spurious Emissions, Tx Mode, 9kHz ~ 30MHz



Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


EUT with all RF functions

Horizontal

Vertical




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	52.31	24.07	31.79	-6.92	40.00	-15.13	400	32 Peak	Horizontal	
2	60.07	31.26	36.94	-7.68	40.00	-8.74	100	152 Peak	Horizontal	
3	129.91	27.53	36.68	-9.15	43.50	-15.97	200	263 Peak	Horizontal	
4	167.74	24.92	31.92	-7.00	43.50	-18.58	200	287 Peak	Horizontal	
5	492.69	28.36	31.35	-2.99	46.00	-17.64	200	96 Peak	Horizontal	
6	845.77	34.43	30.73	3.70	46.00	-11.57	300	64 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	41.64	29.23	37.00	-7.77	40.00	-10.77	200	232 Peak	Vertical	
2	50.37	30.37	37.27	-6.90	40.00	-9.63	100	184 Peak	Vertical	
3	60.07	36.49	44.17	-7.68	40.00	-3.51	200	36 Peak	Vertical	
4	73.65	26.73	37.51	-10.78	40.00	-13.27	200	223 Peak	Vertical	
5	80.44	24.56	36.79	-12.23	40.00	-15.44	400	105 Peak	Vertical	
6	846.74	34.09	30.39	3.70	46.00	-11.91	100	275 Peak	Vertical	

Mains Conducted Emission, (150kHz ~ 30MHz)

