


Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	810	Band:	1900
Mode:	GSM	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 08:09:44		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	30.2425	-51.89	-63.49	-13.00	50.49	-11.60	RMS	Horizontal
2	58.1785	-59.44	-73.34	-13.00	60.34	-13.90	RMS	Horizontal
3	79.955	-49.07	-72.07	-13.00	59.07	-23.00	RMS	Horizontal
4	99.9855	-50.91	-71.88	-13.00	58.88	-20.97	RMS	Horizontal
5	207.7525	-58.10	-74.03	-13.00	61.03	-15.93	RMS	Horizontal
6	947.62	-62.77	-64.60	-13.00	51.60	-1.83	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	810	Band:	1900
Mode:	GSM	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 08:10:30		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	30.5335	-48.87	-72.16	-13.00	59.16	-23.29	RMS	Vertical
2	85.872	-45.89	-64.30	-13.00	51.30	-18.41	RMS	Vertical
3	109.1035	-56.08	-67.64	-13.00	54.64	-11.56	RMS	Vertical
4	207.122	-54.26	-72.66	-13.00	59.66	-18.40	RMS	Vertical
5	361.2065	-58.49	-71.41	-13.00	58.41	-12.92	RMS	Vertical
6	947.6685	-61.85	-63.54	-13.00	50.54	-1.69	RMS	Vertical

----- The following blanks -----

1G-18GHz

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	128	Band:	850
Mode:	GSM	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 06:54:05		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1314.1	-54.90	-67.72	-13.00	54.72	-12.82	RMS	Horizontal
2	1648	-41.63	-54.41	-13.00	41.41	-12.78	RMS	Horizontal
3	2472.4	-42.22	-52.55	-13.00	39.55	-10.33	RMS	Horizontal
4	3296.8	-51.69	-59.17	-13.00	46.17	-7.48	RMS	Horizontal
5	6709.15	-60.21	-55.26	-13.00	42.26	4.95	RMS	Horizontal
6	9795.7	-63.65	-51.02	-13.00	38.02	12.63	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	128	Band:	850
Mode:	GSM	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 06:54:51		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1301.95	-53.85	-66.40	-13.00	53.40	-12.55	RMS	Vertical
2	1648	-41.05	-54.14	-13.00	41.14	-13.09	RMS	Vertical
3	2472.85	-41.94	-52.51	-13.00	39.51	-10.57	RMS	Vertical
4	3296.8	-52.47	-60.24	-13.00	47.24	-7.77	RMS	Vertical
5	6720.4	-59.41	-55.14	-13.00	42.14	4.27	RMS	Vertical
6	9793	-63.67	-50.94	-13.00	37.94	12.73	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	190	Band:	850
Mode:	GSM	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 06:57:13		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1673.2	-49.35	-62.48	-13.00	49.48	-13.13	RMS	Horizontal
2	2510.2	-40.63	-49.94	-13.00	36.94	-9.31	RMS	Horizontal
3	3345.85	-51.95	-59.18	-13.00	46.18	-7.23	RMS	Horizontal
4	5416.75	-59.09	-58.73	-13.00	45.73	0.36	RMS	Horizontal
5	7193.35	-61.38	-54.82	-13.00	41.82	6.56	RMS	Horizontal
6	8598.25	-63.31	-52.95	-13.00	39.95	10.36	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	190	Band:	850
Mode:	GSM	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 06:57:58		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1673.2	-42.68	-56.20	-13.00	43.20	-13.52	RMS	Vertical
2	2509.75	-45.38	-55.17	-13.00	42.17	-9.79	RMS	Vertical
3	3346.3	-54.06	-61.46	-13.00	48.46	-7.40	RMS	Vertical
4	4753	-58.74	-60.48	-13.00	47.48	-1.74	RMS	Vertical
5	6692.5	-58.58	-54.03	-13.00	41.03	4.55	RMS	Vertical
6	9691.3	-63.63	-50.68	-13.00	37.68	12.95	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	251	Band:	850
Mode:	GSM	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 07:00:05		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1312.3	-55.34	-68.15	-13.00	55.15	-12.81	RMS	Horizontal
2	1697.5	-47.57	-61.07	-13.00	48.07	-13.50	RMS	Horizontal
3	2546.2	-42.02	-50.86	-13.00	37.86	-8.84	RMS	Horizontal
4	3395.35	-52.89	-59.96	-13.00	46.96	-7.07	RMS	Horizontal
5	6701.95	-60.60	-55.43	-13.00	42.43	5.17	RMS	Horizontal
6	9910.9	-64.25	-51.64	-13.00	38.64	12.61	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	251	Band:	850
Mode:	GSM	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 07:00:50		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1195.3	-52.31	-65.84	-13.00	52.84	-13.53	RMS	Vertical
2	1697.5	-43.70	-57.70	-13.00	44.70	-14.00	RMS	Vertical
3	2546.2	-48.22	-57.33	-13.00	44.33	-9.11	RMS	Vertical
4	4225.15	-57.12	-60.67	-13.00	47.67	-3.55	RMS	Vertical
5	6501.25	-60.32	-56.29	-13.00	43.29	4.03	RMS	Vertical
6	9806.95	-63.75	-50.90	-13.00	37.90	12.85	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	512	Band:	1900
Mode:	GSM	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 07:30:31		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1306.2	-55.16	-67.10	-13.00	54.10	-11.94	RMS	Horizontal
2	1824.8	-44.89	-56.23	-13.00	43.23	-11.34	RMS	Horizontal
3	4938.75	-58.31	-58.36	-13.00	45.36	-0.05	RMS	Horizontal
4	7401	-60.74	-52.79	-13.00	39.79	7.95	RMS	Horizontal
5	15769.5	-63.72	-44.27	-13.00	31.27	19.45	RMS	Horizontal
6	17941.5	-64.47	-40.56	-13.00	27.56	23.91	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	512	Band:	1900
Mode:	GSM	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 07:32:00		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1671.1	-48.85	-61.17	-13.00	48.17	-12.32	RMS	Vertical
2	1842.7	-37.31	-48.20	-13.00	35.20	-10.89	RMS	Vertical
3	2446.1	-53.00	-62.22	-13.00	49.22	-9.22	RMS	Vertical
4	3700.5	-54.26	-59.50	-13.00	46.50	-5.24	RMS	Vertical
5	7401	-60.89	-52.79	-13.00	39.79	8.10	RMS	Vertical
6	9435.75	-64.11	-51.00	-13.00	38.00	13.11	RMS	Vertical
7	13906.5	-67.47	-45.08	-13.00	32.08	22.39	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	661	Band:	1900
Mode:	GSM	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 07:26:40		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1339.1	-54.73	-66.91	-13.00	53.91	-12.18	RMS	Horizontal
2	3759.75	-48.64	-54.15	-13.00	41.15	-5.51	RMS	Horizontal
3	5778.75	-59.17	-57.72	-13.00	44.72	1.45	RMS	Horizontal
4	7910.25	-62.62	-53.43	-13.00	40.43	9.19	RMS	Horizontal
5	15779.25	-64.02	-44.48	-13.00	31.48	19.54	RMS	Horizontal
6	17967.75	-65.05	-41.41	-13.00	28.41	23.64	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	661	Band:	1900
Mode:	GSM	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 07:28:09		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1311.8	-54.85	-66.88	-13.00	53.88	-12.03	RMS	Vertical
2	1803.5	-44.70	-56.43	-13.00	43.43	-11.73	RMS	Vertical
3	3759.75	-50.45	-56.12	-13.00	43.12	-5.67	RMS	Vertical
4	7226.25	-61.14	-54.08	-13.00	41.08	7.06	RMS	Vertical
5	9264	-63.52	-50.97	-13.00	37.97	12.55	RMS	Vertical
6	15047.25	-66.27	-44.96	-13.00	31.96	21.31	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	810	Band:	1900
Mode:	GSM	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 07:34:27		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1310.9	-54.78	-66.75	-13.00	53.75	-11.97	RMS	Horizontal
2	1935.3	-46.07	-56.86	-13.00	43.86	-10.79	RMS	Horizontal
3	3819.75	-52.85	-58.18	-13.00	45.18	-5.33	RMS	Horizontal
4	10493.25	-64.91	-49.08	-13.00	36.08	15.83	RMS	Horizontal
5	15754.5	-63.91	-44.59	-13.00	31.59	19.32	RMS	Horizontal
6	17967	-64.99	-41.32	-13.00	28.32	23.67	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	810	Band:	1900
Mode:	GSM	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 07:35:54		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1833.6	-46.95	-58.04	-13.00	45.04	-11.09	RMS	Vertical
2	2423.9	-52.92	-62.02	-13.00	49.02	-9.10	RMS	Vertical
3	3819	-53.36	-58.49	-13.00	45.49	-5.13	RMS	Vertical
4	5093.25	-57.67	-57.84	-13.00	44.84	-0.17	RMS	Vertical
5	8764.5	-62.80	-50.86	-13.00	37.86	11.94	RMS	Vertical
6	14700.75	-66.57	-44.84	-13.00	31.84	21.73	RMS	Vertical

----- The following blanks -----

Above 18GHz

Project Information			
ProjectNo:	E20211217696105	EUT:	Remote Monitor System
Channel	512	Band:	PCS1900
Mode:	GSM	Voltage:	DC 3.6V
Environment:	Temp: 25°C; Humi:60%RH	Engineer:	Zhang zishan
Date:	2023-04-18 15:00:11		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18114.40	-61.42	-71.79	-13.00	58.79	-10.37	RMS	Horizontal
2	18480.80	-61.03	-72.49	-13.00	59.49	-11.46	RMS	Horizontal
3	18896.30	-60.94	-71.94	-13.00	58.94	-11.00	RMS	Horizontal
4	19107.80	-61.49	-72.52	-13.00	59.52	-11.03	RMS	Horizontal
5	19370.40	-61.33	-71.98	-13.00	58.98	-10.65	RMS	Horizontal
6	19757.90	-62.72	-72.50	-13.00	59.50	-9.78	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	Remote Monitor System
Channel	512	Band:	PCS1900
Mode:	GSM	Voltage:	DC 3.6V
Environment:	Temp: 25°C; Humi:60%RH	Engineer:	Zhang zishan
Date:	2023-04-18 15:01:24		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18132.40	-61.26	-72.50	-13.00	59.50	-11.24	RMS	Vertical
2	18333.20	-60.90	-72.12	-13.00	59.12	-11.22	RMS	Vertical
3	18750.80	-61.95	-73.03	-13.00	60.03	-11.08	RMS	Vertical
4	19246.50	-61.43	-72.68	-13.00	59.68	-11.25	RMS	Vertical
5	19533.90	-61.64	-72.95	-13.00	59.95	-11.31	RMS	Vertical
6	19749.00	-62.49	-73.06	-13.00	60.06	-10.57	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	Remote Monitor System
Channel	661	Band:	PCS1900
Mode:	GSM	Voltage:	DC 3.6V
Environment:	Temp: 25°C; Humi:60%RH	Engineer:	Zhang zishan
Date:	2023-04-18 15:03:26		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18200.70	-61.54	-71.47	-13.00	58.47	-9.93	RMS	Horizontal
2	18384.70	-60.73	-71.46	-13.00	58.46	-10.73	RMS	Horizontal
3	18778.00	-61.89	-72.39	-13.00	59.39	-10.50	RMS	Horizontal
4	19394.30	-61.22	-71.91	-13.00	58.91	-10.69	RMS	Horizontal
5	19688.00	-62.35	-72.36	-13.00	59.36	-10.01	RMS	Horizontal
6	19883.20	-62.14	-72.23	-13.00	59.23	-10.09	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	Remote Monitor System
Channel	661	Band:	PCS1900
Mode:	GSM	Voltage:	DC 3.6V
Environment:	Temp: 25°C; Humi:60%RH	Engineer:	Zhang zishan
Date:	2023-04-18 15:04:38		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18242.80	-61.35	-72.08	-13.00	59.08	-10.73	RMS	Vertical
2	18415.40	-60.77	-72.51	-13.00	59.51	-11.74	RMS	Vertical
3	18830.30	-61.67	-73.05	-13.00	60.05	-11.38	RMS	Vertical
4	19248.60	-61.43	-72.67	-13.00	59.67	-11.24	RMS	Vertical
5	19441.50	-61.29	-72.68	-13.00	59.68	-11.39	RMS	Vertical
6	19725.30	-62.30	-72.95	-13.00	59.95	-10.65	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	Remote Monitor System
Channel	810	Band:	PCS1900
Mode:	GSM	Voltage:	DC 3.6V
Environment:	Temp: 25°C; Humi:60%RH	Engineer:	Zhang zishan
Date:	2023-04-18 15:06:58		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18197.90	-61.61	-71.55	-13.00	58.55	-9.94	RMS	Horizontal
2	18445.30	-60.71	-71.91	-13.00	58.91	-11.20	RMS	Horizontal
3	18896.30	-60.98	-71.98	-13.00	58.98	-11.00	RMS	Horizontal
4	19261.50	-61.29	-71.79	-13.00	58.79	-10.50	RMS	Horizontal
5	19527.80	-61.45	-72.15	-13.00	59.15	-10.70	RMS	Horizontal
6	19888.00	-62.35	-72.46	-13.00	59.46	-10.11	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	Remote Monitor System
Channel	810	Band:	PCS1900
Mode:	GSM	Voltage:	DC 3.6V
Environment:	Temp: 25°C ; Humi:60%RH	Engineer:	Zhang zishan
Date:	2023-04-18 15:08:11		

Test Graph



Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18247.00	-61.47	-72.18	-13.00	59.18	-10.71	RMS	Vertical
2	18469.90	-60.85	-72.93	-13.00	59.93	-12.08	RMS	Vertical
3	18746.00	-61.88	-72.97	-13.00	59.97	-11.09	RMS	Vertical
4	19014.00	-61.18	-73.11	-13.00	60.11	-11.93	RMS	Vertical
5	19276.40	-61.31	-72.57	-13.00	59.57	-11.26	RMS	Vertical
6	19664.60	-62.23	-73.08	-13.00	60.08	-10.85	RMS	Vertical

----- The following blanks -----

13. TEST PHOTO

Please refer to the attached document E202304116396-Test Photo-FCC.

----- The following blanks -----

14. PHOTOGRAPH OF THE EUT

Please refer to the attached document E202304116396-EUT Photo-FCC.

----- End of Report -----