


ANNEX-H FIELD STRENGTH OF SPURIOUS RADIATION

30M-1GHz

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	18700	Band:	Band=2 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic chamber
Date:	2023-04-22 08:16:45		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	35.5775	-51.16	-62.87	-13.00	49.87	-11.71	RMS	Horizontal
2	79.955	-47.46	-70.46	-13.00	57.46	-23.00	RMS	Horizontal
3	99.9855	-50.49	-71.46	-13.00	58.46	-20.97	RMS	Horizontal
4	129.231	-57.78	-77.04	-13.00	64.04	-19.26	RMS	Horizontal
5	208.771	-57.33	-73.01	-13.00	60.01	-15.68	RMS	Horizontal
6	947.5715	-63.97	-65.80	-13.00	52.80	-1.83	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	18700	Band:	Band=2 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic chamber
Date:	2023-04-22 08:17:31		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	30.3395	-48.27	-71.60	-13.00	58.60	-23.33	RMS	Vertical
2	66.6175	-54.51	-74.86	-13.00	61.86	-20.35	RMS	Vertical
3	85.484	-47.49	-66.13	-13.00	53.13	-18.64	RMS	Vertical
4	107.988	-56.56	-68.50	-13.00	55.50	-11.94	RMS	Vertical
5	206.0065	-52.35	-70.59	-13.00	57.59	-18.24	RMS	Vertical
6	965.953	-57.03	-59.17	-13.00	46.17	-2.14	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	18900	Band:	Band=2 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic chamber
Date:	2023-04-22 08:14:43		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	30.6305	-50.92	-62.53	-13.00	49.53	-11.61	RMS	Horizontal
2	35.6745	-52.11	-63.82	-13.00	50.82	-11.71	RMS	Horizontal
3	79.955	-48.45	-71.45	-13.00	58.45	-23.00	RMS	Horizontal
4	99.9855	-51.15	-72.12	-13.00	59.12	-20.97	RMS	Horizontal
5	210.8565	-56.85	-72.24	-13.00	59.24	-15.39	RMS	Horizontal
6	947.62	-64.79	-66.62	-13.00	53.62	-1.83	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	18900	Band:	Band=2 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic chamber
Date:	2023-04-22 08:15:29		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	30.582	-50.40	-73.68	-13.00	60.68	-23.28	RMS	Vertical
2	85.872	-47.54	-65.95	-13.00	52.95	-18.41	RMS	Vertical
3	109.1035	-56.43	-67.99	-13.00	54.99	-11.56	RMS	Vertical
4	206.9765	-52.36	-70.73	-13.00	57.73	-18.37	RMS	Vertical
5	334.192	-57.78	-69.60	-13.00	56.60	-11.82	RMS	Vertical
6	947.5715	-63.18	-64.87	-13.00	51.87	-1.69	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	19100	Band:	Band=2 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic chamber
Date:	2023-04-22 08:18:45		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	35.529	-50.40	-62.10	-13.00	49.10	-11.70	RMS	Horizontal
2	57.7905	-60.55	-74.45	-13.00	61.45	-13.90	RMS	Horizontal
3	80.0035	-48.48	-71.50	-13.00	58.50	-23.02	RMS	Horizontal
4	99.9855	-50.94	-71.91	-13.00	58.91	-20.97	RMS	Horizontal
5	207.5585	-57.14	-73.11	-13.00	60.11	-15.97	RMS	Horizontal
6	947.62	-64.50	-66.33	-13.00	53.33	-1.83	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	19100	Band:	Band=2 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic chamber
Date:	2023-04-22 08:19:31		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	35.626	-52.10	-74.32	-13.00	61.32	-22.22	RMS	Vertical
2	85.6295	-46.83	-65.38	-13.00	52.38	-18.55	RMS	Vertical
3	109.1035	-57.00	-68.56	-13.00	55.56	-11.56	RMS	Vertical
4	204.6485	-52.28	-70.33	-13.00	57.33	-18.05	RMS	Vertical
5	548.3195	-64.18	-71.53	-13.00	58.53	-7.35	RMS	Vertical
6	947.5715	-64.14	-65.83	-13.00	52.83	-1.69	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	20050	Band:	Band=4 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic chamber
Date:	2023-04-22 08:23:27		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	30.4365	-52.04	-63.64	-13.00	50.64	-11.60	RMS	Horizontal
2	79.955	-48.41	-71.41	-13.00	58.41	-23.00	RMS	Horizontal
3	130.0555	-52.82	-71.90	-13.00	58.90	-19.08	RMS	Horizontal
4	209.0135	-57.51	-73.13	-13.00	60.13	-15.62	RMS	Horizontal
5	334.192	-61.39	-74.93	-13.00	61.93	-13.54	RMS	Horizontal
6	976.623	-65.56	-67.08	-13.00	54.08	-1.52	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	20050	Band:	Band=4 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic chamber
Date:	2023-04-22 08:24:13		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	30.7275	-49.69	-72.93	-13.00	59.93	-23.24	RMS	Vertical
2	85.387	-47.59	-66.29	-13.00	53.29	-18.70	RMS	Vertical
3	109.1035	-57.04	-68.60	-13.00	55.60	-11.56	RMS	Vertical
4	206.831	-52.33	-70.68	-13.00	57.68	-18.35	RMS	Vertical
5	314.695	-66.08	-79.77	-13.00	66.77	-13.69	RMS	Vertical
6	947.62	-62.48	-64.17	-13.00	51.17	-1.69	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	20175	Band:	Band=4 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic chamber
Date:	2023-04-22 08:21:25		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	30	-51.64	-63.23	-13.00	50.23	-11.59	RMS	Horizontal
2	35.7715	-52.93	-64.64	-13.00	51.64	-11.71	RMS	Horizontal
3	79.955	-48.31	-71.31	-13.00	58.31	-23.00	RMS	Horizontal
4	101.198	-50.87	-71.79	-13.00	58.79	-20.92	RMS	Horizontal
5	211.002	-57.04	-72.43	-13.00	59.43	-15.39	RMS	Horizontal
6	947.5715	-64.85	-66.68	-13.00	53.68	-1.83	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	20175	Band:	Band=4 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic chamber
Date:	2023-04-22 08:22:10		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	30.5335	-50.33	-73.62	-13.00	60.62	-23.29	RMS	Vertical
2	84.9505	-47.05	-66.01	-13.00	53.01	-18.96	RMS	Vertical
3	109.1035	-57.86	-69.42	-13.00	56.42	-11.56	RMS	Vertical
4	206.831	-52.33	-70.68	-13.00	57.68	-18.35	RMS	Vertical
5	334.192	-62.58	-74.40	-13.00	61.40	-11.82	RMS	Vertical
6	947.62	-63.56	-65.25	-13.00	52.25	-1.69	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	20300	Band:	Band=4 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic chamber
Date:	2023-04-22 08:25:23		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	30.582	-52.47	-64.08	-13.00	51.08	-11.61	RMS	Horizontal
2	35.7715	-52.74	-64.45	-13.00	51.45	-11.71	RMS	Horizontal
3	79.955	-48.46	-71.46	-13.00	58.46	-23.00	RMS	Horizontal
4	99.9855	-50.88	-71.85	-13.00	58.85	-20.97	RMS	Horizontal
5	207.6555	-56.66	-72.61	-13.00	59.61	-15.95	RMS	Horizontal
6	947.6685	-63.91	-65.74	-13.00	52.74	-1.83	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	20300	Band:	Band=4 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic chamber
Date:	2023-04-22 08:26:09		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	31.067	-49.94	-73.11	-13.00	60.11	-23.17	RMS	Vertical
2	85.387	-47.24	-65.94	-13.00	52.94	-18.70	RMS	Vertical
3	109.1035	-56.46	-68.02	-13.00	55.02	-11.56	RMS	Vertical
4	206.637	-53.26	-71.58	-13.00	58.58	-18.32	RMS	Vertical
5	327.4505	-58.73	-70.98	-13.00	57.98	-12.25	RMS	Vertical
6	947.62	-62.45	-64.14	-13.00	51.14	-1.69	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	20450	Band:	Band=5 BW=10MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic chamber
Date:	2023-04-24 05:08:27		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	30.5335	-48.27	-59.87	-13.00	46.87	-11.60	RMS	Horizontal
2	79.955	-48.53	-71.53	-13.00	58.53	-23.00	RMS	Horizontal
3	203.8725	-60.48	-77.34	-13.00	64.34	-16.86	RMS	Horizontal
4	330.3605	-58.87	-72.36	-13.00	59.36	-13.49	RMS	Horizontal
5	742.659	-60.11	-64.26	-13.00	51.26	-4.15	RMS	Horizontal
6	876.325	-54.82	-58.08	-13.00	45.08	-3.26	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	20450	Band:	Band=5 BW=10MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic chamber
Date:	2023-04-24 05:09:13		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	30.194	-45.66	-69.02	-13.00	56.02	-23.36	RMS	Vertical
2	85.193	-48.69	-67.50	-13.00	54.50	-18.81	RMS	Vertical
3	108.4245	-67.96	-79.76	-13.00	66.76	-11.80	RMS	Vertical
4	165.5575	-60.04	-75.46	-13.00	62.46	-15.42	RMS	Vertical
5	330.3605	-49.36	-61.27	-13.00	48.27	-11.91	RMS	Vertical
6	742.659	-46.34	-50.76	-13.00	37.76	-4.42	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	20525	Band:	Band=5 BW=10MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-24 05:05:27		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	30.5335	-45.77	-57.37	-13.00	44.37	-11.60	RMS	Horizontal
2	79.955	-48.53	-71.53	-13.00	58.53	-23.00	RMS	Horizontal
3	99.9855	-53.59	-74.56	-13.00	61.56	-20.97	RMS	Horizontal
4	203.63	-60.71	-77.62	-13.00	64.62	-16.91	RMS	Horizontal
5	371.537	-63.01	-75.88	-13.00	62.88	-12.87	RMS	Horizontal
6	995.732	-64.20	-64.82	-13.00	51.82	-0.62	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	20525	Band:	Band=5 BW=10MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-24 05:06:12		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	30.194	-44.16	-67.52	-13.00	54.52	-23.36	RMS	Vertical
2	66.6175	-57.22	-77.57	-13.00	64.57	-20.35	RMS	Vertical
3	85.193	-49.19	-68.00	-13.00	55.00	-18.81	RMS	Vertical
4	110.51	-68.53	-79.99	-13.00	66.99	-11.46	RMS	Vertical
5	371.343	-50.97	-63.37	-13.00	50.37	-12.40	RMS	Vertical
6	997.9145	-66.96	-67.45	-13.00	54.45	-0.49	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	20600	Band:	Band=5 BW=10MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-24 05:11:23		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	30.5335	-52.27	-63.87	-13.00	50.87	-11.60	RMS	Horizontal
2	79.955	-48.03	-71.03	-13.00	58.03	-23.00	RMS	Horizontal
3	204.794	-60.12	-76.76	-13.00	63.76	-16.64	RMS	Horizontal
4	541.1415	-65.48	-73.09	-13.00	60.09	-7.61	RMS	Horizontal
5	746.4905	-64.44	-68.45	-13.00	55.45	-4.01	RMS	Horizontal
6	985.741	-64.31	-65.57	-13.00	52.57	-1.26	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	20600	Band:	Band=5 BW=10MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-24 05:12:09		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	30.194	-47.16	-70.52	-13.00	57.52	-23.36	RMS	Vertical
2	85.193	-48.19	-67.00	-13.00	54.00	-18.81	RMS	Vertical
3	109.831	-67.97	-79.28	-13.00	66.28	-11.31	RMS	Vertical
4	138.3005	-66.64	-80.38	-13.00	67.38	-13.74	RMS	Vertical
5	412.859	-56.42	-67.99	-13.00	54.99	-11.57	RMS	Vertical
6	995.1015	-64.89	-65.82	-13.00	52.82	-0.93	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	20850	Band:	Band=7 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 08:31:27		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	35.5775	-51.93	-63.64	-13.00	50.64	-11.71	RMS	Horizontal
2	79.955	-48.67	-71.67	-13.00	58.67	-23.00	RMS	Horizontal
3	101.0525	-51.95	-72.88	-13.00	59.88	-20.93	RMS	Horizontal
4	130.007	-54.68	-73.76	-13.00	60.76	-19.08	RMS	Horizontal
5	210.032	-57.74	-73.12	-13.00	60.12	-15.38	RMS	Horizontal
6	913.4275	-56.53	-59.03	-13.00	46.03	-2.50	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	20850	Band:	Band=7 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 08:32:13		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	30.5335	-50.74	-74.03	-13.00	61.03	-23.29	RMS	Vertical
2	85.5325	-47.78	-66.39	-13.00	53.39	-18.61	RMS	Vertical
3	109.1035	-56.13	-67.69	-13.00	54.69	-11.56	RMS	Vertical
4	206.734	-52.45	-70.79	-13.00	57.79	-18.34	RMS	Vertical
5	334.2405	-59.52	-71.34	-13.00	58.34	-11.82	RMS	Vertical
6	947.5715	-61.43	-63.12	-13.00	50.12	-1.69	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	21100	Band:	Band=7 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 08:27:57		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	35.3835	-52.09	-63.79	-13.00	50.79	-11.70	RMS	Horizontal
2	80.0035	-47.95	-70.97	-13.00	57.97	-23.02	RMS	Horizontal
3	101.198	-51.69	-72.61	-13.00	59.61	-20.92	RMS	Horizontal
4	130.0555	-51.71	-70.79	-13.00	57.79	-19.08	RMS	Horizontal
5	210.711	-56.73	-72.12	-13.00	59.12	-15.39	RMS	Horizontal
6	947.62	-61.63	-63.46	-13.00	50.46	-1.83	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	21100	Band:	Band=7 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 08:28:42		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	30.5335	-49.80	-73.09	-13.00	60.09	-23.29	RMS	Vertical
2	66.6175	-55.61	-75.96	-13.00	62.96	-20.35	RMS	Vertical
3	85.7265	-47.85	-66.34	-13.00	53.34	-18.49	RMS	Vertical
4	107.988	-58.12	-70.06	-13.00	57.06	-11.94	RMS	Vertical
5	205.1335	-53.04	-71.15	-13.00	58.15	-18.11	RMS	Vertical
6	965.0315	-57.42	-59.53	-13.00	46.53	-2.11	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	21350	Band:	Band=7 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 08:34:27		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	30.5335	-51.33	-62.93	-13.00	49.93	-11.60	RMS	Horizontal
2	35.626	-52.42	-64.13	-13.00	51.13	-11.71	RMS	Horizontal
3	80.0035	-48.12	-71.14	-13.00	58.14	-23.02	RMS	Horizontal
4	99.9855	-51.06	-72.03	-13.00	59.03	-20.97	RMS	Horizontal
5	210.614	-56.05	-71.44	-13.00	58.44	-15.39	RMS	Horizontal
6	947.5715	-62.54	-64.37	-13.00	51.37	-1.83	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	21350	Band:	Band=7 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 08:35:13		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	30.9215	-50.81	-74.01	-13.00	61.01	-23.20	RMS	Vertical
2	35.5775	-53.69	-75.92	-13.00	62.92	-22.23	RMS	Vertical
3	85.3385	-46.85	-65.57	-13.00	52.57	-18.72	RMS	Vertical
4	208.3345	-52.83	-71.39	-13.00	58.39	-18.56	RMS	Vertical
5	334.192	-61.04	-72.86	-13.00	59.86	-11.82	RMS	Vertical
6	947.6685	-62.36	-64.05	-13.00	51.05	-1.69	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	23060	Band:	Band=12 BW=10MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-24 04:45:02		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	30.5335	-45.27	-56.87	-13.00	43.87	-11.60	RMS	Horizontal
2	35.7715	-53.06	-64.77	-13.00	51.77	-11.71	RMS	Horizontal
3	57.839	-62.06	-75.97	-13.00	62.97	-13.91	RMS	Horizontal
4	79.955	-50.03	-73.03	-13.00	60.03	-23.00	RMS	Horizontal
5	99.9855	-51.09	-72.06	-13.00	59.06	-20.97	RMS	Horizontal
6	988.0205	-64.59	-65.82	-13.00	52.82	-1.23	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	23060	Band:	Band=12 BW=10MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-24 04:45:48		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	30	-43.63	-67.03	-13.00	54.03	-23.40	RMS	Vertical
2	85.193	-48.19	-67.00	-13.00	54.00	-18.81	RMS	Vertical
3	111.1405	-67.44	-79.16	-13.00	66.16	-11.72	RMS	Vertical
4	137.767	-66.19	-80.13	-13.00	67.13	-13.94	RMS	Vertical
5	342.1945	-62.82	-74.62	-13.00	61.62	-11.80	RMS	Vertical
6	999.8545	-65.92	-66.12	-13.00	53.12	-0.20	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	23095	Band:	Band=12 BW=10MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-24 04:41:33		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	30.5335	-45.77	-57.37	-13.00	44.37	-11.60	RMS	Horizontal
2	35.7715	-54.06	-65.77	-13.00	52.77	-11.71	RMS	Horizontal
3	108.2305	-60.71	-81.34	-13.00	68.34	-20.63	RMS	Horizontal
4	202.369	-60.16	-77.38	-13.00	64.38	-17.22	RMS	Horizontal
5	406.845	-65.06	-76.36	-13.00	63.36	-11.30	RMS	Horizontal
6	997.0415	-65.50	-65.99	-13.00	52.99	-0.49	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	23095	Band:	Band=12 BW=10MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-24 04:42:19		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	30.194	-43.66	-67.02	-13.00	54.02	-23.36	RMS	Vertical
2	66.6175	-57.22	-77.57	-13.00	64.57	-20.35	RMS	Vertical
3	85.193	-48.19	-67.00	-13.00	54.00	-18.81	RMS	Vertical
4	140.483	-66.11	-79.24	-13.00	66.24	-13.13	RMS	Vertical
5	340.982	-65.71	-77.46	-13.00	64.46	-11.75	RMS	Vertical
6	996.12	-65.39	-66.16	-13.00	53.16	-0.77	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	23130	Band:	Band=12 BW=10MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-24 04:47:30		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	30.2425	-47.84	-59.44	-13.00	46.44	-11.60	RMS	Horizontal
2	79.955	-49.53	-72.53	-13.00	59.53	-23.00	RMS	Horizontal
3	201.302	-59.79	-77.27	-13.00	64.27	-17.48	RMS	Horizontal
4	233.021	-64.45	-77.10	-13.00	64.10	-12.65	RMS	Horizontal
5	625.095	-65.78	-72.21	-13.00	59.21	-6.43	RMS	Horizontal
6	996.8475	-64.86	-65.37	-13.00	52.37	-0.51	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	23130	Band:	Band=12 BW=10MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-24 04:48:16		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	30.194	-45.16	-68.52	-13.00	55.52	-23.36	RMS	Vertical
2	85.193	-48.69	-67.50	-13.00	54.50	-18.81	RMS	Vertical
3	109.734	-66.69	-78.04	-13.00	65.04	-11.35	RMS	Vertical
4	143.199	-65.83	-79.17	-13.00	66.17	-13.34	RMS	Vertical
5	393.168	-64.58	-76.22	-13.00	63.22	-11.64	RMS	Vertical
6	967.893	-63.66	-65.86	-13.00	52.86	-2.20	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	23230	Band:	Band=13 BW=10MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-24 04:36:58		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	30.5335	-45.77	-57.37	-13.00	44.37	-11.60	RMS	Horizontal
2	35.5775	-55.39	-67.10	-13.00	54.10	-11.71	RMS	Horizontal
3	79.955	-49.53	-72.53	-13.00	59.53	-23.00	RMS	Horizontal
4	205.6185	-61.18	-77.62	-13.00	64.62	-16.44	RMS	Horizontal
5	229.044	-64.33	-77.21	-13.00	64.21	-12.88	RMS	Horizontal
6	992.24	-64.43	-65.41	-13.00	52.41	-0.98	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	23230	Band:	Band=13 BW=10MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-24 04:37:44		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	30.194	-43.66	-67.02	-13.00	54.02	-23.36	RMS	Vertical
2	66.6175	-56.72	-77.07	-13.00	64.07	-20.35	RMS	Vertical
3	85.193	-48.19	-67.00	-13.00	54.00	-18.81	RMS	Vertical
4	287.2925	-65.67	-80.04	-13.00	67.04	-14.37	RMS	Vertical
5	460.6315	-53.43	-63.93	-13.00	50.93	-10.50	RMS	Vertical
6	957.32	-65.09	-66.96	-13.00	53.96	-1.87	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	23780	Band:	Band=17 BW=10MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-24 04:26:59		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	30.5335	-44.27	-55.87	-13.00	42.87	-11.60	RMS	Horizontal
2	35.5775	-52.39	-64.10	-13.00	51.10	-11.71	RMS	Horizontal
3	203.7755	-61.37	-78.25	-13.00	65.25	-16.88	RMS	Horizontal
4	246.5525	-64.67	-77.61	-13.00	64.61	-12.94	RMS	Horizontal
5	426.6815	-65.32	-75.90	-13.00	62.90	-10.58	RMS	Horizontal
6	980.018	-64.46	-65.79	-13.00	52.79	-1.33	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	23780	Band:	Band=17 BW=10MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-24 04:27:45		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	30.194	-43.66	-67.02	-13.00	54.02	-23.36	RMS	Vertical
2	35.5775	-54.75	-76.98	-13.00	63.98	-22.23	RMS	Vertical
3	85.193	-48.19	-67.00	-13.00	54.00	-18.81	RMS	Vertical
4	108.8125	-66.76	-78.42	-13.00	65.42	-11.66	RMS	Vertical
5	144.46	-66.44	-79.88	-13.00	66.88	-13.44	RMS	Vertical
6	961.4425	-64.23	-66.23	-13.00	53.23	-2.00	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	23790	Band:	Band=17 BW=10MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-24 04:24:18		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	30.5335	-43.77	-55.37	-13.00	42.37	-11.60	RMS	Horizontal
2	35.5775	-52.39	-64.10	-13.00	51.10	-11.71	RMS	Horizontal
3	106.3875	-60.44	-81.14	-13.00	68.14	-20.70	RMS	Horizontal
4	203.6785	-61.07	-77.97	-13.00	64.97	-16.90	RMS	Horizontal
5	438.758	-65.75	-76.14	-13.00	63.14	-10.39	RMS	Horizontal
6	998.157	-65.74	-66.12	-13.00	53.12	-0.38	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	23790	Band:	Band=17 BW=10MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-24 04:25:03		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	32.1825	-49.27	-72.21	-13.00	59.21	-22.94	RMS	Vertical
2	66.6175	-56.22	-76.57	-13.00	63.57	-20.35	RMS	Vertical
3	85.193	-47.19	-66.00	-13.00	53.00	-18.81	RMS	Vertical
4	140.0465	-66.60	-79.69	-13.00	66.69	-13.09	RMS	Vertical
5	334.192	-64.11	-75.93	-13.00	62.93	-11.82	RMS	Vertical
6	999.127	-65.38	-65.68	-13.00	52.68	-0.30	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	23800	Band:	Band=17 BW=10MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-24 04:32:18		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	30.5335	-45.77	-57.37	-13.00	44.37	-11.60	RMS	Horizontal
2	35.5775	-52.39	-64.10	-13.00	51.10	-11.71	RMS	Horizontal
3	79.955	-49.03	-72.03	-13.00	59.03	-23.00	RMS	Horizontal
4	204.018	-60.32	-77.14	-13.00	64.14	-16.82	RMS	Horizontal
5	429.1065	-64.93	-75.46	-13.00	62.46	-10.53	RMS	Horizontal
6	983.025	-64.21	-65.50	-13.00	52.50	-1.29	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	23800	Band:	Band=17 BW=10MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-24 04:33:03		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	30.194	-44.16	-67.52	-13.00	54.52	-23.36	RMS	Vertical
2	85.193	-47.69	-66.50	-13.00	53.50	-18.81	RMS	Vertical
3	110.607	-66.28	-77.79	-13.00	64.79	-11.51	RMS	Vertical
4	140.7255	-65.66	-78.80	-13.00	65.80	-13.14	RMS	Vertical
5	341.6125	-65.19	-76.97	-13.00	63.97	-11.78	RMS	Vertical
6	994.9075	-64.64	-65.60	-13.00	52.60	-0.96	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	26140	Band:	Band=25 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 08:40:11		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	30.4365	-51.98	-63.58	-13.00	50.58	-11.60	RMS	Horizontal
2	35.626	-52.29	-64.00	-13.00	51.00	-11.71	RMS	Horizontal
3	79.955	-48.31	-71.31	-13.00	58.31	-23.00	RMS	Horizontal
4	212.457	-57.77	-73.18	-13.00	60.18	-15.41	RMS	Horizontal
5	334.192	-57.56	-71.10	-13.00	58.10	-13.54	RMS	Horizontal
6	947.5715	-61.94	-63.77	-13.00	50.77	-1.83	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	26140	Band:	Band=25 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 08:40:57		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	35.5775	-52.40	-74.63	-13.00	61.63	-22.23	RMS	Vertical
2	85.7265	-47.25	-65.74	-13.00	52.74	-18.49	RMS	Vertical
3	107.988	-56.96	-68.90	-13.00	55.90	-11.94	RMS	Vertical
4	206.831	-52.59	-70.94	-13.00	57.94	-18.35	RMS	Vertical
5	520.2865	-63.39	-72.20	-13.00	59.20	-8.81	RMS	Vertical
6	947.6685	-61.23	-62.92	-13.00	49.92	-1.69	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	26365	Band:	Band=25 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 08:37:39		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	30.582	-52.35	-63.96	-13.00	50.96	-11.61	RMS	Horizontal
2	35.626	-52.54	-64.25	-13.00	51.25	-11.71	RMS	Horizontal
3	79.955	-47.74	-70.74	-13.00	57.74	-23.00	RMS	Horizontal
4	99.9855	-51.71	-72.68	-13.00	59.68	-20.97	RMS	Horizontal
5	208.189	-57.97	-73.79	-13.00	60.79	-15.82	RMS	Horizontal
6	947.62	-62.56	-64.39	-13.00	51.39	-1.83	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	26365	Band:	Band=25 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 08:38:25		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	31.067	-50.77	-73.94	-13.00	60.94	-23.17	RMS	Vertical
2	35.626	-53.05	-75.27	-13.00	62.27	-22.22	RMS	Vertical
3	85.096	-47.06	-65.94	-13.00	52.94	-18.88	RMS	Vertical
4	206.6855	-53.25	-71.58	-13.00	58.58	-18.33	RMS	Vertical
5	334.192	-60.89	-72.71	-13.00	59.71	-11.82	RMS	Vertical
6	947.6685	-61.73	-63.42	-13.00	50.42	-1.69	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	26590	Band:	Band=25 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 08:42:38		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	30.5335	-50.98	-62.58	-13.00	49.58	-11.60	RMS	Horizontal
2	35.3835	-51.43	-63.13	-13.00	50.13	-11.70	RMS	Horizontal
3	79.955	-48.58	-71.58	-13.00	58.58	-23.00	RMS	Horizontal
4	130.0555	-52.89	-71.97	-13.00	58.97	-19.08	RMS	Horizontal
5	334.192	-59.30	-72.84	-13.00	59.84	-13.54	RMS	Horizontal
6	947.62	-61.28	-63.11	-13.00	50.11	-1.83	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	26590	Band:	Band=25 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 08:43:24		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	31.067	-50.05	-73.22	-13.00	60.22	-23.17	RMS	Vertical
2	85.5325	-46.79	-65.40	-13.00	52.40	-18.61	RMS	Vertical
3	109.1035	-57.25	-68.81	-13.00	55.81	-11.56	RMS	Vertical
4	207.995	-52.84	-71.35	-13.00	58.35	-18.51	RMS	Vertical
5	327.4505	-58.84	-71.09	-13.00	58.09	-12.25	RMS	Vertical
6	947.717	-62.44	-64.13	-13.00	51.13	-1.69	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	26740	Band:	Band=26 BW=10MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-28 01:54:40		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	30.5335	-50.27	-61.87	-13.00	48.87	-11.60	RMS	Horizontal
2	35.7715	-57.56	-69.27	-13.00	56.27	-11.71	RMS	Horizontal
3	79.955	-47.53	-70.53	-13.00	57.53	-23.00	RMS	Horizontal
4	99.9855	-55.59	-76.56	-13.00	63.56	-20.97	RMS	Horizontal
5	203.63	-59.39	-76.30	-13.00	63.30	-16.91	RMS	Horizontal
6	998.933	-65.01	-65.31	-13.00	52.31	-0.30	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	26740	Band:	Band=26 BW=10MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-28 01:55:06		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	30.194	-45.16	-68.52	-13.00	55.52	-23.36	RMS	Vertical
2	58.227	-56.70	-77.32	-13.00	64.32	-20.62	RMS	Vertical
3	85.193	-49.69	-68.50	-13.00	55.50	-18.81	RMS	Vertical
4	338.46	-66.71	-78.45	-13.00	65.45	-11.74	RMS	Vertical
5	684.2165	-51.79	-56.97	-13.00	43.97	-5.18	RMS	Vertical
6	904.94	-58.77	-61.57	-13.00	48.57	-2.80	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	26765	Band:	Band=26 BW=15MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-24 04:58:05		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	30.5335	-50.77	-62.37	-13.00	49.37	-11.60	RMS	Horizontal
2	79.955	-48.03	-71.03	-13.00	58.03	-23.00	RMS	Horizontal
3	105.8055	-61.02	-81.75	-13.00	68.75	-20.73	RMS	Horizontal
4	203.63	-59.89	-76.80	-13.00	63.80	-16.91	RMS	Horizontal
5	547.204	-65.11	-72.83	-13.00	59.83	-7.72	RMS	Horizontal
6	998.933	-65.51	-65.81	-13.00	52.81	-0.30	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	26765	Band:	Band=26 BW=15MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-24 04:58:51		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	30.194	-45.16	-68.52	-13.00	55.52	-23.36	RMS	Vertical
2	85.193	-49.69	-68.50	-13.00	55.50	-18.81	RMS	Vertical
3	138.4945	-67.83	-81.49	-13.00	68.49	-13.66	RMS	Vertical
4	276.477	-50.11	-64.80	-13.00	51.80	-14.69	RMS	Vertical
5	684.2165	-50.79	-55.97	-13.00	42.97	-5.18	RMS	Vertical
6	904.94	-58.77	-61.57	-13.00	48.57	-2.80	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	26865	Band:	Band=26 BW=15MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-24 04:54:30		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	30.5335	-48.77	-60.37	-13.00	47.37	-11.60	RMS	Horizontal
2	35.7715	-56.06	-67.77	-13.00	54.77	-11.71	RMS	Horizontal
3	79.955	-49.03	-72.03	-13.00	59.03	-23.00	RMS	Horizontal
4	203.63	-61.08	-77.99	-13.00	64.99	-16.91	RMS	Horizontal
5	230.887	-63.72	-76.33	-13.00	63.33	-12.61	RMS	Horizontal
6	997.284	-64.81	-65.28	-13.00	52.28	-0.47	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	26865	Band:	Band=26 BW=15MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-24 04:55:15		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	30.194	-44.66	-68.02	-13.00	55.02	-23.36	RMS	Vertical
2	85.193	-48.19	-67.00	-13.00	54.00	-18.81	RMS	Vertical
3	167.352	-65.45	-80.76	-13.00	67.76	-15.31	RMS	Vertical
4	331.476	-50.78	-62.66	-13.00	49.66	-11.88	RMS	Vertical
5	535.6125	-66.69	-74.72	-13.00	61.72	-8.03	RMS	Vertical
6	996.799	-66.30	-66.97	-13.00	53.97	-0.67	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	26965	Band:	Band=26 BW=15MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-24 05:00:24		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	30.5335	-48.77	-60.37	-13.00	47.37	-11.60	RMS	Horizontal
2	35.5775	-55.39	-67.10	-13.00	54.10	-11.71	RMS	Horizontal
3	79.955	-49.03	-72.03	-13.00	59.03	-23.00	RMS	Horizontal
4	105.5145	-60.78	-81.52	-13.00	68.52	-20.74	RMS	Horizontal
5	202.2235	-60.46	-77.71	-13.00	64.71	-17.25	RMS	Horizontal
6	997.3325	-64.90	-65.36	-13.00	52.36	-0.46	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	26965	Band:	Band=26 BW=15MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-24 05:01:10		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	30.194	-43.66	-67.02	-13.00	54.02	-23.36	RMS	Vertical
2	85.193	-48.19	-67.00	-13.00	54.00	-18.81	RMS	Vertical
3	142.132	-67.39	-80.64	-13.00	67.64	-13.25	RMS	Vertical
4	386.7175	-58.56	-70.52	-13.00	57.52	-11.96	RMS	Vertical
5	551.666	-65.90	-73.32	-13.00	60.32	-7.42	RMS	Vertical
6	998.448	-65.74	-66.15	-13.00	53.15	-0.41	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	37850	Band:	Band=38 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 08:47:36		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	35.5775	-52.87	-64.58	-13.00	51.58	-11.71	RMS	Horizontal
2	57.7905	-61.42	-75.32	-13.00	62.32	-13.90	RMS	Horizontal
3	79.955	-47.53	-70.53	-13.00	57.53	-23.00	RMS	Horizontal
4	207.8495	-57.46	-73.37	-13.00	60.37	-15.91	RMS	Horizontal
5	327.4505	-58.70	-72.45	-13.00	59.45	-13.75	RMS	Horizontal
6	947.62	-60.68	-62.51	-13.00	49.51	-1.83	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	37850	Band:	Band=38 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 08:48:22		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	30.5335	-50.86	-74.15	-13.00	61.15	-23.29	RMS	Vertical
2	66.666	-54.92	-75.26	-13.00	62.26	-20.34	RMS	Vertical
3	84.9505	-46.82	-65.78	-13.00	52.78	-18.96	RMS	Vertical
4	207.51	-53.09	-71.54	-13.00	58.54	-18.45	RMS	Vertical
5	334.192	-61.27	-73.09	-13.00	60.09	-11.82	RMS	Vertical
6	904.552	-54.67	-57.50	-13.00	44.50	-2.83	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	38000	Band:	Band=38 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 08:45:22		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	31.067	-51.94	-63.55	-13.00	50.55	-11.61	RMS	Horizontal
2	35.5775	-52.21	-63.92	-13.00	50.92	-11.71	RMS	Horizontal
3	79.955	-48.28	-71.28	-13.00	58.28	-23.00	RMS	Horizontal
4	101.101	-51.26	-72.18	-13.00	59.18	-20.92	RMS	Horizontal
5	209.062	-57.39	-73.00	-13.00	60.00	-15.61	RMS	Horizontal
6	947.62	-62.45	-64.28	-13.00	51.28	-1.83	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	38000	Band:	Band=38 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 08:46:08		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	30.5335	-51.15	-74.44	-13.00	61.44	-23.29	RMS	Vertical
2	35.7715	-52.19	-74.39	-13.00	61.39	-22.20	RMS	Vertical
3	79.955	-48.41	-70.36	-13.00	57.36	-21.95	RMS	Vertical
4	99.9855	-51.78	-66.44	-13.00	53.44	-14.66	RMS	Vertical
5	334.192	-57.86	-69.68	-13.00	56.68	-11.82	RMS	Vertical
6	947.6685	-60.72	-62.41	-13.00	49.41	-1.69	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	38150	Band:	Band=38 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 08:50:06		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	30.388	-52.97	-64.57	-13.00	51.57	-11.60	RMS	Horizontal
2	35.723	-52.97	-64.68	-13.00	51.68	-11.71	RMS	Horizontal
3	80.0035	-48.02	-71.04	-13.00	58.04	-23.02	RMS	Horizontal
4	99.9855	-51.72	-72.69	-13.00	59.69	-20.97	RMS	Horizontal
5	209.3045	-57.61	-73.15	-13.00	60.15	-15.54	RMS	Horizontal
6	947.6685	-61.28	-63.11	-13.00	50.11	-1.83	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	38150	Band:	Band=38 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 08:50:52		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	31.067	-51.01	-74.18	-13.00	61.18	-23.17	RMS	Vertical
2	35.6745	-51.79	-74.00	-13.00	61.00	-22.21	RMS	Vertical
3	85.193	-47.12	-65.93	-13.00	52.93	-18.81	RMS	Vertical
4	206.4915	-53.18	-71.48	-13.00	58.48	-18.30	RMS	Vertical
5	327.4505	-60.22	-72.47	-13.00	59.47	-12.25	RMS	Vertical
6	947.6685	-60.73	-62.42	-13.00	49.42	-1.69	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	38750	Band:	Band=40 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 08:55:49		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	30.5335	-51.50	-63.10	-13.00	50.10	-11.60	RMS	Horizontal
2	35.5775	-52.77	-64.48	-13.00	51.48	-11.71	RMS	Horizontal
3	80.0035	-47.66	-70.68	-13.00	57.68	-23.02	RMS	Horizontal
4	99.9855	-51.08	-72.05	-13.00	59.05	-20.97	RMS	Horizontal
5	208.189	-57.72	-73.54	-13.00	60.54	-15.82	RMS	Horizontal
6	947.6685	-62.01	-63.84	-13.00	50.84	-1.83	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	38750	Band:	Band=40 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 08:56:34		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	30.485	-50.45	-73.75	-13.00	60.75	-23.30	RMS	Vertical
2	35.529	-53.13	-75.37	-13.00	62.37	-22.24	RMS	Vertical
3	85.5325	-47.56	-66.17	-13.00	53.17	-18.61	RMS	Vertical
4	206.831	-51.92	-70.27	-13.00	57.27	-18.35	RMS	Vertical
5	601.233	-66.08	-72.72	-13.00	59.72	-6.64	RMS	Vertical
6	966.147	-57.24	-59.38	-13.00	46.38	-2.14	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	39150	Band:	Band=40 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 08:52:52		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	30.388	-52.25	-63.85	-13.00	50.85	-11.60	RMS	Horizontal
2	35.5775	-52.62	-64.33	-13.00	51.33	-11.71	RMS	Horizontal
3	80.0035	-47.70	-70.72	-13.00	57.72	-23.02	RMS	Horizontal
4	130.0555	-56.78	-75.86	-13.00	62.86	-19.08	RMS	Horizontal
5	211.099	-57.26	-72.65	-13.00	59.65	-15.39	RMS	Horizontal
6	947.717	-62.87	-64.70	-13.00	51.70	-1.83	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	39150	Band:	Band=40 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 08:53:38		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	41.5430	-54.24	-72.34	-25.00	47.34	-18.10	RMS	Vertical
2	75.2505	-43.35	-64.81	-25.00	39.81	-21.46	RMS	Vertical
3	107.9880	-55.27	-65.43	-25.00	40.43	-10.16	RMS	Vertical
4	263.8185	-64.82	-80.08	-25.00	55.08	-15.26	RMS	Vertical
5	414.6535	-63.32	-73.84	-25.00	48.84	-10.52	RMS	Vertical
6	735.2870	-70.67	-74.66	-25.00	49.66	-3.99	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	39550	Band:	Band=40 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 08:58:19		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	30.776	-52.28	-63.88	-13.00	50.88	-11.60	RMS	Horizontal
2	35.529	-52.45	-64.15	-13.00	51.15	-11.70	RMS	Horizontal
3	79.955	-47.36	-70.36	-13.00	57.36	-23.00	RMS	Horizontal
4	101.198	-50.60	-71.52	-13.00	58.52	-20.92	RMS	Horizontal
5	206.734	-57.16	-73.33	-13.00	60.33	-16.17	RMS	Horizontal
6	947.6685	-59.21	-61.04	-13.00	48.04	-1.83	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	39550	Band:	Band=40 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 08:59:05		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	30.5335	-49.53	-72.82	-13.00	59.82	-23.29	RMS	Vertical
2	35.626	-54.43	-76.65	-13.00	63.65	-22.22	RMS	Vertical
3	84.2715	-46.77	-66.15	-13.00	53.15	-19.38	RMS	Vertical
4	207.025	-53.03	-71.41	-13.00	58.41	-18.38	RMS	Vertical
5	570.6295	-63.86	-72.11	-13.00	59.11	-8.25	RMS	Vertical
6	947.62	-58.60	-60.29	-13.00	47.29	-1.69	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	39750	Band:	Band=41 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 09:02:59		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	30.5335	-43.27	-54.87	-13.00	41.87	-11.60	RMS	Horizontal
2	35.5775	-51.89	-63.60	-13.00	50.60	-11.71	RMS	Horizontal
3	79.955	-48.03	-71.03	-13.00	58.03	-23.00	RMS	Horizontal
4	99.9855	-50.09	-71.06	-13.00	58.06	-20.97	RMS	Horizontal
5	206.637	-57.04	-73.23	-13.00	60.23	-16.19	RMS	Horizontal
6	947.6685	-58.01	-59.84	-13.00	46.84	-1.83	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	39750	Band:	Band=41 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 09:03:44		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	30.3395	-43.05	-66.38	-13.00	53.38	-23.33	RMS	Vertical
2	84.708	-46.96	-66.07	-13.00	53.07	-19.11	RMS	Vertical
3	107.988	-57.08	-69.02	-13.00	56.02	-11.94	RMS	Vertical
4	207.898	-52.87	-71.37	-13.00	58.37	-18.50	RMS	Vertical
5	913.4275	-48.19	-50.57	-13.00	37.57	-2.38	RMS	Vertical
6	965.856	-55.20	-57.33	-13.00	44.33	-2.13	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	40620	Band:	Band=41 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 09:06:02		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	30.776	-43.61	-55.21	-13.00	42.21	-11.60	RMS	Horizontal
2	80.0035	-47.97	-70.99	-13.00	57.99	-23.02	RMS	Horizontal
3	101.8285	-51.72	-72.61	-13.00	59.61	-20.89	RMS	Horizontal
4	207.2675	-57.64	-73.68	-13.00	60.68	-16.04	RMS	Horizontal
5	334.192	-56.86	-70.40	-13.00	57.40	-13.54	RMS	Horizontal
6	913.3305	-52.97	-55.47	-13.00	42.47	-2.50	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	40620	Band:	Band=41 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 09:06:47		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	30.6305	-41.30	-64.57	-13.00	51.57	-23.27	RMS	Vertical
2	66.6175	-55.06	-75.41	-13.00	62.41	-20.35	RMS	Vertical
3	85.387	-46.04	-64.74	-13.00	51.74	-18.70	RMS	Vertical
4	109.1035	-57.56	-69.12	-13.00	56.12	-11.56	RMS	Vertical
5	206.0065	-53.51	-71.75	-13.00	58.75	-18.24	RMS	Vertical
6	913.379	-50.86	-53.24	-13.00	40.24	-2.38	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	41490	Band:	Band=41 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 09:08:29		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	30.6305	-41.91	-53.52	-13.00	40.52	-11.61	RMS	Horizontal
2	35.5775	-51.57	-63.28	-13.00	50.28	-11.71	RMS	Horizontal
3	80.0035	-48.13	-71.15	-13.00	58.15	-23.02	RMS	Horizontal
4	101.2465	-51.41	-72.33	-13.00	59.33	-20.92	RMS	Horizontal
5	211.1475	-57.57	-72.97	-13.00	59.97	-15.40	RMS	Horizontal
6	947.62	-56.50	-58.33	-13.00	45.33	-1.83	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	41490	Band:	Band=41 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 09:09:15		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	30.4365	-42.32	-65.63	-13.00	52.63	-23.31	RMS	Vertical
2	85.193	-46.69	-65.50	-13.00	52.50	-18.81	RMS	Vertical
3	109.152	-57.16	-68.70	-13.00	55.70	-11.54	RMS	Vertical
4	207.2675	-53.11	-71.53	-13.00	58.53	-18.42	RMS	Vertical
5	529.9865	-63.68	-72.31	-13.00	59.31	-8.63	RMS	Vertical
6	904.552	-54.32	-57.15	-13.00	44.15	-2.83	RMS	Vertical

----- The following blanks -----

1G-18GHz

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	18700	Band:	Band=2 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 02:12:57		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	3702	-42.05	-46.82	-13.00	33.82	-4.77	RMS	Horizontal
2	5553	-51.78	-52.71	-13.00	39.71	-0.93	RMS	Horizontal
3	7404	-45.57	-37.74	-13.00	24.74	7.83	RMS	Horizontal
4	9255.75	-56.08	-43.74	-13.00	30.74	12.34	RMS	Horizontal
5	15099.75	-66.69	-45.40	-13.00	32.40	21.29	RMS	Horizontal
6	17891.25	-63.87	-41.22	-13.00	28.22	22.65	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	18700	Band:	Band=2 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 02:14:25		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	3702	-41.67	-46.92	-13.00	33.92	-5.25	RMS	Vertical
2	5553	-49.77	-50.65	-13.00	37.65	-0.88	RMS	Vertical
3	7404.75	-44.23	-36.26	-13.00	23.26	7.97	RMS	Vertical
4	9255.75	-54.94	-42.40	-13.00	29.40	12.54	RMS	Vertical
5	15056.25	-66.30	-44.92	-13.00	31.92	21.38	RMS	Vertical
6	17998.5	-65.34	-42.73	-13.00	29.73	22.61	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	18900	Band:	Band=2 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 02:07:10		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1835.3	-32.79	-43.88	-13.00	30.88	-11.09	RMS	Horizontal
2	3741.75	-44.25	-49.66	-13.00	36.66	-5.41	RMS	Horizontal
3	5613	-53.50	-53.42	-13.00	40.42	0.08	RMS	Horizontal
4	7484.25	-48.17	-42.02	-13.00	29.02	6.15	RMS	Horizontal
5	9355.5	-59.64	-47.82	-13.00	34.82	11.82	RMS	Horizontal
6	17955	-65.21	-41.25	-13.00	28.25	23.96	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	18900	Band:	Band=2 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 02:08:38		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1835.4	-28.79	-39.83	-13.00	26.83	-11.04	RMS	Vertical
2	3741.75	-43.39	-49.06	-13.00	36.06	-5.67	RMS	Vertical
3	5613	-49.81	-49.90	-13.00	36.90	-0.09	RMS	Vertical
4	7484.25	-44.14	-38.00	-13.00	25.00	6.14	RMS	Vertical
5	9355.5	-58.37	-45.44	-13.00	32.44	12.93	RMS	Vertical
6	13588.5	-66.92	-45.10	-13.00	32.10	21.82	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	19100	Band:	Band=2 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 02:17:49		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	3435.75	-50.81	-56.78	-13.00	43.78	-5.97	RMS	Horizontal
2	3782.25	-43.20	-48.63	-13.00	35.63	-5.43	RMS	Horizontal
3	5673	-51.60	-50.71	-13.00	37.71	0.89	RMS	Horizontal
4	7564.5	-47.51	-40.74	-13.00	27.74	6.77	RMS	Horizontal
5	9455.25	-60.36	-47.64	-13.00	34.64	12.72	RMS	Horizontal
6	17949	-65.43	-41.37	-13.00	28.37	24.06	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	19100	Band:	Band=2 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 02:19:16		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1926.7	-42.65	-53.37	-13.00	40.37	-10.72	RMS	Vertical
2	3782.25	-45.68	-51.15	-13.00	38.15	-5.47	RMS	Vertical
3	5673	-46.17	-45.32	-13.00	32.32	0.85	RMS	Vertical
4	7564.5	-48.69	-42.21	-13.00	29.21	6.48	RMS	Vertical
5	13884	-67.38	-45.18	-13.00	32.18	22.20	RMS	Vertical
6	17999.25	-65.33	-42.65	-13.00	29.65	22.68	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	20050	Band:	Band=4 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 02:40:47		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1693.1	-46.39	-58.43	-13.00	45.43	-12.04	RMS	Horizontal
2	3422.25	-37.61	-43.71	-13.00	30.71	-6.10	RMS	Horizontal
3	5133	-55.79	-55.78	-13.00	42.78	0.01	RMS	Horizontal
4	6844.5	-55.69	-50.74	-13.00	37.74	4.95	RMS	Horizontal
5	8555.25	-55.50	-45.58	-13.00	32.58	9.92	RMS	Horizontal
6	17909.25	-64.18	-40.95	-13.00	27.95	23.23	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	20050	Band:	Band=4 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 02:42:14		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1693.4	-40.37	-52.90	-13.00	39.90	-12.53	RMS	Vertical
2	3421.5	-36.74	-43.17	-13.00	30.17	-6.43	RMS	Vertical
3	5133	-51.64	-51.26	-13.00	38.26	0.38	RMS	Vertical
4	6844.5	-50.30	-45.04	-13.00	32.04	5.26	RMS	Vertical
5	8555.25	-55.69	-45.89	-13.00	32.89	9.80	RMS	Vertical
6	15060	-66.58	-45.21	-13.00	32.21	21.37	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	20175	Band:	Band=4 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 02:47:11		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1690.2	-48.19	-60.19	-13.00	47.19	-12.00	RMS	Horizontal
2	3465.75	-52.52	-58.30	-13.00	45.30	-5.78	RMS	Horizontal
3	6657	-60.27	-55.06	-13.00	42.06	5.21	RMS	Horizontal
4	10485	-64.70	-49.01	-13.00	36.01	15.69	RMS	Horizontal
5	15670.5	-63.95	-44.37	-13.00	31.37	19.58	RMS	Horizontal
6	17914.5	-64.99	-41.65	-13.00	28.65	23.34	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	20175	Band:	Band=4 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 02:48:40		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1690.3	-39.71	-52.18	-13.00	39.18	-12.47	RMS	Vertical
2	2229.1	-55.17	-63.28	-13.00	50.28	-8.11	RMS	Vertical
3	3464.25	-50.60	-56.63	-13.00	43.63	-6.03	RMS	Vertical
4	6930	-57.51	-53.20	-13.00	40.20	4.31	RMS	Vertical
5	11014.5	-65.29	-48.69	-13.00	35.69	16.60	RMS	Vertical
6	13893	-67.27	-44.91	-13.00	31.91	22.36	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	20300	Band:	Band=4 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 02:53:10		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	3471.75	-40.00	-45.76	-13.00	32.76	-5.76	RMS	Horizontal
2	5208	-54.09	-54.75	-13.00	41.75	-0.66	RMS	Horizontal
3	6944.25	-53.47	-48.95	-13.00	35.95	4.52	RMS	Horizontal
4	8680.5	-58.28	-47.79	-13.00	34.79	10.49	RMS	Horizontal
5	15766.5	-63.37	-43.95	-13.00	30.95	19.42	RMS	Horizontal
6	17933.25	-65.19	-41.46	-13.00	28.46	23.73	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	20300	Band:	Band=4 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 02:54:38		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1306.4	-54.39	-66.41	-13.00	53.41	-12.02	RMS	Vertical
2	3471.75	-39.40	-45.35	-13.00	32.35	-5.95	RMS	Vertical
3	5208	-50.12	-50.71	-13.00	37.71	-0.59	RMS	Vertical
4	6944.25	-51.94	-47.81	-13.00	34.81	4.13	RMS	Vertical
5	8680.5	-58.29	-47.59	-13.00	34.59	10.70	RMS	Vertical
6	15062.25	-66.29	-44.91	-13.00	31.91	21.38	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	20450	Band:	Band=5 BW=10MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 05:30:22		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1300.6	-55.70	-68.38	-13.00	55.38	-12.68	RMS	Horizontal
2	1648.9	-44.58	-57.36	-13.00	44.36	-12.78	RMS	Horizontal
3	2473.75	-42.64	-52.92	-13.00	39.92	-10.28	RMS	Horizontal
4	4123	-55.15	-60.33	-13.00	47.33	-5.18	RMS	Horizontal
5	6897.7	-60.21	-55.33	-13.00	42.33	4.88	RMS	Horizontal
6	9793.9	-64.10	-51.50	-13.00	38.50	12.60	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	20450	Band:	Band=5 BW=10MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 05:31:07		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1000.45	-55.71	-67.86	-13.00	54.86	-12.15	RMS	Vertical
2	1648.9	-38.91	-51.99	-13.00	38.99	-13.08	RMS	Vertical
3	2473.3	-40.26	-50.83	-13.00	37.83	-10.57	RMS	Vertical
4	4123	-55.05	-60.15	-13.00	47.15	-5.10	RMS	Vertical
5	6719.5	-59.48	-55.19	-13.00	42.19	4.29	RMS	Vertical
6	9926.2	-64.22	-51.34	-13.00	38.34	12.88	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	20525	Band:	Band=5 BW=10MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 05:26:36		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1663.75	-42.49	-55.47	-13.00	42.47	-12.98	RMS	Horizontal
2	2495.8	-46.37	-55.95	-13.00	42.95	-9.58	RMS	Horizontal
3	3551.05	-56.32	-62.71	-13.00	49.71	-6.39	RMS	Horizontal
4	5428.45	-58.74	-58.32	-13.00	45.32	0.42	RMS	Horizontal
5	6675.85	-60.10	-55.08	-13.00	42.08	5.02	RMS	Horizontal
6	9649	-63.77	-51.46	-13.00	38.46	12.31	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	20525	Band:	Band=5 BW=10MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 05:27:21		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1000	-54.38	-66.49	-13.00	53.49	-12.11	RMS	Vertical
2	1663.75	-39.15	-52.49	-13.00	39.49	-13.34	RMS	Vertical
3	2495.8	-45.37	-55.44	-13.00	42.44	-10.07	RMS	Vertical
4	4203.1	-57.61	-61.26	-13.00	48.26	-3.65	RMS	Vertical
5	6132.25	-59.18	-57.00	-13.00	44.00	2.18	RMS	Vertical
6	9685.9	-63.95	-51.02	-13.00	38.02	12.93	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	20600	Band:	Band=5 BW=10MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 05:33:38		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1312.3	-55.23	-68.04	-13.00	55.04	-12.81	RMS	Horizontal
2	1679.5	-45.68	-58.91	-13.00	45.91	-13.23	RMS	Horizontal
3	2518.75	-47.24	-56.44	-13.00	43.44	-9.20	RMS	Horizontal
4	5090.95	-58.40	-58.83	-13.00	45.83	-0.43	RMS	Horizontal
5	7210	-61.52	-54.91	-13.00	41.91	6.61	RMS	Horizontal
6	9643.15	-63.92	-51.64	-13.00	38.64	12.28	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	20600	Band:	Band=5 BW=10MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 05:34:23		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1295.2	-54.39	-66.96	-13.00	53.96	-12.57	RMS	Vertical
2	1679.05	-38.49	-52.13	-13.00	39.13	-13.64	RMS	Vertical
3	2519.2	-47.18	-56.80	-13.00	43.80	-9.62	RMS	Vertical
4	5774.95	-59.20	-57.12	-13.00	44.12	2.08	RMS	Vertical
5	8949.25	-63.63	-52.54	-13.00	39.54	11.09	RMS	Vertical
6	9689.05	-63.95	-51.01	-13.00	38.01	12.94	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	20850	Band:	Band=7 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 03:09:32		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	2483.3	-38.42	-46.36	-13.00	33.36	-7.94	RMS	Horizontal
2	5001.75	-42.35	-42.52	-13.00	29.52	-0.17	RMS	Horizontal
3	7503	-53.96	-47.79	-13.00	34.79	6.17	RMS	Horizontal
4	10004.25	-59.62	-46.96	-13.00	33.96	12.66	RMS	Horizontal
5	15762	-63.27	-43.89	-13.00	30.89	19.38	RMS	Horizontal
6	17955	-65.39	-41.43	-13.00	28.43	23.96	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	20850	Band:	Band=7 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 03:10:59		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	2483.3	-39.38	-47.70	-13.00	34.70	-8.32	RMS	Vertical
2	5001.75	-42.88	-43.66	-13.00	30.66	-0.78	RMS	Vertical
3	7503	-52.53	-46.52	-13.00	33.52	6.01	RMS	Vertical
4	10004.25	-58.39	-44.76	-13.00	31.76	13.63	RMS	Vertical
5	12253.5	-64.90	-46.69	-13.00	33.69	18.21	RMS	Vertical
6	17998.5	-65.35	-42.74	-13.00	29.74	22.61	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	21100	Band:	Band=7 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 02:59:57		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	2490.7	-44.35	-52.09	-13.00	39.09	-7.74	RMS	Horizontal
2	5052	-40.48	-41.13	-13.00	28.13	-0.65	RMS	Horizontal
3	7578	-47.33	-40.47	-13.00	27.47	6.86	RMS	Horizontal
4	10104.75	-56.54	-43.65	-13.00	30.65	12.89	RMS	Horizontal
5	15749.25	-63.30	-44.02	-13.00	31.02	19.28	RMS	Horizontal
6	17934.75	-64.92	-41.15	-13.00	28.15	23.77	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	21100	Band:	Band=7 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 03:01:25		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	2490.5	-36.28	-44.47	-13.00	31.47	-8.19	RMS	Vertical
2	5052	-38.67	-39.31	-13.00	26.31	-0.64	RMS	Vertical
3	7578	-57.25	-50.78	-13.00	37.78	6.47	RMS	Vertical
4	10104	-56.05	-42.75	-13.00	29.75	13.30	RMS	Vertical
5	12630.75	-62.45	-44.14	-13.00	31.14	18.31	RMS	Vertical
6	17997.75	-65.24	-42.69	-13.00	29.69	22.55	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	21350	Band:	Band=7 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 03:13:57		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1300.3	-54.25	-66.27	-13.00	53.27	-12.02	RMS	Horizontal
2	2586.4	-39.37	-46.91	-13.00	33.91	-7.54	RMS	Horizontal
3	5102.25	-42.83	-43.20	-13.00	30.20	-0.37	RMS	Horizontal
4	7653.75	-53.07	-46.91	-13.00	33.91	6.16	RMS	Horizontal
5	10204.5	-57.36	-44.33	-13.00	31.33	13.03	RMS	Horizontal
6	17955	-65.20	-41.24	-13.00	28.24	23.96	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	21350	Band:	Band=7 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 03:15:26		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1496.4	-54.57	-65.53	-13.00	52.53	-10.96	RMS	Vertical
2	2586.5	-38.05	-45.65	-13.00	32.65	-7.60	RMS	Vertical
3	5102.25	-43.32	-43.38	-13.00	30.38	-0.06	RMS	Vertical
4	7653	-53.56	-47.42	-13.00	34.42	6.14	RMS	Vertical
5	10204.5	-58.26	-44.76	-13.00	31.76	13.50	RMS	Vertical
6	17992.5	-64.75	-42.69	-13.00	29.69	22.06	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	23060	Band:	Band=12 BW=10MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-24 05:41:28		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1398.65	-36.85	-51.43	-13.00	38.43	-14.58	RMS	Horizontal
2	2098.2	-49.81	-61.07	-13.00	48.07	-11.26	RMS	Horizontal
3	2415.25	-50.12	-61.38	-13.00	48.38	-11.26	RMS	Horizontal
4	2797.75	-53.99	-62.77	-13.00	49.77	-8.78	RMS	Horizontal
5	15757.7	-63.78	-46.06	-13.00	33.06	17.72	RMS	Horizontal
6	17950.7	-65.98	-42.60	-13.00	29.60	23.38	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	23060	Band:	Band=12 BW=10MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-24 05:42:14		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1398.65	-34.75	-50.76	-13.00	37.76	-16.01	RMS	Vertical
2	2098.2	-43.56	-55.04	-13.00	42.04	-11.48	RMS	Vertical
3	2428.85	-46.04	-57.04	-13.00	44.04	-11.00	RMS	Vertical
4	2797.75	-50.78	-60.04	-13.00	47.04	-9.26	RMS	Vertical
5	14119.75	-67.78	-46.88	-13.00	33.88	20.90	RMS	Vertical
6	17998.3	-65.63	-43.77	-13.00	30.77	21.86	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	23095	Band:	Band=12 BW=10MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-24 05:37:43		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1405.45	-40.68	-55.21	-13.00	42.21	-14.53	RMS	Horizontal
2	2109.25	-48.27	-59.54	-13.00	46.54	-11.27	RMS	Horizontal
3	2415.25	-50.29	-61.55	-13.00	48.55	-11.26	RMS	Horizontal
4	6895.6	-60.86	-56.02	-13.00	43.02	4.84	RMS	Horizontal
5	15675.25	-64.66	-46.38	-13.00	33.38	18.28	RMS	Horizontal
6	17932	-65.42	-42.50	-13.00	29.50	22.92	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	23095	Band:	Band=12 BW=10MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-24 05:38:29		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1405.45	-39.07	-54.85	-13.00	41.85	-15.78	RMS	Vertical
2	2109.25	-48.00	-59.35	-13.00	46.35	-11.35	RMS	Vertical
3	2416.1	-47.16	-58.11	-13.00	45.11	-10.95	RMS	Vertical
4	2812.2	-50.91	-60.06	-13.00	47.06	-9.15	RMS	Vertical
5	8018.45	-62.94	-54.13	-13.00	41.13	8.81	RMS	Vertical
6	13788.25	-68.75	-47.14	-13.00	34.14	21.61	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	23130	Band:	Band=12 BW=10MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-24 05:33:49		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1413.1	-39.89	-54.31	-13.00	41.31	-14.42	RMS	Horizontal
2	2119.45	-50.76	-62.01	-13.00	49.01	-11.25	RMS	Horizontal
3	7182.05	-62.02	-55.69	-13.00	42.69	6.33	RMS	Horizontal
4	10499.6	-65.79	-50.76	-13.00	37.76	15.03	RMS	Horizontal
5	15664.2	-65.20	-46.48	-13.00	33.48	18.72	RMS	Horizontal
6	17949.85	-65.90	-42.52	-13.00	29.52	23.38	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	23130	Band:	Band=12 BW=10MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-24 05:34:36		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1413.1	-36.77	-52.15	-13.00	39.15	-15.38	RMS	Vertical
2	2119.45	-44.93	-56.12	-13.00	43.12	-11.19	RMS	Vertical
3	4456.1	-58.64	-61.32	-13.00	48.32	-2.68	RMS	Vertical
4	7210.1	-62.48	-55.58	-13.00	42.58	6.90	RMS	Vertical
5	10990.9	-65.46	-50.34	-13.00	37.34	15.12	RMS	Vertical
6	13759.35	-67.87	-46.95	-13.00	33.95	20.92	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	23230	Band:	Band=13 BW=10MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 06:24:28		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1005.4	-54.94	-67.30	-13.00	54.30	-12.36	RMS	Horizontal
2	1555.3	-46.79	-60.42	-13.00	47.42	-13.63	RMS	Horizontal
3	2332.9	-42.30	-52.43	-13.00	39.43	-10.13	RMS	Horizontal
4	5016.7	-58.61	-58.97	-13.00	45.97	-0.36	RMS	Horizontal
5	6675.85	-60.38	-55.36	-13.00	42.36	5.02	RMS	Horizontal
6	9797.05	-62.75	-50.11	-13.00	37.11	12.64	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	23230	Band:	Band=13 BW=10MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 06:25:13		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1554.85	-45.82	-58.74	-13.00	45.74	-12.92	RMS	Vertical
2	2332.9	-42.19	-52.90	-13.00	39.90	-10.71	RMS	Vertical
3	3110.5	-54.60	-61.67	-13.00	48.67	-7.07	RMS	Vertical
4	4484.35	-57.34	-60.01	-13.00	47.01	-2.67	RMS	Vertical
5	7758.55	-61.83	-54.23	-13.00	41.23	7.60	RMS	Vertical
6	9870.85	-63.97	-50.70	-13.00	37.70	13.27	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	23780	Band:	Band=17 BW=10MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 06:31:15		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1409.05	-39.92	-54.40	-13.00	41.40	-14.48	RMS	Horizontal
2	2113.3	-45.16	-56.42	-13.00	43.42	-11.26	RMS	Horizontal
3	3057.85	-57.01	-63.88	-13.00	50.88	-6.87	RMS	Horizontal
4	4962.25	-57.59	-58.25	-13.00	45.25	-0.66	RMS	Horizontal
5	6675.4	-60.26	-55.24	-13.00	42.24	5.02	RMS	Horizontal
6	9870.85	-64.01	-51.19	-13.00	38.19	12.82	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	23780	Band:	Band=17 BW=10MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 06:32:01		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1409.05	-40.16	-55.76	-13.00	42.76	-15.60	RMS	Vertical
2	2113.75	-47.24	-58.52	-13.00	45.52	-11.28	RMS	Vertical
3	3200.5	-56.97	-63.76	-13.00	50.76	-6.79	RMS	Vertical
4	4488.4	-58.19	-60.84	-13.00	47.84	-2.65	RMS	Vertical
5	7205.95	-61.28	-54.26	-13.00	41.26	7.02	RMS	Vertical
6	9903.25	-64.32	-51.01	-13.00	38.01	13.31	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	23790	Band:	Band=17 BW=10MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 06:27:52		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1410.85	-40.59	-55.05	-13.00	42.05	-14.46	RMS	Horizontal
2	2116.9	-45.19	-56.44	-13.00	43.44	-11.25	RMS	Horizontal
3	3076.3	-57.04	-63.69	-13.00	50.69	-6.65	RMS	Horizontal
4	4993.75	-58.92	-59.20	-13.00	46.20	-0.28	RMS	Horizontal
5	7304.5	-61.39	-54.64	-13.00	41.64	6.75	RMS	Horizontal
6	9793.9	-64.01	-51.41	-13.00	38.41	12.60	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	23790	Band:	Band=17 BW=10MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 06:28:37		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1410.85	-39.14	-54.65	-13.00	41.65	-15.51	RMS	Vertical
2	2116.9	-46.76	-57.99	-13.00	44.99	-11.23	RMS	Vertical
3	3484.45	-53.92	-60.34	-13.00	47.34	-6.42	RMS	Vertical
4	5491.45	-58.85	-58.62	-13.00	45.62	0.23	RMS	Vertical
5	8395.3	-63.30	-53.36	-13.00	40.36	9.94	RMS	Vertical
6	9698.05	-63.55	-50.58	-13.00	37.58	12.97	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	23800	Band:	Band=17 BW=10MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 06:34:09		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1413.1	-40.12	-54.54	-13.00	41.54	-14.42	RMS	Horizontal
2	2120.05	-46.32	-57.57	-13.00	44.57	-11.25	RMS	Horizontal
3	2416.15	-49.80	-61.05	-13.00	48.05	-11.25	RMS	Horizontal
4	3102.4	-56.87	-63.28	-13.00	50.28	-6.41	RMS	Horizontal
5	6675.85	-60.21	-55.19	-13.00	42.19	5.02	RMS	Horizontal
6	9296.65	-62.56	-51.13	-13.00	38.13	11.43	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	23800	Band:	Band=17 BW=10MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 06:34:54		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1413.1	-38.95	-54.33	-13.00	41.33	-15.38	RMS	Vertical
2	2119.6	-43.79	-54.98	-13.00	41.98	-11.19	RMS	Vertical
3	2403.1	-47.35	-58.25	-13.00	45.25	-10.90	RMS	Vertical
4	4748.5	-58.25	-60.02	-13.00	47.02	-1.77	RMS	Vertical
5	5768.65	-58.79	-56.80	-13.00	43.80	1.99	RMS	Vertical
6	9698.05	-63.76	-50.79	-13.00	37.79	12.97	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	26140	Band:	Band=25 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 03:39:32		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	2414.1	-51.86	-61.23	-13.00	48.23	-9.37	RMS	Horizontal
2	3702	-42.00	-46.77	-13.00	33.77	-4.77	RMS	Horizontal
3	5553	-52.51	-53.44	-13.00	40.44	-0.93	RMS	Horizontal
4	7404	-48.16	-40.33	-13.00	27.33	7.83	RMS	Horizontal
5	9255	-56.33	-43.99	-13.00	30.99	12.34	RMS	Horizontal
6	17946	-64.76	-40.77	-13.00	27.77	23.99	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	26140	Band:	Band=25 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8℃;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 03:41:00		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	2428.3	-46.51	-55.63	-13.00	42.63	-9.12	RMS	Vertical
2	3702	-41.78	-47.03	-13.00	34.03	-5.25	RMS	Vertical
3	5553	-50.31	-51.19	-13.00	38.19	-0.88	RMS	Vertical
4	7404	-46.20	-38.20	-13.00	25.20	8.00	RMS	Vertical
5	9255	-58.82	-46.28	-13.00	33.28	12.54	RMS	Vertical
6	13816.5	-66.68	-44.79	-13.00	31.79	21.89	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	26365	Band:	Band=25 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 03:32:28		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1838.5	-41.01	-52.03	-13.00	39.03	-11.02	RMS	Horizontal
2	3747	-44.41	-49.90	-13.00	36.90	-5.49	RMS	Horizontal
3	5620.5	-54.33	-54.16	-13.00	41.16	0.17	RMS	Horizontal
4	7494	-49.18	-43.03	-13.00	30.03	6.15	RMS	Horizontal
5	9367.5	-59.43	-47.61	-13.00	34.61	11.82	RMS	Horizontal
6	17949	-65.35	-41.29	-13.00	28.29	24.06	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	26365	Band:	Band=25 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 03:33:57		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1837.7	-31.86	-42.86	-13.00	29.86	-11.00	RMS	Vertical
2	3747	-43.53	-49.25	-13.00	36.25	-5.72	RMS	Vertical
3	5620.5	-50.32	-50.30	-13.00	37.30	0.02	RMS	Vertical
4	7494.75	-49.62	-43.59	-13.00	30.59	6.03	RMS	Vertical
5	9367.5	-60.42	-47.53	-13.00	34.53	12.89	RMS	Vertical
6	13906.5	-67.48	-45.09	-13.00	32.09	22.39	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	26590	Band:	Band=25 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 03:46:48		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1919.3	-44.16	-55.06	-13.00	42.06	-10.90	RMS	Horizontal
2	3792	-43.79	-49.19	-13.00	36.19	-5.40	RMS	Horizontal
3	5688	-53.47	-52.33	-13.00	39.33	1.14	RMS	Horizontal
4	7584.75	-49.86	-42.96	-13.00	29.96	6.90	RMS	Horizontal
5	9480.75	-59.32	-47.26	-13.00	34.26	12.06	RMS	Horizontal
6	17943.75	-65.38	-41.43	-13.00	28.43	23.95	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	26590	Band:	Band=25 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 03:48:16		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1922.7	-39.02	-49.73	-13.00	36.73	-10.71	RMS	Vertical
2	2425.3	-48.68	-57.79	-13.00	44.79	-9.11	RMS	Vertical
3	3792	-42.43	-47.82	-13.00	34.82	-5.39	RMS	Vertical
4	5688	-52.13	-51.01	-13.00	38.01	1.12	RMS	Vertical
5	7584	-50.75	-44.29	-13.00	31.29	6.46	RMS	Vertical
6	14235	-67.20	-45.04	-13.00	32.04	22.16	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	26740	Band:	Band=26 BW=10MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-28 01:34:13		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1297.9	-55.03	-67.81	-13.00	54.81	-12.78	RMS	Horizontal
2	1638.1	-45.94	-58.83	-13.00	45.83	-12.89	RMS	Horizontal
3	2457.1	-46.08	-56.89	-13.00	43.89	-10.81	RMS	Horizontal
4	5017.6	-57.66	-58.02	-13.00	45.02	-0.36	RMS	Horizontal
5	6722.2	-59.20	-54.65	-13.00	41.65	4.55	RMS	Horizontal
6	9817.75	-63.54	-50.82	-13.00	37.82	12.72	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	26740	Band:	Band=26 BW=10MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-28 01:34:58		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1638.0000	-34.92	-48.16	-13.00	35.16	-13.24	RMS	Vertical
2	2457.0000	-40.90	-51.82	-13.00	38.82	-10.92	RMS	Vertical
3	3884.95	-57.28	-62.46	-13.00	49.46	-5.18	RMS	Vertical
4	4895.2	-57.93	-58.81	-13.00	45.81	-0.88	RMS	Vertical
5	6499	-59.63	-55.61	-13.00	42.61	4.02	RMS	Vertical
6	9697.6	-63.05	-50.08	-13.00	37.08	12.97	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	26765	Band:	Band=26 BW=15MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 06:41:05		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1311.85	-54.98	-67.78	-13.00	54.78	-12.80	RMS	Horizontal
2	1629.55	-47.35	-60.31	-13.00	47.31	-12.96	RMS	Horizontal
3	2444.05	-43.48	-54.55	-13.00	41.55	-11.07	RMS	Horizontal
4	3520.9	-57.37	-63.59	-13.00	50.59	-6.22	RMS	Horizontal
5	6895.9	-60.42	-55.57	-13.00	42.57	4.85	RMS	Horizontal
6	9595	-63.10	-51.21	-13.00	38.21	11.89	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	26765	Band:	Band=26 BW=15MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 06:41:50		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1629.55	-37.13	-50.48	-13.00	37.48	-13.35	RMS	Vertical
2	2444.05	-44.09	-55.14	-13.00	42.14	-11.05	RMS	Vertical
3	3492.55	-56.85	-63.13	-13.00	50.13	-6.28	RMS	Vertical
4	5780.35	-59.29	-57.12	-13.00	44.12	2.17	RMS	Vertical
5	8752.6	-63.48	-52.65	-13.00	39.65	10.83	RMS	Vertical
6	9697.6	-63.55	-50.58	-13.00	37.58	12.97	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	26865	Band:	Band=26 BW=15MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 06:38:11		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1649.8	-46.41	-59.18	-13.00	46.18	-12.77	RMS	Horizontal
2	2474.2	-45.29	-55.56	-13.00	42.56	-10.27	RMS	Horizontal
3	3506.95	-57.16	-63.31	-13.00	50.31	-6.15	RMS	Horizontal
4	5423.95	-58.48	-58.08	-13.00	45.08	0.40	RMS	Horizontal
5	6722.2	-59.70	-55.15	-13.00	42.15	4.55	RMS	Horizontal
6	9817.75	-64.04	-51.32	-13.00	38.32	12.72	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	26865	Band:	Band=26 BW=15MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 06:38:56		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1649.35	-38.45	-51.53	-13.00	38.53	-13.08	RMS	Vertical
2	2474.65	-44.61	-55.15	-13.00	42.15	-10.54	RMS	Vertical
3	3326.05	-55.54	-63.13	-13.00	50.13	-7.59	RMS	Vertical
4	4802.05	-58.25	-60.25	-13.00	47.25	-2.00	RMS	Vertical
5	6471.55	-59.84	-56.22	-13.00	43.22	3.62	RMS	Vertical
6	9692.65	-63.81	-50.86	-13.00	37.86	12.95	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	26965	Band:	Band=26 BW=15MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 06:43:20		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1669.6	-48.85	-61.92	-13.00	48.92	-13.07	RMS	Horizontal
2	2504.8	-45.68	-55.06	-13.00	42.06	-9.38	RMS	Horizontal
3	3458.8	-51.56	-58.18	-13.00	45.18	-6.62	RMS	Horizontal
4	6677.65	-59.78	-54.74	-13.00	41.74	5.04	RMS	Horizontal
5	7885.9	-61.16	-52.90	-13.00	39.90	8.26	RMS	Horizontal
6	9871.3	-64.33	-51.52	-13.00	38.52	12.81	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	26965	Band:	Band=26 BW=15MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 06:44:05		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1315.45	-54.81	-67.76	-13.00	54.76	-12.95	RMS	Vertical
2	1669.6	-42.57	-56.02	-13.00	43.02	-13.45	RMS	Vertical
3	2504.35	-47.20	-57.10	-13.00	44.10	-9.90	RMS	Vertical
4	4223.35	-57.24	-60.80	-13.00	47.80	-3.56	RMS	Vertical
5	5774.5	-59.24	-57.17	-13.00	44.17	2.07	RMS	Vertical
6	8451.1	-62.67	-52.42	-13.00	39.42	10.25	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	37850	Band:	Band=38 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 04:02:31		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1309.1	-55.08	-67.25	-13.00	54.25	-12.17	RMS	Horizontal
2	2998.9	-56.90	-62.36	-13.00	49.36	-5.46	RMS	Horizontal
3	5142	-42.23	-42.10	-13.00	29.10	0.13	RMS	Horizontal
4	7713	-55.35	-48.26	-13.00	35.26	7.09	RMS	Horizontal
5	10284	-52.59	-39.07	-13.00	26.07	13.52	RMS	Horizontal
6	17965.5	-65.01	-41.31	-13.00	28.31	23.70	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	37850	Band:	Band=38 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 04:04:00		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1305.7	-54.76	-66.83	-13.00	53.83	-12.07	RMS	Vertical
2	2212.2	-53.87	-61.96	-13.00	48.96	-8.09	RMS	Vertical
3	2916.4	-56.09	-62.15	-13.00	49.15	-6.06	RMS	Vertical
4	5142	-40.61	-40.09	-13.00	27.09	0.52	RMS	Vertical
5	10284	-54.76	-40.25	-13.00	27.25	14.51	RMS	Vertical
6	14187	-66.54	-44.51	-13.00	31.51	22.03	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	38000	Band:	Band=38 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8℃;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 03:57:11		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	2031.8	-55.69	-64.73	-13.00	51.73	-9.04	RMS	Horizontal
2	2975.5	-55.97	-61.86	-13.00	48.86	-5.89	RMS	Horizontal
3	5172	-42.15	-42.34	-13.00	29.34	-0.19	RMS	Horizontal
4	7758.75	-56.10	-48.53	-13.00	35.53	7.57	RMS	Horizontal
5	10344	-57.76	-43.46	-13.00	30.46	14.30	RMS	Horizontal
6	17945.25	-65.19	-41.21	-13.00	28.21	23.98	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	38000	Band:	Band=38 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 03:58:38		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	2252.8	-52.79	-61.58	-13.00	48.58	-8.79	RMS	Vertical
2	5172	-41.64	-41.56	-13.00	28.56	0.08	RMS	Vertical
3	7758	-60.54	-52.40	-13.00	39.40	8.14	RMS	Vertical
4	10344	-57.37	-42.54	-13.00	29.54	14.83	RMS	Vertical
5	15069.75	-66.69	-45.32	-13.00	32.32	21.37	RMS	Vertical
6	17995.5	-65.10	-42.77	-13.00	29.77	22.33	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	38150	Band:	Band=38 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8℃;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 04:09:42		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	2003	-55.26	-64.51	-13.00	51.51	-9.25	RMS	Horizontal
2	2989.4	-56.74	-62.38	-13.00	49.38	-5.64	RMS	Horizontal
3	5202	-39.68	-40.39	-13.00	27.39	-0.71	RMS	Horizontal
4	7803	-53.22	-46.27	-13.00	33.27	6.95	RMS	Horizontal
5	10404	-58.38	-43.95	-13.00	30.95	14.43	RMS	Horizontal
6	17948.25	-65.30	-41.26	-13.00	28.26	24.04	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	38150	Band:	Band=38 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 04:11:10		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1309.7	-54.94	-67.12	-13.00	54.12	-12.18	RMS	Vertical
2	2425	-45.03	-54.22	-13.00	41.22	-9.19	RMS	Vertical
3	5202	-38.41	-39.03	-13.00	26.03	-0.62	RMS	Vertical
4	7803	-61.03	-53.51	-13.00	40.51	7.52	RMS	Vertical
5	10404.75	-55.36	-40.41	-13.00	27.41	14.95	RMS	Vertical
6	13899.75	-67.60	-45.13	-13.00	32.13	22.47	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	38750	Band:	Band=40 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 04:27:08		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1322.9	-55.48	-53.56	-13.00	40.56	1.92	RMS	Horizontal
2	2283.1	-48.42	-47.56	-13.00	34.56	0.86	RMS	Horizontal
3	4602	-52.85	-56.44	-13.00	43.44	-3.59	RMS	Horizontal
4	6903.75	-58.51	-53.30	-13.00	40.30	5.21	RMS	Horizontal
5	15756	-63.30	-43.97	-13.00	30.97	19.33	RMS	Horizontal
6	17999.25	-64.40	-41.52	-13.00	28.52	22.88	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	38750	Band:	Band=40 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8℃;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 04:28:37		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1319.4	-55.27	-53.43	-13.00	40.43	1.84	RMS	Vertical
2	2283.1	-40.39	-40.06	-13.00	27.06	0.33	RMS	Vertical
3	4602	-51.17	-54.83	-13.00	41.83	-3.66	RMS	Vertical
4	6903	-55.58	-50.91	-13.00	37.91	4.67	RMS	Vertical
5	14178	-67.28	-45.27	-13.00	32.27	22.01	RMS	Vertical
6	17998.5	-65.18	-42.57	-13.00	29.57	22.61	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	39150	Band:	Band=40 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 04:22:14		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1301.8	-56.10	-53.48	-13.00	40.48	2.62	RMS	Horizontal
2	2971.4	-56.44	-54.64	-13.00	41.64	1.80	RMS	Horizontal
3	4682.25	-51.74	-54.39	-13.00	41.39	-2.65	RMS	Horizontal
4	7023	-58.63	-52.87	-13.00	39.87	5.76	RMS	Horizontal
5	15777	-63.46	-43.94	-13.00	30.94	19.52	RMS	Horizontal
6	17945.25	-65.57	-41.59	-13.00	28.59	23.98	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	39150	Band:	Band=40 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 04:23:42		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1318.8	-55.65	-53.78	-13.00	40.78	1.87	RMS	Vertical
2	2972.8	-56.31	-54.68	-13.00	41.68	1.63	RMS	Vertical
3	4682.25	-49.76	-52.89	-13.00	39.89	-3.13	RMS	Vertical
4	7023.75	-53.90	-48.47	-13.00	35.47	5.43	RMS	Vertical
5	11017.5	-64.86	-48.29	-13.00	35.29	16.57	RMS	Vertical
6	15076.5	-66.37	-45.00	-13.00	32.00	21.37	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	39550	Band:	Band=40 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 04:33:36		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1293.2	-55.70	-53.90	-13.00	40.90	1.80	RMS	Horizontal
2	2381.3	-42.39	-43.38	-13.00	30.38	-0.99	RMS	Horizontal
3	2417	-42.81	-44.58	-13.00	31.58	-1.77	RMS	Horizontal
4	4761.75	-52.00	-53.34	-13.00	40.34	-1.34	RMS	Horizontal
5	7143.75	-45.67	-39.40	-13.00	26.40	6.27	RMS	Horizontal
6	17923.5	-64.73	-41.20	-13.00	28.20	23.53	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	39550	Band:	Band=40 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 04:35:04		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1321.6	-55.54	-53.81	-30.00	23.81	1.73	RMS	Vertical
2	2381.3	-38.44	-39.25	-30.00	9.25	-0.81	RMS	Vertical
3	2416.7	-34.69	-36.16	-13.00	23.16	-1.47	RMS	Vertical
4	4761.75	-49.23	-50.54	-30.00	20.54	-1.31	RMS	Vertical
5	7143	-54.46	-47.70	-30.00	17.70	6.76	RMS	Vertical
6	17999.25	-64.65	-41.97	-30.00	11.97	22.68	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	39750	Band:	Band=41 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 04:54:15		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1309	-54.94	-67.11	-13.00	54.11	-12.17	RMS	Horizontal
2	2461.5	-36.74	-45.59	-13.00	32.59	-8.85	RMS	Horizontal
3	4994.25	-46.32	-46.47	-13.00	33.47	-0.15	RMS	Horizontal
4	7491	-57.04	-50.89	-13.00	37.89	6.15	RMS	Horizontal
5	15766.5	-63.76	-44.34	-13.00	31.34	19.42	RMS	Horizontal
6	17941.5	-65.33	-41.42	-13.00	28.42	23.91	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	39750	Band:	Band=41 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 04:55:44		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1288.3	-54.45	-66.53	-13.00	53.53	-12.08	RMS	Vertical
2	2461.5	-30.02	-39.03	-13.00	26.03	-9.01	RMS	Vertical
3	4993.5	-48.07	-48.77	-13.00	35.77	-0.70	RMS	Vertical
4	7491	-59.55	-53.48	-13.00	40.48	6.07	RMS	Vertical
5	9988.5	-57.81	-44.27	-13.00	31.27	13.54	RMS	Vertical
6	17999.25	-65.77	-43.09	-13.00	30.09	22.68	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	40620	Band:	Band=41 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 04:47:20		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1306.1	-55.08	-67.23	-13.00	54.23	-12.15	RMS	Horizontal
2	1531.2	-53.64	-66.47	-13.00	53.47	-12.83	RMS	Horizontal
3	2418.1	-47.28	-56.74	-13.00	43.74	-9.46	RMS	Horizontal
4	5167.5	-41.13	-41.24	-13.00	28.24	-0.11	RMS	Horizontal
5	10336.5	-55.16	-40.99	-13.00	27.99	14.17	RMS	Horizontal
6	17945.25	-65.30	-41.32	-13.00	28.32	23.98	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	40620	Band:	Band=41 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 04:48:49		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1517.1	-55.01	-66.36	-13.00	53.36	-11.35	RMS	Vertical
2	2252.9	-51.52	-60.32	-13.00	47.32	-8.80	RMS	Vertical
3	2896	-56.01	-61.98	-13.00	48.98	-5.97	RMS	Vertical
4	5167.5	-40.05	-39.85	-13.00	26.85	0.20	RMS	Vertical
5	10336.5	-60.14	-45.35	-13.00	32.35	14.79	RMS	Vertical
6	13895.25	-67.32	-44.93	-13.00	31.93	22.39	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	41490	Band:	Band=41 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 05:01:39		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	2001.1	-55.52	-64.78	-13.00	51.78	-9.26	RMS	Horizontal
2	2706.9	-46.26	-53.61	-13.00	40.61	-7.35	RMS	Horizontal
3	5342.25	-42.08	-42.11	-13.00	29.11	-0.03	RMS	Horizontal
4	8013.75	-57.30	-48.45	-13.00	35.45	8.85	RMS	Horizontal
5	10684.5	-58.94	-44.29	-13.00	31.29	14.65	RMS	Horizontal
6	17943	-65.18	-41.24	-13.00	28.24	23.94	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	41490	Band:	Band=41 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-22 05:03:08		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1290.4	-54.73	-66.78	-13.00	53.78	-12.05	RMS	Vertical
2	2233.7	-54.23	-62.70	-13.00	49.70	-8.47	RMS	Vertical
3	2707	-36.14	-43.41	-13.00	30.41	-7.27	RMS	Vertical
4	5342.25	-36.32	-36.88	-13.00	23.88	-0.56	RMS	Vertical
5	8013.75	-58.41	-49.41	-13.00	36.41	9.00	RMS	Vertical
6	10684.5	-59.24	-43.11	-13.00	30.11	16.13	RMS	Vertical
7	17998.5	-65.35	-42.74	-13.00	29.74	22.61	RMS	Vertical

----- The following blanks -----

Above 18GHz

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	18700	Band:	Band=2 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-26 02:46:50		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18227.8091	-65.58	-80.70	-25.00	55.70	-15.12	RMS	Horizontal
2	19882.9953	-66.30	-81.81	-25.00	56.81	-15.51	RMS	Horizontal
3	22036.3015	-69.70	-82.63	-25.00	57.63	-12.93	RMS	Horizontal
4	23992.3997	-68.96	-80.86	-25.00	55.86	-11.90	RMS	Horizontal
5	25389.8556	-68.77	-80.72	-25.00	55.72	-11.95	RMS	Horizontal
6	26455.4582	-69.50	-80.95	-25.00	55.95	-11.45	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	18700	Band:	Band=2 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-26 02:47:42		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18235.2894	-65.55	-81.65	-25.00	56.65	-16.10	RMS	Vertical
2	19885.3754	-66.29	-82.49	-25.00	57.49	-16.20	RMS	Vertical
3	22615.6846	-70.12	-83.75	-25.00	58.75	-13.63	RMS	Vertical
4	23948.5379	-68.63	-82.43	-25.00	57.43	-13.80	RMS	Vertical
5	24953.9582	-69.01	-82.44	-25.00	57.44	-13.43	RMS	Vertical
6	26465.3186	-69.78	-82.47	-25.00	57.47	-12.69	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	18900	Band:	Band=2 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-26 02:44:58		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18253.6501	-65.63	-80.66	-25.00	55.66	-15.03	RMS	Horizontal
2	19900.676	-66.22	-81.78	-25.00	56.78	-15.56	RMS	Horizontal
3	22061.4625	-69.62	-82.63	-25.00	57.63	-13.01	RMS	Horizontal
4	23994.0998	-68.54	-80.43	-25.00	55.43	-11.89	RMS	Horizontal
5	24753.3501	-69.06	-80.37	-25.00	55.37	-11.31	RMS	Horizontal
6	25428.9572	-68.90	-80.99	-25.00	55.99	-12.09	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	18900	Band:	Band=2 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-26 02:45:29		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18236.6495	-65.87	-81.96	-25.00	56.96	-16.09	RMS	Vertical
2	19880.9552	-66.03	-82.22	-25.00	57.22	-16.19	RMS	Vertical
3	20268.2307	-67.30	-83.02	-25.00	58.02	-15.72	RMS	Vertical
4	22085.9434	-69.74	-84.16	-25.00	59.16	-14.42	RMS	Vertical
5	23993.4197	-68.97	-82.78	-25.00	57.78	-13.81	RMS	Vertical
6	25437.1175	-68.60	-81.95	-25.00	56.95	-13.35	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	19100	Band:	Band=2 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-26 02:49:17		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18219.9888	-65.80	-80.96	-25.00	55.96	-15.16	RMS	Horizontal
2	19842.1937	-66.42	-81.82	-25.00	56.82	-15.40	RMS	Horizontal
3	21194.7678	-68.93	-82.93	-25.00	57.93	-14.00	RMS	Horizontal
4	23592.2037	-69.76	-81.97	-25.00	56.97	-12.21	RMS	Horizontal
5	24755.3902	-69.18	-80.50	-25.00	55.50	-11.32	RMS	Horizontal
6	25806.7123	-69.08	-81.16	-25.00	56.16	-12.08	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	19100	Band:	Band=2 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-26 02:49:51		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18230.8692	-65.66	-81.78	-25.00	56.78	-16.12	RMS	Vertical
2	20109.4444	-66.94	-83.02	-25.00	58.02	-16.08	RMS	Vertical
3	22606.8443	-69.89	-83.53	-25.00	58.53	-13.64	RMS	Vertical
4	24004.6402	-68.55	-82.35	-25.00	57.35	-13.80	RMS	Vertical
5	25380.6752	-68.87	-82.13	-25.00	57.13	-13.26	RMS	Vertical
6	26468.7187	-69.85	-82.52	-25.00	57.52	-12.67	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	20850	Band:	Band=7 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-26 02:54:00		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18227.8091	-65.64	-80.76	-25.00	55.76	-15.12	RMS	Horizontal
2	19882.6553	-66.03	-81.54	-25.00	56.54	-15.51	RMS	Horizontal
3	22027.1211	-69.82	-82.72	-25.00	57.72	-12.90	RMS	Horizontal
4	23961.4585	-68.44	-80.41	-25.00	55.41	-11.97	RMS	Horizontal
5	24787.3515	-69.31	-80.83	-25.00	55.83	-11.52	RMS	Horizontal
6	25412.2965	-68.67	-80.71	-25.00	55.71	-12.04	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	20850	Band:	Band=7 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-26 02:54:35		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18242.0897	-65.76	-81.82	-25.00	56.82	-16.06	RMS	Vertical
2	19876.8751	-65.79	-81.97	-25.00	56.97	-16.18	RMS	Vertical
3	21099.564	-68.58	-83.78	-25.00	58.78	-15.20	RMS	Vertical
4	22962.1585	-69.26	-83.09	-25.00	58.09	-13.83	RMS	Vertical
5	24695.8878	-69.39	-82.42	-25.00	57.42	-13.03	RMS	Vertical
6	25791.4117	-69.07	-82.32	-25.00	57.32	-13.25	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	21100	Band:	Band=7 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-26 02:51:58		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18240.0496	-65.76	-80.81	-25.00	55.81	-15.05	RMS	Horizontal
2	19858.8544	-66.16	-81.60	-25.00	56.60	-15.44	RMS	Horizontal
3	22039.3616	-69.87	-82.81	-25.00	57.81	-12.94	RMS	Horizontal
4	23988.9996	-68.81	-80.71	-25.00	55.71	-11.90	RMS	Horizontal
5	24760.1504	-69.30	-80.66	-25.00	55.66	-11.36	RMS	Horizontal
6	25842.4137	-68.92	-81.06	-25.00	56.06	-12.14	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	21100	Band:	Band=7 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-26 02:52:32		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18224.409	-65.57	-81.72	-25.00	56.72	-16.15	RMS	Vertical
2	19905.7762	-66.15	-82.37	-25.00	57.37	-16.22	RMS	Vertical
3	22076.083	-69.35	-83.75	-25.00	58.75	-14.40	RMS	Vertical
4	23974.039	-68.90	-82.71	-25.00	57.71	-13.81	RMS	Vertical
5	24868.2747	-69.07	-82.21	-25.00	57.21	-13.14	RMS	Vertical
6	25844.4538	-69.00	-82.31	-25.00	57.31	-13.31	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	21350	Band:	Band=7 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-26 02:56:29		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18246.8499	-65.80	-80.82	-25.00	55.82	-15.02	RMS	Horizontal
2	19889.4556	-66.20	-81.72	-25.00	56.72	-15.52	RMS	Horizontal
3	22051.6021	-69.66	-82.64	-25.00	57.64	-12.98	RMS	Horizontal
4	24000.56	-68.87	-80.75	-25.00	55.75	-11.88	RMS	Horizontal
5	24793.8118	-69.45	-81.01	-25.00	56.01	-11.56	RMS	Horizontal
6	26489.1196	-69.86	-81.11	-25.00	56.11	-11.25	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	21350	Band:	Band=7 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-26 02:57:01		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18237.6695	-65.28	-81.36	-25.00	56.36	-16.08	RMS	Vertical
2	19894.8958	-66.06	-82.27	-25.00	57.27	-16.21	RMS	Vertical
3	22053.9822	-69.29	-83.64	-25.00	58.64	-14.35	RMS	Vertical
4	23329.7132	-69.73	-83.37	-25.00	58.37	-13.64	RMS	Vertical
5	25028.4211	-68.76	-82.28	-25.00	57.28	-13.52	RMS	Vertical
6	26492.8597	-69.97	-82.50	-25.00	57.50	-12.53	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	26140	Band:	Band=25 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-26 03:04:29		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18218.6287	-66.41	-81.59	-25.00	56.59	-15.18	RMS	Horizontal
2	19923.1169	-66.51	-82.12	-25.00	57.12	-15.61	RMS	Horizontal
3	21659.2264	-69.81	-83.84	-25.00	58.84	-14.03	RMS	Horizontal
4	23998.5199	-68.70	-80.58	-25.00	55.58	-11.88	RMS	Horizontal
5	25276.9711	-69.34	-80.89	-25.00	55.89	-11.55	RMS	Horizontal
6	26481.6393	-69.87	-81.17	-25.00	56.17	-11.30	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	26140	Band:	Band=25 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-26 03:05:04		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18236.3095	-66.33	-82.42	-25.00	57.42	-16.09	RMS	Vertical
2	19879.9352	-66.83	-83.02	-25.00	58.02	-16.19	RMS	Vertical
3	21583.7434	-70.02	-84.70	-25.00	59.70	-14.68	RMS	Vertical
4	22629.9652	-70.09	-83.70	-25.00	58.70	-13.61	RMS	Vertical
5	24441.2176	-68.62	-82.56	-25.00	57.56	-13.94	RMS	Vertical
6	25487.4395	-68.74	-82.18	-25.00	57.18	-13.44	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	26365	Band:	Band=25 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-26 02:59:29		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18235.6294	-65.64	-80.72	-25.00	55.72	-15.08	RMS	Horizontal
2	19898.2959	-66.17	-81.72	-25.00	56.72	-15.55	RMS	Horizontal
3	21219.2488	-68.92	-82.89	-25.00	57.89	-13.97	RMS	Horizontal
4	22549.382	-69.62	-81.97	-25.00	56.97	-12.35	RMS	Horizontal
5	23994.0998	-68.83	-80.72	-25.00	55.72	-11.89	RMS	Horizontal
6	25410.5964	-68.99	-81.02	-25.00	56.02	-12.03	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	26365	Band:	Band=25 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-26 03:00:01		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18236.9895	-65.55	-81.63	-25.00	56.63	-16.08	RMS	Vertical
2	19885.3754	-66.26	-82.46	-25.00	57.46	-16.20	RMS	Vertical
3	22502.1201	-69.95	-83.71	-25.00	58.71	-13.76	RMS	Vertical
4	23427.6371	-69.20	-82.74	-25.00	57.74	-13.54	RMS	Vertical
5	24747.5699	-69.55	-82.29	-25.00	57.29	-12.74	RMS	Vertical
6	26445.2578	-69.66	-82.45	-25.00	57.45	-12.79	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	26590	Band:	Band=25 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-26 03:06:41		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18242.0897	-66.41	-81.45	-25.00	56.45	-15.04	RMS	Horizontal
2	19884.6954	-67.01	-82.53	-25.00	57.53	-15.52	RMS	Horizontal
3	22004.0002	-70.22	-83.05	-25.00	58.05	-12.83	RMS	Horizontal
4	24024.701	-67.90	-79.81	-25.00	54.81	-11.91	RMS	Horizontal
5	25418.7568	-68.75	-80.81	-25.00	55.81	-12.06	RMS	Horizontal
6	26460.5584	-69.71	-81.13	-25.00	56.13	-11.42	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	26590	Band:	Band=25 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-26 03:07:16		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18252.6301	-66.66	-82.70	-25.00	57.70	-16.04	RMS	Vertical
2	19892.1757	-66.65	-82.85	-25.00	57.85	-16.20	RMS	Vertical
3	21653.7862	-69.93	-84.88	-25.00	59.88	-14.95	RMS	Vertical
4	23439.8776	-69.65	-83.18	-25.00	58.18	-13.53	RMS	Vertical
5	25380.6752	-68.63	-81.89	-25.00	56.89	-13.26	RMS	Vertical
6	26458.8584	-69.67	-82.39	-25.00	57.39	-12.72	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	37850	Band:	Band=38 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-26 03:11:51		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18268.9508	-66.45	-81.59	-25.00	56.59	-15.14	RMS	Horizontal
2	19869.7348	-66.96	-82.43	-25.00	57.43	-15.47	RMS	Horizontal
3	22608.2043	-70.09	-82.40	-25.00	57.40	-12.31	RMS	Horizontal
4	23457.2183	-69.72	-81.95	-25.00	56.95	-12.23	RMS	Horizontal
5	24785.6514	-69.63	-81.14	-25.00	56.14	-11.51	RMS	Horizontal
6	26462.2585	-69.76	-81.16	-25.00	56.16	-11.40	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	37850	Band:	Band=38 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-26 03:12:23		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18241.7497	-66.41	-82.47	-25.00	57.47	-16.06	RMS	Vertical
2	19897.9559	-66.73	-82.95	-25.00	57.95	-16.22	RMS	Vertical
3	21538.5215	-70.03	-84.53	-25.00	59.53	-14.50	RMS	Vertical
4	23460.9584	-69.83	-83.34	-25.00	58.34	-13.51	RMS	Vertical
5	24775.791	-69.47	-82.29	-25.00	57.29	-12.82	RMS	Vertical
6	26485.0394	-69.86	-82.44	-25.00	57.44	-12.58	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	38000	Band:	Band=38 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-26 03:09:29		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18243.4497	-66.44	-81.47	-25.00	56.47	-15.03	RMS	Horizontal
2	19842.1937	-67.24	-82.64	-25.00	57.64	-15.40	RMS	Horizontal
3	22095.8038	-69.93	-83.05	-25.00	58.05	-13.12	RMS	Horizontal
4	24007.7003	-68.70	-80.59	-25.00	55.59	-11.89	RMS	Horizontal
5	25436.0974	-68.74	-80.86	-25.00	55.86	-12.12	RMS	Horizontal
6	26454.7782	-69.93	-81.38	-25.00	56.38	-11.45	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	38000	Band:	Band=38 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-26 03:10:00		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18243.1097	-66.47	-82.52	-25.00	57.52	-16.05	RMS	Vertical
2	19873.815	-66.73	-82.90	-25.00	57.90	-16.17	RMS	Vertical
3	21589.1836	-69.98	-84.67	-25.00	59.67	-14.69	RMS	Vertical
4	22591.5437	-70.27	-83.93	-25.00	58.93	-13.66	RMS	Vertical
5	24889.0156	-68.63	-81.83	-25.00	56.83	-13.20	RMS	Vertical
6	26460.2184	-69.33	-82.05	-25.00	57.05	-12.72	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	38150	Band:	Band=38 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-26 03:13:55		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18224.749	-66.08	-81.22	-25.00	56.22	-15.14	RMS	Horizontal
2	19889.1156	-66.67	-82.19	-25.00	57.19	-15.52	RMS	Horizontal
3	21549.402	-69.67	-83.41	-25.00	58.41	-13.74	RMS	Horizontal
4	23520.4608	-69.81	-81.92	-25.00	56.92	-12.11	RMS	Horizontal
5	24760.8304	-69.49	-80.85	-25.00	55.85	-11.36	RMS	Horizontal
6	26495.5798	-69.83	-81.05	-25.00	56.05	-11.22	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	38150	Band:	Band=38 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-26 03:14:27		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18236.6495	-66.49	-82.58	-25.00	57.58	-16.09	RMS	Vertical
2	19868.3747	-66.83	-83.00	-25.00	58.00	-16.17	RMS	Vertical
3	21573.2029	-70.14	-84.77	-25.00	59.77	-14.63	RMS	Vertical
4	23496.6599	-69.89	-83.36	-25.00	58.36	-13.47	RMS	Vertical
5	24816.5927	-69.17	-82.13	-25.00	57.13	-12.96	RMS	Vertical
6	26481.6393	-70.03	-82.63	-25.00	57.63	-12.60	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	38750	Band:	Band=40 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-26 03:22:32		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18246.5099	-66.70	-81.72	-25.00	56.72	-15.02	RMS	Horizontal
2	19886.0554	-67.10	-82.61	-25.00	57.61	-15.51	RMS	Horizontal
3	22467.7787	-70.01	-82.55	-25.00	57.55	-12.54	RMS	Horizontal
4	23998.5199	-69.02	-80.90	-25.00	55.90	-11.88	RMS	Horizontal
5	25286.1514	-69.29	-80.87	-25.00	55.87	-11.58	RMS	Horizontal
6	26491.1596	-69.78	-81.02	-25.00	56.02	-11.24	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	38750	Band:	Band=40 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-26 03:23:05		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18248.5499	-66.33	-82.36	-25.00	57.36	-16.03	RMS	Vertical
2	19874.155	-66.79	-82.96	-25.00	57.96	-16.17	RMS	Vertical
3	22040.0416	-69.82	-84.14	-25.00	59.14	-14.32	RMS	Vertical
4	22992.7597	-69.31	-83.19	-25.00	58.19	-13.88	RMS	Vertical
5	23993.7598	-68.79	-82.60	-25.00	57.60	-13.81	RMS	Vertical
6	26448.3179	-69.66	-82.44	-25.00	57.44	-12.78	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	39150	Band:	Band=40 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-26 03:20:59		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18218.6287	-66.46	-81.64	-25.00	56.64	-15.18	RMS	Horizontal
2	19876.5351	-67.01	-82.50	-25.00	57.50	-15.49	RMS	Horizontal
3	22613.6445	-70.14	-82.45	-25.00	57.45	-12.31	RMS	Horizontal
4	23985.5994	-68.83	-80.74	-25.00	55.74	-11.91	RMS	Horizontal
5	25286.1514	-69.14	-80.72	-25.00	55.72	-11.58	RMS	Horizontal
6	26495.5798	-69.72	-80.94	-25.00	55.94	-11.22	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	39150	Band:	Band=40 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-26 03:21:33		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18233.5893	-66.19	-82.30	-25.00	57.30	-16.11	RMS	Vertical
2	19884.6954	-66.71	-82.91	-25.00	57.91	-16.20	RMS	Vertical
3	21494.3198	-70.20	-84.56	-25.00	59.56	-14.36	RMS	Vertical
4	23488.8396	-69.71	-83.19	-25.00	58.19	-13.48	RMS	Vertical
5	24741.7897	-69.27	-82.05	-25.00	57.05	-12.78	RMS	Vertical
6	25876.4151	-68.79	-82.14	-25.00	57.14	-13.35	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	39550	Band:	Band=40 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-26 03:25:31		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18203.3281	-66.20	-81.46	-25.00	56.46	-15.26	RMS	Horizontal
2	19898.6359	-66.86	-82.41	-25.00	57.41	-15.55	RMS	Horizontal
3	22018.6207	-70.29	-83.17	-25.00	58.17	-12.88	RMS	Horizontal
4	23979.4792	-68.47	-80.39	-25.00	55.39	-11.92	RMS	Horizontal
5	25302.4721	-69.21	-80.86	-25.00	55.86	-11.65	RMS	Horizontal
6	25878.7952	-68.95	-81.14	-25.00	56.14	-12.19	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	39550	Band:	Band=40 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-26 03:26:03		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18228.8292	-66.56	-82.69	-25.00	57.69	-16.13	RMS	Vertical
2	19904.7562	-67.04	-83.26	-25.00	58.26	-16.22	RMS	Vertical
3	22019.3008	-70.16	-84.44	-25.00	59.44	-14.28	RMS	Vertical
4	23928.1371	-68.92	-82.71	-25.00	57.71	-13.79	RMS	Vertical
5	24831.8933	-68.73	-81.74	-25.00	56.74	-13.01	RMS	Vertical
6	26495.2398	-69.69	-82.21	-25.00	57.21	-12.52	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	39750	Band:	Band=41 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-26 03:34:52		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18242.0897	-66.37	-81.41	-25.00	56.41	-15.04	RMS	Horizontal
2	19891.8357	-66.99	-82.52	-25.00	57.52	-15.53	RMS	Horizontal
3	22003.6601	-70.49	-83.32	-25.00	58.32	-12.83	RMS	Horizontal
4	24068.9028	-68.87	-80.81	-25.00	55.81	-11.94	RMS	Horizontal
5	25246.7099	-69.06	-80.54	-25.00	55.54	-11.48	RMS	Horizontal
6	26499.66	-69.90	-81.09	-25.00	56.09	-11.19	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	39750	Band:	Band=41 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-26 03:35:24		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18221.6889	-66.44	-82.60	-25.00	57.60	-16.16	RMS	Vertical
2	19891.8357	-66.60	-82.80	-25.00	57.80	-16.20	RMS	Vertical
3	20141.0656	-68.39	-84.39	-25.00	59.39	-16.00	RMS	Vertical
4	22559.5824	-70.02	-83.72	-25.00	58.72	-13.70	RMS	Vertical
5	24750.29	-69.44	-82.17	-25.00	57.17	-12.73	RMS	Vertical
6	25851.5941	-69.14	-82.46	-25.00	57.46	-13.32	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	40620	Band:	Band=41 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-26 03:30:57		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18235.9694	-66.61	-81.69	-25.00	56.69	-15.08	RMS	Horizontal
2	19883.6753	-66.59	-82.10	-25.00	57.10	-15.51	RMS	Horizontal
3	22463.0185	-69.96	-82.52	-25.00	57.52	-12.56	RMS	Horizontal
4	23918.6167	-68.69	-80.76	-25.00	55.76	-12.07	RMS	Horizontal
5	25250.79	-69.58	-81.04	-25.00	56.04	-11.46	RMS	Horizontal
6	26454.4382	-69.50	-80.95	-25.00	55.95	-11.45	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	40620	Band:	Band=41 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-26 03:31:30		

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18213.1885	-66.54	-82.75	-25.00	57.75	-16.21	RMS	Vertical
2	19884.6954	-66.87	-83.07	-25.00	58.07	-16.20	RMS	Vertical
3	21483.4393	-70.25	-84.65	-25.00	59.65	-14.40	RMS	Vertical
4	23456.8783	-69.96	-83.47	-25.00	58.47	-13.51	RMS	Vertical
5	25326.2731	-68.52	-81.69	-25.00	56.69	-13.17	RMS	Vertical
6	26500	-69.94	-82.44	-25.00	57.44	-12.50	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	41490	Band:	Band=41 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-26 03:36:34		

Test Graph




cccccccccccc								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18223.3889	-66.60	-81.75	-25.00	56.75	-15.15	RMS	Horizontal
2	19857.4943	-66.94	-82.38	-25.00	57.38	-15.44	RMS	Horizontal
3	22581.6833	-70.35	-82.67	-25.00	57.67	-12.32	RMS	Horizontal
4	23997.8399	-68.82	-80.70	-25.00	55.70	-11.88	RMS	Horizontal
5	24783.2713	-69.56	-81.06	-25.00	56.06	-11.50	RMS	Horizontal
6	26423.4969	-69.70	-81.33	-25.00	56.33	-11.63	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E202304116396	EUT:	Remote Monitor System
Channel	41490	Band:	Band=41 BW=20MHz
Mode:	LTE	Voltage:	DC 3.6V
Environment:	Temp:24.8°C;Humi:55%	Engineer:	Zhang Zishan
SN:	E202304116396-0004	Test Site	966 semi-anechoic room
Date:	2023-04-26 03:37:09		

Test Graph



Suspected Data List								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18227.1291	-66.51	-82.65	-25.00	57.65	-16.14	RMS	Vertical
2	19872.7949	-66.81	-82.98	-25.00	57.98	-16.17	RMS	Vertical
3	21597.6839	-69.68	-84.41	-25.00	59.41	-14.73	RMS	Vertical
4	22638.1255	-70.26	-83.86	-25.00	58.86	-13.60	RMS	Vertical
5	24280.3912	-68.85	-82.36	-25.00	57.36	-13.51	RMS	Vertical
6	25488.4595	-68.37	-81.82	-25.00	56.82	-13.45	RMS	Vertical

----- The following blanks -----