



Model: ZBP 2000

AC Input: 120V 15A Max 50/60Hz

AC Output: 120V 16.6A Max(total) 50/60Hz

Or 120V 15A Max(total) 50/60Hz (when input is connected with AC mains together)

USB TYPE A+TYPE C Output: 5.0Vdc 2.0A 10.0W

Capacity: 45Ah 2160Wh

USB TYPE A Output: 5.0Vdc 3.0A/9.0Vdc 2.0A/12.0Vdc 1.5A 18.0W Max

USB TYPE C Output: 5.0Vdc 3.0A/9.0Vdc 2.0A/12.0Vdc 1.5A 18.0W Max

Charge Temp.: 4°C~45°C Discharge Temp.: -20°C~45°C Produced in 2023.10

Atlas Copco(Wuxi) Compressor Co.,Ltd. No 45 Ximei Road, Xinwu District,Wuxi, P.R.C

S/N: WUP 600324


Solar Input: 12-60Vdc 15A Max

IP55 IK09



FCC ID:2BBHM-ZBP2000
IC:30663-ZBP2000

CONFORMS TO
ANSI/CAN/UL
STD.2743



Model: ZBP 2000

AC Input: 120V 15A Max 50/60Hz

AC Output: 120V 16.6A Max(total) 50/60Hz

Or 120V 15A Max(total) 50/60Hz (when input is connected with AC mains together)

USB TYPE A+TYPE C Output: 5.0Vdc 2.0A 10.0W

Capacity: 45Ah 2160Wh

USB TYPE A Output: 5.0Vdc 3.0A/9.0Vdc 2.0A/12.0Vdc 1.5A 18.0W Max

USB TYPE C Output: 5.0Vdc 3.0A/9.0Vdc 2.0A/12.0Vdc 1.5A 18.0W Max

Charge Temp.: 4°C~45°C Discharge Temp.: -20°C~45°C Produced in 2023.10

Atlas Copco(Wuxi) Compressor Co.,Ltd. No 45 Ximei Road, Xinwu District,Wuxi, P.R.C

S/N: WUP 600324


Solar Input: 12-60Vdc 15A Max

IP55 IK09



FCC ID:2BBHM-ZBP2000
IC:30663-ZBP2000

CONFORMS TO
ANSI/CAN/UL
STD.2743





Model: ZBP 2000 PREDEFINED

AC Input: 120V 15A Max 50/60Hz

AC Output: 120V 16.6A Max(total) 50/60Hz

Or 120V 15A Max(total) 50/60Hz (when input is connected with AC mains together)

USB TYPE A+TYPE C Output: 5.0Vdc 2.0A 10.0W

Capacity: 45Ah 2160Wh

USB TYPE A Output: 5.0Vdc 3.0A/9.0Vdc 2.0A/12.0Vdc 1.5A 18.0W Max

USB TYPE C Output: 5.0Vdc 3.0A/9.0Vdc 2.0A/12.0Vdc 1.5A 18.0W Max

Charge Temp.: -20°C~45°C Discharge Temp.: -20°C~45°C Produced in 2023.10

Atlas Copco(Wuxi) Compressor Co.,Ltd. No 45 Ximei Road, Xinwu District,Wuxi, P.R.C

S/N: WUP 600324

Solar Input: 12-60Vdc 15A Max

IP55 IK09




FCC ID:2BBHM-ZBP2000
IC:30663-ZBP2000

CONFORMS TO
ANSI/CAN/UL
STD.2743



Intertek
5026053



Model: ZBP 2000 PREDEFINED

AC Input: 120V 15A Max 50/60Hz

AC Output: 120V 16.6A Max(total) 50/60Hz

Or 120V 15A Max(total) 50/60Hz (when input is connected with AC mains together)

USB TYPE A+TYPE C Output: 5.0Vdc 2.0A 10.0W

Capacity: 45Ah 2160Wh

USB TYPE A Output: 5.0Vdc 3.0A/9.0Vdc 2.0A/12.0Vdc 1.5A 18.0W Max

USB TYPE C Output: 5.0Vdc 3.0A/9.0Vdc 2.0A/12.0Vdc 1.5A 18.0W Max

Charge Temp.: -20°C~45°C Discharge Temp.: -20°C~45°C Produced in 2023.10

Atlas Copco(Wuxi) Compressor Co.,Ltd. No 45 Ximei Road, Xinwu District,Wuxi, P.R.C

S/N: WUP 600324

Solar Input: 12-60Vdc 15A Max

IP55 IK09



FCC ID:2BBHM-ZBP2000
IC:30663-ZBP2000

CONFORMS TO
ANSI/CAN/UL
STD.2743



Intertek
5026053

