



1-2.31 GHz
Ch 26



2.31-2.39 GHz
Ch 26



2.4835-2.5 GHz
Ch 26



2.5-25 GHz
Ch 26

Company: Laird Connectivity

Report: TR3664B BL654


Quote: NBO-12-2022-005678


Name: BL654

Model: BL654

Serial: Engineering Sample

Average – Worst Case 1-25 GHz, no change in 30-1000 MHz






2.31-2.39 GHz
Ch 18




2.4835-2.5 GHz
Ch 18




2.5-14 GHz
Ch 18




14-25 GHz
Ch 18




1-2.31 GHz
Ch 25



2.31-2.39 GHz
Ch 25




2.4835-2.5 GHz
Ch 25




2.5-14 GHz
Ch 25




14-25 GHz
Ch 25




1-2.31 GHz
Ch 26



2.31-2.39 GHz
Ch 26



2.4835-2.5 GHz
Ch 26



2.5-14 GHz
Ch 26



14-25 GHz
Ch 26

6 REVISION HISTORY

Version	Date	Notes	Person
1	10/24/2023	Initial Draft	Anthony Smith
2	12/11/2023	Revised Draft – Footer, method specification	Anthony Smith
3	2/29/2024	Update RSS-247 reference	Anthony Smith

END OF REPORT