OBW NVNT ac40 5755MHz Ant1



OBW NVNT ac40 5795MHz Ant1



OBW NVNT ac40 5755MHz Ant2



OBW NVNT ac40 5795MHz Ant2



OBW NVNT ac80 5775MHz Ant1



OBW NVNT ac80 5775MHz Ant2



OBW NVNT ax20 5745MHz Ant1



OBW NVNT ax20 5785MHz Ant1



OBW NVNT ax20 5825MHz Ant1



OBW NVNT ax20 5745MHz Ant2



OBW NVNT ax20 5785MHz Ant2



OBW NVNT ax20 5825MHz Ant2



OBW NVNT ax40 5755MHz Ant1



OBW NVNT ax40 5795MHz Ant1



OBW NVNT ax40 5755MHz Ant2



OBW NVNT ax40 5795MHz Ant2



OBW NVNT ax80 5775MHz Ant1



OBW NVNT ax80 5775MHz Ant2



Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	-6.21	0.01	-6.2	30	Pass
NVNT	a	5785	Ant1	-5.53	0.02	-5.51	30	Pass
NVNT	a	5825	Ant1	-5.04	0.01	-5.03	30	Pass
NVNT	a	5745	Ant2	-5.83	0.02	-5.81	30	Pass
NVNT	a	5785	Ant2	-5.83	0.02	-5.81	30	Pass
NVNT	a	5825	Ant2	-5.71	0.02	-5.69	30	Pass
NVNT	n20	5745	Ant1	-6.59	0.01	-6.58	30	Pass
NVNT	n20	5785	Ant1	-6.04	0.01	-6.03	30	Pass
NVNT	n20	5825	Ant1	-6.28	0.01	-6.27	30	Pass
NVNT	n20	5745	Ant2	-6.65	0.01	-6.64	30	Pass
NVNT	n20	5785	Ant2	-6.38	0.01	-6.37	30	Pass
NVNT	n20	5825	Ant2	-6.39	0.01	-6.38	30	Pass
NVNT	n40	5755	Ant1	-9.36	0.01	-9.35	30	Pass
NVNT	n40	5795	Ant1	-8.78	0.01	-8.77	30	Pass
NVNT	n40	5755	Ant2	-9.37	0.01	-9.36	30	Pass
NVNT	n40	5795	Ant2	-9.27	0.01	-9.26	30	Pass
NVNT	ac20	5745	Ant1	-6.8	0.01	-6.79	30	Pass
NVNT	ac20	5785	Ant1	-6.14	0.01	-6.13	30	Pass
NVNT	ac20	5825	Ant1	-6.14	0.01	-6.13	30	Pass
NVNT	ac20	5745	Ant2	-6.65	0.01	-6.64	30	Pass
NVNT	ac20	5785	Ant2	-6.44	0.01	-6.43	30	Pass
NVNT	ac20	5825	Ant2	-6.67	0.01	-6.66	30	Pass
NVNT	ac40	5755	Ant1	-9.39	0.01	-9.38	30	Pass
NVNT	ac40	5795	Ant1	-8.8	0.01	-8.79	30	Pass
NVNT	ac40	5755	Ant2	-9.21	0.01	-9.2	30	Pass
NVNT	ac40	5795	Ant2	-9.55	0.01	-9.54	30	Pass
NVNT	ac80	5775	Ant1	-11.05	0.01	-11.04	30	Pass
NVNT	ac80	5775	Ant2	-11.36	0.01	-11.35	30	Pass
NVNT	ax20	5745	Ant1	-6.91	0	-6.91	30	Pass
NVNT	ax20	5785	Ant1	-6.3	0.01	-6.29	30	Pass
NVNT	ax20	5825	Ant1	-6.22	0.01	-6.21	30	Pass
NVNT	ax20	5745	Ant2	-6.53	0.01	-6.52	30	Pass
NVNT	ax20	5785	Ant2	-6.55	0	-6.55	30	Pass
NVNT	ax20	5825	Ant2	-6.48	0.01	-6.47	30	Pass
NVNT	ax40	5755	Ant1	-10.03	0.01	-10.02	30	Pass
NVNT	ax40	5795	Ant1	-9.47	0.01	-9.46	30	Pass
NVNT	ax40	5755	Ant2	-9.99	0	-9.99	30	Pass
NVNT	ax40	5795	Ant2	-10.16	0.01	-10.15	30	Pass
NVNT	ax80	5775	Ant1	-11.43	0.01	-11.42	30	Pass
NVNT	ax80	5775	Ant2	-11.54	0	-11.54	30	Pass

Test Graphs
PSD NVNT a 5745MHz Ant1

PSD NVNT a 5785MHz Ant1


PSD NVNT a 5825MHz Ant1



PSD NVNT a 5745MHz Ant2



PSD NVNT a 5785MHz Ant2



PSD NVNT a 5825MHz Ant2



PSD NVNT n20 5745MHz Ant1



PSD NVNT n20 5785MHz Ant1



PSD NVNT n20 5825MHz Ant1



PSD NVNT n20 5745MHz Ant2



PSD NVNT n20 5785MHz Ant2



PSD NVNT n20 5825MHz Ant2



PSD NVNT n40 5755MHz Ant1



PSD NVNT n40 5795MHz Ant1



PSD NVNT n40 5755MHz Ant2



PSD NVNT n40 5795MHz Ant2



PSD NVNT ac20 5745MHz Ant1



PSD NVNT ac20 5785MHz Ant1



PSD NVNT ac20 5825MHz Ant1



PSD NVNT ac20 5745MHz Ant2



PSD NVNT ac20 5785MHz Ant2



PSD NVNT ac20 5825MHz Ant2



PSD NVNT ac40 5755MHz Ant1



PSD NVNT ac40 5795MHz Ant1



PSD NVNT ac40 5755MHz Ant2



PSD NVNT ac40 5795MHz Ant2



PSD NVNT ac80 5775MHz Ant1



PSD NVNT ac80 5775MHz Ant2



PSD NVNT ax20 5745MHz Ant1



PSD NVNT ax20 5785MHz Ant1



PSD NVNT ax20 5825MHz Ant1



PSD NVNT ax20 5745MHz Ant2



PSD NVNT ax20 5785MHz Ant2



PSD NVNT ax20 5825MHz Ant2



PSD NVNT ax40 5755MHz Ant1



PSD NVNT ax40 5795MHz Ant1



PSD NVNT ax40 5755MHz Ant2



PSD NVNT ax40 5795MHz Ant2



PSD NVNT ax80 5775MHz Ant1



PSD NVNT ax80 5775MHz Ant2



Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBm)	Verdict
NVNT	a	5745	Ant1	-32.12	Pass
NVNT	a	5825	Ant1	-30.57	Pass
NVNT	a	5745	Ant2	-32.34	Pass
NVNT	a	5825	Ant2	-30.82	Pass
NVNT	n20	5745	Ant1	-32.35	Pass
NVNT	n20	5825	Ant1	-30.62	Pass
NVNT	n20	5745	Ant2	-32.07	Pass
NVNT	n20	5825	Ant2	-30.99	Pass
NVNT	n40	5755	Ant1	-32.15	Pass
NVNT	n40	5795	Ant1	-31.48	Pass
NVNT	n40	5755	Ant2	-32.31	Pass
NVNT	n40	5795	Ant2	-30.86	Pass
NVNT	ac20	5745	Ant1	-32.92	Pass
NVNT	ac20	5825	Ant1	-31.34	Pass
NVNT	ac20	5745	Ant2	-31.7	Pass
NVNT	ac20	5825	Ant2	-31.29	Pass
NVNT	ac40	5755	Ant1	-27.77	Pass
NVNT	ac40	5795	Ant1	-30.2	Pass
NVNT	ac40	5755	Ant2	-31.94	Pass
NVNT	ac40	5795	Ant2	-29.61	Pass
NVNT	ac80	5775	Ant1	-28.04	Pass
NVNT	ac80	5775	Ant2	-30.93	Pass
NVNT	ax20	5745	Ant1	-32.21	Pass
NVNT	ax20	5825	Ant1	-30.56	Pass
NVNT	ax20	5745	Ant2	-32.78	Pass
NVNT	ax20	5825	Ant2	-30.67	Pass
NVNT	ax40	5755	Ant1	-32.47	Pass
NVNT	ax40	5795	Ant1	-31.04	Pass
NVNT	ax40	5755	Ant2	-32.03	Pass
NVNT	ax40	5795	Ant2	-31.12	Pass
NVNT	ax80	5775	Ant1	-30.37	Pass
NVNT	ax80	5775	Ant2	-31.38	Pass

Test Graphs
Band Edge NVNT a 5745MHz Low Ant1



Band Edge NVNT a 5825MHz High Ant1



Band Edge NVNT a 5745MHz Low Ant2



Band Edge NVNT a 5825MHz High Ant2



Band Edge NVNT n20 5745MHz Low Ant1



Band Edge NVNT n20 5825MHz High Ant1



Band Edge NVNT n20 5745MHz Low Ant2



Band Edge NVNT n20 5825MHz High Ant2



Band Edge NVNT n40 5755MHz Low Ant1



Band Edge NVNT n40 5795MHz High Ant1



Band Edge NVNT n40 5755MHz Low Ant2



Band Edge NVNT n40 5795MHz High Ant2



Band Edge NVNT ac20 5745MHz Low Ant1



Band Edge NVNT ac20 5825MHz High Ant1



Band Edge NVNT ac20 5745MHz Low Ant2



Band Edge NVNT ac20 5825MHz High Ant2



Band Edge NVNT ac40 5755MHz Low Ant1



Band Edge NVNT ac40 5795MHz High Ant1



Band Edge NVNT ac40 5755MHz Low Ant2



Band Edge NVNT ac40 5795MHz High Ant2



Band Edge NVNT ac80 5775MHz High Ant1



Band Edge NVNT ac80 5775MHz High Ant2



Band Edge NVNT ax20 5745MHz Low Ant1



Band Edge NVNT ax20 5825MHz High Ant1



Band Edge NVNT ax20 5745MHz Low Ant2



Band Edge NVNT ax20 5825MHz High Ant2



Band Edge NVNT ax40 5755MHz Low Ant1



Band Edge NVNT ax40 5795MHz High Ant1



Band Edge NVNT ax40 5755MHz Low Ant2



Band Edge NVNT ax40 5795MHz High Ant2



Band Edge NVNT ax80 5775MHz High Ant1



Band Edge NVNT ax80 5775MHz High Ant2



Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5745	Ant1	-30.18	-27	Pass
NVNT	a	5785	Ant1	-29.53	-27	Pass
NVNT	a	5825	Ant1	-30.22	-27	Pass
NVNT	a	5745	Ant2	-29.46	-27	Pass
NVNT	a	5785	Ant2	-30.68	-27	Pass
NVNT	a	5825	Ant2	-29.97	-27	Pass
NVNT	n20	5745	Ant1	-30.42	-27	Pass
NVNT	n20	5785	Ant1	-29.55	-27	Pass
NVNT	n20	5825	Ant1	-30.23	-27	Pass
NVNT	n20	5745	Ant2	-29.85	-27	Pass
NVNT	n20	5785	Ant2	-30.82	-27	Pass
NVNT	n20	5825	Ant2	-29.23	-27	Pass
NVNT	n40	5755	Ant1	-30.12	-27	Pass
NVNT	n40	5795	Ant1	-29.89	-27	Pass
NVNT	n40	5755	Ant2	-28.98	-27	Pass
NVNT	n40	5795	Ant2	-30.43	-27	Pass
NVNT	ac20	5745	Ant1	-29	-27	Pass
NVNT	ac20	5785	Ant1	-30.87	-27	Pass
NVNT	ac20	5825	Ant1	-31.21	-27	Pass
NVNT	ac20	5745	Ant2	-30.38	-27	Pass
NVNT	ac20	5785	Ant2	-30.73	-27	Pass
NVNT	ac20	5825	Ant2	-30.41	-27	Pass
NVNT	ac40	5755	Ant1	-30.48	-27	Pass
NVNT	ac40	5795	Ant1	-29.91	-27	Pass
NVNT	ac40	5755	Ant2	-29.82	-27	Pass
NVNT	ac40	5795	Ant2	-29.86	-27	Pass
NVNT	ac80	5775	Ant1	-30.46	-27	Pass
NVNT	ac80	5775	Ant2	-29.88	-27	Pass
NVNT	ax20	5745	Ant1	-38.35	-27	Pass
NVNT	ax20	5785	Ant1	-30.04	-27	Pass
NVNT	ax20	5825	Ant1	-39.19	-27	Pass
NVNT	ax20	5745	Ant2	-30.58	-27	Pass
NVNT	ax20	5785	Ant2	-29.9	-27	Pass
NVNT	ax20	5825	Ant2	-30.5	-27	Pass
NVNT	ax40	5755	Ant1	-30.71	-27	Pass
NVNT	ax40	5795	Ant1	-29.38	-27	Pass
NVNT	ax40	5755	Ant2	-29.85	-27	Pass
NVNT	ax40	5795	Ant2	-29.75	-27	Pass
NVNT	ax80	5775	Ant1	-30.8	-27	Pass
NVNT	ax80	5775	Ant2	-30.22	-27	Pass

Test Graphs

Tx. Spurious NVNT a 5745MHz Ant1 Emission



Tx. Spurious NVNT a 5785MHz Ant1 Emission



Tx. Spurious NVNT a 5825MHz Ant1 Emission



Tx. Spurious NVNT a 5745MHz Ant2 Emission



Tx. Spurious NVNT a 5785MHz Ant2 Emission



Tx. Spurious NVNT a 5825MHz Ant2 Emission



Tx. Spurious NVNT n20 5745MHz Ant1 Emission



Tx. Spurious NVNT n20 5785MHz Ant1 Emission



Tx. Spurious NVNT n20 5825MHz Ant1 Emission



Tx. Spurious NVNT n20 5745MHz Ant2 Emission



Tx. Spurious NVNT n20 5785MHz Ant2 Emission



Tx. Spurious NVNT n20 5825MHz Ant2 Emission



Tx. Spurious NVNT n40 5755MHz Ant1 Emission



Tx. Spurious NVNT n40 5795MHz Ant1 Emission



Tx. Spurious NVNT n40 5755MHz Ant2 Emission



Tx. Spurious NVNT n40 5795MHz Ant2 Emission



Tx. Spurious NVNT ac20 5745MHz Ant1 Emission



Tx. Spurious NVNT ac20 5785MHz Ant1 Emission



Tx. Spurious NVNT ac20 5825MHz Ant1 Emission



Tx. Spurious NVNT ac20 5745MHz Ant2 Emission



Tx. Spurious NVNT ac20 5785MHz Ant2 Emission



Tx. Spurious NVNT ac20 5825MHz Ant2 Emission



Tx. Spurious NVNT ac40 5755MHz Ant1 Emission



Tx. Spurious NVNT ac40 5795MHz Ant1 Emission



Tx. Spurious NVNT ac40 5755MHz Ant2 Emission



Tx. Spurious NVNT ac40 5795MHz Ant2 Emission



Tx. Spurious NVNT ac80 5775MHz Ant1 Emission



Tx. Spurious NVNT ac80 5775MHz Ant2 Emission



Tx. Spurious NVNT ax20 5745MHz Ant1 Emission



Tx. Spurious NVNT ax20 5785MHz Ant1 Emission



Tx. Spurious NVNT ax20 5825MHz Ant1 Emission



Tx. Spurious NVNT ax20 5745MHz Ant2 Emission



Tx. Spurious NVNT ax20 5785MHz Ant2 Emission



Tx. Spurious NVNT ax20 5825MHz Ant2 Emission



Tx. Spurious NVNT ax40 5755MHz Ant1 Emission



Tx. Spurious NVNT ax40 5795MHz Ant1 Emission



Tx. Spurious NVNT ax40 5755MHz Ant2 Emission



Tx. Spurious NVNT ax40 5795MHz Ant2 Emission



Tx. Spurious NVNT ax80 5775MHz Ant1 Emission



Tx. Spurious NVNT ax80 5775MHz Ant2 Emission



5.8G MIMO

Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	ac20	5745	Ant1	9.91	--	Pass
NVNT	ac20	5745	Ant2	9.05	--	Pass
NVNT	ac20	5745	Sum	12.51	28.94	Pass
NVNT	ac20	5785	Ant1	10.29	--	Pass
NVNT	ac20	5785	Ant2	9.07	--	Pass
NVNT	ac20	5785	Sum	12.73	28.94	Pass
NVNT	ac20	5825	Ant1	10.2	--	Pass
NVNT	ac20	5825	Ant2	9.5	--	Pass
NVNT	ac20	5825	Sum	12.87	28.94	Pass
NVNT	ac40	5755	Ant1	10.35	--	Pass
NVNT	ac40	5755	Ant2	9.3	--	Pass
NVNT	ac40	5755	Sum	12.87	28.94	Pass
NVNT	ac40	5795	Ant1	10.73	--	Pass
NVNT	ac40	5795	Ant2	9.42	--	Pass
NVNT	ac40	5795	Sum	13.13	28.94	Pass
NVNT	ac80	5775	Ant1	11.32	--	Pass
NVNT	ac80	5775	Ant2	9.98	--	Pass
NVNT	ac80	5775	Sum	13.71	28.94	Pass
NVNT	ax20	5745	Ant1	10.2	--	Pass
NVNT	ax20	5745	Ant2	9.24	--	Pass
NVNT	ax20	5745	Sum	12.76	28.94	Pass
NVNT	ax20	5785	Ant1	10.46	--	Pass
NVNT	ax20	5785	Ant2	9.29	--	Pass
NVNT	ax20	5785	Sum	12.92	28.94	Pass
NVNT	ax20	5825	Ant1	10.44	--	Pass
NVNT	ax20	5825	Ant2	9.56	--	Pass
NVNT	ax20	5825	Sum	13.03	28.94	Pass
NVNT	ax40	5755	Ant1	9.95	--	Pass
NVNT	ax40	5755	Ant2	8.95	--	Pass
NVNT	ax40	5755	Sum	12.49	28.94	Pass
NVNT	ax40	5795	Ant1	10.18	--	Pass
NVNT	ax40	5795	Ant2	9.1	--	Pass
NVNT	ax40	5795	Sum	12.68	28.94	Pass
NVNT	ax80	5775	Ant1	11.18	--	Pass
NVNT	ax80	5775	Ant2	9.72	--	Pass
NVNT	ax80	5775	Sum	13.52	28.94	Pass

NVNT	n20	5745	Ant1	10.01	--	Pass
NVNT	n20	5745	Ant2	9.07	--	Pass
NVNT	n20	5745	Sum	12.58	28.94	Pass
NVNT	n20	5785	Ant1	10.32	--	Pass
NVNT	n20	5785	Ant2	9.11	--	Pass
NVNT	n20	5785	Sum	12.77	28.94	Pass
NVNT	n20	5825	Ant1	10.25	--	Pass
NVNT	n20	5825	Ant2	9.55	--	Pass
NVNT	n20	5825	Sum	12.92	28.94	Pass
NVNT	n40	5755	Ant1	10.2	--	Pass
NVNT	n40	5755	Ant2	9.39	--	Pass
NVNT	n40	5755	Sum	12.82	28.94	Pass
NVNT	n40	5795	Ant1	10.62	--	Pass
NVNT	n40	5795	Ant2	9.35	--	Pass
NVNT	n40	5795	Sum	13.04	28.94	Pass

-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	ac20	5745	Ant1	17.598	0.5	Pass
NVNT	ac20	5745	Ant2	16.92	0.5	Pass
NVNT	ac20	5785	Ant1	17.598	0.5	Pass
NVNT	ac20	5785	Ant2	17.562	0.5	Pass
NVNT	ac20	5825	Ant1	17.685	0.5	Pass
NVNT	ac20	5825	Ant2	17.619	0.5	Pass
NVNT	ac40	5755	Ant1	36.336	0.5	Pass
NVNT	ac40	5755	Ant2	36.342	0.5	Pass
NVNT	ac40	5795	Ant1	36.306	0.5	Pass
NVNT	ac40	5795	Ant2	36.036	0.5	Pass
NVNT	ac80	5775	Ant1	75.672	0.5	Pass
NVNT	ac80	5775	Ant2	75.036	0.5	Pass
NVNT	ax20	5745	Ant1	19.002	0.5	Pass
NVNT	ax20	5745	Ant2	19.029	0.5	Pass
NVNT	ax20	5785	Ant1	19.005	0.5	Pass
NVNT	ax20	5785	Ant2	18.999	0.5	Pass
NVNT	ax20	5825	Ant1	18.879	0.5	Pass
NVNT	ax20	5825	Ant2	18.576	0.5	Pass
NVNT	ax40	5755	Ant1	37.98	0.5	Pass
NVNT	ax40	5755	Ant2	37.944	0.5	Pass
NVNT	ax40	5795	Ant1	38.1	0.5	Pass
NVNT	ax40	5795	Ant2	38.136	0.5	Pass
NVNT	ax80	5775	Ant1	77.736	0.5	Pass
NVNT	ax80	5775	Ant2	72.096	0.5	Pass
NVNT	n20	5745	Ant1	16.941	0.5	Pass
NVNT	n20	5745	Ant2	16.68	0.5	Pass
NVNT	n20	5785	Ant1	17.577	0.5	Pass
NVNT	n20	5785	Ant2	16.326	0.5	Pass
NVNT	n20	5825	Ant1	17.61	0.5	Pass
NVNT	n20	5825	Ant2	17.547	0.5	Pass
NVNT	n40	5755	Ant1	36.354	0.5	Pass
NVNT	n40	5755	Ant2	36.342	0.5	Pass
NVNT	n40	5795	Ant1	35.406	0.5	Pass
NVNT	n40	5795	Ant2	35.904	0.5	Pass

Test Graphs
-6dB Bandwidth NVNT ac20 5745MHz Ant1



-6dB Bandwidth NVNT ac20 5745MHz Ant2



-6dB Bandwidth NVNT ac20 5785MHz Ant1



-6dB Bandwidth NVNT ac20 5785MHz Ant2



-6dB Bandwidth NVNT ac20 5825MHz Ant1



-6dB Bandwidth NVNT ac20 5825MHz Ant2



-6dB Bandwidth NVNT ac40 5755MHz Ant1



-6dB Bandwidth NVNT ac40 5755MHz Ant2



-6dB Bandwidth NVNT ac40 5795MHz Ant1



-6dB Bandwidth NVNT ac40 5795MHz Ant2



-6dB Bandwidth NVNT ac80 5775MHz Ant1



-6dB Bandwidth NVNT ac80 5775MHz Ant2



-6dB Bandwidth NVNT ax20 5745MHz Ant1



-6dB Bandwidth NVNT ax20 5745MHz Ant2



-6dB Bandwidth NVNT ax20 5785MHz Ant1



-6dB Bandwidth NVNT ax20 5785MHz Ant2



-6dB Bandwidth NVNT ax20 5825MHz Ant1



-6dB Bandwidth NVNT ax20 5825MHz Ant2