

Product Name: mit Zigbee wireless Protokoll


Test Model No.: ZTLC5


## 7.3 Conducted Output Power

Test Mode	CH	Output power (dBm)	Limit (dBm)
ZigBeeb	2405MHz	7.69	≤30
	2440MHz	7.72	
	2480MHz	7.72	

Test Mode	CH	EIRP(dBm)	Limit (dBm)
ZigBeeb	2405MHz	9.49	≤30
	2440MHz	9.52	
	2480MHz	9.52	

**NOTE: EIRP=Peak Output power + Antenna Gain**










## 7.4 Channel Bandwidth

Test Mode	CH	-6dB bandwidth (MHz)	Limit (KHz)
ZigBeeb	2405MHz	1.61	$\geq 500$
	2440MHz	1.48	
	2480MHz	1.49	
Conclusion: PASS			









## 7.5 Power Spectral Density


Test Mode	CH	Power density (dBm/3KHz)	Limit (dBm/3KHz)
ZigBeeb	2405MHz	-5.91	8
	2440MHz	-7.24	
	2480MHz	-7.56	
Conclusion: PASS			








## 7.6.1 Conducted Emission Method




Test Item:	SE	Type:	ZigBee
------------	----	-------	--------


2405MHz  
Reference level






2405MHz  
30MHz-1000MHz












Test Item:	SE	Type:	ZigBee
------------	----	-------	--------




2480MHz  
Reference level



2480MHz  
30MHz-1000MHz





-----End-----