

WIFI 2.4/5G


antenna test report

Jeany Ling

Nov. 23, 2022


- Antenna structure

- Photo



mm





- Return Loss




* C4=C5=NC, L1=0ohm

- **Radiation Patterns**


- Frequency : 2400MHz, 2450MHz, 2480MHz, 5150MHz, 5500MHz, 5850MHz and 5925MHz
- Test plane : xy-plane, xz-plane and yz-plane
- Input power : SG 0dBm
- Place: RTK 4F chamber
- Horn h: horizontal polarization
- Horn v: vertical polarization




- Radiation Patterns – 2400 MHz



- Radiation Patterns – 2450 MHz




- Radiation Patterns – 2480 MHz



- Radiation Patterns – 5150 MHz


horizontal

xy-plane




Pol.	Peak	avg.
h	+2.1	-2.4

yz-plane




Pol.	peak	avg.
h	-2.6	-7.7

xz-plane




Pol.	peak	avg.
h	+1.3	-4.0


vertical



Pol.	peak	avg.
v	+0.4	-8.5




Pol.	peak	avg.
v	-0.8	-5.0




Pol.	peak	avg.
v	+1.7	-2.4


- Radiation Patterns – 5500 MHz



- Radiation Patterns – 5850 MHz



- Radiation Patterns – 5925 MHz



- **Antenna Gain Table**

Frequency (MHz)	Peak gain (dBi)
2400	+1.8
2450	+3.5
2480	+3.7

Frequency (MHz)	Peak gain (dBi)
5150	+2.1
5500	+3.1
5850	+3.1
5925	+2.9

Shenzhen Joao Technology Co., Ltd
Building 101-3,5 and 6, No.8 , Guixiang Community Square Road, Guanlan Street,
Longhua District, Shenzhen, China