

SPECIFICATION

SHEET FOR APPROVAL

(Revision: V1)

CUSTOMER			
CS P/N			
PART NAME			
FREQUENCY	2400-2500 5150-5800MHz		
SUPPLIER PN.	DPC0195A		
DATE	2021-11-30		
CUSTOMER SIGNED			
QA CHECKED	ME CHECKED	RF CHECKED	MANAGER CHECKED

--

SHANGHAI DEEPPFAST TECHNOLOGY CO., LTD				
MANAGER CHECKED	MANAGER CHECKED	ME CHECKED	RF CHECKED	LISTER



JEEP FAST
上海深迅通信技术有限公司

Address: No. 2710 Fengxiang Road, Jiading District, Shanghai, China Postcode: 201802

Telephone: 021-69986378 Fax: 021-69986369 <http://www.sh-shenxun.com>

Revised History

Date	Version	Revised history
2021.11.30	V1	Specification

Catalogue

SHEET FOR APPROVAL		
1	Test condition	1
2	Test data	1~3
3	Engineering drawing	4
4	Packing instruction	5

1. Test condition

The active data of this project are all tested in the French SatimoSG240TA test system. The S1P data obtained in the debugging and verification experiment is based on the vector network analyzer: MT8821C.



2. Test data

Passive data:


Frequency	Efficiency	Gain . dB增益
2400000000	71.01%	5.16
2410000000	70.84%	5.10
2420000000	70.63%	5.20
2430000000	72.14%	5.23
2440000000	72.79%	5.11
2450000000	72.14%	5.04
2460000000	71.78%	5.15
2470000000	72.50%	5.18
2480000000	73.71%	5.27
2490000000	72.97%	5.12
2500000000	71.72%	5.06
5150000000	73.88%	5.32
5200000000	70.72%	5.11
5250000000	72.97%	5.20
5300000000	73.87%	5.05
5350000000	72.76%	5.20
5400000000	73.29%	5.07
5450000000	70.89%	5.28
5500000000	70.91%	5.46
5550000000	72.46%	5.81
5600000000	73.72%	5.29
5650000000	71.67%	5.07
5700000000	72.07%	5.05
5750000000	71.30%	5.28
5800000000	73.35%	5.09

Directional diagram:


2.4G



5G








3D 图:



3. Engineering drawing

4. 包装图

 JEEP FAST 上海捷讯通信技术有限公司		包装规范		文件编号
产品名称	产品型号	天线类型	版本	文件编号
外置天线			A1	
包装示意图			包装工艺流程	
图1(产品) 		图2: 包装/标签 		
图4: 封箱 		图3: 外箱的标签/包装 		
1. 每件10~20PCS产品用橡皮筋包扎, PE开封袋包装。 2. 每5袋(50~100PCS)产品用PE塑料袋包装; 标签包括(材料名称、材料编号、数量、日期) 3. 除每箱10袋(50~100PCS)尾数外, 应在外箱右上角贴上外框标签, 包括(生产商、型号、产品名称、客户代码、等)数量, 订单编号, 日期(质量保证检查); 4. 箱子用胶纸以“工”字型封箱。				
贴在纸箱右上角的标签(标签内容包 括: 产品名称/数量/制造日期/订单编号等)				
包装材料明细				
名称	材质	尺寸规格	每箱用量	
PE开口袋	PE	(24*16) cm	50~100	
PE封口袋	PE	(33*23) cm	5	
纸箱	K-K	(45*32.5*21) cm	1	
卡板	A3B	42*30CM	2	
标签/橡皮筋			/	
修订内容		修订日期	修订人	
版本				
制订: 刘黎平	审核: 龙秋霖	批准: 韩振宇		