




Band14 16QAM BW=5MHz Channel=23305 RB Size=25 Position=#0




Band14 16QAM BW=5MHz Channel=23355 RB Size=25 Position=#0




Band14 QPSK BW=10MHz Channel=23330 RB Size=50 Position=#0




Band14 QPSK BW=5MHz Channel=23305 RB Size=25 Position=#0




Band14 QPSK BW=5MHz Channel=23355 RB Size=25 Position=#0




Band66 16QAM BW=1.4MHz Channel=131979 RB Size=6 Position=#0




Band66 16QAM BW=1.4MHz Channel=132322 RB Size=6 Position=#0




Band66 16QAM BW=1.4MHz Channel=132665 RB Size=6 Position=#0




Band66 16QAM BW=10MHz Channel=132022 RB Size=50 Position=#0




Band66 16QAM BW=10MHz Channel=132322 RB Size=50 Position=#0




Band66 16QAM BW=10MHz Channel=132622 RB Size=50 Position=#0




Band66 16QAM BW=15MHz Channel=132047 RB Size=75 Position=#0




Band66 16QAM BW=15MHz Channel=132322 RB Size=75 Position=#0




Band66 16QAM BW=15MHz Channel=132597 RB Size=75 Position=#0




Band66 16QAM BW=20MHz Channel=132072 RB Size=100 Position=#0




Band66 16QAM BW=20MHz Channel=132322 RB Size=100 Position=#0




Band66 16QAM BW=20MHz Channel=132572 RB Size=100 Position=#0




Band66 16QAM BW=3MHz Channel=131987 RB Size=15 Position=#0




Band66 16QAM BW=3MHz Channel=132322 RB Size=15 Position=#0




Band66 16QAM BW=3MHz Channel=132657 RB Size=15 Position=#0




Band66 16QAM BW=5MHz Channel=131997 RB Size=25 Position=#0




Band66 16QAM BW=5MHz Channel=132322 RB Size=25 Position=#0




Band66 16QAM BW=5MHz Channel=132647 RB Size=25 Position=#0




Band66 QPSK BW=1.4MHz Channel=131979 RB Size=6 Position=#0




Band66 QPSK BW=1.4MHz Channel=132322 RB Size=6 Position=#0




Band66 QPSK BW=1.4MHz Channel=132665 RB Size=6 Position=#0




Band66 QPSK BW=10MHz Channel=132022 RB Size=50 Position=#0




Band66 QPSK BW=10MHz Channel=132322 RB Size=50 Position=#0




Band66 QPSK BW=10MHz Channel=132622 RB Size=50 Position=#0




Band66 QPSK BW=15MHz Channel=132047 RB Size=75 Position=#0




Band66 QPSK BW=15MHz Channel=132322 RB Size=75 Position=#0




Band66 QPSK BW=15MHz Channel=132597 RB Size=75 Position=#0




Band66 QPSK BW=20MHz Channel=132072 RB Size=100 Position=#0




Band66 QPSK BW=20MHz Channel=132322 RB Size=100 Position=#0




Band66 QPSK BW=20MHz Channel=132572 RB Size=100 Position=#0




Band66 QPSK BW=3MHz Channel=131987 RB Size=15 Position=#0




Band66 QPSK BW=3MHz Channel=132322 RB Size=15 Position=#0




Band66 QPSK BW=3MHz Channel=132657 RB Size=15 Position=#0




Band66 QPSK BW=5MHz Channel=131997 RB Size=25 Position=#0




Band66 QPSK BW=5MHz Channel=132322 RB Size=25 Position=#0




Band66 QPSK BW=5MHz Channel=132647 RB Size=25 Position=#0




Band71 16QAM BW=10MHz Channel=133172 RB Size=50 Position=#0




Band71 16QAM BW=10MHz Channel=133297 RB Size=50 Position=#0




Band71 16QAM BW=10MHz Channel=133422 RB Size=50 Position=#0




Band71 16QAM BW=15MHz Channel=133197 RB Size=75 Position=#0




Band71 16QAM BW=15MHz Channel=133297 RB Size=75 Position=#0




Band71 16QAM BW=15MHz Channel=133397 RB Size=75 Position=#0




Band71 16QAM BW=20MHz Channel=133222 RB Size=100 Position=#0




Band71 16QAM BW=20MHz Channel=133297 RB Size=100 Position=#0




Band71 16QAM BW=20MHz Channel=133372 RB Size=100 Position=#0




Band71 16QAM BW=5MHz Channel=133147 RB Size=25 Position=#0




Band71 16QAM BW=5MHz Channel=133297 RB Size=25 Position=#0




Band71 16QAM BW=5MHz Channel=133447 RB Size=25 Position=#0




Band71 QPSK BW=10MHz Channel=133172 RB Size=50 Position=#0




Band71 QPSK BW=10MHz Channel=133297 RB Size=50 Position=#0




Band71 QPSK BW=10MHz Channel=133422 RB Size=50 Position=#0




Band71 QPSK BW=15MHz Channel=133197 RB Size=75 Position=#0




Band71 QPSK BW=15MHz Channel=133297 RB Size=75 Position=#0




Band71 QPSK BW=15MHz Channel=133397 RB Size=75 Position=#0




Band71 QPSK BW=20MHz Channel=133222 RB Size=100 Position=#0




Band71 QPSK BW=20MHz Channel=133297 RB Size=100 Position=#0




Band71 QPSK BW=20MHz Channel=133372 RB Size=100 Position=#0




Band71 QPSK BW=5MHz Channel=133147 RB Size=25 Position=#0



Band71 QPSK BW=5MHz Channel=133297 RB Size=25 Position=#0



Band71 QPSK BW=5MHz Channel=133447 RB Size=25 Position=#0



RADIATED SPURIOUS EMISSION

Note:

- (1) Spurious emissions which are attenuated by more than 20dB below the permissible value for frequency below 1000MHz.
- (2) Test is divided into three directions, X/Y/Z. X pattern for the worst.

LTE Band 2 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3701.15	-24.66	7.00	12.93	-30.59	-13.00	-17.59	H
5551.72	-29.02	8.40	17.11	-37.73	-13.00	-24.73	H
7402.47	-24.41	8.10	22.20	-38.51	-13.00	-25.51	H
3701.15	-27.18	7.00	12.93	-33.11	-13.00	-20.11	V
5551.72	-26.69	8.40	17.11	-35.40	-13.00	-22.40	V
7402.47	-27.70	8.10	22.20	-41.80	-13.00	-28.80	V
LTE Band 2 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.21	-28.94	7.00	12.93	-34.87	-13.00	-21.87	H
5640.05	-27.53	8.40	17.11	-36.24	-13.00	-23.24	H
7520.18	-23.42	8.10	22.20	-37.52	-13.00	-24.52	H
3760.21	-28.84	7.00	12.93	-34.77	-13.00	-21.77	V
5640.05	-26.59	8.40	17.11	-35.30	-13.00	-22.30	V
7520.18	-27.32	8.10	22.20	-41.42	-13.00	-28.42	V
LTE Band 2 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3818.17	-28.58	7.00	12.93	-34.51	-13.00	-21.51	H
5727.52	-25.89	8.40	17.11	-34.60	-13.00	-21.60	H
7637.17	-23.30	8.10	22.20	-37.40	-13.00	-24.40	H
3818.17	-25.15	7.00	12.93	-31.08	-13.00	-18.08	V
5727.52	-27.10	8.40	17.11	-35.81	-13.00	-22.81	V
7637.17	-25.97	8.10	22.20	-40.07	-13.00	-27.07	V

LTE Band 2 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3703.17	-27.90	7.00	12.93	-33.83	-13.00	-20.83	H
5554.56	-24.99	8.40	17.11	-33.70	-13.00	-20.70	H
7405.91	-26.26	8.10	22.20	-40.36	-13.00	-27.36	H
3703.17	-29.29	7.00	12.93	-35.22	-13.00	-22.22	V
5554.56	-28.61	8.40	17.11	-37.32	-13.00	-24.32	V
7405.91	-26.38	8.10	22.20	-40.48	-13.00	-27.48	V
LTE Band 2 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.01	-24.25	7.00	12.93	-30.18	-13.00	-17.18	H
5640.18	-27.40	8.40	17.11	-36.11	-13.00	-23.11	H
7519.85	-25.65	8.10	22.20	-39.75	-13.00	-26.75	H
3760.01	-25.45	7.00	12.93	-31.38	-13.00	-18.38	V
5640.18	-28.82	8.40	17.11	-37.53	-13.00	-24.53	V
7519.85	-23.82	8.10	22.20	-37.92	-13.00	-24.92	V
LTE Band 2 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3817.31	-28.62	7.00	12.93	-34.55	-13.00	-21.55	H
5725.56	-29.35	8.40	17.11	-38.06	-13.00	-25.06	H
7634.09	-25.56	8.10	22.20	-39.66	-13.00	-26.66	H
3817.31	-25.94	7.00	12.93	-31.87	-13.00	-18.87	V
5725.56	-26.59	8.40	17.11	-35.30	-13.00	-22.30	V
7634.09	-26.91	8.10	22.20	-41.01	-13.00	-28.01	V

LTE Band 2 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3705.13	-24.98	7.00	12.93	-30.91	-13.00	-17.91	H
5557.18	-28.05	8.40	17.11	-36.76	-13.00	-23.76	H
7409.78	-22.72	8.10	22.20	-36.82	-13.00	-23.82	H
3705.13	-29.17	7.00	12.93	-35.10	-13.00	-22.10	V
5557.18	-27.26	8.40	17.11	-35.97	-13.00	-22.97	V
7409.78	-26.38	8.10	22.20	-40.48	-13.00	-27.48	V
LTE Band 2 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3759.93	-28.78	7.00	12.93	-34.71	-13.00	-21.71	H
5639.92	-27.88	8.40	17.11	-36.59	-13.00	-23.59	H
7520.01	-23.79	8.10	22.20	-37.89	-13.00	-24.89	H
3759.93	-28.31	7.00	12.93	-34.24	-13.00	-21.24	V
5639.92	-24.76	8.40	17.11	-33.47	-13.00	-20.47	V
7520.01	-24.11	8.10	22.20	-38.21	-13.00	-25.21	V
LTE Band 2 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3815.35	-27.26	7.00	12.93	-33.19	-13.00	-20.19	H
5722.19	-28.02	8.40	17.11	-36.73	-13.00	-23.73	H
7630.26	-23.47	8.10	22.20	-37.57	-13.00	-24.57	H
3815.35	-26.84	7.00	12.93	-32.77	-13.00	-19.77	V
5722.19	-24.86	8.40	17.11	-33.57	-13.00	-20.57	V
7630.26	-26.44	8.10	22.20	-40.54	-13.00	-27.54	V

LTE Band 2 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3710.40	-24.51	7.00	12.93	-30.44	-13.00	-17.44	H
5565.23	-25.02	8.40	17.11	-33.73	-13.00	-20.73	H
7420.07	-26.88	8.10	22.20	-40.98	-13.00	-27.98	H
3710.40	-26.83	7.00	12.93	-32.76	-13.00	-19.76	V
5565.23	-25.49	8.40	17.11	-34.20	-13.00	-21.20	V
7420.07	-27.87	8.10	22.20	-41.97	-13.00	-28.97	V
LTE Band 2 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.04	-25.65	7.00	12.93	-31.58	-13.00	-18.58	H
5640.16	-25.84	8.40	17.11	-34.55	-13.00	-21.55	H
7519.83	-23.75	8.10	22.20	-37.85	-13.00	-24.85	H
3760.04	-26.39	7.00	12.93	-32.32	-13.00	-19.32	V
5640.16	-26.44	8.40	17.11	-35.15	-13.00	-22.15	V
7519.83	-25.36	8.10	22.20	-39.46	-13.00	-26.46	V
LTE Band 2 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3810.02	-24.50	7.00	12.93	-30.43	-13.00	-17.43	H
5714.63	-28.19	8.40	17.11	-36.90	-13.00	-23.90	H
7619.88	-25.56	8.10	22.20	-39.66	-13.00	-26.66	H
3810.02	-28.19	7.00	12.93	-34.12	-13.00	-21.12	V
5714.63	-27.49	8.40	17.11	-36.20	-13.00	-23.20	V
7619.88	-24.73	8.10	22.20	-38.83	-13.00	-25.83	V

LTE Band 2 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3715.13	-24.88	7.00	12.93	-30.81	-13.00	-17.81	H
5572.44	-28.28	8.40	17.11	-36.99	-13.00	-23.99	H
7430.77	-23.49	8.10	22.20	-37.59	-13.00	-24.59	H
3715.13	-25.21	7.00	12.93	-31.14	-13.00	-18.14	V
5572.44	-26.11	8.40	17.11	-34.82	-13.00	-21.82	V
7430.77	-23.37	8.10	22.20	-37.47	-13.00	-24.47	V
LTE Band 2 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3759.95	-28.27	7.00	12.93	-34.20	-13.00	-21.20	H
5639.90	-28.69	8.40	17.11	-37.40	-13.00	-24.40	H
7519.95	-24.55	8.10	22.20	-38.65	-13.00	-25.65	H
3759.95	-25.16	7.00	12.93	-31.09	-13.00	-18.09	V
5639.90	-28.49	8.40	17.11	-37.20	-13.00	-24.20	V
7519.95	-25.08	8.10	22.20	-39.18	-13.00	-26.18	V
LTE Band 2 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3805.15	-26.59	7.00	12.93	-32.52	-13.00	-19.52	H
5707.47	-29.06	8.40	17.11	-37.77	-13.00	-24.77	H
7610.32	-24.66	8.10	22.20	-38.76	-13.00	-25.76	H
3805.15	-27.41	7.00	12.93	-33.34	-13.00	-20.34	V
5707.47	-26.76	8.40	17.11	-35.47	-13.00	-22.47	V
7610.32	-26.83	8.10	22.20	-40.93	-13.00	-27.93	V

LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3720.18	-27.06	7.00	12.93	-32.99	-13.00	-19.99	H
5580.23	-29.15	8.40	17.11	-37.86	-13.00	-24.86	H
7439.77	-27.60	8.10	22.20	-41.70	-13.00	-28.70	H
3720.18	-26.08	7.00	12.93	-32.01	-13.00	-19.01	V
5580.23	-27.49	8.40	17.11	-36.20	-13.00	-23.20	V
7439.77	-27.15	8.10	22.20	-41.25	-13.00	-28.25	V
LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3759.93	-28.89	7.00	12.93	-34.82	-13.00	-21.82	H
5639.95	-26.38	8.40	17.11	-35.09	-13.00	-22.09	H
7520.03	-25.97	8.10	22.20	-40.07	-13.00	-27.07	H
3759.93	-28.91	7.00	12.93	-34.84	-13.00	-21.84	V
5639.95	-26.21	8.40	17.11	-34.92	-13.00	-21.92	V
7520.03	-28.02	8.10	22.20	-42.12	-13.00	-29.12	V
LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3799.78	-24.99	7.00	12.93	-30.92	-13.00	-17.92	H
5699.87	-27.07	8.40	17.11	-35.78	-13.00	-22.78	H
7599.87	-22.75	8.10	22.20	-36.85	-13.00	-23.85	H
3799.78	-29.35	7.00	12.93	-35.28	-13.00	-22.28	V
5699.87	-25.71	8.40	17.11	-34.42	-13.00	-21.42	V
7599.87	-23.99	8.10	22.20	-38.09	-13.00	-25.09	V

LTE Band 4 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3420.96	-27.41	7.20	12.56	-32.77	-13.00	-19.77	H
5131.76	-28.65	8.10	16.32	-36.87	-13.00	-23.87	H
6842.64	-26.10	8.30	21.13	-38.93	-13.00	-25.93	H
3420.96	-25.67	7.20	12.56	-31.03	-13.00	-18.03	V
5131.76	-25.67	8.10	16.32	-33.89	-13.00	-20.89	V
6842.64	-27.02	8.30	21.13	-39.85	-13.00	-26.85	V
LTE Band 4 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.86	-27.80	7.20	12.56	-33.16	-13.00	-20.16	H
5197.02	-27.98	8.10	16.32	-36.20	-13.00	-23.20	H
6930.10	-26.43	8.30	21.13	-39.26	-13.00	-26.26	H
3464.86	-27.25	7.20	12.56	-32.61	-13.00	-19.61	V
5197.02	-26.27	8.10	16.32	-34.49	-13.00	-21.49	V
6930.10	-24.93	8.30	21.13	-37.76	-13.00	-24.76	V
LTE Band 4 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3508.08	-26.53	7.20	12.56	-31.89	-13.00	-18.89	H
5262.35	-25.34	8.10	16.32	-33.56	-13.00	-20.56	H
7015.75	-27.04	8.30	21.13	-39.87	-13.00	-26.87	H
3508.08	-27.31	7.20	12.56	-32.67	-13.00	-19.67	V
5262.35	-28.85	8.10	16.32	-37.07	-13.00	-24.07	V
7015.75	-27.03	8.30	21.13	-39.86	-13.00	-26.86	V

LTE Band 4 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3423.72	-27.75	7.20	12.56	-33.11	-13.00	-20.11	H
5135.90	-29.45	8.10	16.32	-37.67	-13.00	-24.67	H
6848.57	-24.10	8.30	21.13	-36.93	-13.00	-23.93	H
3423.72	-25.31	7.20	12.56	-30.67	-13.00	-17.67	V
5135.90	-25.38	8.10	16.32	-33.60	-13.00	-20.60	V
6848.57	-27.71	8.30	21.13	-40.54	-13.00	-27.54	V
LTE Band 4 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.57	-26.26	7.20	12.56	-31.62	-13.00	-18.62	H
5196.73	-24.53	8.10	16.32	-32.75	-13.00	-19.75	H
6929.87	-23.47	8.30	21.13	-36.30	-13.00	-23.30	H
3464.57	-25.46	7.20	12.56	-30.82	-13.00	-17.82	V
5196.73	-27.70	8.10	16.32	-35.92	-13.00	-22.92	V
6929.87	-24.88	8.30	21.13	-37.71	-13.00	-24.71	V
LTE Band 4 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3506.00	-26.93	7.20	12.56	-32.29	-13.00	-19.29	H
5261.99	-25.79	8.10	16.32	-34.01	-13.00	-21.01	H
7012.82	-24.49	8.30	21.13	-37.32	-13.00	-24.32	H
3506.00	-26.52	7.20	12.56	-31.88	-13.00	-18.88	V
5261.99	-26.37	8.10	16.32	-34.59	-13.00	-21.59	V
7012.82	-24.46	8.30	21.13	-37.29	-13.00	-24.29	V

LTE Band 4 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3424.83	-24.95	7.20	12.56	-30.31	-13.00	-17.31	H
5137.30	-27.73	8.10	16.32	-35.95	-13.00	-22.95	H
6849.84	-24.93	8.30	21.13	-37.76	-13.00	-24.76	H
3424.83	-25.60	7.20	12.56	-30.96	-13.00	-17.96	V
5137.30	-27.39	8.10	16.32	-35.61	-13.00	-22.61	V
6849.84	-25.77	8.30	21.13	-38.60	-13.00	-25.60	V
LTE Band 4 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.53	-27.00	7.20	12.56	-32.36	-13.00	-19.36	H
5196.78	-26.07	8.10	16.32	-34.29	-13.00	-21.29	H
6929.64	-25.88	8.30	21.13	-38.71	-13.00	-25.71	H
3464.53	-27.50	7.20	12.56	-32.86	-13.00	-19.86	V
5196.78	-25.55	8.10	16.32	-33.77	-13.00	-20.77	V
6929.64	-24.96	8.30	21.13	-37.79	-13.00	-24.79	V
LTE Band 4 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3504.89	-28.16	7.20	12.56	-33.52	-13.00	-20.52	H
5257.16	-28.06	8.10	16.32	-36.28	-13.00	-23.28	H
7009.71	-23.29	8.30	21.13	-36.12	-13.00	-23.12	H
3504.89	-29.50	7.20	12.56	-34.86	-13.00	-21.86	V
5257.16	-27.04	8.10	16.32	-35.26	-13.00	-22.26	V
7009.71	-23.86	8.30	21.13	-36.69	-13.00	-23.69	V

LTE Band 4 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3429.84	-28.02	7.20	12.56	-33.38	-13.00	-20.38	H
5145.45	-29.03	8.10	16.32	-37.25	-13.00	-24.25	H
6860.15	-23.63	8.30	21.13	-36.46	-13.00	-23.46	H
3429.84	-25.10	7.20	12.56	-30.46	-13.00	-17.46	V
5145.45	-27.35	8.10	16.32	-35.57	-13.00	-22.57	V
6860.15	-24.87	8.30	21.13	-37.70	-13.00	-24.70	V
LTE Band 4 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.57	-26.25	7.20	12.56	-31.61	-13.00	-18.61	H
5196.47	-28.92	8.10	16.32	-37.14	-13.00	-24.14	H
6929.79	-25.14	8.30	21.13	-37.97	-13.00	-24.97	H
3464.57	-26.71	7.20	12.56	-32.07	-13.00	-19.07	V
5196.47	-28.89	8.10	16.32	-37.11	-13.00	-24.11	V
6929.79	-23.92	8.30	21.13	-36.75	-13.00	-23.75	V
LTE Band 4 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3500.15	-27.08	7.20	12.56	-32.44	-13.00	-19.44	H
5250.30	-27.72	8.10	16.32	-35.94	-13.00	-22.94	H
6999.73	-26.60	8.30	21.13	-39.43	-13.00	-26.43	H
3500.15	-29.82	7.20	12.56	-35.18	-13.00	-22.18	V
5250.30	-28.28	8.10	16.32	-36.50	-13.00	-23.50	V
6999.73	-25.63	8.30	21.13	-38.46	-13.00	-25.46	V

LTE Band 4 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3435.06	-26.29	7.20	12.56	-31.65	-13.00	-18.65	H
5152.25	-26.22	8.10	16.32	-34.44	-13.00	-21.44	H
6870.49	-26.19	8.30	21.13	-39.02	-13.00	-26.02	H
3435.06	-28.26	7.20	12.56	-33.62	-13.00	-20.62	V
5152.25	-29.24	8.10	16.32	-37.46	-13.00	-24.46	V
6870.49	-23.83	8.30	21.13	-36.66	-13.00	-23.66	V
LTE Band 4 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.88	-24.75	7.20	12.56	-30.11	-13.00	-17.11	H
5196.47	-26.49	8.10	16.32	-34.71	-13.00	-21.71	H
6930.04	-26.13	8.30	21.13	-38.96	-13.00	-25.96	H
3464.88	-26.06	7.20	12.56	-31.42	-13.00	-18.42	V
5196.47	-26.66	8.10	16.32	-34.88	-13.00	-21.88	V
6930.04	-23.29	8.30	21.13	-36.12	-13.00	-23.12	V
LTE Band 4 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3495.23	-25.73	7.20	12.56	-31.09	-13.00	-18.09	H
5242.22	-24.59	8.10	16.32	-32.81	-13.00	-19.81	H
6990.32	-23.57	8.30	21.13	-36.40	-13.00	-23.40	H
3495.23	-29.01	7.20	12.56	-34.37	-13.00	-21.37	V
5242.22	-28.70	8.10	16.32	-36.92	-13.00	-23.92	V
6990.32	-25.09	8.30	21.13	-37.92	-13.00	-24.92	V

LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3440.38	-25.71	7.20	12.56	-31.07	-13.00	-18.07	H
5160.13	-25.51	8.10	16.32	-33.73	-13.00	-20.73	H
6880.47	-27.43	8.30	21.13	-40.26	-13.00	-27.26	H
3440.38	-28.78	7.20	12.56	-34.14	-13.00	-21.14	V
5160.13	-27.50	8.10	16.32	-35.72	-13.00	-22.72	V
6880.47	-23.78	8.30	21.13	-36.61	-13.00	-23.61	V
LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.71	-28.67	7.20	12.56	-34.03	-13.00	-21.03	H
5196.78	-26.47	8.10	16.32	-34.69	-13.00	-21.69	H
6929.68	-25.35	8.30	21.13	-38.18	-13.00	-25.18	H
3464.71	-25.73	7.20	12.56	-31.09	-13.00	-18.09	V
5196.78	-28.18	8.10	16.32	-36.40	-13.00	-23.40	V
6929.68	-27.86	8.30	21.13	-40.69	-13.00	-27.69	V
LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3490.28	-27.21	7.20	12.56	-32.57	-13.00	-19.57	H
5234.91	-27.62	8.10	16.32	-35.84	-13.00	-22.84	H
6979.55	-25.09	8.30	21.13	-37.92	-13.00	-24.92	H
3490.28	-29.86	7.20	12.56	-35.22	-13.00	-22.22	V
5234.91	-26.75	8.10	16.32	-34.97	-13.00	-21.97	V
6979.55	-26.90	8.30	21.13	-39.73	-13.00	-26.73	V

LTE Band 5 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1648.59	-25.61	7.40	9.72	-27.93	-13.00	-14.93	H
2473.63	-28.39	8.30	10.86	-30.95	-13.00	-17.95	H
3298.70	-27.09	7.20	11.57	-31.46	-13.00	-18.46	H
1648.59	-30.00	7.40	9.72	-32.32	-13.00	-19.32	V
2473.63	-27.41	8.30	10.86	-29.97	-13.00	-16.97	V
3298.70	-24.65	7.20	11.57	-29.02	-13.00	-16.02	V
LTE Band 5 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.85	-28.30	7.40	9.72	-30.62	-13.00	-17.62	H
2509.10	-27.14	8.30	10.86	-29.70	-13.00	-16.70	H
3345.58	-23.74	7.20	11.57	-28.11	-13.00	-15.11	H
1672.85	-28.43	7.40	9.72	-30.75	-13.00	-17.75	V
2509.10	-27.40	8.30	10.86	-29.96	-13.00	-16.96	V
3345.58	-27.81	7.20	11.57	-32.18	-13.00	-19.18	V
LTE Band 5 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1696.10	-27.34	7.40	9.72	-29.66	-13.00	-16.66	H
2544.53	-25.54	8.30	10.86	-28.10	-13.00	-15.10	H
3393.14	-24.67	7.20	11.57	-29.04	-13.00	-16.04	H
1696.10	-27.81	7.40	9.72	-30.13	-13.00	-17.13	V
2544.53	-28.40	8.30	10.86	-30.96	-13.00	-17.96	V
3393.14	-25.24	7.20	11.57	-29.61	-13.00	-16.61	V

LTE Band 5 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1650.34	-29.38	7.40	9.72	-31.70	-13.00	-18.70	H
2476.07	-28.15	8.30	10.86	-30.71	-13.00	-17.71	H
3301.71	-25.04	7.20	11.57	-29.41	-13.00	-16.41	H
1650.34	-30.87	7.40	9.72	-33.19	-13.00	-20.19	V
2476.07	-28.36	8.30	10.86	-30.92	-13.00	-17.92	V
3301.71	-26.29	7.20	11.57	-30.66	-13.00	-17.66	V
LTE Band 5 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.38	-25.49	7.40	9.72	-27.81	-13.00	-14.81	H
2509.13	-28.86	8.30	10.86	-31.42	-13.00	-18.42	H
3345.52	-24.93	7.20	11.57	-29.30	-13.00	-16.30	H
1672.38	-29.04	7.40	9.72	-31.36	-13.00	-18.36	V
2509.13	-29.15	8.30	10.86	-31.71	-13.00	-18.71	V
3345.52	-27.75	7.20	11.57	-32.12	-13.00	-19.12	V
LTE Band 5 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1694.56	-29.09	7.40	9.72	-31.41	-13.00	-18.41	H
2541.99	-28.43	8.30	10.86	-30.99	-13.00	-17.99	H
3389.10	-25.03	7.20	11.57	-29.40	-13.00	-16.40	H
1694.56	-29.04	7.40	9.72	-31.36	-13.00	-18.36	V
2541.99	-27.12	8.30	10.86	-29.68	-13.00	-16.68	V
3389.10	-27.27	7.20	11.57	-31.64	-13.00	-18.64	V

LTE Band 5 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1652.58	-26.24	7.40	9.72	-28.56	-13.00	-15.56	H
2479.02	-27.05	8.30	10.86	-29.61	-13.00	-16.61	H
3305.38	-26.07	7.20	11.57	-30.44	-13.00	-17.44	H
1652.58	-30.04	7.40	9.72	-32.36	-13.00	-19.36	V
2479.02	-25.57	8.30	10.86	-28.13	-13.00	-15.13	V
3305.38	-29.00	7.20	11.57	-33.37	-13.00	-20.37	V
LTE Band 5 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.20	-27.93	7.40	9.72	-30.25	-13.00	-17.25	H
2508.61	-28.35	8.30	10.86	-30.91	-13.00	-17.91	H
3345.17	-27.48	7.20	11.57	-31.85	-13.00	-18.85	H
1672.20	-27.82	7.40	9.72	-30.14	-13.00	-17.14	V
2508.61	-28.63	8.30	10.86	-31.19	-13.00	-18.19	V
3345.17	-27.10	7.20	11.57	-31.47	-13.00	-18.47	V
LTE Band 5 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1692.15	-26.03	7.40	9.72	-28.35	-13.00	-15.35	H
2538.79	-25.99	8.30	10.86	-28.55	-13.00	-15.55	H
3385.74	-27.08	7.20	11.57	-31.45	-13.00	-18.45	H
1692.15	-28.99	7.40	9.72	-31.31	-13.00	-18.31	V
2538.79	-26.64	8.30	10.86	-29.20	-13.00	-16.20	V
3385.74	-25.37	7.20	11.57	-29.74	-13.00	-16.74	V

LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1657.72	-25.13	7.40	9.72	-27.45	-13.00	-14.45	H
2486.17	-29.00	8.30	10.86	-31.56	-13.00	-18.56	H
3315.18	-26.67	7.20	11.57	-31.04	-13.00	-18.04	H
1657.72	-29.70	7.40	9.72	-32.02	-13.00	-19.02	V
2486.17	-26.41	8.30	10.86	-28.97	-13.00	-15.97	V
3315.18	-27.43	7.20	11.57	-31.80	-13.00	-18.80	V
LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.15	-25.50	7.40	9.72	-27.82	-13.00	-14.82	H
2508.81	-29.72	8.30	10.86	-32.28	-13.00	-19.28	H
3345.04	-26.95	7.20	11.57	-31.32	-13.00	-18.32	H
1672.15	-29.13	7.40	9.72	-31.45	-13.00	-18.45	V
2508.81	-29.47	8.30	10.86	-32.03	-13.00	-19.03	V
3345.04	-28.31	7.20	11.57	-32.68	-13.00	-19.68	V
LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1687.30	-26.50	7.40	9.72	-28.82	-13.00	-15.82	H
2531.33	-28.61	8.30	10.86	-31.17	-13.00	-18.17	H
3375.66	-27.17	7.20	11.57	-31.54	-13.00	-18.54	H
1687.30	-30.85	7.40	9.72	-33.17	-13.00	-20.17	V
2531.33	-29.22	8.30	10.86	-31.78	-13.00	-18.78	V
3375.66	-25.00	7.20	11.57	-29.37	-13.00	-16.37	V

LTE Band 12 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1399.29	-29.58	6.70	9.34	-32.22	-13.00	-19.22	H
2098.69	-27.82	7.80	10.42	-30.44	-13.00	-17.44	H
2798.32	-27.06	8.00	11.12	-30.18	-13.00	-17.18	H
1399.29	-28.85	6.70	9.34	-31.49	-13.00	-18.49	V
2098.69	-30.00	7.80	10.42	-32.62	-13.00	-19.62	V
2798.32	-25.93	8.00	11.12	-29.05	-13.00	-16.05	V
LTE Band 12 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1414.72	-28.76	6.70	9.34	-31.40	-13.00	-18.40	H
2122.10	-29.94	7.80	10.42	-32.56	-13.00	-19.56	H
2829.71	-24.37	8.00	11.12	-27.49	-13.00	-14.49	H
1414.72	-29.77	6.70	9.34	-32.41	-13.00	-19.41	V
2122.10	-29.70	7.80	10.42	-32.32	-13.00	-19.32	V
2829.71	-26.84	8.00	11.12	-29.96	-13.00	-16.96	V
LTE Band 12 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1430.23	-28.45	6.70	9.34	-31.09	-13.00	-18.09	H
2145.72	-29.02	7.80	10.42	-31.64	-13.00	-18.64	H
2860.71	-25.00	8.00	11.12	-28.12	-13.00	-15.12	H
1430.23	-26.24	6.70	9.34	-28.88	-13.00	-15.88	V
2145.72	-26.86	7.80	10.42	-29.48	-13.00	-16.48	V
2860.71	-29.19	8.00	11.12	-32.31	-13.00	-19.31	V

LTE Band 12 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1401.00	-28.87	6.70	9.34	-31.51	-13.00	-18.51	H
2101.20	-28.11	7.80	10.42	-30.73	-13.00	-17.73	H
2801.73	-26.43	8.00	11.12	-29.55	-13.00	-16.55	H
1401.00	-26.92	6.70	9.34	-29.56	-13.00	-16.56	V
2101.20	-28.22	7.80	10.42	-30.84	-13.00	-17.84	V
2801.73	-28.72	8.00	11.12	-31.84	-13.00	-18.84	V
LTE Band 12 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1414.69	-25.10	6.70	9.34	-27.74	-13.00	-14.74	H
2122.06	-29.82	7.80	10.42	-32.44	-13.00	-19.44	H
2829.73	-25.61	8.00	11.12	-28.73	-13.00	-15.73	H
1414.69	-28.72	6.70	9.34	-31.36	-13.00	-18.36	V
2122.06	-27.94	7.80	10.42	-30.56	-13.00	-17.56	V
2829.73	-27.18	8.00	11.12	-30.30	-13.00	-17.30	V
LTE Band 12 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1428.60	-27.40	6.70	9.34	-30.04	-13.00	-17.04	H
2143.28	-27.86	7.80	10.42	-30.48	-13.00	-17.48	H
2857.54	-24.58	8.00	11.12	-27.70	-13.00	-14.70	H
1428.60	-28.10	6.70	9.34	-30.74	-13.00	-17.74	V
2143.28	-29.38	7.80	10.42	-32.00	-13.00	-19.00	V
2857.54	-27.81	8.00	11.12	-30.93	-13.00	-17.93	V

LTE Band 12 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1402.56	-28.02	6.70	9.34	-30.66	-13.00	-17.66	H
2104.41	-25.77	7.80	10.42	-28.39	-13.00	-15.39	H
2805.84	-25.35	8.00	11.12	-28.47	-13.00	-15.47	H
1402.56	-29.09	6.70	9.34	-31.73	-13.00	-18.73	V
2104.41	-27.05	7.80	10.42	-29.67	-13.00	-16.67	V
2805.84	-26.32	8.00	11.12	-29.44	-13.00	-16.44	V
LTE Band 12 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1414.78	-28.78	6.70	9.34	-31.42	-13.00	-18.42	H
2122.44	-27.70	7.80	10.42	-30.32	-13.00	-17.32	H
2829.91	-24.74	8.00	11.12	-27.86	-13.00	-14.86	H
1414.78	-28.00	6.70	9.34	-30.64	-13.00	-17.64	V
2122.44	-28.75	7.80	10.42	-31.37	-13.00	-18.37	V
2829.91	-24.51	8.00	11.12	-27.63	-13.00	-14.63	V
LTE Band 12 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1426.95	-26.81	6.70	9.34	-29.45	-13.00	-16.45	H
2140.07	-29.35	7.80	10.42	-31.97	-13.00	-18.97	H
2853.79	-27.05	8.00	11.12	-30.17	-13.00	-17.17	H
1426.95	-30.81	6.70	9.34	-33.45	-13.00	-20.45	V
2140.07	-27.40	7.80	10.42	-30.02	-13.00	-17.02	V
2853.79	-25.03	8.00	11.12	-28.15	-13.00	-15.15	V

LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1407.68	-26.83	6.70	9.34	-29.47	-13.00	-16.47	H
2111.99	-27.25	7.80	10.42	-29.87	-13.00	-16.87	H
2815.80	-28.43	8.00	11.12	-31.55	-13.00	-18.55	H
1407.68	-30.55	6.70	9.34	-33.19	-13.00	-20.19	V
2111.99	-28.84	7.80	10.42	-31.46	-13.00	-18.46	V
2815.80	-28.52	8.00	11.12	-31.64	-13.00	-18.64	V
LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1414.67	-26.04	6.70	9.34	-28.68	-13.00	-15.68	H
2122.06	-26.46	7.80	10.42	-29.08	-13.00	-16.08	H
2829.54	-25.60	8.00	11.12	-28.72	-13.00	-15.72	H
1414.67	-26.19	6.70	9.34	-28.83	-13.00	-15.83	V
2122.06	-27.71	7.80	10.42	-30.33	-13.00	-17.33	V
2829.54	-26.40	8.00	11.12	-29.52	-13.00	-16.52	V
LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1422.00	-29.64	6.70	9.34	-32.28	-13.00	-19.28	H
2132.89	-27.45	7.80	10.42	-30.07	-13.00	-17.07	H
2843.60	-26.51	8.00	11.12	-29.63	-13.00	-16.63	H
1422.00	-27.33	6.70	9.34	-29.97	-13.00	-16.97	V
2132.89	-30.00	7.80	10.42	-32.62	-13.00	-19.62	V
2843.60	-24.57	8.00	11.12	-27.69	-13.00	-14.69	V

LTE Band 13 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1559.42	-48.01	7.40	9.72	-50.33	-40.00	-10.33	H
2338.29	-39.88	8.30	10.86	-42.44	-13.00	-29.44	H
3117.98	-34.99	7.70	11.57	-38.86	-13.00	-25.86	H
1559.42	-47.93	7.40	9.72	-50.25	-40.00	-10.25	V
2338.29	-36.48	8.30	10.86	-39.04	-13.00	-26.04	V
3117.98	-39.20	7.70	11.57	-43.07	-13.00	-30.07	V

LTE Band 13 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1564.35	-45.93	7.40	9.72	-48.25	-40.00	-8.25	H
2345.92	-36.92	8.30	10.86	-39.48	-13.00	-26.48	H
3128.07	-38.93	7.70	11.57	-42.80	-13.00	-29.80	H
1564.35	-47.07	7.40	9.72	-49.39	-40.00	-9.39	V
2345.92	-39.85	8.30	10.86	-42.41	-13.00	-29.41	V
3128.07	-37.81	7.70	11.57	-41.68	-13.00	-28.68	V

LTE Band 13 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1568.72	-46.69	7.40	9.72	-49.01	-40.00	-9.01	H
2353.15	-36.50	8.30	10.86	-39.06	-13.00	-26.06	H
3138.36	-39.24	7.70	11.57	-43.11	-13.00	-30.11	H
1568.72	-44.17	7.40	9.72	-46.49	-40.00	-6.49	V
2353.15	-37.95	8.30	10.86	-40.51	-13.00	-27.51	V
3138.36	-37.23	7.70	11.57	-41.10	-13.00	-28.10	V

LTE Band 13 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1563.72	-45.67	7.40	9.72	-47.99	-40.00	-7.99	H
2345.80	-35.59	8.30	10.86	-38.15	-13.00	-25.15	H
3127.89	-38.77	7.70	11.57	-42.64	-13.00	-29.64	H
1563.72	-47.60	7.40	9.72	-49.92	-40.00	-9.92	V
2345.80	-37.75	8.30	10.86	-40.31	-13.00	-27.31	V
3127.89	-35.43	7.70	11.57	-39.30	-13.00	-26.30	V

LTE Band 14 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1580.82	-48.60	7.50	7.72	-48.82	-40.00	-8.82	H
2371.60	-46.30	8.60	8.86	-46.56	-13.00	-33.56	H
3161.85	-46.01	9.70	10.57	-46.88	-13.00	-33.88	H
1580.82	-48.76	7.50	7.72	-48.98	-40.00	-8.98	V
2371.60	-46.67	8.60	8.86	-46.93	-13.00	-33.93	V
3161.85	-45.99	9.70	10.57	-46.86	-13.00	-33.86	V

LTE Band 14 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1581.91	-48.35	7.50	7.72	-48.57	-40.00	-8.57	H
2378.92	-47.40	8.60	8.86	-47.66	-13.00	-34.66	H
3171.86	-45.93	9.70	10.57	-46.80	-13.00	-33.80	H
1581.91	-48.46	7.50	7.72	-48.68	-40.00	-8.68	V
2378.92	-47.05	8.60	8.86	-47.31	-13.00	-34.31	V
3171.86	-46.36	9.70	10.57	-47.23	-13.00	-34.23	V

LTE Band 14 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1590.79	-47.70	7.50	7.72	-47.92	-40.00	-7.92	H
2385.83	-47.35	8.60	8.86	-47.61	-13.00	-34.61	H
3182.04	-46.48	9.70	10.57	-47.35	-13.00	-34.35	H
1590.79	-47.50	7.50	7.72	-47.72	-40.00	-7.72	V
2385.83	-46.15	8.60	8.86	-46.41	-13.00	-33.41	V
3182.04	-45.77	9.70	10.57	-46.64	-13.00	-33.64	V

LTE Band 14 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1581.82	-48.40	7.50	7.72	-48.62	-40.00	-8.62	H
2378.96	-46.98	8.60	8.86	-47.24	-13.00	-34.24	H
3172.02	-45.28	9.70	10.57	-46.15	-13.00	-33.15	H
1581.82	-47.59	7.50	7.72	-47.81	-40.00	-7.81	V
2378.96	-46.32	8.60	8.86	-46.58	-13.00	-33.58	V
3172.02	-45.79	9.70	10.57	-46.66	-13.00	-33.66	V

LTE Band 66 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3421.06	-24.54	7.20	12.56	-29.90	-13.00	-16.90	H
5131.73	-25.15	8.10	16.32	-33.37	-13.00	-20.37	H
6842.74	-25.95	8.30	21.13	-38.78	-13.00	-25.78	H
3421.06	-25.17	7.20	12.56	-30.53	-13.00	-17.53	V
5131.73	-28.11	8.10	16.32	-36.33	-13.00	-23.33	V
6842.74	-26.09	8.30	21.13	-38.92	-13.00	-25.92	V
LTE Band 66 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3489.87	-25.55	7.20	12.56	-30.91	-13.00	-17.91	H
5235.08	-24.67	8.10	16.32	-32.89	-13.00	-19.89	H
6979.86	-24.56	8.30	21.13	-37.39	-13.00	-24.39	H
3489.87	-29.73	7.20	12.56	-35.09	-13.00	-22.09	V
5235.08	-28.51	8.10	16.32	-36.73	-13.00	-23.73	V
6979.86	-27.20	8.30	21.13	-40.03	-13.00	-27.03	V
LTE Band 66 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3557.86	-27.44	7.20	12.56	-32.80	-13.00	-19.80	H
5337.14	-27.38	8.10	16.32	-35.60	-13.00	-22.60	H
7117.02	-25.94	8.30	21.13	-38.77	-13.00	-25.77	H
3557.86	-26.50	7.20	12.56	-31.86	-13.00	-18.86	V
5337.14	-24.91	8.10	16.32	-33.13	-13.00	-20.13	V
7117.02	-26.34	8.30	21.13	-39.17	-13.00	-26.17	V

LTE Band 66 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3423.17	-25.50	7.20	12.56	-30.86	-13.00	-17.86	H
5134.53	-28.43	8.10	16.32	-36.65	-13.00	-23.65	H
6846.19	-25.90	8.30	21.13	-38.73	-13.00	-25.73	H
3423.17	-25.32	7.20	12.56	-30.68	-13.00	-17.68	V
5134.53	-25.32	8.10	16.32	-33.54	-13.00	-20.54	V
6846.19	-24.47	8.30	21.13	-37.30	-13.00	-24.30	V
LTE Band 66 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3489.94	-27.15	7.20	12.56	-32.51	-13.00	-19.51	H
5234.84	-29.28	8.10	16.32	-37.50	-13.00	-24.50	H
6979.94	-27.18	8.30	21.13	-40.01	-13.00	-27.01	H
3489.94	-27.31	7.20	12.56	-32.67	-13.00	-19.67	V
5234.84	-28.80	8.10	16.32	-37.02	-13.00	-24.02	V
6979.94	-25.40	8.30	21.13	-38.23	-13.00	-25.23	V
LTE Band 66 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3556.99	-27.17	7.20	12.56	-32.53	-13.00	-19.53	H
5262.10	-27.88	8.10	16.32	-36.10	-13.00	-23.10	H
7114.18	-24.04	8.30	21.13	-36.87	-13.00	-23.87	H
3556.99	-28.99	7.20	12.56	-34.35	-13.00	-21.35	V
5262.10	-27.14	8.10	16.32	-35.36	-13.00	-22.36	V
7114.18	-25.07	8.30	21.13	-37.90	-13.00	-24.90	V

LTE Band 66 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3425.23	-24.14	7.20	12.56	-29.50	-13.00	-16.50	H
5137.23	-28.12	8.10	16.32	-36.34	-13.00	-23.34	H
6850.31	-25.20	8.30	21.13	-38.03	-13.00	-25.03	H
3425.23	-28.51	7.20	12.56	-33.87	-13.00	-20.87	V
5137.23	-26.64	8.10	16.32	-34.86	-13.00	-21.86	V
6850.31	-23.28	8.30	21.13	-36.11	-13.00	-23.11	V
LTE Band 66 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3490.09	-27.44	7.20	12.56	-32.80	-13.00	-19.80	H
5235.25	-27.80	8.10	16.32	-36.02	-13.00	-23.02	H
6979.93	-23.86	8.30	21.13	-36.69	-13.00	-23.69	H
3490.09	-27.54	7.20	12.56	-32.90	-13.00	-19.90	V
5235.25	-27.26	8.10	16.32	-35.48	-13.00	-22.48	V
6979.93	-26.05	8.30	21.13	-38.88	-13.00	-25.88	V
LTE Band 66 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3558.02	-24.25	7.20	12.56	-29.61	-13.00	-16.61	H
5235.17	-28.57	8.10	16.32	-36.79	-13.00	-23.79	H
7110.15	-25.36	8.30	21.13	-38.19	-13.00	-25.19	H
3558.02	-28.54	7.20	12.56	-33.90	-13.00	-20.90	V
5235.17	-25.54	8.10	16.32	-33.76	-13.00	-20.76	V
7110.15	-26.31	8.30	21.13	-39.14	-13.00	-26.14	V

LTE Band 66 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3430.29	-26.21	7.20	12.56	-31.57	-13.00	-18.57	H
5145.10	-24.56	8.10	16.32	-32.78	-13.00	-19.78	H
6879.99	-26.82	8.30	21.13	-39.65	-13.00	-26.65	H
3430.29	-29.29	7.20	12.56	-34.65	-13.00	-21.65	V
5145.10	-24.96	8.10	16.32	-33.18	-13.00	-20.18	V
6879.99	-27.66	8.30	21.13	-40.49	-13.00	-27.49	V
LTE Band 66 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3489.98	-28.60	7.20	12.56	-33.96	-13.00	-20.96	H
5234.93	-27.08	8.10	16.32	-35.30	-13.00	-22.30	H
6979.98	-23.36	8.30	21.13	-36.19	-13.00	-23.19	H
3489.98	-28.17	7.20	12.56	-33.53	-13.00	-20.53	V
5234.93	-28.51	8.10	16.32	-36.73	-13.00	-23.73	V
6979.98	-25.67	8.30	21.13	-38.50	-13.00	-25.50	V
LTE Band 66 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3550.55	-28.82	7.20	12.56	-34.18	-13.00	-21.18	H
5235.07	-25.89	8.10	16.32	-34.11	-13.00	-21.11	H
7099.90	-23.43	8.30	21.13	-36.26	-13.00	-23.26	H
3550.55	-27.97	7.20	12.56	-33.33	-13.00	-20.33	V
5235.07	-24.81	8.10	16.32	-33.03	-13.00	-20.03	V
7099.90	-23.56	8.30	21.13	-36.39	-13.00	-23.39	V

LTE Band 66 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3434.84	-26.70	7.20	12.56	-32.06	-13.00	-19.06	H
5152.34	-25.54	8.10	16.32	-33.76	-13.00	-20.76	H
6870.01	-23.12	8.30	21.13	-35.95	-13.00	-22.95	H
3434.84	-29.67	7.20	12.56	-35.03	-13.00	-22.03	V
5152.34	-27.49	8.10	16.32	-35.71	-13.00	-22.71	V
6870.01	-26.40	8.30	21.13	-39.23	-13.00	-26.23	V
LTE Band 66 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3489.91	-27.19	7.20	12.56	-32.55	-13.00	-19.55	H
5235.19	-29.29	8.10	16.32	-37.51	-13.00	-24.51	H
6980.18	-26.94	8.30	21.13	-39.77	-13.00	-26.77	H
3489.91	-27.61	7.20	12.56	-32.97	-13.00	-19.97	V
5235.19	-26.60	8.10	16.32	-34.82	-13.00	-21.82	V
6980.18	-24.58	8.30	21.13	-37.41	-13.00	-24.41	V
LTE Band 66 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3544.74	-26.55	7.20	12.56	-31.91	-13.00	-18.91	H
5332.67	-27.68	8.10	16.32	-35.90	-13.00	-22.90	H
7090.15	-25.21	8.30	21.13	-38.04	-13.00	-25.04	H
3544.74	-26.32	7.20	12.56	-31.68	-13.00	-18.68	V
5332.67	-24.98	8.10	16.32	-33.20	-13.00	-20.20	V
7090.15	-24.03	8.30	21.13	-36.86	-13.00	-23.86	V

LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3440.09	-25.73	7.20	12.56	-31.09	-13.00	-18.09	H
5160.04	-28.82	8.10	16.32	-37.04	-13.00	-24.04	H
6880.00	-24.09	8.30	21.13	-36.92	-13.00	-23.92	H
3440.09	-27.15	7.20	12.56	-32.51	-13.00	-19.51	V
5160.04	-26.28	8.10	16.32	-34.50	-13.00	-21.50	V
6880.00	-23.50	8.30	21.13	-36.33	-13.00	-23.33	V
LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3489.77	-27.72	7.20	12.56	-33.08	-13.00	-20.08	H
5234.91	-27.26	8.10	16.32	-35.48	-13.00	-22.48	H
6980.24	-23.30	8.30	21.13	-36.13	-13.00	-23.13	H
3489.77	-29.25	7.20	12.56	-34.61	-13.00	-21.61	V
5234.91	-27.73	8.10	16.32	-35.95	-13.00	-22.95	V
6980.24	-24.93	8.30	21.13	-37.76	-13.00	-24.76	V
LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3540.15	-25.34	7.20	12.56	-30.70	-13.00	-17.70	H
5309.88	-25.88	8.10	16.32	-34.10	-13.00	-21.10	H
7080.62	-23.80	8.30	21.13	-36.63	-13.00	-23.63	H
3540.15	-28.35	7.20	12.56	-33.71	-13.00	-20.71	V
5309.88	-25.98	8.10	16.32	-34.20	-13.00	-21.20	V
7080.62	-23.50	8.30	21.13	-36.33	-13.00	-23.33	V

LTE Band 71 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1331.17	-28.22	6.50	9.34	-31.06	-13.00	-18.06	H
1966.69	-31.21	7.70	10.42	-33.93	-13.00	-20.93	H
2662.06	-25.89	7.90	11.12	-29.11	-13.00	-16.11	H
1331.17	-30.15	6.50	9.34	-32.99	-13.00	-19.99	V
1966.69	-29.32	7.70	10.42	-32.04	-13.00	-19.04	V
2662.06	-27.19	7.90	11.12	-30.41	-13.00	-17.41	V
LTE Band 71 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1360.95	-26.45	6.50	9.34	-29.29	-13.00	-16.29	H
2041.69	-26.75	7.70	10.42	-29.47	-13.00	-16.47	H
2721.72	-25.93	7.90	11.12	-29.15	-13.00	-16.15	H
1360.95	-30.89	6.50	9.34	-33.73	-13.00	-20.73	V
2041.69	-28.56	7.70	10.42	-31.28	-13.00	-18.28	V
2721.72	-26.96	7.90	11.12	-30.18	-13.00	-17.18	V
LTE Band 71 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1390.72	-28.73	6.50	9.34	-31.57	-13.00	-18.57	H
2085.72	-29.51	7.70	10.42	-32.23	-13.00	-19.23	H
2781.76	-25.93	7.90	11.12	-29.15	-13.00	-16.15	H
1390.72	-31.74	6.50	9.34	-34.58	-13.00	-21.58	V
2085.72	-30.11	7.70	10.42	-32.83	-13.00	-19.83	V
2781.76	-28.71	7.90	11.12	-31.93	-13.00	-18.93	V

LTE Band 71 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1335.83	-29.99	6.50	9.34	-32.83	-13.00	-19.83	H
2004.00	-28.39	7.70	10.42	-31.11	-13.00	-18.11	H
2671.94	-29.17	7.90	11.12	-32.39	-13.00	-19.39	H
1335.83	-27.39	6.50	9.34	-30.23	-13.00	-17.23	V
2004.00	-26.27	7.70	10.42	-28.99	-13.00	-15.99	V
2671.94	-25.64	7.90	11.12	-28.86	-13.00	-15.86	V
LTE Band 71 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1361.10	-26.42	6.50	9.34	-29.26	-13.00	-16.26	H
2041.47	-27.14	7.70	10.42	-29.86	-13.00	-16.86	H
2721.79	-29.28	7.90	11.12	-32.50	-13.00	-19.50	H
1361.10	-29.22	6.50	9.34	-32.06	-13.00	-19.06	V
2041.47	-30.74	7.70	10.42	-33.46	-13.00	-20.46	V
2721.79	-26.85	7.90	11.12	-30.07	-13.00	-17.07	V
LTE Band 71 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1386.11	-27.95	6.50	9.34	-30.79	-13.00	-17.79	H
2079.07	-26.66	7.70	10.42	-29.38	-13.00	-16.38	H
2722.10	-27.71	7.90	11.12	-30.93	-13.00	-17.93	H
1386.11	-29.62	6.50	9.34	-32.46	-13.00	-19.46	V
2079.07	-28.88	7.70	10.42	-31.60	-13.00	-18.60	V
2722.10	-29.02	7.90	11.12	-32.24	-13.00	-19.24	V

LTE Band 71 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1341.04	-28.98	6.50	9.34	-31.82	-13.00	-18.82	H
2010.72	-26.64	7.70	10.42	-29.36	-13.00	-16.36	H
2681.75	-27.68	7.90	11.12	-30.90	-13.00	-17.90	H
1341.04	-28.11	6.50	9.34	-30.95	-13.00	-17.95	V
2010.72	-27.44	7.70	10.42	-30.16	-13.00	-17.16	V
2681.75	-28.68	7.90	11.12	-31.90	-13.00	-18.90	V
LTE Band 71 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1361.12	-28.28	6.50	9.34	-31.12	-13.00	-18.12	H
2041.21	-29.50	7.70	10.42	-32.22	-13.00	-19.22	H
2721.88	-28.94	7.90	11.12	-32.16	-13.00	-19.16	H
1361.12	-27.80	6.50	9.34	-30.64	-13.00	-17.64	V
2041.21	-26.33	7.70	10.42	-29.05	-13.00	-16.05	V
2721.88	-27.85	7.90	11.12	-31.07	-13.00	-18.07	V
LTE Band 71 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1380.85	-28.57	6.50	9.34	-31.41	-13.00	-18.41	H
2071.18	-30.36	7.70	10.42	-33.08	-13.00	-20.08	H
2761.98	-29.21	7.90	11.12	-32.43	-13.00	-19.43	H
1380.85	-29.85	6.50	9.34	-32.69	-13.00	-19.69	V
2071.18	-29.06	7.70	10.42	-31.78	-13.00	-18.78	V
2761.98	-27.61	7.90	11.12	-30.83	-13.00	-17.83	V

LTE Band 71 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1345.83	-27.76	6.50	9.34	-30.60	-13.00	-17.60	H
2019.14	-28.62	7.70	10.42	-31.34	-13.00	-18.34	H
2691.82	-26.85	7.90	11.12	-30.07	-13.00	-17.07	H
1345.83	-30.38	6.50	9.34	-33.22	-13.00	-20.22	V
2019.14	-29.19	7.70	10.42	-31.91	-13.00	-18.91	V
2691.82	-28.32	7.90	11.12	-31.54	-13.00	-18.54	V
LTE Band 71 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1360.98	-30.06	6.50	9.34	-32.90	-13.00	-19.90	H
2041.38	-27.58	7.70	10.42	-30.30	-13.00	-17.30	H
2721.97	-25.24	7.90	11.12	-28.46	-13.00	-15.46	H
1360.98	-28.10	6.50	9.34	-30.94	-13.00	-17.94	V
2041.38	-29.24	7.70	10.42	-31.96	-13.00	-18.96	V
2721.97	-30.07	7.90	11.12	-33.29	-13.00	-20.29	V
LTE Band 71 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1376.00	-28.52	6.50	9.34	-31.36	-13.00	-18.36	H
2063.87	-31.23	7.70	10.42	-33.95	-13.00	-20.95	H
2752.13	-26.57	7.90	11.12	-29.79	-13.00	-16.79	H
1376.00	-28.50	6.50	9.34	-31.34	-13.00	-18.34	V
2063.87	-30.84	7.70	10.42	-33.56	-13.00	-20.56	V
2752.13	-26.02	7.90	11.12	-29.24	-13.00	-16.24	V

※※※※END OF THE REPORT※※※※