


DTS Bandwidth**Test Result**

TestMode	Antenna	Frequency[MHz]	DTS BW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11B	Ant1	2412	8.040	2407.960	2416.000	0.5	PASS
		2437	7.600	2432.960	2440.560	0.5	PASS
		2462	8.520	2457.480	2466.000	0.5	PASS
11G	Ant1	2412	16.360	2403.840	2420.200	0.5	PASS
		2437	16.360	2428.800	2445.160	0.5	PASS
		2462	16.360	2453.800	2470.160	0.5	PASS
11N20SISO	Ant1	2412	17.600	2403.200	2420.800	0.5	PASS
		2437	17.280	2428.200	2445.480	0.5	PASS
		2462	17.560	2453.200	2470.760	0.5	PASS

Test Graphs






Occupied Channel Bandwidth**Test Result**

TestMode	Antenna	Channel Frequency[MHz]	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11B	Ant1	2412	13.395	2405.3501	2418.7451	---	---
		2437	13.212	2430.3041	2443.5161	---	---
		2462	13.184	2455.3610	2468.5450	---	---
11G	Ant1	2412	17.564	2403.1878	2420.7518	---	---
		2437	17.428	2428.1866	2445.6146	---	---
		2462	17.309	2453.2250	2470.5340	---	---
11N20SISO	Ant1	2412	18.400	2402.8063	2421.2063	---	---
		2437	18.347	2427.7544	2446.1014	---	---
		2462	18.261	2452.7758	2471.0368	---	---

Test Graphs







Maximum conducted output power**Test Result**

TestMode	Antenna	Frequency[MHz]	Peak Power[dBm]	Limit[dBm]	Verdict
11B	Ant1	2412	13.32	≤30.00	PASS
		2437	14.69	≤30.00	PASS
		2462	15.76	≤30.00	PASS
11G	Ant1	2412	17.20	≤30.00	PASS
		2437	18.66	≤30.00	PASS
		2462	19.41	≤30.00	PASS
11N20SISO	Ant1	2412	17.36	≤30.00	PASS
		2437	18.76	≤30.00	PASS
		2462	19.40	≤30.00	PASS

Test Graphs Peak







Maximum power spectral density**Test Result**

TestMode	Antenna	Frequency[MHz]	Result[dBm-3kHz]	Limit[dBm-3kHz]	Verdict
11B	Ant1	2412	-10.44	≤8.00	PASS
		2437	-9.34	≤8.00	PASS
		2462	-9.27	≤8.00	PASS
11G	Ant1	2412	-15.95	≤8.00	PASS
		2437	-12.78	≤8.00	PASS
		2462	-11.92	≤8.00	PASS
11N20SISO	Ant1	2412	-15.85	≤8.00	PASS
		2437	-13.37	≤8.00	PASS
		2462	-12.63	≤8.00	PASS


Test Graphs






Band edge measurements


Test Graphs








Conducted Spurious Emission


Test Graphs













Duty Cycle**Test Result**

TestMode	Antenna	Frequency[MHz]	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	Factor
11B	Ant1	2412	8.19	8.39	97.62	0.10
		2437	8.19	8.39	97.62	0.10
		2462	8.19	8.39	97.62	0.10
11G	Ant1	2412	1.36	1.56	87.18	0.60
		2437	1.36	1.55	87.74	0.57
		2462	1.36	1.56	87.18	0.60
11N20SISO	Ant1	2412	1.27	1.47	86.39	0.64
		2437	1.27	1.47	86.39	0.64
		2462	1.27	1.47	86.39	0.64



Test Graphs







Radiated Band Edge

802.11b-LCH





Data List								
NO.	Freq. [MHz]	Level [dBμV-m]	Limit [dBμV-m]	Margin [dB]	Detector	Height [cm]	Angle [°]	Polarity
1	2338.308103	43.23	74.00	30.77	PK	-	-	Horizontal
2	2351.416472	43.22	74.00	30.78	PK	-	-	Horizontal
3	2375.765922	43.65	74.00	30.35	PK	-	-	Horizontal
4	2336.926309	31.32	54.00	22.68	AV	-	-	Horizontal
5	2351.117706	30.97	54.00	23.03	AV	-	-	Horizontal
6	2375.205735	32.58	54.00	21.42	AV	-	-	Horizontal
1	2347.00967	43.12	74.00	30.88	PK	-	-	Vertical
2	2374.869623	42.95	74.00	31.05	PK	-	-	Vertical
3	2389.658553	46.62	74.00	27.38	PK	298	151	Vertical
4	2347.047016	31.46	54.00	22.54	AV	-	-	Vertical
5	2375.168389	31.88	54.00	22.12	AV	-	-	Vertical
6	2389.77059	34.29	54.00	19.71	AV	298	151	Vertical

802.11b-HCH





Data List								
NO.	Freq. [MHz]	Level [dBµV-m]	Limit [dBµV-m]	Margin [dB]	Detector	Height [cm]	Angle [°]	Polarity
1	2483.86128	45.26	74.00	28.74	PK	-	-	Horizont
2	2490.39679	44.68	74.00	29.32	PK	-	-	Horizont
3	2497.51583	44.32	74.00	29.68	PK	-	-	Horizont
4	2483.56118	35.00	54.00	19.00	AV	-	-	Horizont
5	2490.46348	32.50	54.00	21.50	AV	-	-	Horizont
6	2497.44915	32.52	54.00	21.48	AV	-	-	Horizont
1	2483.74458	45.75	74.00	28.25	PK	-	-	Vertical
2	2492.94764	44.50	74.00	29.50	PK	-	-	Vertical
3	2497.28242	45.04	74.00	28.96	PK	-	-	Vertical
4	2483.64454	35.27	54.00	18.73	AV	-	-	Vertical
5	2493.39779	32.62	54.00	21.38	AV	-	-	Vertical
6	2497.36578	32.67	54.00	21.33	AV	-	-	Vertical

802.11g-LCH





Data List								
NO.	Freq. [MHz]	Level [dBμV-m]	Limit [dBμV-m]	Margin [dB]	Detector	Height [cm]	Angle [°]	Polarity
1	2314.55618	50.27	74.00	23.73	PK	-	-	Horizont
2	2374.53351	50.53	74.00	23.47	PK	-	-	Horizont
3	2389.43447	57.67	74.00	16.33	PK	148	324	Horizont
4	2314.48149	39.19	54.00	14.81	AV	-	-	Horizont
5	2374.53351	39.23	54.00	14.77	AV	-	-	Horizont
6	2389.21040	42.93	54.00	11.07	AV	148	324	Horizont
1	2328.11270	50.87	74.00	23.13	PK	-	-	Vertical
2	2379.91130	51.01	74.00	22.99	PK	-	-	Vertical
3	2388.94898	59.06	74.00	14.94	PK	152	194	Vertical
4	2327.21640	38.99	54.00	15.01	AV	-	-	Vertical
5	2379.79926	39.01	54.00	14.99	AV	-	-	Vertical
6	2389.43447	43.69	54.00	10.31	AV	152	194	Vertical

802.11g-HCH





Data List								
NO.	Freq. [MHz]	Level [dBμV-m]	Limit [dBμV-m]	Margin [dB]	Detector	Height [cm]	Angle [°]	Polarity
1	2483.51117	65.83	74.00	8.17	PK	185	358	Horizont
2	2485.81193	56.61	74.00	17.39	PK	194	305	Horizont
3	2489.22974	52.35	74.00	21.65	PK	-	-	Horizont
4	2483.52784	48.08	54.00	5.92	AV	185	358	Horizont
5	2485.42847	43.91	54.00	10.09	AV	194	305	Horizont
6	2489.64654	40.33	54.00	13.67	AV	-	-	Horizont
1	2483.61120	64.39	74.00	9.61	PK	203	223	Vertical
2	2485.86195	56.33	74.00	17.67	PK	148	211	Vertical
3	2489.86328	52.50	74.00	21.50	PK	-	-	Vertical
4	2483.61120	49.58	54.00	4.42	AV	203	223	Vertical
5	2485.74524	44.50	54.00	9.50	AV	148	211	Vertical
6	2489.92997	40.24	54.00	13.76	AV	-	-	Vertical

802.11n20-LCH



Data List								
NO.	Freq. [MHz]	Level [dBµV-m]	Limit [dBµV-m]	Margin [dB]	Detector	Height [cm]	Angle [°]	Polarity
1	2370.38812	48.84	74.00	23.74	PK	-	-	Horizont
2	2379.01500	49.05	74.00	23.26	PK	-	-	Horizont
3	2389.35978	58.16	74.00	15.84	PK	142	327	Horizont
4	2369.93998	39.04	54.00	14.96	AV	-	-	Horizont
5	2379.27642	38.66	54.00	14.95	AV	-	-	Horizont
6	2389.43447	42.98	54.00	11.02	AV	142	327	Horizont
1	2371.24708	49.97	74.00	24.03	PK	-	-	Vertical
2	2378.52951	50.42	74.00	23.58	PK	-	-	Vertical
3	2389.39713	58.12	74.00	15.88	PK	154	218	Vertical
4	2371.58319	38.97	54.00	15.03	AV	-	-	Vertical
5	2378.82827	39.01	54.00	14.99	AV	-	-	Vertical
6	2389.32244	43.86	54.00	10.14	AV	154	218	Vertical

802.11n20-HCH




Data List								
NO.	Freq. [MHz]	Level [dBµV-m]	Limit [dBµV-m]	Margin [dB]	Detector	Height [cm]	Angle [°]	Polarity
1	2483.69456	66.67	74.00	7.33	PK	197	358	Horizont
2	2485.77859	59.35	74.00	14.65	PK	189	356	Horizont
3	2488.14604	52.08	74.00	21.92	PK	-	-	Horizont
4	2483.57785	49.41	54.00	4.59	AV	197	358	Horizont
5	2485.64521	44.73	54.00	9.27	AV	189	356	Horizont
6	2488.14604	40.65	54.00	13.35	AV	-	-	Horizont
1	2483.64454	67.11	74.00	6.89	PK	195	222	Vertical
2	2485.89529	60.61	74.00	13.39	PK	153	239	Vertical
3	2488.26275	51.82	74.00	22.18	PK	-	-	Vertical
4	2483.52784	50.39	54.00	3.61	AV	195	222	Vertical
5	2485.66188	45.08	54.00	8.92	AV	153	239	Vertical
6	2488.44614	40.69	54.00	13.31	AV	-	-	Vertical

Radiated Spurious Emissions


Below 1G

802.11b-LCH(worst-case)



Suspected Data List												
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV-m]	Limit [dBµV-m]	Margin [dB]	Height [cm]	Angle [°]	Trace	Polarity	Verdict	
1	401.316	37.20	-18.51	18.69	46.00	27.31	200	217	PK	Vertical	PASS	
2	443.899	38.50	-14.97	23.53	46.00	22.47	100	99	PK	Vertical	PASS	
3	496.861	37.98	-14.61	23.37	46.00	22.63	200	314	PK	Vertical	PASS	
4	650.024	42.72	-17.77	24.95	46.00	21.05	200	314	PK	Vertical	PASS	
5	750.031	44.97	-16.13	28.84	46.00	17.16	200	314	PK	Vertical	PASS	
6	850.038	38.91	-13.81	25.10	46.00	20.90	100	0	PK	Vertical	PASS	



Final Data List										
NO.	Freq. [MHz]	QP Reading [dBµV]	QP Value [dBµV-m]	QP Limit [dBµV-m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict	
1	401.7574	32.05	13.54	46.00	32.46	220	235.7	Vertical	PASS	
2	443.6298	32.08	17.11	46.00	28.89	120	140	Vertical	PASS	
3	497.0607	32.14	17.53	46.00	28.47	210.1	339.8	Vertical	PASS	
4	649.9343	37.62	19.85	46.00	26.15	212.4	345.7	Vertical	PASS	
5	750.0209	39.57	23.44	46.00	22.56	220	337.9	Vertical	PASS	
6	850.0047	34.52	20.71	46.00	25.29	106.3	283.3	Vertical	PASS	



Suspected Data List											
NO	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV-m]	Limit [dBμV-m]	Margin [dB]	Height [cm]	Angle [°]	Trace	Polarity	Verdict
1	450.01	37.10	-14.5	22.52	46.00	23.48	200	100	PK	Horizontal	PASS
2	482.40	37.78	-14.4	23.36	46.00	22.64	200	85	PK	Horizontal	PASS
3	550.01	44.10	-19.6	24.45	46.00	21.55	200	320	PK	Horizontal	PASS
4	650.02	52.14	-17.5	34.57	46.00	11.43	100	250	PK	Horizontal	PASS
5	750.03	54.68	-16.6	38.05	46.00	7.95	200	1	PK	Horizontal	PASS
6	850.03	50.61	-13.8	36.80	46.00	9.20	100	30	PK	Horizontal	PASS



Final Data List										
NO.	Freq. [MHz]	QP Reading [dBμV]	QP Value [dBμV-m]	QP Limit [dBμV-m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict	
1	450.0245	36.52	21.94	46.00	24.06	216.7	87.4	Horizontal	PASS	
2	482.4326	32.33	17.91	46.00	28.09	197.1	65.2	Horizontal	PASS	
3	549.9258	42.97	23.32	46.00	22.68	189.7	40.8	Horizontal	PASS	
4	649.9733	51.36	33.79	46.00	12.21	111.7	255	Horizontal	PASS	
5	749.9442	51.56	34.93	46.00	11.07	204.7	29	Horizontal	PASS	
6	850.025	48.24	34.43	46.00	11.57	100	4.4	Horizontal	PASS	

Above 1G
802.11b-LCH





Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV-m]	Limit [dBμV-m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	9687.75	44.13	3.31	47.44	74.00	27.06	224	97	Horizontal
2	13827	40.80	8.36	49.16	74.00	24.84	268	219	Horizontal
3	17932.5	39.24	12.80	52.04	74.00	21.96	239	295	Horizontal
4	9688.5	36.73	3.31	40.04	54.00	13.96	308	170	Horizontal
5	13839.75	32.04	8.57	40.61	54.00	13.39	377	102	Horizontal
6	17967.75	30.21	13.02	43.23	54.00	10.77	129	113	Horizontal
1	9608.25	43.34	2.84	46.18	74.00	27.82	236	334	Vertical
2	14115	41.06	8.14	49.20	74.00	24.80	304	40	Vertical
3	17980.5	38.85	13.19	52.04	74.00	21.96	212	226	Vertical
4	9648.75	36.51	2.85	39.36	54.00	14.64	322	53	Vertical
5	14360.25	31.06	9.13	40.19	54.00	13.81	270	353	Vertical
6	17837.25	30.04	13.23	43.27	54.00	10.73	229	346	Vertical

802.11b-MCH





Data List									
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV-m]	Limit [dBµV-m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	9936	43.11	3.16	46.27	74.00	27.73	291	102	Horizontal
2	15083.25	41.07	9.00	50.07	74.00	23.93	302	242	Horizontal
3	17345.25	38.87	12.65	51.52	74.00	22.48	146	293	Horizontal
4	9936.75	36.46	3.16	39.62	54.00	14.38	270	139	Horizontal
5	15080.25	31.85	8.99	40.84	54.00	13.16	390	245	Horizontal
6	17349.75	31.41	12.85	44.26	54.00	9.74	206	137	Horizontal
1	10050	43.00	3.75	46.75	74.00	27.25	126	145	Vertical
2	14833.5	40.97	8.39	49.36	74.00	24.64	164	112	Vertical
3	17871	39.43	13.17	52.60	74.00	21.40	340	324	Vertical
4	10038.75	33.75	3.71	37.46	54.00	16.54	352	224	Vertical
5	15082.5	31.86	9.00	40.86	54.00	13.14	309	143	Vertical
6	17800.5	30.79	12.70	43.49	54.00	10.51	261	268	Vertical

802.11b-HCH





Data List									
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV-m]	Limit [dBµV-m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	9648	43.29	2.85	46.14	74.00	28.86	272	97	Horizontal
2	13851	39.90	8.71	48.61	74.00	25.39	267	359	Horizontal
3	17969.25	39.44	13.04	52.48	74.00	21.52	347	335	Horizontal
4	9648.75	35.61	2.85	38.46	54.00	15.54	249	286	Horizontal
5	13819.5	31.93	8.24	40.17	54.00	13.83	321	297	Horizontal
6	17999.25	30.34	13.44	43.78	54.00	10.22	330	161	Horizontal
1	9156.75	42.15	3.20	45.35	74.00	28.65	115	337	Vertical
2	14378.25	40.70	8.75	49.45	74.00	24.55	186	70	Vertical
3	17348.25	39.17	12.78	51.95	74.00	22.05	100	45	Vertical
4	9136.5	33.96	2.88	36.84	54.00	17.16	362	51	Vertical
5	14331.75	31.85	8.90	40.75	54.00	13.25	247	259	Vertical
6	17361.75	30.16	12.40	42.56	54.00	11.44	360	62	Vertical

802.11g-LCH





Data List									
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV-m]	Limit [dBµV-m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	9670.5	41.37	3.09	44.46	74.00	29.54	315	61	Horizontal
2	14627.25	39.57	9.38	48.95	74.00	25.05	296	292	Horizontal
3	17819.25	38.11	12.97	51.08	74.00	22.92	320	175	Horizontal
4	9696	32.32	3.40	35.72	54.00	18.28	127	75	Horizontal
5	14622	30.31	9.26	39.57	54.00	14.43	371	200	Horizontal
6	17997.75	28.54	13.42	41.96	54.00	12.04	353	357	Horizontal
1	10539.75	42.70	3.73	46.43	74.00	27.57	129	58	Vertical
2	15064.5	40.91	8.94	49.85	74.00	24.15	368	252	Vertical
3	17979.75	39.75	13.18	52.93	74.00	21.07	202	155	Vertical
4	10461	33.16	4.17	37.33	54.00	16.67	273	219	Vertical
5	15065.25	31.37	8.94	40.31	54.00	13.69	276	26	Vertical
6	17796.75	30.79	12.60	43.39	54.00	10.61	331	96	Vertical

802.11g-MCH





Data List									
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV-m]	Limit [dBµV-m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	7049.25	43.94	-2.13	41.81	74.00	32.19	323	250	Horizontal
2	9867.75	43.88	3.27	47.15	74.00	26.85	276	32	Horizontal
3	17344.5	39.07	12.60	51.67	74.00	22.33	144	340	Horizontal
4	7002.75	35.39	-1.78	33.61	54.00	20.39	251	132	Horizontal
5	9936.75	36.95	3.16	40.11	54.00	13.89	208	306	Horizontal
6	17361.75	30.92	12.40	43.32	54.00	10.68	174	267	Horizontal
1	7626.75	44.54	-1.05	43.49	74.00	30.51	244	146	Vertical
2	10142.25	43.47	3.22	46.69	74.00	27.31	231	126	Vertical
3	17814	39.19	12.90	52.09	74.00	21.91	235	342	Vertical
4	7626	35.46	-1.05	34.41	54.00	19.59	309	134	Vertical
5	9888.75	35.23	3.22	38.45	54.00	15.55	123	324	Vertical
6	17882.25	30.18	13.03	43.21	54.00	10.79	141	100	Vertical

802.11g-HCH





Data List									
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV-m]	Limit [dBµV-m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	9648	42.86	2.85	45.71	74.00	28.29	369	129	Horizontal
2	13683	41.75	7.62	49.37	74.00	24.63	326	27	Horizontal
3	17354.25	39.09	12.69	51.78	74.00	22.22	144	115	Horizontal
4	9648.75	35.85	2.85	38.70	54.00	15.30	173	324	Horizontal
5	13828.5	32.05	8.39	40.44	54.00	13.56	367	312	Horizontal
6	17353.5	30.12	12.72	42.84	54.00	11.16	277	274	Horizontal
1	10053	42.43	3.71	46.14	74.00	27.86	400	298	Vertical
2	14815.5	40.64	8.95	49.59	74.00	24.41	374	241	Vertical
3	17356.5	38.41	12.61	51.02	74.00	22.98	395	196	Vertical
4	9868.5	34.74	3.27	38.01	54.00	15.99	240	300	Vertical
5	14648.25	31.13	9.88	41.01	54.00	12.99	305	127	Vertical
6	17357.25	30.10	12.58	42.68	54.00	11.32	146	162	Vertical

802.11n20-LCH





Data List									
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV-m]	Limit [dBµV-m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	9648	43.20	2.85	46.05	74.00	27.45	164	165	Horizontal
2	15078	40.82	8.99	49.81	74.00	24.19	313	49	Horizontal
3	17347.5	39.15	12.75	51.90	74.00	22.10	299	271	Horizontal
4	9648.75	36.03	2.85	38.88	54.00	15.12	142	250	Horizontal
5	14918.25	32.57	8.13	40.70	54.00	13.30	143	353	Horizontal
6	17352	30.88	12.78	43.66	54.00	10.34	221	240	Horizontal
1	10356.75	43.35	3.69	47.04	74.00	26.96	230	93	Vertical
2	15076.5	40.89	8.98	49.87	74.00	24.13	331	70	Vertical
3	17811.75	39.48	12.86	52.34	74.00	21.66	191	241	Vertical
4	10455.75	33.61	4.18	37.79	54.00	16.21	132	234	Vertical
5	15246	31.20	9.25	40.45	54.00	13.55	273	86	Vertical
6	17812.5	30.69	12.88	43.57	54.00	10.43	226	175	Vertical

802.11n20-MCH



Data List									
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV-m]	Limit [dBµV-m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	9888	42.10	3.22	45.32	74.00	28.68	143	26	Horizontal
2	13815.75	40.93	8.18	49.11	74.00	24.89	325	295	Horizontal
3	17877.75	39.01	13.10	52.11	74.00	21.89	383	224	Horizontal
4	9888.75	36.48	3.22	39.70	54.00	14.30	231	153	Horizontal
5	13813.5	32.61	8.15	40.76	54.00	13.24	323	333	Horizontal
6	17966.25	30.77	13.00	43.77	54.00	10.23	248	273	Horizontal
1	9507.75	43.12	2.65	45.77	74.00	28.23	399	61	Vertical
2	14828.25	40.67	8.55	49.22	74.00	24.78	153	360	Vertical
3	17838	38.40	13.25	51.65	74.00	22.35	167	108	Vertical
4	9688.5	35.08	3.31	38.39	54.00	15.61	293	152	Vertical
5	14639.25	31.15	9.67	40.82	54.00	13.18	299	78	Vertical
6	17983.5	30.24	13.22	43.46	54.00	10.54	212	314	Vertical

802.11n20-HCH



Data List									
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV-m]	Limit [dBµV-m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	9867.75	43.39	3.27	46.66	74.00	27.34	206	75	Horizontal
2	15078	40.17	8.99	49.16	74.00	24.84	185	331	Horizontal
3	17878.5	38.42	13.09	51.51	74.00	22.49	109	166	Horizontal
4	9936.75	36.98	3.16	40.14	54.00	13.86	384	102	Horizontal
5	15075	32.13	8.97	41.10	54.00	12.90	259	344	Horizontal
6	17861.25	30.17	13.28	43.45	54.00	10.55	344	98	Horizontal
1	9696	43.17	3.40	46.57	74.00	27.43	150	331	Vertical
2	15063	40.37	8.93	49.30	74.00	24.70	390	357	Vertical
3	17895.75	38.61	12.88	51.49	74.00	22.51	396	309	Vertical
4	9648.75	35.71	2.85	38.56	54.00	15.44	294	74	Vertical
5	15076.5	31.98	8.98	40.96	54.00	13.04	180	124	Vertical
6	17847.75	30.10	13.39	43.49	54.00	10.51	346	197	Vertical