


Specification 规格内容	Coil specifications	CISTOME P/N: 客户品名	Shenzhen Yiqizhao Technology Co.,Ltd
		PARTNUMBER: 制造商料号	001

1.DIMENSIONS(外形尺寸)：mm



ITEM	Spec.
L	6.3UH ±5%
Q 值	70MAX
D. C. R	0.06Ω Max
A	45±1mm
B	40±1mm
C	13.5±0.5mm
D	16±2mm
E	3±2mm

APPROVED BY 承认	CHECKED BY 审查	PREPARED BY 制作	DATE 日期	PAGE 页码
		Peter Chen	2023.02.08	1 of 3

Specification 规格内容	Coil specifications	CISTOME P/N: 客户品名		Shenzhen Yiqizhao Technology Co.,Ltd			
		PARTNUMBER: 制造商料号		001			
2.WINDING DETAILS(绕线详细说明) :							
Wdy.NO. 绕组	Start 开始	Finish 结束	Turns 圈数	WireDia 线径	Wdg.TyepeSprad /lose 绕线方法疏/密 绕	Wdg.Direction 绕线方向	Turns/Lay er 层数/每 层圈数
1	S	F	10TS	0.08*10 5P	Single layer tightly wound		1 /10TS
3.ELECTRICAL CHARACTERISTICS(电气特性) :							
PARAMETERS			UNIN			LIMITI	
Inductance Is@100KHz/1v			uh			6.5±10%	
Q @100KHz/1v			/			75Min	
DCR @100KHz/1v			mΩ			55Max	
APPROVED BY 承认	CHECKED BY 审查	PREPARE D BY 制作	DATE 日期			PACE 页码	
		Peter Chen	2023.02.08			2 of 3	

Specification 规格内容		Coil specifications	CISTOME P/N: 客户品名		Shenzhen Yiqizhao Technology Co.,Ltd	
			PARTNUMBER: 制造商料号		001	
1. MATERIAL LIST 材料清单						
NO.	Material name 材料名称	Description 品名描述	Manufacturer 制造商	Material 材质		
1	Silk-covered wire	0.08*105P				
2	solder	High temperature				
3	Magnetic sheet	50*5*1				
4	glue	Resin adhesive				
5	High temperature tape	8mm				
APPROVED BY 承认		CHECKED BY 审查	PREPARED BY 制作	DATE 日期		PAGE 页码
			Peter Chen	2023.02.08		3 of 3