



Appendix E

RF Test Data for 5.8GWIFI(Conducted Measurement)

Product Name: Legends Pinball

Test Model: HA9920

Environmental Conditions

Temperature:	23.8° C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Eason Zhou
Supervised by:	Nick Peng





E.1 -6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	a	5745	Ant1	16.033	>=0.5	Pass
NVNT	a	5785	Ant1	14.367	>=0.5	Pass
NVNT	a	5825	Ant1	15.058	>=0.5	Pass
NVNT	n20	5745	Ant1	15.067	>=0.5	Pass
NVNT	n20	5785	Ant1	16.68	>=0.5	Pass
NVNT	n20	5825	Ant1	15.086	>=0.5	Pass
NVNT	n40	5755	Ant1	35.039	>=0.5	Pass
NVNT	n40	5795	Ant1	35.075	>=0.5	Pass
NVNT	ac20	5745	Ant1	13.829	>=0.5	Pass
NVNT	ac20	5785	Ant1	15.452	>=0.5	Pass
NVNT	ac20	5825	Ant1	15.035	>=0.5	Pass
NVNT	ac40	5755	Ant1	35.05	>=0.5	Pass
NVNT	ac40	5795	Ant1	35.071	>=0.5	Pass
NVNT	ac80	5775	Ant1	73.872	>=0.5	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

-6dB Bandwidth NVNT a 5745MHz Ant1




-6dB Bandwidth NVNT a 5785MHz Ant1






-6dB Bandwidth NVNT a 5825MHz Ant1




-6dB Bandwidth NVNT n20 5745MHz Ant1






-6dB Bandwidth NVNT n20 5785MHz Ant1




-6dB Bandwidth NVNT n20 5825MHz Ant1






-6dB Bandwidth NVNT n40 5755MHz Ant1




-6dB Bandwidth NVNT n40 5795MHz Ant1








-6dB Bandwidth NVNT ac20 5745MHz Ant1




-6dB Bandwidth NVNT ac20 5785MHz Ant1








-6dB Bandwidth NVNT ac40 5795MHz Ant1



-6dB Bandwidth NVNT ac80 5775MHz Ant1





Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	a	5745	Ant2	16.296	>=0.5	Pass
NVNT	a	5785	Ant2	15.778	>=0.5	Pass
NVNT	a	5825	Ant2	15.028	>=0.5	Pass
NVNT	n20	5745	Ant2	15.64	>=0.5	Pass
NVNT	n20	5785	Ant2	14.023	>=0.5	Pass
NVNT	n20	5825	Ant2	15.016	>=0.5	Pass
NVNT	n40	5755	Ant2	35.093	>=0.5	Pass
NVNT	n40	5795	Ant2	32.607	>=0.5	Pass
NVNT	ac20	5745	Ant2	13.846	>=0.5	Pass
NVNT	ac20	5785	Ant2	15.023	>=0.5	Pass
NVNT	ac20	5825	Ant2	14.381	>=0.5	Pass
NVNT	ac40	5755	Ant2	33.842	>=0.5	Pass
NVNT	ac40	5795	Ant2	35.112	>=0.5	Pass
NVNT	ac80	5775	Ant2	75.105	>=0.5	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

-6dB Bandwidth NVNT a 5745MHz Ant2




-6dB Bandwidth NVNT a 5785MHz Ant2






-6dB Bandwidth NVNT a 5825MHz Ant2




-6dB Bandwidth NVNT n20 5745MHz Ant2






-6dB Bandwidth NVNT n20 5785MHz Ant2




-6dB Bandwidth NVNT n20 5825MHz Ant2










-6dB Bandwidth NVNT n40 5755MHz Ant2





-6dB Bandwidth NVNT n40 5795MHz Ant2











E.2 Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5745	Ant1	16.391
NVNT	a	5785	Ant1	16.397
NVNT	a	5825	Ant1	16.395
NVNT	n20	5745	Ant1	17.557
NVNT	n20	5785	Ant1	17.563
NVNT	n20	5825	Ant1	17.558
NVNT	n40	5755	Ant1	35.974
NVNT	n40	5795	Ant1	35.93
NVNT	ac20	5745	Ant1	17.523
NVNT	ac20	5785	Ant1	17.524
NVNT	ac20	5825	Ant1	17.546
NVNT	ac40	5755	Ant1	35.985
NVNT	ac40	5795	Ant1	35.938
NVNT	ac80	5775	Ant1	75.194






Test Graphs

OBW NVNT a 5745MHz Ant1




OBW NVNT a 5785MHz Ant1










OBW NVNT a 5825MHz Ant1



OBW NVNT n20 5745MHz Ant1











OBW NVNT ac20 5745MHz Ant1




OBW NVNT ac20 5785MHz Ant1






OBW NVNT ac20 5825MHz Ant1




OBW NVNT ac40 5755MHz Ant1






OBW NVNT ac40 5795MHz Ant1



OBW NVNT ac80 5775MHz Ant1





Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5745	Ant2	16.36
NVNT	a	5785	Ant2	16.392
NVNT	a	5825	Ant2	16.397
NVNT	n20	5745	Ant2	17.539
NVNT	n20	5785	Ant2	17.563
NVNT	n20	5825	Ant2	17.561
NVNT	n40	5755	Ant2	36.029
NVNT	n40	5795	Ant2	35.926
NVNT	ac20	5745	Ant2	17.513
NVNT	ac20	5785	Ant2	17.541
NVNT	ac20	5825	Ant2	17.537
NVNT	ac40	5755	Ant2	35.943
NVNT	ac40	5795	Ant2	35.886
NVNT	ac80	5775	Ant2	75.224




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

OBW NVNT a 5745MHz Ant2




OBW NVNT a 5785MHz Ant2






OBW NVNT a 5825MHz Ant2




OBW NVNT n20 5745MHz Ant2






OBW NVNT n20 5785MHz Ant2




OBW NVNT n20 5825MHz Ant2






OBW NVNT n40 5755MHz Ant2




OBW NVNT n40 5795MHz Ant2






OBW NVNT ac20 5745MHz Ant2




OBW NVNT ac20 5785MHz Ant2






OBW NVNT ac20 5825MHz Ant2




OBW NVNT ac40 5755MHz Ant2






OBW NVNT ac40 5795MHz Ant2



OBW NVNT ac80 5775MHz Ant2





E.3 Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	12.43	0.13	12.56	30	Pass
NVNT	a	5785	Ant1	12.58	0.13	12.71	30	Pass
NVNT	a	5825	Ant1	12.6	0.13	12.73	30	Pass
NVNT	n20	5745	Ant1	12.3	0.15	12.45	30	Pass
NVNT	n20	5785	Ant1	12.26	0.15	12.41	30	Pass
NVNT	n20	5825	Ant1	12.5	0.15	12.65	30	Pass
NVNT	n40	5755	Ant1	11.39	0.28	11.67	30	Pass
NVNT	n40	5795	Ant1	11.62	0.29	11.91	30	Pass
NVNT	ac20	5745	Ant1	12.26	0.15	12.41	30	Pass
NVNT	ac20	5785	Ant1	12.38	0.15	12.53	30	Pass
NVNT	ac20	5825	Ant1	12.54	0.14	12.68	30	Pass
NVNT	ac40	5755	Ant1	11.39	0.28	11.67	30	Pass
NVNT	ac40	5795	Ant1	11.63	0.28	11.91	30	Pass
NVNT	ac80	5775	Ant1	9.92	0.55	10.47	30	Pass

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant2	12.46	0.13	12.59	30	Pass
NVNT	a	5785	Ant2	12.62	0.13	12.75	30	Pass
NVNT	a	5825	Ant2	12.46	0.13	12.59	30	Pass
NVNT	n20	5745	Ant2	12.28	0.15	12.43	30	Pass
NVNT	n20	5785	Ant2	12.17	0.15	12.32	30	Pass
NVNT	n20	5825	Ant2	12.37	0.15	12.52	30	Pass
NVNT	n40	5755	Ant2	11.42	0.28	11.7	30	Pass
NVNT	n40	5795	Ant2	11.54	0.29	11.83	30	Pass
NVNT	ac20	5745	Ant2	12.28	0.14	12.42	30	Pass
NVNT	ac20	5785	Ant2	12.44	0.14	12.58	30	Pass
NVNT	ac20	5825	Ant2	12.36	0.14	12.5	30	Pass
NVNT	ac40	5755	Ant2	11.44	0.28	11.72	30	Pass
NVNT	ac40	5795	Ant2	11.68	0.28	11.96	30	Pass
NVNT	ac80	5775	Ant2	10.1	0.55	10.65	30	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



MIMO

Condition	Mode	Frequency (MHz)	Total Power (dBm)			Limit (dBm)	Verdict
			Ant1	Ant2	Ant1+Ant2		
NVNT	n20	5745	12.45	12.43	15.45	30	Pass
NVNT	n20	5785	12.41	12.32	15.38	30	Pass
NVNT	n20	5825	12.65	12.52	15.60	30	Pass
NVNT	n40	5755	11.67	11.7	14.70	30	Pass
NVNT	n40	5795	11.91	11.83	14.88	30	Pass
NVNT	ac20	5745	12.41	12.42	15.43	30	Pass
NVNT	ac20	5785	12.53	12.58	15.57	30	Pass
NVNT	ac20	5825	12.68	12.5	15.60	30	Pass
NVNT	ac40	5755	11.67	11.72	14.71	30	Pass
NVNT	ac40	5795	11.91	11.96	14.95	30	Pass
NVNT	ac80	5775	10.47	10.65	13.57	30	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



E.4 Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/500KHz)	Duty Factor (dB)	Total PSD (dBm/500KHz)	Limit (dBm/500KHz)	Verdict
NVNT	a	5745	Ant1	-0.04	0.13	0.09	30	Pass
NVNT	a	5785	Ant1	0.28	0.13	0.41	30	Pass
NVNT	a	5825	Ant1	-0.08	0.13	0.05	30	Pass
NVNT	n20	5745	Ant1	-0.36	0.15	-0.21	30	Pass
NVNT	n20	5785	Ant1	-0.52	0.15	-0.37	30	Pass
NVNT	n20	5825	Ant1	-0.33	0.15	-0.18	30	Pass
NVNT	n40	5755	Ant1	-4.24	0.28	-3.96	30	Pass
NVNT	n40	5795	Ant1	-3.58	0.29	-3.29	30	Pass
NVNT	ac20	5745	Ant1	-0.29	0.15	-0.14	30	Pass
NVNT	ac20	5785	Ant1	-0.05	0.15	0.1	30	Pass
NVNT	ac20	5825	Ant1	0.01	0.14	0.15	30	Pass
NVNT	ac40	5755	Ant1	-4.2	0.28	-3.92	30	Pass
NVNT	ac40	5795	Ant1	-3.99	0.28	-3.71	30	Pass
NVNT	ac80	5775	Ant1	-8.24	0.55	-7.69	30	Pass

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD(dBm/500KHz)	Duty Factor (dB)	Total PSD (dBm/500KHz)	Limit (dBm/500KHz)	Verdict
NVNT	a	5745	Ant2	0.09	0.13	0.22	30	Pass
NVNT	a	5785	Ant2	0	0.13	0.13	30	Pass
NVNT	a	5825	Ant2	0.37	0.13	0.5	30	Pass
NVNT	n20	5745	Ant2	-0.31	0.15	-0.16	30	Pass
NVNT	n20	5785	Ant2	-0.21	0.15	-0.06	30	Pass
NVNT	n20	5825	Ant2	-0.4	0.15	-0.25	30	Pass
NVNT	n40	5755	Ant2	-4.09	0.28	-3.81	30	Pass
NVNT	n40	5795	Ant2	-3.83	0.29	-3.54	30	Pass
NVNT	ac20	5745	Ant2	-0.54	0.14	-0.4	30	Pass
NVNT	ac20	5785	Ant2	-0.27	0.14	-0.13	30	Pass
NVNT	ac20	5825	Ant2	-0.27	0.14	-0.13	30	Pass
NVNT	ac40	5755	Ant2	-4.48	0.28	-4.2	30	Pass
NVNT	ac40	5795	Ant2	-3.84	0.28	-3.56	30	Pass
NVNT	ac80	5775	Ant2	-8.15	0.55	-7.6	30	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



MIMO

Condition	Mode	Frequency (MHz)	Total PSD (dBm/500KHz)			Limit (dBm/500KHz)	Verdict
			Ant1	Ant2	Ant1+Ant2		
NVNT	n20	5745	-0.21	-0.16	2.83	30	Pass
NVNT	n20	5785	-0.37	-0.06	2.80	30	Pass
NVNT	n20	5825	-0.18	-0.25	2.80	30	Pass
NVNT	n40	5755	-3.96	-3.81	-0.87	30	Pass
NVNT	n40	5795	-3.29	-3.54	-0.40	30	Pass
NVNT	ac20	5745	-0.14	-0.4	2.74	30	Pass
NVNT	ac20	5785	0.1	-0.13	3.00	30	Pass
NVNT	ac20	5825	0.15	-0.13	3.02	30	Pass
NVNT	ac40	5755	-3.92	-4.2	-1.05	30	Pass
NVNT	ac40	5795	-3.71	-3.56	-0.62	30	Pass
NVNT	ac80	5775	-7.69	-7.6	-4.63	30	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

PSD NVNT a 5745MHz Ant1




PSD NVNT a 5785MHz Ant1










PSD NVNT a 5825MHz Ant1







PSD NVNT n20 5745MHz Ant1



















Test Graphs

PSD NVNT a 5745MHz Ant2




PSD NVNT a 5785MHz Ant2










PSD NVNT a 5825MHz Ant2







PSD NVNT n20 5745MHz Ant2

















E.5 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	EIRP Power (dBm)	Detector	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	5650	-47.93	2	-	-45.93	Peak	-27	Pass
NVNT	a	5745	Ant1	5650	-55.9	2	0.13	-53.77	Average	-27	Pass
NVNT	a	5745	Ant1	5700	-44.89	2	-	-42.89	Peak	10	Pass
NVNT	a	5745	Ant1	5700	-53.71	2	0.13	-51.58	Average	10	Pass
NVNT	a	5745	Ant1	5720	-32.16	2	-	-30.16	Peak	15.6	Pass
NVNT	a	5745	Ant1	5720	-45.87	2	0.13	-43.74	Average	15.6	Pass
NVNT	a	5745	Ant1	5725	-29.2	2	-	-27.2	Peak	27	Pass
NVNT	a	5745	Ant1	5725	-45.58	2	0.13	-43.45	Average	27	Pass
NVNT	a	5825	Ant1	5850	-38.95	2	-	-36.95	Peak	27	Pass
NVNT	a	5825	Ant1	5850	-50.12	2	0.13	-47.99	Average	27	Pass
NVNT	a	5825	Ant1	5855	-40.55	2	-	-38.55	Peak	15.6	Pass
NVNT	a	5825	Ant1	5855	-52.19	2	0.13	-50.06	Average	15.6	Pass
NVNT	a	5825	Ant1	5875	-44.79	2	-	-42.79	Peak	10	Pass
NVNT	a	5825	Ant1	5875	-54.86	2	0.13	-52.73	Average	10	Pass
NVNT	a	5825	Ant1	5925	-47.17	2	-	-45.17	Peak	-27	Pass
NVNT	a	5825	Ant1	5925	-56	2	0.13	-53.87	Average	-27	Pass
NVNT	n20	5745	Ant1	5650	-48.77	2	-	-46.77	Peak	-27	Pass
NVNT	n20	5745	Ant1	5650	-56.08	2	0.15	-53.93	Average	-27	Pass
NVNT	n20	5745	Ant1	5700	-44.9	2	-	-42.9	Peak	10	Pass
NVNT	n20	5745	Ant1	5700	-53.32	2	0.15	-51.17	Average	10	Pass
NVNT	n20	5745	Ant1	5720	-34.31	2	-	-32.31	Peak	15.6	Pass
NVNT	n20	5745	Ant1	5720	-48.25	2	0.15	-46.1	Average	15.6	Pass
NVNT	n20	5745	Ant1	5725	-29.61	2	-	-27.61	Peak	27	Pass
NVNT	n20	5745	Ant1	5725	-43.63	2	0.15	-41.48	Average	27	Pass
NVNT	n20	5825	Ant1	5850	-39.49	2	-	-37.49	Peak	27	Pass
NVNT	n20	5825	Ant1	5850	-51.37	2	0.15	-49.22	Average	27	Pass
NVNT	n20	5825	Ant1	5855	-41.58	2	-	-39.58	Peak	15.6	Pass
NVNT	n20	5825	Ant1	5855	-53.62	2	0.15	-51.47	Average	15.6	Pass
NVNT	n20	5825	Ant1	5875	-46.23	2	-	-44.23	Peak	10	Pass
NVNT	n20	5825	Ant1	5875	-54.84	2	0.15	-52.69	Average	10	Pass
NVNT	n20	5825	Ant1	5925	-46.51	2	-	-44.51	Peak	-27	Pass
NVNT	n20	5825	Ant1	5925	-56.15	2	0.15	-54	Average	-27	Pass
NVNT	n40	5755	Ant1	5650	-48.69	2	-	-46.69	Peak	-27	Pass
NVNT	n40	5755	Ant1	5650	-56.3	2	0.28	-54.02	Average	-27	Pass
NVNT	n40	5755	Ant1	5700	-44	2	-	-42	Peak	10	Pass
NVNT	n40	5755	Ant1	5700	-52.94	2	0.28	-50.66	Average	10	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



NVNT	n40	5755	Ant1	5720	-22.86	2	-	-20.86	Peak	15.6	Pass
NVNT	n40	5755	Ant1	5720	-46.29	2	0.28	-44.01	Average	15.6	Pass
NVNT	n40	5755	Ant1	5725	-22.58	2	-	-20.58	Peak	27	Pass
NVNT	n40	5755	Ant1	5725	-44.82	2	0.28	-42.54	Average	27	Pass
NVNT	n40	5795	Ant1	5850	-42.81	2	-	-40.81	Peak	27	Pass
NVNT	n40	5795	Ant1	5850	-53.14	2	0.29	-50.85	Average	27	Pass
NVNT	n40	5795	Ant1	5855	-43.75	2	-	-41.75	Peak	15.6	Pass
NVNT	n40	5795	Ant1	5855	-53.79	2	0.29	-51.5	Average	15.6	Pass
NVNT	n40	5795	Ant1	5875	-46.1	2	-	-44.1	Peak	10	Pass
NVNT	n40	5795	Ant1	5875	-55.39	2	0.29	-53.1	Average	10	Pass
NVNT	n40	5795	Ant1	5925	-48.79	2	-	-46.79	Peak	-27	Pass
NVNT	n40	5795	Ant1	5925	-56.61	2	0.29	-54.32	Average	-27	Pass
NVNT	ac20	5745	Ant1	5650	-49.27	2	-	-47.27	Peak	-27	Pass
NVNT	ac20	5745	Ant1	5650	-55.85	2	0.15	-53.7	Average	-27	Pass
NVNT	ac20	5745	Ant1	5700	-47.49	2	-	-45.49	Peak	10	Pass
NVNT	ac20	5745	Ant1	5700	-53.74	2	0.15	-51.59	Average	10	Pass
NVNT	ac20	5745	Ant1	5720	-35.31	2	-	-33.31	Peak	15.6	Pass
NVNT	ac20	5745	Ant1	5720	-49.35	2	0.15	-47.2	Average	15.6	Pass
NVNT	ac20	5745	Ant1	5725	-37.6	2	-	-35.6	Peak	27	Pass
NVNT	ac20	5745	Ant1	5725	-44.6	2	0.15	-42.45	Average	27	Pass
NVNT	ac20	5825	Ant1	5850	-36.65	2	-	-34.65	Peak	27	Pass
NVNT	ac20	5825	Ant1	5850	-50.54	2	0.14	-48.4	Average	27	Pass
NVNT	ac20	5825	Ant1	5855	-36.59	2	-	-34.59	Peak	15.6	Pass
NVNT	ac20	5825	Ant1	5855	-53.21	2	0.14	-51.07	Average	15.6	Pass
NVNT	ac20	5825	Ant1	5875	-47.04	2	-	-45.04	Peak	10	Pass
NVNT	ac20	5825	Ant1	5875	-54.84	2	0.14	-52.7	Average	10	Pass
NVNT	ac20	5825	Ant1	5925	-47.52	2	-	-45.52	Peak	-27	Pass
NVNT	ac20	5825	Ant1	5925	-56.17	2	0.14	-54.03	Average	-27	Pass
NVNT	ac40	5755	Ant1	5650	-48.92	2	-	-46.92	Peak	-27	Pass
NVNT	ac40	5755	Ant1	5650	-56.32	2	0.28	-54.04	Average	-27	Pass
NVNT	ac40	5755	Ant1	5700	-44.6	2	-	-42.6	Peak	10	Pass
NVNT	ac40	5755	Ant1	5700	-53.61	2	0.28	-51.33	Average	10	Pass
NVNT	ac40	5755	Ant1	5720	-33.16	2	-	-31.16	Peak	15.6	Pass
NVNT	ac40	5755	Ant1	5720	-46.41	2	0.28	-44.13	Average	15.6	Pass
NVNT	ac40	5755	Ant1	5725	-31.69	2	-	-29.69	Peak	27	Pass
NVNT	ac40	5755	Ant1	5725	-44.29	2	0.28	-42.01	Average	27	Pass
NVNT	ac40	5795	Ant1	5850	-37.65	2	-	-35.65	Peak	27	Pass
NVNT	ac40	5795	Ant1	5850	-54.2	2	0.28	-51.92	Average	27	Pass
NVNT	ac40	5795	Ant1	5855	-38.65	2	-	-36.65	Peak	15.6	Pass
NVNT	ac40	5795	Ant1	5855	-54.62	2	0.28	-52.34	Average	15.6	Pass
NVNT	ac40	5795	Ant1	5875	-47.53	2	-	-45.53	Peak	10	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



NVNT	ac40	5795	Ant1	5875	-55.57	2	0.28	-53.29	Average	10	Pass
NVNT	ac40	5795	Ant1	5925	-46.54	2	-	-44.54	Peak	-27	Pass
NVNT	ac40	5795	Ant1	5925	-56.62	2	0.28	-54.34	Average	-27	Pass
NVNT	ac80	5775	Ant1	5650	-47.51	2	-	-45.51	Peak	-27	Pass
NVNT	ac80	5775	Ant1	5650	-56.23	2	0.55	-53.68	Average	-27	Pass
NVNT	ac80	5775	Ant1	5700	-42.68	2	-	-40.68	Peak	10	Pass
NVNT	ac80	5775	Ant1	5700	-49.73	2	0.55	-47.18	Average	10	Pass
NVNT	ac80	5775	Ant1	5720	-35.79	2	-	-33.79	Peak	15.6	Pass
NVNT	ac80	5775	Ant1	5720	-45.3	2	0.55	-42.75	Average	15.6	Pass
NVNT	ac80	5775	Ant1	5725	-35.14	2	-	-33.14	Peak	27	Pass
NVNT	ac80	5775	Ant1	5725	-44.91	2	0.55	-42.36	Average	27	Pass
NVNT	ac80	5775	Ant1	5850	-38.34	2	-	-36.34	Peak	27	Pass
NVNT	ac80	5775	Ant1	5850	-51.35	2	0.55	-48.8	Average	27	Pass
NVNT	ac80	5775	Ant1	5855	-34.31	2	-	-32.31	Peak	15.6	Pass
NVNT	ac80	5775	Ant1	5855	-52.27	2	0.55	-49.72	Average	15.6	Pass
NVNT	ac80	5775	Ant1	5875	-41.39	2	-	-39.39	Peak	10	Pass
NVNT	ac80	5775	Ant1	5875	-54.02	2	0.55	-51.47	Average	10	Pass
NVNT	ac80	5775	Ant1	5925	-49.13	2	-	-47.13	Peak	-27	Pass
NVNT	ac80	5775	Ant1	5925	-56.62	2	0.55	-54.07	Average	-27	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	EIRP Power (dBm)	Detector	Limit (dBm)	Verdict
NVNT	a	5745	Ant2	5650	-48.07	2	-	-46.07	Peak	-27	Pass
NVNT	a	5745	Ant2	5650	-56.08	2	0.13	-53.95	Average	-27	Pass
NVNT	a	5745	Ant2	5700	-45.84	2	-	-43.84	Peak	10	Pass
NVNT	a	5745	Ant2	5700	-53.66	2	0.13	-51.53	Average	10	Pass
NVNT	a	5745	Ant2	5720	-37.16	2	-	-35.16	Peak	15.6	Pass
NVNT	a	5745	Ant2	5720	-48.82	2	0.13	-46.69	Average	15.6	Pass
NVNT	a	5745	Ant2	5725	-32.17	2	-	-30.17	Peak	27	Pass
NVNT	a	5745	Ant2	5725	-46.05	2	0.13	-43.92	Average	27	Pass
NVNT	a	5825	Ant2	5850	-34.37	2	-	-32.37	Peak	27	Pass
NVNT	a	5825	Ant2	5850	-51.6	2	0.13	-49.47	Average	27	Pass
NVNT	a	5825	Ant2	5855	-39.58	2	-	-37.58	Peak	15.6	Pass
NVNT	a	5825	Ant2	5855	-52.17	2	0.13	-50.04	Average	15.6	Pass
NVNT	a	5825	Ant2	5875	-46.29	2	-	-44.29	Peak	10	Pass
NVNT	a	5825	Ant2	5875	-54.7	2	0.13	-52.57	Average	10	Pass
NVNT	a	5825	Ant2	5925	-47.57	2	-	-45.57	Peak	-27	Pass
NVNT	a	5825	Ant2	5925	-56.37	2	0.13	-54.24	Average	-27	Pass
NVNT	n20	5745	Ant2	5650	-49.12	2	-	-47.12	Peak	-27	Pass
NVNT	n20	5745	Ant2	5650	-55.91	2	0.15	-53.76	Average	-27	Pass
NVNT	n20	5745	Ant2	5700	-46.55	2	-	-44.55	Peak	10	Pass
NVNT	n20	5745	Ant2	5700	-54.22	2	0.15	-52.07	Average	10	Pass
NVNT	n20	5745	Ant2	5720	-33.59	2	-	-31.59	Peak	15.6	Pass
NVNT	n20	5745	Ant2	5720	-49.95	2	0.15	-47.8	Average	15.6	Pass
NVNT	n20	5745	Ant2	5725	-22.98	2	-	-20.98	Peak	27	Pass
NVNT	n20	5745	Ant2	5725	-45.96	2	0.15	-43.81	Average	27	Pass
NVNT	n20	5825	Ant2	5850	-31.68	2	-	-29.68	Peak	27	Pass
NVNT	n20	5825	Ant2	5850	-52.11	2	0.15	-49.96	Average	27	Pass
NVNT	n20	5825	Ant2	5855	-44.22	2	-	-42.22	Peak	15.6	Pass
NVNT	n20	5825	Ant2	5855	-52.42	2	0.15	-50.27	Average	15.6	Pass
NVNT	n20	5825	Ant2	5875	-47.59	2	-	-45.59	Peak	10	Pass
NVNT	n20	5825	Ant2	5875	-55.09	2	0.15	-52.94	Average	10	Pass
NVNT	n20	5825	Ant2	5925	-47.68	2	-	-45.68	Peak	-27	Pass
NVNT	n20	5825	Ant2	5925	-56.14	2	0.15	-53.99	Average	-27	Pass
NVNT	n40	5755	Ant2	5650	-47.99	2	-	-45.99	Peak	-27	Pass
NVNT	n40	5755	Ant2	5650	-56.27	2	0.28	-53.99	Average	-27	Pass
NVNT	n40	5755	Ant2	5700	-40.29	2	-	-38.29	Peak	10	Pass
NVNT	n40	5755	Ant2	5700	-53.74	2	0.28	-51.46	Average	10	Pass
NVNT	n40	5755	Ant2	5720	-32.28	2	-	-30.28	Peak	15.6	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



NVNT	n40	5755	Ant2	5720	-45.8	2	0.28	-43.52	Average	15.6	Pass
NVNT	n40	5755	Ant2	5725	-31.06	2	-	-29.06	Peak	27	Pass
NVNT	n40	5755	Ant2	5725	-43.95	2	0.28	-41.67	Average	27	Pass
NVNT	n40	5795	Ant2	5850	-43.47	2	-	-41.47	Peak	27	Pass
NVNT	n40	5795	Ant2	5850	-53.67	2	0.29	-51.38	Average	27	Pass
NVNT	n40	5795	Ant2	5855	-44.72	2	-	-42.72	Peak	15.6	Pass
NVNT	n40	5795	Ant2	5855	-54.79	2	0.29	-52.5	Average	15.6	Pass
NVNT	n40	5795	Ant2	5875	-47.54	2	-	-45.54	Peak	10	Pass
NVNT	n40	5795	Ant2	5875	-55.72	2	0.29	-53.43	Average	10	Pass
NVNT	n40	5795	Ant2	5925	-48.15	2	-	-46.15	Peak	-27	Pass
NVNT	n40	5795	Ant2	5925	-56.26	2	0.29	-53.97	Average	-27	Pass
NVNT	ac20	5745	Ant2	5650	-49.78	2	-	-47.78	Peak	-27	Pass
NVNT	ac20	5745	Ant2	5650	-55.77	2	0.14	-53.63	Average	-27	Pass
NVNT	ac20	5745	Ant2	5700	-46.8	2	-	-44.8	Peak	10	Pass
NVNT	ac20	5745	Ant2	5700	-53.97	2	0.14	-51.83	Average	10	Pass
NVNT	ac20	5745	Ant2	5720	-36.45	2	-	-34.45	Peak	15.6	Pass
NVNT	ac20	5745	Ant2	5720	-49.93	2	0.14	-47.79	Average	15.6	Pass
NVNT	ac20	5745	Ant2	5725	-29.63	2	-	-27.63	Peak	27	Pass
NVNT	ac20	5745	Ant2	5725	-46.36	2	0.14	-44.22	Average	27	Pass
NVNT	ac20	5825	Ant2	5850	-35.94	2	-	-33.94	Peak	27	Pass
NVNT	ac20	5825	Ant2	5850	-52.22	2	0.14	-50.08	Average	27	Pass
NVNT	ac20	5825	Ant2	5855	-43.11	2	-	-41.11	Peak	15.6	Pass
NVNT	ac20	5825	Ant2	5855	-52.54	2	0.14	-50.4	Average	15.6	Pass
NVNT	ac20	5825	Ant2	5875	-47.98	2	-	-45.98	Peak	10	Pass
NVNT	ac20	5825	Ant2	5875	-54.84	2	0.14	-52.7	Average	10	Pass
NVNT	ac20	5825	Ant2	5925	-48.39	2	-	-46.39	Peak	-27	Pass
NVNT	ac20	5825	Ant2	5925	-55.84	2	0.14	-53.7	Average	-27	Pass
NVNT	ac40	5755	Ant2	5650	-48.42	2	-	-46.42	Peak	-27	Pass
NVNT	ac40	5755	Ant2	5650	-56.55	2	0.28	-54.27	Average	-27	Pass
NVNT	ac40	5755	Ant2	5700	-41.68	2	-	-39.68	Peak	10	Pass
NVNT	ac40	5755	Ant2	5700	-53.16	2	0.28	-50.88	Average	10	Pass
NVNT	ac40	5755	Ant2	5720	-30.72	2	-	-28.72	Peak	15.6	Pass
NVNT	ac40	5755	Ant2	5720	-45.79	2	0.28	-43.51	Average	15.6	Pass
NVNT	ac40	5755	Ant2	5725	-34.15	2	-	-32.15	Peak	27	Pass
NVNT	ac40	5755	Ant2	5725	-44.41	2	0.28	-42.13	Average	27	Pass
NVNT	ac40	5795	Ant2	5850	-38.02	2	-	-36.02	Peak	27	Pass
NVNT	ac40	5795	Ant2	5850	-52.35	2	0.28	-50.07	Average	27	Pass
NVNT	ac40	5795	Ant2	5855	-38	2	-	-36	Peak	15.6	Pass
NVNT	ac40	5795	Ant2	5855	-53.38	2	0.28	-51.1	Average	15.6	Pass
NVNT	ac40	5795	Ant2	5875	-44.83	2	-	-42.83	Peak	10	Pass
NVNT	ac40	5795	Ant2	5875	-55.33	2	0.28	-53.05	Average	10	Pass





NVNT	ac40	5795	Ant2	5925	-48.4	2	-	-46.4	Peak	-27	Pass
NVNT	ac40	5795	Ant2	5925	-56.25	2	0.28	-53.97	Average	-27	Pass
NVNT	ac80	5775	Ant2	5650	-47.77	2	-	-45.77	Peak	-27	Pass
NVNT	ac80	5775	Ant2	5650	-56.22	2	0.55	-53.67	Average	-27	Pass
NVNT	ac80	5775	Ant2	5700	-39.15	2	-	-37.15	Peak	10	Pass
NVNT	ac80	5775	Ant2	5700	-49.5	2	0.55	-46.95	Average	10	Pass
NVNT	ac80	5775	Ant2	5720	-32.78	2	-	-30.78	Peak	15.6	Pass
NVNT	ac80	5775	Ant2	5720	-45.83	2	0.55	-43.28	Average	15.6	Pass
NVNT	ac80	5775	Ant2	5725	-35.48	2	-	-33.48	Peak	27	Pass
NVNT	ac80	5775	Ant2	5725	-45.5	2	0.55	-42.95	Average	27	Pass
NVNT	ac80	5775	Ant2	5850	-43.88	2	-	-41.88	Peak	27	Pass
NVNT	ac80	5775	Ant2	5850	-51.8	2	0.55	-49.25	Average	27	Pass
NVNT	ac80	5775	Ant2	5855	-42.26	2	-	-40.26	Peak	15.6	Pass
NVNT	ac80	5775	Ant2	5855	-52.21	2	0.55	-49.66	Average	15.6	Pass
NVNT	ac80	5775	Ant2	5875	-40.33	2	-	-38.33	Peak	10	Pass
NVNT	ac80	5775	Ant2	5875	-54.08	2	0.55	-51.53	Average	10	Pass
NVNT	ac80	5775	Ant2	5925	-47.12	2	-	-45.12	Peak	-27	Pass
NVNT	ac80	5775	Ant2	5925	-56.26	2	0.55	-53.71	Average	-27	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



MIMO

Condition	Mode	Frequency (MHz)	ANT1 Power (dBm)	ANT2 Power (dBm)	Gain (dBi)	EIRP Power (dBm)	Detector	Limit (dBm)	Verdict
NVNT	n20	5745	-48.77	-49.12	5.01	-40.92	Peak	-27	Pass
NVNT	n20	5745	-56.08	-55.91	5.01	-47.97	Average	-27	Pass
NVNT	n20	5745	-44.9	-46.55	5.01	-37.63	Peak	10	Pass
NVNT	n20	5745	-53.32	-54.22	5.01	-45.73	Average	10	Pass
NVNT	n20	5745	-34.31	-33.59	5.01	-25.91	Peak	15.6	Pass
NVNT	n20	5745	-48.25	-49.95	5.01	-41	Average	15.6	Pass
NVNT	n20	5745	-29.61	-22.98	5.01	-17.12	Peak	27	Pass
NVNT	n20	5745	-43.63	-45.96	5.01	-36.62	Average	27	Pass
NVNT	n20	5825	-39.49	-31.68	5.01	-26	Peak	27	Pass
NVNT	n20	5825	-51.37	-52.11	5.01	-43.7	Average	27	Pass
NVNT	n20	5825	-41.58	-44.22	5.01	-34.68	Peak	15.6	Pass
NVNT	n20	5825	-53.62	-52.42	5.01	-44.96	Average	15.6	Pass
NVNT	n20	5825	-46.23	-47.59	5.01	-38.84	Peak	10	Pass
NVNT	n20	5825	-54.84	-55.09	5.01	-46.94	Average	10	Pass
NVNT	n20	5825	-46.51	-47.68	5.01	-39.04	Peak	-27	Pass
NVNT	n20	5825	-56.15	-56.14	5.01	-48.12	Average	-27	Pass
NVNT	n40	5755	-48.69	-47.99	5.01	-40.31	Peak	-27	Pass
NVNT	n40	5755	-56.3	-56.27	5.01	-48.26	Average	-27	Pass
NVNT	n40	5755	-44	-40.29	5.01	-33.74	Peak	10	Pass
NVNT	n40	5755	-52.94	-53.74	5.01	-45.3	Average	10	Pass
NVNT	n40	5755	-22.86	-32.28	5.01	-17.38	Peak	15.6	Pass
NVNT	n40	5755	-46.29	-45.8	5.01	-38.02	Average	15.6	Pass
NVNT	n40	5755	-22.58	-31.06	5.01	-16.99	Peak	27	Pass
NVNT	n40	5755	-44.82	-43.95	5.01	-36.34	Average	27	Pass
NVNT	n40	5795	-42.81	-43.47	5.01	-35.11	Peak	27	Pass
NVNT	n40	5795	-53.14	-53.67	5.01	-45.38	Average	27	Pass
NVNT	n40	5795	-43.75	-44.72	5.01	-36.19	Peak	15.6	Pass
NVNT	n40	5795	-53.79	-54.79	5.01	-46.24	Average	15.6	Pass
NVNT	n40	5795	-46.1	-47.54	5.01	-38.74	Peak	10	Pass
NVNT	n40	5795	-55.39	-55.72	5.01	-47.53	Average	10	Pass
NVNT	n40	5795	-48.79	-48.15	5.01	-40.44	Peak	-27	Pass
NVNT	n40	5795	-56.61	-56.26	5.01	-48.41	Average	-27	Pass
NVNT	ac20	5745	-49.27	-49.78	5.01	-41.5	Peak	-27	Pass
NVNT	ac20	5745	-55.85	-55.77	5.01	-47.79	Average	-27	Pass
NVNT	ac20	5745	-47.49	-46.8	5.01	-39.11	Peak	10	Pass
NVNT	ac20	5745	-53.74	-53.97	5.01	-45.83	Average	10	Pass
NVNT	ac20	5745	-35.31	-36.45	5.01	-27.82	Peak	15.6	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



NVNT	ac20	5745	-49.35	-49.93	5.01	-41.61	Average	15.6	Pass
NVNT	ac20	5745	-37.6	-29.63	5.01	-23.98	Peak	27	Pass
NVNT	ac20	5745	-44.6	-46.36	5.01	-37.37	Average	27	Pass
NVNT	ac20	5825	-36.65	-35.94	5.01	-28.26	Peak	27	Pass
NVNT	ac20	5825	-50.54	-52.22	5.01	-43.28	Average	27	Pass
NVNT	ac20	5825	-36.59	-43.11	5.01	-30.71	Peak	15.6	Pass
NVNT	ac20	5825	-53.21	-52.54	5.01	-44.84	Average	15.6	Pass
NVNT	ac20	5825	-47.04	-47.98	5.01	-39.46	Peak	10	Pass
NVNT	ac20	5825	-54.84	-54.84	5.01	-46.82	Average	10	Pass
NVNT	ac20	5825	-47.52	-48.39	5.01	-39.91	Peak	-27	Pass
NVNT	ac20	5825	-56.17	-55.84	5.01	-47.98	Average	-27	Pass
NVNT	ac40	5755	-48.92	-48.42	5.01	-40.64	Peak	-27	Pass
NVNT	ac40	5755	-56.32	-56.55	5.01	-48.41	Average	-27	Pass
NVNT	ac40	5755	-44.6	-41.68	5.01	-34.88	Peak	10	Pass
NVNT	ac40	5755	-53.61	-53.16	5.01	-45.36	Average	10	Pass
NVNT	ac40	5755	-33.16	-30.72	5.01	-23.75	Peak	15.6	Pass
NVNT	ac40	5755	-46.41	-45.79	5.01	-38.07	Average	15.6	Pass
NVNT	ac40	5755	-31.69	-34.15	5.01	-24.73	Peak	27	Pass
NVNT	ac40	5755	-44.29	-44.41	5.01	-36.33	Average	27	Pass
NVNT	ac40	5795	-37.65	-38.02	5.01	-29.81	Peak	27	Pass
NVNT	ac40	5795	-54.2	-52.35	5.01	-45.16	Average	27	Pass
NVNT	ac40	5795	-38.65	-38	5.01	-30.29	Peak	15.6	Pass
NVNT	ac40	5795	-54.62	-53.38	5.01	-45.94	Average	15.6	Pass
NVNT	ac40	5795	-47.53	-44.83	5.01	-37.95	Peak	10	Pass
NVNT	ac40	5795	-55.57	-55.33	5.01	-47.43	Average	10	Pass
NVNT	ac40	5795	-46.54	-48.4	5.01	-39.35	Peak	-27	Pass
NVNT	ac40	5795	-56.62	-56.25	5.01	-48.41	Average	-27	Pass
NVNT	ac80	5775	-47.51	-47.77	5.01	-39.62	Peak	-27	Pass
NVNT	ac80	5775	-56.23	-56.22	5.01	-48.2	Average	-27	Pass
NVNT	ac80	5775	-42.68	-39.15	5.01	-32.55	Peak	10	Pass
NVNT	ac80	5775	-49.73	-49.5	5.01	-41.59	Average	10	Pass
NVNT	ac80	5775	-35.79	-32.78	5.01	-26.01	Peak	15.6	Pass
NVNT	ac80	5775	-45.3	-45.83	5.01	-37.54	Average	15.6	Pass
NVNT	ac80	5775	-35.14	-35.48	5.01	-27.29	Peak	27	Pass
NVNT	ac80	5775	-44.91	-45.5	5.01	-37.17	Average	27	Pass
NVNT	ac80	5775	-38.34	-43.88	5.01	-32.26	Peak	27	Pass
NVNT	ac80	5775	-51.35	-51.8	5.01	-43.55	Average	27	Pass
NVNT	ac80	5775	-34.31	-42.26	5.01	-28.65	Peak	15.6	Pass
NVNT	ac80	5775	-52.27	-52.21	5.01	-44.22	Average	15.6	Pass
NVNT	ac80	5775	-41.39	-40.33	5.01	-32.81	Peak	10	Pass
NVNT	ac80	5775	-54.02	-54.08	5.01	-46.03	Average	10	Pass






NVNT	ac80	5775	-49.13	-47.12	5.01	-39.99	Peak	-27	Pass
NVNT	ac80	5775	-56.62	-56.26	5.01	-48.42	Average	-27	Pass






Test Graphs

Restrict Band NVNT a 5745MHz Ant1 Peak




Restrict Band NVNT a 5745MHz Ant1 Average






Restrict Band NVNT a 5825MHz Ant1 Peak




Restrict Band NVNT a 5825MHz Ant1 Average






Restrict Band NVNT n20 5745MHz Ant1 Peak




Restrict Band NVNT n20 5745MHz Ant1 Average






Restrict Band NVNT n20 5825MHz Ant1 Peak




Restrict Band NVNT n20 5825MHz Ant1 Average






Restrict Band NVNT n40 5755MHz Ant1 Peak




Restrict Band NVNT n40 5755MHz Ant1 Average






Restrict Band NVNT n40 5795MHz Ant1 Peak




Restrict Band NVNT n40 5795MHz Ant1 Average






Restrict Band NVNT ac20 5745MHz Ant1 Peak




Restrict Band NVNT ac20 5745MHz Ant1 Average






Restrict Band NVNT ac20 5825MHz Ant1 Peak




Restrict Band NVNT ac20 5825MHz Ant1 Average






Restrict Band NVNT ac40 5755MHz Ant1 Peak




Restrict Band NVNT ac40 5755MHz Ant1 Average






Restrict Band NVNT ac40 5795MHz Ant1 Peak




Restrict Band NVNT ac40 5795MHz Ant1 Average








Restrict Band NVNT ac80 5775MHz Ant1 Peak



Restrict Band NVNT ac80 5775MHz Ant1 Average









Test Graphs

Restrict Band NVNT a 5745MHz Ant2 Peak




Restrict Band NVNT a 5745MHz Ant2 Average






Restrict Band NVNT a 5825MHz Ant2 Peak




Restrict Band NVNT a 5825MHz Ant2 Average






Restrict Band NVNT n20 5745MHz Ant2 Peak




Restrict Band NVNT n20 5745MHz Ant2 Average






Restrict Band NVNT n20 5825MHz Ant2 Peak




Restrict Band NVNT n20 5825MHz Ant2 Average






Restrict Band NVNT n40 5755MHz Ant2 Peak




Restrict Band NVNT n40 5755MHz Ant2 Average








Restrict Band NVNT n40 5795MHz Ant2 Peak




Restrict Band NVNT n40 5795MHz Ant2 Average








Restrict Band NVNT ac20 5825MHz Ant2 Peak




Restrict Band NVNT ac20 5825MHz Ant2 Average






Restrict Band NVNT ac40 5755MHz Ant2 Peak




Restrict Band NVNT ac40 5755MHz Ant2 Average





Restrict Band NVNT ac40 5795MHz Ant2 Peak



Restrict Band NVNT ac40 5795MHz Ant2 Average

