



Test Mode:	802.11n HT20	Frequency(MHz):	5260
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7352.000	40.93	6.92	47.85	74.00	-26.15	peak
2	8408.000	41.41	6.81	48.22	74.00	-25.78	peak
3	11840.000	32.39	17.40	49.79	74.00	-24.21	peak
4	12687.000	31.45	18.05	49.50	74.00	-24.50	peak
5	14084.000	28.98	21.52	50.50	74.00	-23.50	peak
6	17956.000	23.89	25.82	49.71	74.00	-24.29	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5260
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8408.000	43.40	6.81	50.21	74.00	-23.79	peak
2	11059.000	34.51	14.96	49.47	74.00	-24.53	peak
3	11521.000	33.48	16.82	50.30	74.00	-23.70	peak
4	12687.000	32.51	18.05	50.56	74.00	-23.44	peak
5	13666.000	28.86	21.05	49.91	74.00	-24.09	peak
6	17967.000	24.56	25.89	50.45	74.00	-23.55	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5280
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7352.000	41.68	6.92	48.60	74.00	-25.40	peak
2	8408.000	40.50	6.81	47.31	74.00	-26.69	peak
3	11070.000	34.94	15.01	49.95	74.00	-24.05	peak
4	11433.000	33.41	16.50	49.91	74.00	-24.09	peak
5	13028.000	31.39	18.57	49.96	74.00	-24.04	peak
6	18000.000	23.22	26.12	49.34	74.00	-24.66	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5280
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8408.000	43.27	6.81	50.08	74.00	-23.92	peak
2	11015.000	34.54	14.79	49.33	74.00	-24.67	peak
3	11510.000	33.32	16.79	50.11	74.00	-23.89	peak
4	12687.000	31.79	18.05	49.84	74.00	-24.16	peak
5	13919.000	28.57	21.68	50.25	74.00	-23.75	peak
6	17989.000	24.55	26.04	50.59	74.00	-23.41	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5320
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7363.000	40.51	6.92	47.43	74.00	-26.57	peak
2	8408.000	41.60	6.81	48.41	74.00	-25.59	peak
3	11048.000	34.71	14.91	49.62	74.00	-24.38	peak
4	12698.000	31.51	18.08	49.59	74.00	-24.41	peak
5	13567.000	28.89	20.80	49.69	74.00	-24.31	peak
6	17945.000	24.33	25.75	50.08	74.00	-23.92	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5320
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8408.000	42.52	6.81	49.33	74.00	-24.67	peak
2	11268.000	33.93	15.83	49.76	74.00	-24.24	peak
3	11785.000	33.36	17.30	50.66	74.00	-23.34	peak
4	12676.000	31.72	18.05	49.77	74.00	-24.23	peak
5	13886.000	28.57	21.60	50.17	74.00	-23.83	peak
6	17989.000	23.56	26.04	49.60	74.00	-24.40	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5500
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8793.000	41.46	8.91	50.37	74.00	-23.63	peak
2	11004.000	35.27	14.74	50.01	74.00	-23.99	peak
3	12258.000	32.72	17.77	50.49	74.00	-23.51	peak
4	12632.000	32.38	17.99	50.37	74.00	-23.63	peak
5	13578.000	29.83	20.83	50.66	74.00	-23.34	peak
6	17945.000	24.66	25.75	50.41	74.00	-23.59	peak


Test Mode:	802.11n HT20	Frequency(MHz):	5500
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7682.000	42.67	6.71	49.38	74.00	-24.62	peak
2	8793.000	41.58	8.91	50.49	74.00	-23.51	peak
3	11323.000	34.00	16.05	50.05	74.00	-23.95	peak
4	12731.000	32.47	18.12	50.59	74.00	-23.41	peak
5	13853.000	29.29	21.52	50.81	74.00	-23.19	peak
6	17967.000	24.61	25.89	50.50	74.00	-23.50	peak




Test Mode:	802.11n HT20	Frequency(MHz):	5520
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7693.000	41.02	6.70	47.72	74.00	-26.28	peak
2	8793.000	41.35	8.91	50.26	74.00	-23.74	peak
3	11521.000	33.75	16.82	50.57	74.00	-23.43	peak
4	12698.000	32.24	18.08	50.32	74.00	-23.68	peak
5	13512.000	29.98	20.68	50.66	74.00	-23.34	peak
6	17978.000	23.33	25.97	49.30	74.00	-24.70	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5520
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8793.000	40.97	8.91	49.88	74.00	-24.12	peak
2	10993.000	34.92	14.70	49.62	74.00	-24.38	peak
3	11345.000	34.05	16.14	50.19	74.00	-23.81	peak
4	12709.000	32.31	18.09	50.40	74.00	-23.60	peak
5	14018.000	28.73	21.80	50.53	74.00	-23.47	peak
6	17989.000	23.66	26.04	49.70	74.00	-24.30	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5540
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8793.000	41.84	8.91	50.75	74.00	-23.25	peak
2	11070.000	34.09	15.01	49.10	74.00	-24.90	peak
3	11851.000	32.85	17.43	50.28	74.00	-23.72	peak
4	13105.000	31.41	18.91	50.32	74.00	-23.68	peak
5	14447.000	30.28	20.00	50.28	74.00	-23.72	peak
6	18000.000	24.13	26.12	50.25	74.00	-23.75	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5540
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7682.000	41.78	6.71	48.49	74.00	-25.51	peak
2	8793.000	41.37	8.91	50.28	74.00	-23.72	peak
3	10993.000	35.52	14.70	50.22	74.00	-23.78	peak
4	12687.000	32.04	18.05	50.09	74.00	-23.91	peak
5	13864.000	28.42	21.53	49.95	74.00	-24.05	peak
6	17967.000	24.06	25.89	49.95	74.00	-24.05	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5580
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7682.000	40.83	6.71	47.54	74.00	-26.46	peak
2	8793.000	41.46	8.91	50.37	74.00	-23.63	peak
3	11169.000	34.22	15.42	49.64	74.00	-24.36	peak
4	11796.000	32.78	17.32	50.10	74.00	-23.90	peak
5	13864.000	28.36	21.53	49.89	74.00	-24.11	peak
6	17967.000	23.70	25.89	49.59	74.00	-24.41	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5580
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7715.000	42.56	6.68	49.24	74.00	-24.76	peak
2	8793.000	41.54	8.91	50.45	74.00	-23.55	peak
3	11411.000	33.56	16.41	49.97	74.00	-24.03	peak
4	11840.000	33.09	17.40	50.49	74.00	-23.51	peak
5	13853.000	28.87	21.52	50.39	74.00	-23.61	peak
6	17967.000	23.66	25.89	49.55	74.00	-24.45	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5660
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7935.000	42.82	6.49	49.31	74.00	-24.69	peak
2	9057.000	39.91	10.38	50.29	74.00	-23.71	peak
3	11334.000	33.78	16.09	49.87	74.00	-24.13	peak
4	12698.000	32.31	18.08	50.39	74.00	-23.61	peak
5	13919.000	28.20	21.68	49.88	74.00	-24.12	peak
6	17714.000	25.36	24.16	49.52	74.00	-24.48	peak


Test Mode:	802.11n HT20	Frequency(MHz):	5660
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7913.000	42.66	6.51	49.17	74.00	-24.83	peak
2	9057.000	39.10	10.38	49.48	74.00	-24.52	peak
3	11719.000	32.45	17.18	49.63	74.00	-24.37	peak
4	12632.000	31.46	17.99	49.45	74.00	-24.55	peak
5	13875.000	28.24	21.57	49.81	74.00	-24.19	peak
6	18000.000	23.03	26.12	49.15	74.00	-24.85	peak




Test Mode:	802.11n HT20	Frequency(MHz):	5680
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7924.000	43.32	6.49	49.81	74.00	-24.19	peak
2	9057.000	40.30	10.38	50.68	74.00	-23.32	peak
3	11620.000	32.97	16.99	49.96	74.00	-24.04	peak
4	12687.000	32.52	18.05	50.57	74.00	-23.43	peak
5	13919.000	28.80	21.68	50.48	74.00	-23.52	peak
6	17989.000	24.15	26.04	50.19	74.00	-23.81	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5680
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7924.000	43.66	6.49	50.15	74.00	-23.85	peak
2	9057.000	39.80	10.38	50.18	74.00	-23.82	peak
3	11059.000	34.45	14.96	49.41	74.00	-24.59	peak
4	11323.000	34.35	16.05	50.40	74.00	-23.60	peak
5	13919.000	28.69	21.68	50.37	74.00	-23.63	peak
6	17956.000	24.31	25.82	50.13	74.00	-23.87	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5700
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7935.000	43.72	6.49	50.21	74.00	-23.79	peak
2	9057.000	40.51	10.38	50.89	74.00	-23.11	peak
3	11389.000	33.29	16.31	49.60	74.00	-24.40	peak
4	12698.000	32.14	18.08	50.22	74.00	-23.78	peak
5	13545.000	29.11	20.75	49.86	74.00	-24.14	peak
6	17989.000	24.06	26.04	50.10	74.00	-23.90	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5700
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7924.000	43.83	6.49	50.32	74.00	-23.68	peak
2	9057.000	40.14	10.38	50.52	74.00	-23.48	peak
3	11048.000	35.49	14.91	50.40	74.00	-23.60	peak
4	11323.000	34.57	16.05	50.62	74.00	-23.38	peak
5	13919.000	28.80	21.68	50.48	74.00	-23.52	peak
6	17956.000	24.75	25.82	50.57	74.00	-23.43	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5720
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7924.000	42.63	6.49	49.12	74.00	-24.88	peak
2	9057.000	39.80	10.38	50.18	74.00	-23.82	peak
3	11059.000	34.80	14.96	49.76	74.00	-24.24	peak
4	12610.000	32.20	17.97	50.17	74.00	-23.83	peak
5	14414.000	30.02	20.14	50.16	74.00	-23.84	peak
6	17989.000	23.51	26.04	49.55	74.00	-24.45	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5720
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7924.000	44.35	6.49	50.84	74.00	-23.16	peak
2	9057.000	40.04	10.38	50.42	74.00	-23.58	peak
3	11246.000	34.21	15.73	49.94	74.00	-24.06	peak
4	12687.000	31.88	18.05	49.93	74.00	-24.07	peak
5	13919.000	27.98	21.68	49.66	74.00	-24.34	peak
6	17989.000	22.74	26.04	48.78	74.00	-25.22	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5745
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8034.000	42.62	6.47	49.09	74.00	-24.91	peak
2	9189.000	39.76	10.46	50.22	74.00	-23.78	peak
3	11004.000	34.55	14.74	49.29	74.00	-24.71	peak
4	11895.000	32.63	17.51	50.14	74.00	-23.86	peak
5	12676.000	32.24	18.05	50.29	74.00	-23.71	peak
6	17989.000	24.24	26.04	50.28	74.00	-23.72	peak


Test Mode:	802.11n HT20	Frequency(MHz):	5745
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8023.000	43.30	6.45	49.75	74.00	-24.25	peak
2	9189.000	39.40	10.46	49.86	74.00	-24.14	peak
3	11840.000	32.61	17.40	50.01	74.00	-23.99	peak
4	12676.000	31.66	18.05	49.71	74.00	-24.29	peak
5	13985.000	28.44	21.85	50.29	74.00	-23.71	peak
6	17923.000	23.97	25.60	49.57	74.00	-24.43	peak




Test Mode:	802.11n HT20	Frequency(MHz):	5785
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8034.000	40.58	6.47	47.05	74.00	-26.95	peak
2	9189.000	40.11	10.46	50.57	74.00	-23.43	peak
3	11389.000	34.29	16.31	50.60	74.00	-23.40	peak
4	11785.000	32.84	17.30	50.14	74.00	-23.86	peak
5	13908.000	28.60	21.66	50.26	74.00	-23.74	peak
6	17989.000	23.25	26.04	49.29	74.00	-24.71	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5785
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8034.000	43.21	6.47	49.68	74.00	-24.32	peak
2	9189.000	39.38	10.46	49.84	74.00	-24.16	peak
3	11741.000	33.41	17.22	50.63	74.00	-23.37	peak
4	12665.000	32.26	18.04	50.30	74.00	-23.70	peak
5	13864.000	29.42	21.53	50.95	74.00	-23.05	peak
6	17989.000	23.96	26.04	50.00	74.00	-24.00	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5805
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9288.000	39.45	10.52	49.97	74.00	-24.03	peak
2	11059.000	35.11	14.96	50.07	74.00	-23.93	peak
3	11906.000	32.61	17.52	50.13	74.00	-23.87	peak
4	12643.000	31.68	18.01	49.69	74.00	-24.31	peak
5	13919.000	29.06	21.68	50.74	74.00	-23.26	peak
6	17593.000	26.15	23.34	49.49	74.00	-24.51	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5805
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8111.000	41.23	6.53	47.76	74.00	-26.24	peak
2	9288.000	40.06	10.52	50.58	74.00	-23.42	peak
3	11312.000	34.15	16.00	50.15	74.00	-23.85	peak
4	11840.000	33.22	17.40	50.62	74.00	-23.38	peak
5	13545.000	29.51	20.75	50.26	74.00	-23.74	peak
6	17978.000	24.23	25.97	50.20	74.00	-23.80	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5825
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8111.000	42.73	6.53	49.26	74.00	-24.74	peak
2	9288.000	38.89	10.52	49.41	74.00	-24.59	peak
3	11510.000	32.44	16.79	49.23	74.00	-24.77	peak
4	12698.000	31.14	18.08	49.22	74.00	-24.78	peak
5	13578.000	28.85	20.83	49.68	74.00	-24.32	peak
6	17956.000	23.32	25.82	49.14	74.00	-24.86	peak


Test Mode:	802.11n HT20	Frequency(MHz):	5825
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8122.000	42.64	6.54	49.18	74.00	-24.82	peak
2	9288.000	40.15	10.52	50.67	74.00	-23.33	peak
3	11609.000	33.02	16.98	50.00	74.00	-24.00	peak
4	13875.000	28.48	21.57	50.05	74.00	-23.95	peak
5	17989.000	22.96	26.04	49.00	74.00	-25.00	peak


### 8.1.4. SPURIOUS EMISSIONS(9 kHz~30 MHz)

Test Mode:	802.11a20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	FCC Result (dBuV/m)	FCC Limit (dBuV/m)	ISED Result (dBuA/m)	ISED Limit (dBuA/m)	Margin (dB)	Remark
1	0.01	77.22	-101.4	-24.18	47.6	-75.68	-3.9	-71.78	peak
2	0.0114	75.5	-101.4	-25.9	46.46	-77.4	-5.04	-72.36	peak
3	0.0212	71.54	-101.35	-29.81	41.07	-81.31	-10.43	-70.88	peak
4	0.0343	66.44	-101.41	-34.97	36.9	-86.47	-14.6	-71.87	peak
5	0.0636	63.31	-101.54	-38.23	31.53	-89.73	-19.97	-69.76	peak
6	0.0819	61.52	-101.65	-40.13	29.34	-91.63	-22.16	-69.47	peak


Test Mode:	802.11a20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	0.1595	75.86	-101.65	-25.79	23.55	-49.34	peak
2	0.1720	74.19	-101.67	-27.48	22.90	-50.38	peak
3	0.2081	69.58	-101.73	-32.15	21.23	-53.38	peak
4	0.2340	67.70	-101.77	-34.07	20.22	-54.29	peak
5	0.2676	66.01	-101.82	-35.81	19.05	-54.86	peak
6	0.3163	64.70	-101.87	-37.17	17.60	-54.77	peak




Test Mode:	802.11a20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	0.5080	64.85	-62.07	2.78	33.49	-30.71	peak
2	0.6834	64.21	-62.11	2.10	30.91	-28.81	peak
3	1.1713	60.62	-62.19	-1.57	26.23	-27.80	peak
4	2.0539	58.70	-61.81	-3.11	29.54	-32.65	peak
5	3.7100	57.20	-61.41	-4.21	29.54	-33.75	peak
6	7.4839	55.97	-61.15	-5.18	29.54	-34.72	peak


### 8.1.5. SPURIOUS EMISSIONS(18 GHz~26 GHz)

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	18856.000	50.23	-5.34	44.89	74.00	-29.11	peak
2	20208.000	50.15	-5.59	44.56	74.00	-29.44	peak
3	21248.000	49.29	-4.77	44.52	74.00	-29.48	peak
4	22160.000	48.58	-4.31	44.27	74.00	-29.73	peak
5	23744.000	47.15	-3.20	43.95	74.00	-30.05	peak
6	25000.000	45.86	-2.10	43.76	74.00	-30.24	peak


Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	18536.000	49.10	-5.27	43.83	74.00	-30.17	peak
2	19984.000	48.71	-5.44	43.27	74.00	-30.73	peak
3	21544.000	48.26	-4.63	43.63	74.00	-30.37	peak
4	22792.000	47.61	-3.65	43.96	74.00	-30.04	peak
5	24568.000	46.60	-2.33	44.27	74.00	-29.73	peak
6	25728.000	45.11	-0.72	44.39	74.00	-29.61	peak


### 8.1.6. SPURIOUS EMISSIONS(26 GHz~40 GHz)

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	28786.000	46.99	-0.64	46.35	74.00	-27.65	peak
2	31012.000	47.83	-0.71	47.12	74.00	-26.88	peak
3	32748.000	48.51	-1.24	47.27	74.00	-26.73	peak
4	35870.000	44.33	3.75	48.08	74.00	-25.92	peak
5	38320.000	44.56	3.77	48.33	74.00	-25.67	peak
6	39958.000	43.08	5.12	48.20	74.00	-25.80	peak


Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	29864.000	48.26	-1.53	46.73	74.00	-27.27	peak
2	32104.000	48.99	-1.75	47.24	74.00	-26.76	peak
3	33602.000	46.51	0.46	46.97	74.00	-27.03	peak
4	35828.000	43.75	3.67	47.42	74.00	-26.58	peak
5	38278.000	42.82	3.82	46.64	74.00	-27.36	peak
6	39972.000	42.95	5.13	48.08	74.00	-25.92	peak


### 8.1.7. SPURIOUS EMISSIONS(30 MHz~1 GHz)

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	32.9100	37.85	-18.69	19.16	40.00	-20.84	QP
2	191.9900	48.58	-16.68	31.90	43.50	-11.60	QP
3	288.9900	38.90	-15.94	22.96	46.00	-23.04	QP
4	375.3200	39.77	-12.92	26.85	46.00	-19.15	QP
5	749.7400	37.23	-7.14	30.09	46.00	-15.91	QP
6	874.8700	38.29	-5.44	32.85	46.00	-13.15	QP

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	32.9100	39.64	-18.69	20.95	40.00	-19.05	QP
2	55.2200	47.92	-20.43	27.49	40.00	-12.51	QP
3	107.6000	41.38	-20.52	20.86	43.50	-22.64	QP
4	192.9600	43.19	-16.66	26.53	43.50	-16.97	QP
5	500.4500	37.60	-10.67	26.93	46.00	-19.07	QP
6	624.6100	40.00	-9.43	30.57	46.00	-15.43	QP

## 8.2. FOR INTERNAL ANTENNA DATA

### 8.2.1. RESTRICTED BANDEDGE


Test Mode:	802.11a 20 PK	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5150.000	19.38	40.27	59.65	74.00	-14.35	peak




Test Mode:	802.11a 20 AV	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5150.000	3.76	40.27	44.03	54.00	-9.97	AVG

Test Mode:	802.11a 20 PK	Frequency(MHz):	5240
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5150.000	14.65	40.27	54.92	74.00	-19.08	peak
2	5350.000	15.20	40.49	55.69	74.00	-18.31	peak

Test Mode:	802.11a 20 AV	Frequency(MHz):	5240
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5150.000	2.93	40.27	43.20	54.00	-10.80	AVG
2	5350.000	3.14	40.49	43.63	54.00	-10.37	AVG

Test Mode:	802.11a 20 PK	Frequency(MHz):	5260
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5150.000	15.15	40.27	55.42	74.00	-18.58	peak
2	5350.000	15.79	40.49	56.28	74.00	-17.72	peak

Test Mode:	802.11a 20 AV	Frequency(MHz):	5260
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5150.000	2.61	40.27	42.88	54.00	-11.12	AVG
2	5350.000	3.78	40.49	44.27	54.00	-9.73	AVG

Test Mode:	802.11a 20 PK	Frequency(MHz):	5320
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	15.35	40.49	55.84	74.00	-18.16	peak
2	5352.560	16.91	40.50	57.41	74.00	-16.59	peak

Test Mode:	802.11a 20 PAV	Frequency(MHz):	5320
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	3.06	40.49	43.55	54.00	-10.45	AVG
2	5352.560	2.68	40.50	43.18	54.00	-10.82	AVG


Test Mode:	802.11a 20 PK	Frequency(MHz):	5500
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5460.000	16.63	40.62	57.25	74.00	-16.75	peak
2	5470.000	18.39	40.63	59.02	68.20	-9.18	peak




Test Mode:	802.11a 20 AV	Frequency(MHz):	5500
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5460.000	4.07	40.62	44.69	54.00	-9.31	AVG
2	5470.000	5.27	40.63	45.90	/	/	AVG

Test Mode:	802.11a 20 PK	Frequency(MHz):	5520
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5460.000	16.14	40.62	56.76	68.20	-11.44	peak
2	5470.000	16.45	40.63	57.08	68.20	-11.12	peak

Test Mode:	802.11a 20 AV	Frequency(MHz):	5520
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5460.000	3.57	40.62	44.19	54.00	-9.81	AVG
2	5470.000	3.79	40.63	44.42	68.20	-23.78	AVG

Test Mode:	802.11a 20 PK	Frequency(MHz):	5540
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5460.000	15.35	40.62	55.97	68.20	-12.23	peak
2	5470.000	15.29	40.63	55.92	68.20	-12.28	peak

Test Mode:	802.11a 20 AV	Frequency(MHz):	5540
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5460.000	3.74	40.62	44.36	54.00	-9.64	AVG
2	5470.000	3.52	40.63	44.15	68.20	-24.05	AVG

Test Mode:	802.11a 20 PK	Frequency(MHz):	5660
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5725.000	15.93	41.27	57.20	68.20	-11.00	peak
2	5730.300	18.38	41.28	59.66	68.20	-8.54	peak

Test Mode:	802.11a 20 PK	Frequency(MHz):	5680
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5725.000	17.27	41.27	58.54	68.20	-9.66	peak
2	5726.200	18.16	41.27	59.43	68.20	-8.77	peak


Test Mode:	802.11a 20 PK	Frequency(MHz):	5700
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5725.000	18.70	41.27	59.97	68.20	-8.23	peak
2	5725.620	20.00	41.27	61.27	68.20	-6.93	peak




Test Mode:	802.11a 20 PK	Frequency(MHz):	5745
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5635.360	17.14	41.03	58.17	68.20	-10.03	peak
2	5725.000	33.24	41.27	74.51	122.20	-47.69	peak

Test Mode:	802.11a 20 PK	Frequency(MHz):	5805
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5850.000	17.58	41.60	59.18	122.20	-63.02	peak
2	5951.380	17.86	41.87	59.73	68.20	-8.47	peak

Test Mode:	802.11a 20 PK	Frequency(MHz):	5825
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5850.000	22.33	41.60	63.93	122.20	-58.27	peak
2	5933.010	19.36	41.82	61.18	68.20	-7.02	peak

Test Mode:	802.11n HT20 PK	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5150.000	17.94	40.27	58.21	74.00	-15.79	peak

Test Mode:	802.11n HT20 AV	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5150.000	3.62	40.27	43.89	54.00	-10.11	AVG

Test Mode:	802.11n HT20 PK	Frequency(MHz):	5240
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5150.000	15.36	40.27	55.63	74.00	-18.37	peak
2	5350.000	16.29	40.49	56.78	74.00	-17.22	peak

Test Mode:	802.11n HT20 AV	Frequency(MHz):	5240
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5150.000	2.53	40.27	42.80	54.00	-11.20	AVG
2	5350.000	3.12	40.49	43.61	54.00	-10.39	AVG


Test Mode:	802.11n HT20 PK	Frequency(MHz):	5260
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5150.000	15.05	40.27	55.32	74.00	-18.68	peak
2	5350.000	15.34	40.49	55.83	74.00	-18.17	peak




Test Mode:	802.11n HT20 AV	Frequency(MHz):	5260
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5150.000	2.64	40.27	42.91	54.00	-11.09	AVG
2	5350.000	3.62	40.49	44.11	54.00	-9.89	AVG

Test Mode:	802.11n HT20 PK	Frequency(MHz):	5320
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	16.14	40.49	56.63	74.00	-17.37	peak
2	5379.080	16.63	40.53	57.16	74.00	-16.84	peak

Test Mode:	802.11n HT20 AV	Frequency(MHz):	5320
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	2.65	40.49	43.14	54.00	-10.86	AVG
2	5379.080	3.19	40.53	43.72	54.00	-10.28	AVG

Test Mode:	802.11n HT20 PK	Frequency(MHz):	5500
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5460.000	16.98	40.62	57.60	74.00	-16.40	peak
2	5470.000	20.21	40.63	60.84	68.20	-7.36	peak

Test Mode:	802.11n HT20 AV	Frequency(MHz):	5500
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5460.000	3.41	40.62	44.03	54.00	-9.97	AVG
2	5470.000	5.04	40.63	45.67	/	/	AVG

Test Mode:	802.11n HT20 PK	Frequency(MHz):	5520
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5460.000	15.56	40.62	56.18	68.20	-12.02	peak
2	5470.000	15.90	40.63	56.53	68.20	-11.67	peak

Test Mode:	802.11n HT20 AV	Frequency(MHz):	5520
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5460.000	3.63	40.62	44.25	54.00	-9.75	AVG
2	5470.000	4.09	40.63	44.72	68.20	-23.48	AVG


Test Mode:	802.11n HT20 PK	Frequency(MHz):	5660
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5725.000	16.09	41.27	57.36	68.20	-10.84	peak
2	5749.900	18.30	41.33	59.63	68.20	-8.57	peak




Test Mode:	802.11n HT20 PK	Frequency(MHz):	5680
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5725.000	16.15	41.27	57.42	68.20	-10.78	peak
2	5735.000	19.35	41.29	60.64	68.20	-7.56	peak

Test Mode:	802.11n HT20 PK	Frequency(MHz):	5700
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5725.000	18.69	41.27	59.96	68.20	-8.24	peak
2	5728.320	19.00	41.27	60.27	68.20	-7.93	peak

Test Mode:	802.11n HT20 PK	Frequency(MHz):	5745
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5644.200	17.19	41.04	58.23	68.20	-9.97	peak
2	5725.000	35.10	41.27	76.37	122.20	-45.83	peak

Test Mode:	802.11n HT20 PK	Frequency(MHz):	5805
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5850.000	16.52	41.60	58.12	122.20	-64.08	peak
2	5945.720	18.02	41.86	59.88	68.20	-8.32	peak
3	5999.770	19.53	42.00	61.53	68.20	-6.67	peak


Test Mode:	802.11n HT20 PK	Frequency(MHz):	5825
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5850.000	24.89	41.60	66.49	122.20	-55.71	peak
2	5945.820	18.18	41.86	60.04	68.20	-8.16	peak


### 8.2.2. SPURIOUS EMISSIONS(1 GHz~7 GHz)

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1438.000	52.66	-13.00	39.66	74.00	-34.34	peak
2	2398.000	50.39	-9.02	41.37	74.00	-32.63	peak
3	4324.000	42.38	-2.96	39.42	74.00	-34.58	peak
4	5110.000	41.79	-0.03	41.76	74.00	-32.24	peak
5	5860.000	38.73	1.45	40.18	74.00	-33.82	peak
6	6220.000	47.47	2.67	50.14	74.00	-23.86	peak

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1438.000	52.75	-13.00	39.75	74.00	-34.25	peak
2	2074.000	47.94	-10.68	37.26	74.00	-36.74	peak
3	2398.000	48.48	-9.02	39.46	74.00	-34.54	peak
4	4702.000	41.39	-1.34	40.05	74.00	-33.95	peak
5	5116.000	40.60	-0.02	40.58	74.00	-33.42	peak
6	6220.000	45.36	2.67	48.03	74.00	-25.97	peak


Test Mode:	802.11a 20	Frequency(MHz):	5200
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1438.000	54.96	-13.00	41.96	74.00	-32.04	peak
2	2080.000	48.55	-10.64	37.91	74.00	-36.09	peak
3	2398.000	50.58	-9.02	41.56	74.00	-32.44	peak
4	4534.000	42.85	-2.01	40.84	74.00	-33.16	peak
5	5122.000	42.88	-0.02	42.86	74.00	-31.14	peak
6	6244.000	48.23	2.77	51.00	74.00	-23.00	peak




Test Mode:	802.11a 20	Frequency(MHz):	5200
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1438.000	53.52	-13.00	40.52	74.00	-33.48	peak
2	2074.000	47.60	-10.68	36.92	74.00	-37.08	peak
3	2398.000	49.18	-9.02	40.16	74.00	-33.84	peak
4	4702.000	40.93	-1.34	39.59	74.00	-34.41	peak
5	5122.000	41.94	-0.02	41.92	74.00	-32.08	peak
6	6244.000	45.58	2.77	48.35	74.00	-25.65	peak

Test Mode:	802.11a 20	Frequency(MHz):	5240
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1438.000	54.22	-13.00	41.22	74.00	-32.78	peak
2	2092.000	48.49	-10.59	37.90	74.00	-36.10	peak
3	2398.000	48.26	-9.02	39.24	74.00	-34.76	peak
4	4846.000	40.23	-0.77	39.46	74.00	-34.54	peak
5	5416.000	41.52	0.32	41.84	74.00	-32.16	peak
6	6292.000	47.63	2.95	50.58	74.00	-23.42	peak

Test Mode:	802.11a 20	Frequency(MHz):	5240
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1438.000	53.64	-13.00	40.64	74.00	-33.36	peak
2	2398.000	45.17	-9.02	36.15	74.00	-37.85	peak
3	3490.000	42.54	-5.88	36.66	74.00	-37.34	peak
4	4624.000	40.99	-1.65	39.34	74.00	-34.66	peak
5	5422.000	41.19	0.32	41.51	74.00	-32.49	peak
6	6292.000	40.89	2.95	43.84	74.00	-30.16	peak

Test Mode:	802.11a 20	Frequency(MHz):	5260
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1438.000	55.75	-13.00	42.75	74.00	-31.25	peak
2	2104.000	49.39	-10.53	38.86	74.00	-35.14	peak
3	2398.000	49.88	-9.02	40.86	74.00	-33.14	peak
4	4330.000	42.12	-2.94	39.18	74.00	-34.82	peak
5	5410.000	42.34	0.32	42.66	74.00	-31.34	peak
6	6310.000	46.26	3.02	49.28	74.00	-24.72	peak

Test Mode:	802.11a 20	Frequency(MHz):	5260
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1180.000	61.17	-14.20	46.97	74.00	-27.03	peak
2	1438.000	53.30	-13.00	40.30	74.00	-33.70	peak
3	2398.000	48.50	-9.02	39.48	74.00	-34.52	peak
4	4528.000	41.81	-2.03	39.78	74.00	-34.22	peak
5	5422.000	42.33	0.32	42.65	74.00	-31.35	peak
6	6310.000	44.28	3.02	47.30	74.00	-26.70	peak

Test Mode:	802.11a 20	Frequency(MHz):	5280
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1438.000	52.16	-13.00	39.16	74.00	-34.84	peak
2	2488.000	45.55	-8.55	37.00	74.00	-37.00	peak
3	3388.000	43.70	-6.10	37.60	74.00	-36.40	peak
4	4492.000	40.87	-2.19	38.68	74.00	-35.32	peak
5	5446.000	43.00	0.35	43.35	74.00	-30.65	peak
6	6340.000	44.93	3.12	48.05	74.00	-25.95	peak

Test Mode:	802.11a 20	Frequency(MHz):	5280
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1438.000	54.49	-13.00	41.49	74.00	-32.51	peak
2	2398.000	47.43	-9.02	38.41	74.00	-35.59	peak
3	4546.000	41.51	-1.96	39.55	74.00	-34.45	peak
4	5410.000	42.40	0.32	42.72	74.00	-31.28	peak
5	6340.000	39.19	3.12	42.31	74.00	-31.69	peak
6	6634.000	37.71	4.38	42.09	74.00	-31.91	peak


Test Mode:	802.11a 20	Frequency(MHz):	5320
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1438.000	55.22	-13.00	42.22	74.00	-31.78	peak
2	2398.000	50.41	-9.02	41.39	74.00	-32.61	peak
3	3664.000	42.13	-5.40	36.73	74.00	-37.27	peak
4	4786.000	40.18	-1.00	39.18	74.00	-34.82	peak
5	5410.000	44.59	0.32	44.91	74.00	-29.09	peak
6	6382.000	42.74	3.28	46.02	74.00	-27.98	peak




Test Mode:	802.11a 20	Frequency(MHz):	5320
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1438.000	49.28	-13.00	36.28	74.00	-37.72	peak
2	2398.000	48.84	-9.02	39.82	74.00	-34.18	peak
3	4762.000	40.82	-1.10	39.72	74.00	-34.28	peak
4	5410.000	47.62	0.32	47.94	74.00	-26.06	peak
5	6388.000	41.10	3.30	44.40	74.00	-29.60	peak
6	6952.000	36.25	5.96	42.21	74.00	-31.79	peak

Test Mode:	802.11a 20	Frequency(MHz):	5500
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1438.000	53.54	-13.00	40.54	74.00	-33.46	peak
2	2398.000	47.37	-9.02	38.35	74.00	-35.65	peak
3	4042.000	41.97	-4.29	37.68	74.00	-36.32	peak
4	4882.000	39.50	-0.62	38.88	74.00	-35.12	peak
5	5440.000	45.09	0.35	45.44	74.00	-28.56	peak
6	6790.000	36.26	5.15	41.41	74.00	-32.59	peak

Test Mode:	802.11a 20	Frequency(MHz):	5500
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1438.000	54.73	-13.00	41.73	74.00	-32.27	peak
2	1918.000	47.35	-11.33	36.02	74.00	-37.98	peak
3	2398.000	45.53	-9.02	36.51	74.00	-37.49	peak
4	4522.000	41.09	-2.05	39.04	74.00	-34.96	peak
5	5446.000	42.79	0.35	43.14	74.00	-30.86	peak
6	6658.000	36.77	4.49	41.26	74.00	-32.74	peak

Test Mode:	802.11a 20	Frequency(MHz):	5520
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1438.000	54.18	-13.00	41.18	74.00	-32.82	peak
2	2398.000	48.24	-9.02	39.22	74.00	-34.78	peak
3	4816.000	39.65	-0.89	38.76	74.00	-35.24	peak
4	5446.000	44.40	0.35	44.75	74.00	-29.25	peak
5	5818.000	37.97	1.33	39.30	74.00	-34.70	peak
6	6604.000	37.04	4.24	41.28	74.00	-32.72	peak

Test Mode:	802.11a 20	Frequency(MHz):	5520
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1438.000	54.26	-13.00	41.26	74.00	-32.74	peak
2	2398.000	45.24	-9.02	36.22	74.00	-37.78	peak
3	4702.000	41.50	-1.34	40.16	74.00	-33.84	peak
4	5434.000	44.90	0.34	45.24	74.00	-28.76	peak
5	6256.000	36.26	2.80	39.06	74.00	-34.94	peak
6	6796.000	35.78	5.19	40.97	74.00	-33.03	peak

Test Mode:	802.11a 20	Frequency(MHz):	5540
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1438.000	56.15	-13.00	43.15	74.00	-30.85	peak
2	2200.000	48.33	-10.03	38.30	74.00	-35.70	peak
3	2398.000	49.45	-9.02	40.43	74.00	-33.57	peak
4	4702.000	41.14	-1.34	39.80	74.00	-34.20	peak
5	5434.000	47.20	0.34	47.54	74.00	-26.46	peak
6	6664.000	37.13	4.54	41.67	74.00	-32.33	peak

Test Mode:	802.11a 20	Frequency(MHz):	5540
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1438.000	56.95	-13.00	43.95	74.00	-30.05	peak
2	2398.000	48.02	-9.02	39.00	74.00	-35.00	peak
3	4774.000	40.46	-1.05	39.41	74.00	-34.59	peak
4	5440.000	46.46	0.35	46.81	74.00	-27.19	peak
5	6292.000	36.97	2.95	39.92	74.00	-34.08	peak
6	6634.000	37.28	4.38	41.66	74.00	-32.34	peak


Test Mode:	802.11a 20	Frequency(MHz):	5580
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1438.000	55.72	-13.00	42.72	74.00	-31.28	peak
2	2398.000	49.01	-9.02	39.99	74.00	-34.01	peak
3	4402.000	43.51	-2.60	40.91	74.00	-33.09	peak
4	5416.000	45.01	0.32	45.33	74.00	-28.67	peak
5	5818.000	38.47	1.33	39.80	74.00	-34.20	peak
6	6664.000	36.60	4.54	41.14	74.00	-32.86	peak




Test Mode:	802.11a 20	Frequency(MHz):	5580
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1438.000	53.76	-13.00	40.76	74.00	-33.24	peak
2	2398.000	45.23	-9.02	36.21	74.00	-37.79	peak
3	3682.000	41.70	-5.36	36.34	74.00	-37.66	peak
4	4534.000	40.68	-2.01	38.67	74.00	-35.33	peak
5	5410.000	43.19	0.32	43.51	74.00	-30.49	peak
6	6598.000	36.43	4.21	40.64	74.00	-33.36	peak

Test Mode:	802.11a 20	Frequency(MHz):	5660
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1438.000	56.63	-13.00	43.63	74.00	-30.37	peak
2	2266.000	49.80	-9.69	40.11	74.00	-33.89	peak
3	2398.000	49.90	-9.02	40.88	74.00	-33.12	peak
4	4774.000	40.69	-1.05	39.64	74.00	-34.36	peak
5	5836.000	41.75	1.38	43.13	74.00	-30.87	peak
6	6790.000	36.52	5.15	41.67	74.00	-32.33	peak

Test Mode:	802.11a 20	Frequency(MHz):	5660
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1438.000	55.06	-13.00	42.06	74.00	-31.94	peak
2	4414.000	41.25	-2.54	38.71	74.00	-35.29	peak
3	4774.000	39.89	-1.05	38.84	74.00	-35.16	peak
4	5764.000	42.81	1.17	43.98	74.00	-30.02	peak
5	6664.000	36.24	4.54	40.78	74.00	-33.22	peak
6	6928.000	35.95	5.85	41.80	74.00	-32.20	peak

Test Mode:	802.11a 20	Frequency(MHz):	5680
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1438.000	53.71	-13.00	40.71	74.00	-33.29	peak
2	2398.000	49.68	-9.02	40.66	74.00	-33.34	peak
3	4642.000	41.21	-1.57	39.64	74.00	-34.36	peak
4	4936.000	39.99	-0.40	39.59	74.00	-34.41	peak
5	5860.000	41.46	1.45	42.91	74.00	-31.09	peak
6	6790.000	37.87	5.15	43.02	74.00	-30.98	peak

Test Mode:	802.11a 20	Frequency(MHz):	5680
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1438.000	55.04	-13.00	42.04	74.00	-31.96	peak
2	2398.000	48.36	-9.02	39.34	74.00	-34.66	peak
3	4600.000	41.02	-1.74	39.28	74.00	-34.72	peak
4	5812.000	41.65	1.31	42.96	74.00	-31.04	peak
5	6670.000	36.53	4.57	41.10	74.00	-32.90	peak
6	6796.000	36.86	5.19	42.05	74.00	-31.95	peak

Test Mode:	802.11a 20	Frequency(MHz):	5700
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1438.000	55.84	-13.00	42.84	74.00	-31.16	peak
2	2266.000	50.91	-9.69	41.22	74.00	-32.78	peak
3	2398.000	49.46	-9.02	40.44	74.00	-33.56	peak
4	4702.000	40.76	-1.34	39.42	74.00	-34.58	peak
5	5812.000	43.25	1.31	44.56	74.00	-29.44	peak
6	6664.000	38.14	4.54	42.68	74.00	-31.32	peak

Test Mode:	802.11a 20	Frequency(MHz):	5700
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1438.000	54.27	-13.00	41.27	74.00	-32.73	peak
2	2398.000	48.27	-9.02	39.25	74.00	-34.75	peak
3	3622.000	43.00	-5.52	37.48	74.00	-36.52	peak
4	4888.000	39.82	-0.60	39.22	74.00	-34.78	peak
5	5758.000	43.69	1.16	44.85	74.00	-29.15	peak
6	6796.000	36.57	5.19	41.76	74.00	-32.24	peak


Test Mode:	802.11a 20	Frequency(MHz):	5720
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1438.000	54.75	-13.00	41.75	74.00	-32.25	peak
2	2398.000	49.67	-9.02	40.65	74.00	-33.35	peak
3	4930.000	40.09	-0.43	39.66	74.00	-34.34	peak
4	5752.000	48.07	1.14	49.21	74.00	-24.79	peak
5	5884.000	44.83	1.52	46.35	74.00	-27.65	peak
6	6658.000	36.35	4.49	40.84	74.00	-33.16	peak




Test Mode:	802.11a 20	Frequency(MHz):	5720
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1438.000	48.57	-13.00	35.57	74.00	-38.43	peak
2	2398.000	46.13	-9.02	37.11	74.00	-36.89	peak
3	3430.000	42.21	-6.01	36.20	74.00	-37.80	peak
4	4882.000	39.38	-0.62	38.76	74.00	-35.24	peak
5	5752.000	48.63	1.14	49.77	74.00	-24.23	peak
6	6796.000	35.54	5.19	40.73	74.00	-33.27	peak

Test Mode:	802.11a 20	Frequency(MHz):	5745
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2398.000	51.36	-9.02	42.34	74.00	-31.66	peak
2	4930.000	40.22	-0.43	39.79	74.00	-34.21	peak
3	5698.000	47.09	0.99	48.08	74.00	-25.92	peak
4	5745.000	48.00	1.12	49.12	/	/	fundamental
5	5902.000	44.67	1.57	46.24	74.00	-27.76	peak
6	6916.000	35.82	5.78	41.60	74.00	-32.40	peak

Test Mode:	802.11a 20	Frequency(MHz):	5745
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2398.000	46.94	-9.02	37.92	74.00	-36.08	peak
2	4768.000	40.57	-1.07	39.50	74.00	-34.50	peak
3	5668.000	44.75	0.91	45.66	74.00	-28.34	peak
4	5745.000	47.32	1.12	48.44	/	/	fundamental
5	5908.000	43.90	1.59	45.49	74.00	-28.51	peak
6	6934.000	35.24	5.87	41.11	74.00	-32.89	peak

Test Mode:	802.11a 20	Frequency(MHz):	5785
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1438.000	55.82	-13.00	42.82	74.00	-31.18	peak
2	4774.000	40.73	-1.05	39.68	74.00	-34.32	peak
3	5704.000	43.34	1.00	44.34	74.00	-29.66	peak
4	5785.000	46.65	1.25	47.90	/	/	fundamental
5	5890.000	41.98	1.54	43.52	74.00	-30.48	peak
6	6790.000	36.35	5.15	41.50	74.00	-32.50	peak

Test Mode:	802.11a 20	Frequency(MHz):	5785
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1438.000	50.82	-13.00	37.82	74.00	-36.18	peak
2	2398.000	49.50	-9.02	40.48	74.00	-33.52	peak
3	4444.000	41.87	-2.40	39.47	74.00	-34.53	peak
4	5698.000	45.59	0.99	46.58	74.00	-27.42	peak
5	5785.000	48.38	1.23	49.61	/	/	fundamental
6	6844.000	36.51	5.43	41.94	74.00	-32.06	peak

Test Mode:	802.11a 20	Frequency(MHz):	5805
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1438.000	54.24	-13.00	41.24	74.00	-32.76	peak
2	2398.000	50.45	-9.02	41.43	74.00	-32.57	peak
3	4648.000	40.95	-1.55	39.40	74.00	-34.60	peak
4	5644.000	44.40	0.82	45.22	74.00	-28.78	peak
5	5805.000	48.41	1.30	49.71	/	/	fundamental
6	5878.000	44.34	1.51	45.85	74.00	-28.15	peak

Test Mode:	802.11a 20	Frequency(MHz):	5805
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1438.000	55.12	-13.00	42.12	74.00	-31.88	peak
2	2398.000	49.20	-9.02	40.18	74.00	-33.82	peak
3	5710.000	45.03	1.02	46.05	74.00	-27.95	peak
4	5805.000	49.41	1.30	50.71	/	/	fundamental
5	5878.000	44.68	1.51	46.19	74.00	-27.81	peak
6	6790.000	37.35	5.15	42.50	74.00	-31.50	peak


Test Mode:	802.11a 20	Frequency(MHz):	5825
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1438.000	56.50	-13.00	43.50	74.00	-30.50	peak
2	4618.000	40.88	-1.67	39.21	74.00	-34.79	peak
3	5662.000	44.78	0.89	45.67	74.00	-28.33	peak
4	5825.000	47.20	1.36	48.56	/	/	fundamental
5	5884.000	46.22	1.52	47.74	74.00	-26.26	peak
6	6790.000	37.21	5.15	42.36	74.00	-31.64	peak




Test Mode:	802.11a 20	Frequency(MHz):	5825
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1438.000	54.27	-13.00	41.27	74.00	-32.73	peak
2	4714.000	40.80	-1.29	39.51	74.00	-34.49	peak
3	5668.000	45.18	0.91	46.09	74.00	-27.91	peak
4	5825.000	47.66	1.33	48.99	/	/	fundamental
5	5896.000	44.48	1.56	46.04	74.00	-27.96	peak
6	6796.000	36.02	5.19	41.21	74.00	-32.79	peak


### 8.2.3. SPURIOUS EMISSIONS(7 GHz~18 GHz)

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8287.000	43.50	6.70	50.20	74.00	-23.80	peak
2	10223.000	36.13	12.24	48.37	74.00	-25.63	peak
3	10773.000	35.25	13.85	49.10	74.00	-24.90	peak
4	11796.000	32.76	17.32	50.08	74.00	-23.92	peak
5	13820.000	28.33	21.43	49.76	74.00	-24.24	peak
6	17978.000	23.44	25.97	49.41	74.00	-24.59	peak

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8287.000	42.88	6.70	49.58	74.00	-24.42	peak
2	9332.000	35.95	10.54	46.49	74.00	-27.51	peak
3	11026.000	34.49	14.82	49.31	74.00	-24.69	peak
4	11818.000	32.53	17.36	49.89	74.00	-24.11	peak
5	13930.000	28.82	21.71	50.53	74.00	-23.47	peak
6	17989.000	24.10	26.04	50.14	74.00	-23.86	peak

Test Mode:	802.11a 20	Frequency(MHz):	5200
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7275.000	42.35	6.95	49.30	74.00	-24.70	peak
2	11059.000	34.94	14.96	49.90	74.00	-24.10	peak
3	11840.000	32.86	17.40	50.26	74.00	-23.74	peak
4	12698.000	31.76	18.08	49.84	74.00	-24.16	peak
5	13853.000	28.57	21.52	50.09	74.00	-23.91	peak
6	17978.000	23.54	25.97	49.51	74.00	-24.49	peak

Test Mode:	802.11a 20	Frequency(MHz):	5200
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8320.000	42.83	6.72	49.55	74.00	-24.45	peak
2	11004.000	36.07	14.74	50.81	74.00	-23.19	peak
3	12698.000	31.98	18.08	50.06	74.00	-23.94	peak
4	13908.000	27.90	21.66	49.56	74.00	-24.44	peak
5	17692.000	25.94	24.01	49.95	74.00	-24.05	peak
6	18000.000	24.50	26.12	50.62	74.00	-23.38	peak

Test Mode:	802.11a 20	Frequency(MHz):	5240
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7330.000	41.02	6.94	47.96	74.00	-26.04	peak
2	8375.000	43.18	6.77	49.95	74.00	-24.05	peak
3	11532.000	33.48	16.83	50.31	74.00	-23.69	peak
4	12698.000	32.36	18.08	50.44	74.00	-23.56	peak
5	13820.000	28.33	21.43	49.76	74.00	-24.24	peak
6	17989.000	23.38	26.04	49.42	74.00	-24.58	peak

Test Mode:	802.11a 20	Frequency(MHz):	5240
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8375.000	42.58	6.77	49.35	74.00	-24.65	peak
2	11521.000	33.35	16.82	50.17	74.00	-23.83	peak
3	11785.000	32.96	17.30	50.26	74.00	-23.74	peak
4	12676.000	32.27	18.05	50.32	74.00	-23.68	peak
5	13567.000	29.59	20.80	50.39	74.00	-23.61	peak
6	17967.000	24.19	25.89	50.08	74.00	-23.92	peak


Test Mode:	802.11a 20	Frequency(MHz):	5260
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8408.000	43.20	6.81	50.01	74.00	-23.99	peak
2	10520.000	36.98	12.90	49.88	74.00	-24.12	peak
3	11686.000	32.86	17.12	49.98	74.00	-24.02	peak
4	12632.000	31.81	17.99	49.80	74.00	-24.20	peak
5	13919.000	27.51	21.68	49.19	74.00	-24.81	peak
6	18000.000	22.72	26.12	48.84	74.00	-25.16	peak




Test Mode:	802.11a 20	Frequency(MHz):	5260
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7352.000	43.12	6.92	50.04	74.00	-23.96	peak
2	8408.000	43.17	6.81	49.98	74.00	-24.02	peak
3	10927.000	34.78	14.45	49.23	74.00	-24.77	peak
4	11653.000	32.55	17.05	49.60	74.00	-24.40	peak
5	13853.000	28.36	21.52	49.88	74.00	-24.12	peak
6	18000.000	24.40	26.12	50.52	74.00	-23.48	peak

Test Mode:	802.11a 20	Frequency(MHz):	5280
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8441.000	43.59	6.84	50.43	74.00	-23.57	peak
2	10553.000	37.10	13.02	50.12	74.00	-23.88	peak
3	11851.000	33.42	17.43	50.85	74.00	-23.15	peak
4	12676.000	32.34	18.05	50.39	74.00	-23.61	peak
5	13996.000	28.73	21.87	50.60	74.00	-23.40	peak
6	17956.000	24.35	25.82	50.17	74.00	-23.83	peak

Test Mode:	802.11a 20	Frequency(MHz):	5280
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8441.000	43.83	6.84	50.67	74.00	-23.33	peak
2	10553.000	36.42	13.02	49.44	74.00	-24.56	peak
3	11609.000	33.24	16.98	50.22	74.00	-23.78	peak
4	12291.000	32.61	17.78	50.39	74.00	-23.61	peak
5	13919.000	28.50	21.68	50.18	74.00	-23.82	peak
6	17956.000	24.00	25.82	49.82	74.00	-24.18	peak

Test Mode:	802.11a 20	Frequency(MHz):	5320
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8441.000	42.00	6.84	48.84	74.00	-25.16	peak
2	10553.000	37.21	13.02	50.23	74.00	-23.77	peak
3	11906.000	32.75	17.52	50.27	74.00	-23.73	peak
4	12698.000	32.38	18.08	50.46	74.00	-23.54	peak
5	13523.000	29.22	20.70	49.92	74.00	-24.08	peak
6	18000.000	23.35	26.12	49.47	74.00	-24.53	peak

Test Mode:	802.11a 20	Frequency(MHz):	5320
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8441.000	42.56	6.84	49.40	74.00	-24.60	peak
2	10564.000	35.31	13.06	48.37	74.00	-25.63	peak
3	11026.000	34.41	14.82	49.23	74.00	-24.77	peak
4	12698.000	31.20	18.08	49.28	74.00	-24.72	peak
5	13853.000	28.22	21.52	49.74	74.00	-24.26	peak
6	17989.000	24.06	26.04	50.10	74.00	-23.90	peak

Test Mode:	802.11a 20	Frequency(MHz):	5500
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8793.000	39.63	8.91	48.54	74.00	-25.46	peak
2	11004.000	34.88	14.74	49.62	74.00	-24.38	peak
3	11741.000	32.44	17.22	49.66	74.00	-24.34	peak
4	12632.000	32.06	17.99	50.05	74.00	-23.95	peak
5	13963.000	29.06	21.78	50.84	74.00	-23.16	peak
6	17934.000	23.70	25.67	49.37	74.00	-24.63	peak

Test Mode:	802.11a 20	Frequency(MHz):	5500
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8793.000	41.63	8.91	50.54	74.00	-23.46	peak
2	9189.000	36.37	10.46	46.83	74.00	-27.17	peak
3	11356.000	33.54	16.19	49.73	74.00	-24.27	peak
4	11697.000	33.14	17.13	50.27	74.00	-23.73	peak
5	13985.000	28.27	21.85	50.12	74.00	-23.88	peak
6	17978.000	23.54	25.97	49.51	74.00	-24.49	peak


Test Mode:	802.11a 20	Frequency(MHz):	5520
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7715.000	43.15	6.68	49.83	74.00	-24.17	peak
2	8826.000	41.75	9.14	50.89	74.00	-23.11	peak
3	11191.000	34.75	15.50	50.25	74.00	-23.75	peak
4	12610.000	32.39	17.97	50.36	74.00	-23.64	peak
5	13600.000	29.14	20.89	50.03	74.00	-23.97	peak
6	18000.000	24.15	26.12	50.27	74.00	-23.73	peak




Test Mode:	802.11a 20	Frequency(MHz):	5520
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8826.000	40.94	9.14	50.08	74.00	-23.92	peak
2	11037.000	34.72	14.87	49.59	74.00	-24.41	peak
3	11521.000	33.35	16.82	50.17	74.00	-23.83	peak
4	11840.000	32.14	17.40	49.54	74.00	-24.46	peak
5	13545.000	29.71	20.75	50.46	74.00	-23.54	peak
6	17604.000	26.69	23.41	50.10	74.00	-23.90	peak

Test Mode:	802.11a 20	Frequency(MHz):	5540
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8859.000	40.77	9.36	50.13	74.00	-23.87	peak
2	10883.000	35.43	14.27	49.70	74.00	-24.30	peak
3	11840.000	32.66	17.40	50.06	74.00	-23.94	peak
4	12236.000	31.66	17.76	49.42	74.00	-24.58	peak
5	13611.000	29.03	20.92	49.95	74.00	-24.05	peak
6	17978.000	23.69	25.97	49.66	74.00	-24.34	peak

Test Mode:	802.11a 20	Frequency(MHz):	5540
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8859.000	40.72	9.36	50.08	74.00	-23.92	peak
2	10861.000	34.43	14.20	48.63	74.00	-25.37	peak
3	11730.000	32.21	17.19	49.40	74.00	-24.60	peak
4	12698.000	31.77	18.08	49.85	74.00	-24.15	peak
5	13523.000	29.50	20.70	50.20	74.00	-23.80	peak
6	17780.000	24.79	24.61	49.40	74.00	-24.60	peak

Test Mode:	802.11a 20	Frequency(MHz):	5580
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7803.000	40.98	6.60	47.58	74.00	-26.42	peak
2	8925.000	40.14	9.82	49.96	74.00	-24.04	peak
3	11521.000	33.12	16.82	49.94	74.00	-24.06	peak
4	12610.000	31.69	17.97	49.66	74.00	-24.34	peak
5	13897.000	28.67	21.62	50.29	74.00	-23.71	peak
6	17945.000	24.23	25.75	49.98	74.00	-24.02	peak

Test Mode:	802.11a 20	Frequency(MHz):	5580
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8925.000	40.38	9.82	50.20	74.00	-23.80	peak
2	11059.000	33.63	14.96	48.59	74.00	-25.41	peak
3	11730.000	32.35	17.19	49.54	74.00	-24.46	peak
4	12621.000	31.70	17.98	49.68	74.00	-24.32	peak
5	13545.000	29.40	20.75	50.15	74.00	-23.85	peak
6	17978.000	24.01	25.97	49.98	74.00	-24.02	peak

Test Mode:	802.11a 20	Frequency(MHz):	5660
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7924.000	39.09	6.49	45.58	74.00	-28.42	peak
2	9057.000	38.86	10.38	49.24	74.00	-24.76	peak
3	10883.000	34.89	14.27	49.16	74.00	-24.84	peak
4	11323.000	33.62	16.05	49.67	74.00	-24.33	peak
5	13072.000	30.93	18.77	49.70	74.00	-24.30	peak
6	17989.000	23.11	26.04	49.15	74.00	-24.85	peak

Test Mode:	802.11a 20	Frequency(MHz):	5660
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9057.000	40.03	10.38	50.41	74.00	-23.59	peak
2	11015.000	34.33	14.79	49.12	74.00	-24.88	peak
3	11796.000	32.67	17.32	49.99	74.00	-24.01	peak
4	12346.000	32.13	17.79	49.92	74.00	-24.08	peak
5	13666.000	29.15	21.05	50.20	74.00	-23.80	peak
6	17681.000	25.93	23.94	49.87	74.00	-24.13	peak


Test Mode:	802.11a 20	Frequency(MHz):	5680
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7946.000	40.44	6.48	46.92	74.00	-27.08	peak
2	9079.000	39.73	10.39	50.12	74.00	-23.88	peak
3	11433.000	33.18	16.50	49.68	74.00	-24.32	peak
4	12676.000	32.00	18.05	50.05	74.00	-23.95	peak
5	13567.000	29.07	20.80	49.87	74.00	-24.13	peak
6	17956.000	23.74	25.82	49.56	74.00	-24.44	peak




Test Mode:	802.11a 20	Frequency(MHz):	5680
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7627.000	37.85	6.76	44.61	74.00	-29.39	peak
2	9090.000	39.66	10.39	50.05	74.00	-23.95	peak
3	11356.000	34.07	16.19	50.26	74.00	-23.74	peak
4	12588.000	32.40	17.94	50.34	74.00	-23.66	peak
5	13930.000	29.01	21.71	50.72	74.00	-23.28	peak
6	17989.000	24.12	26.04	50.16	74.00	-23.84	peak

Test Mode:	802.11a 20	Frequency(MHz):	5700
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9112.000	39.54	10.41	49.95	74.00	-24.05	peak
2	10564.000	35.01	13.06	48.07	74.00	-25.93	peak
3	11015.000	34.44	14.79	49.23	74.00	-24.77	peak
4	11719.000	32.74	17.18	49.92	74.00	-24.08	peak
5	13908.000	29.33	21.66	50.99	74.00	-23.01	peak
6	17967.000	24.58	25.89	50.47	74.00	-23.53	peak

Test Mode:	802.11a 20	Frequency(MHz):	5700
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9112.000	39.07	10.41	49.48	74.00	-24.52	peak
2	11026.000	34.79	14.82	49.61	74.00	-24.39	peak
3	11400.000	33.50	16.36	49.86	74.00	-24.14	peak
4	11785.000	32.69	17.30	49.99	74.00	-24.01	peak
5	13952.000	28.70	21.76	50.46	74.00	-23.54	peak
6	18000.000	23.68	26.12	49.80	74.00	-24.20	peak

Test Mode:	802.11a 20	Frequency(MHz):	5720
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9145.000	39.64	10.43	50.07	74.00	-23.93	peak
2	10916.000	35.66	14.39	50.05	74.00	-23.95	peak
3	11444.000	33.81	16.53	50.34	74.00	-23.66	peak
4	12665.000	32.37	18.04	50.41	74.00	-23.59	peak
5	13864.000	29.11	21.53	50.64	74.00	-23.36	peak
6	17934.000	24.22	25.67	49.89	74.00	-24.11	peak

Test Mode:	802.11a 20	Frequency(MHz):	5720
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9145.000	39.19	10.43	49.62	74.00	-24.38	peak
2	11059.000	35.30	14.96	50.26	74.00	-23.74	peak
3	11851.000	33.31	17.43	50.74	74.00	-23.26	peak
4	12621.000	32.48	17.98	50.46	74.00	-23.54	peak
5	13941.000	28.54	21.73	50.27	74.00	-23.73	peak
6	18000.000	24.74	26.12	50.86	74.00	-23.14	peak

Test Mode:	802.11a 20	Frequency(MHz):	5745
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8034.000	41.07	6.47	47.54	74.00	-26.46	peak
2	9189.000	39.45	10.46	49.91	74.00	-24.09	peak
3	11180.000	34.71	15.46	50.17	74.00	-23.83	peak
4	12687.000	32.11	18.05	50.16	74.00	-23.84	peak
5	14007.000	28.30	21.85	50.15	74.00	-23.85	peak
6	17956.000	24.86	25.82	50.68	74.00	-23.32	peak

Test Mode:	802.11a 20	Frequency(MHz):	5745
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	39.02	10.46	49.48	74.00	-24.52	peak
2	11070.000	33.79	15.01	48.80	74.00	-25.20	peak
3	11741.000	32.30	17.22	49.52	74.00	-24.48	peak
4	13512.000	29.29	20.68	49.97	74.00	-24.03	peak
5	13886.000	27.73	21.60	49.33	74.00	-24.67	peak
6	17989.000	23.33	26.04	49.37	74.00	-24.63	peak


Test Mode:	802.11a 20	Frequency(MHz):	5785
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	39.97	10.51	50.48	74.00	-23.52	peak
2	11400.000	34.06	16.36	50.42	74.00	-23.58	peak
3	11763.000	32.25	17.26	49.51	74.00	-24.49	peak
4	13512.000	28.71	20.68	49.39	74.00	-24.61	peak
5	13919.000	28.15	21.68	49.83	74.00	-24.17	peak
6	17989.000	23.66	26.04	49.70	74.00	-24.30	peak




Test Mode:	802.11a 20	Frequency(MHz):	5785
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	39.62	10.51	50.13	74.00	-23.87	peak
2	11048.000	35.51	14.91	50.42	74.00	-23.58	peak
3	11576.000	34.07	16.91	50.98	74.00	-23.02	peak
4	12258.000	32.30	17.77	50.07	74.00	-23.93	peak
5	13919.000	28.85	21.68	50.53	74.00	-23.47	peak
6	17978.000	22.95	25.97	48.92	74.00	-25.08	peak

Test Mode:	802.11a 20	Frequency(MHz):	5805
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8122.000	40.38	6.54	46.92	74.00	-27.08	peak
2	9288.000	40.37	10.52	50.89	74.00	-23.11	peak
3	11620.000	32.99	16.99	49.98	74.00	-24.02	peak
4	12676.000	31.85	18.05	49.90	74.00	-24.10	peak
5	14403.000	30.50	20.19	50.69	74.00	-23.31	peak
6	18000.000	24.11	26.12	50.23	74.00	-23.77	peak

Test Mode:	802.11a 20	Frequency(MHz):	5805
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8122.000	39.76	6.54	46.30	74.00	-27.70	peak
2	9288.000	39.33	10.52	49.85	74.00	-24.15	peak
3	11026.000	34.87	14.82	49.69	74.00	-24.31	peak
4	11620.000	33.53	16.99	50.52	74.00	-23.48	peak
5	13919.000	28.68	21.68	50.36	74.00	-23.64	peak
6	17978.000	24.04	25.97	50.01	74.00	-23.99	peak

Test Mode:	802.11a 20	Frequency(MHz):	5825
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9321.000	39.14	10.53	49.67	74.00	-24.33	peak
2	11048.000	34.58	14.91	49.49	74.00	-24.51	peak
3	11653.000	32.05	17.05	49.10	74.00	-24.90	peak
4	12258.000	31.35	17.77	49.12	74.00	-24.88	peak
5	13622.000	28.75	20.95	49.70	74.00	-24.30	peak
6	17989.000	23.45	26.04	49.49	74.00	-24.51	peak