



Test Mode:	802.11a 20	Frequency(MHz):	5825
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7759.000	38.44	6.64	45.08	74.00	-28.92	peak
2	9321.000	38.73	10.53	49.26	74.00	-24.74	peak
3	11059.000	34.51	14.96	49.47	74.00	-24.53	peak
4	11873.000	32.39	17.46	49.85	74.00	-24.15	peak
5	13622.000	29.08	20.95	50.03	74.00	-23.97	peak
6	17945.000	23.99	25.75	49.74	74.00	-24.26	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8287.000	43.09	6.70	49.79	74.00	-24.21	peak
2	11004.000	35.10	14.74	49.84	74.00	-24.16	peak
3	11873.000	32.04	17.46	49.50	74.00	-24.50	peak
4	12632.000	31.79	17.99	49.78	74.00	-24.22	peak
5	13842.000	29.03	21.49	50.52	74.00	-23.48	peak
6	17703.000	25.60	24.09	49.69	74.00	-24.31	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8287.000	42.54	6.70	49.24	74.00	-24.76	peak
2	10938.000	34.57	14.48	49.05	74.00	-24.95	peak
3	11664.000	32.78	17.08	49.86	74.00	-24.14	peak
4	12687.000	32.28	18.05	50.33	74.00	-23.67	peak
5	13963.000	28.68	21.78	50.46	74.00	-23.54	peak
6	18000.000	23.88	26.12	50.00	74.00	-24.00	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5200
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8287.000	42.35	6.70	49.05	74.00	-24.95	peak
2	9321.000	36.56	10.53	47.09	74.00	-26.91	peak
3	11059.000	34.35	14.96	49.31	74.00	-24.69	peak
4	11840.000	32.23	17.40	49.63	74.00	-24.37	peak
5	13886.000	28.43	21.60	50.03	74.00	-23.97	peak
6	17967.000	23.93	25.89	49.82	74.00	-24.18	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5200
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8287.000	43.54	6.70	50.24	74.00	-23.76	peak
2	11906.000	33.21	17.52	50.73	74.00	-23.27	peak
3	12698.000	32.28	18.08	50.36	74.00	-23.64	peak
4	13875.000	28.50	21.57	50.07	74.00	-23.93	peak
5	18000.000	23.98	26.12	50.10	74.00	-23.90	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5220
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8353.000	43.39	6.76	50.15	74.00	-23.85	peak
2	9255.000	36.44	10.51	46.95	74.00	-27.05	peak
3	11323.000	34.67	16.05	50.72	74.00	-23.28	peak
4	12665.000	32.37	18.04	50.41	74.00	-23.59	peak
5	13600.000	29.93	20.89	50.82	74.00	-23.18	peak
6	18000.000	24.70	26.12	50.82	74.00	-23.18	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5220
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8353.000	44.08	6.76	50.84	74.00	-23.16	peak
2	10443.000	35.94	12.70	48.64	74.00	-25.36	peak
3	11455.000	33.84	16.58	50.42	74.00	-23.58	peak
4	12577.000	32.23	17.93	50.16	74.00	-23.84	peak
5	13589.000	29.29	20.86	50.15	74.00	-23.85	peak
6	18000.000	23.90	26.12	50.02	74.00	-23.98	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5240
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8375.000	43.34	6.77	50.11	74.00	-23.89	peak
2	10861.000	34.65	14.20	48.85	74.00	-25.15	peak
3	11532.000	33.39	16.83	50.22	74.00	-23.78	peak
4	11840.000	32.64	17.40	50.04	74.00	-23.96	peak
5	13765.000	29.23	21.30	50.53	74.00	-23.47	peak
6	18000.000	24.04	26.12	50.16	74.00	-23.84	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5240
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8375.000	42.85	6.77	49.62	74.00	-24.38	peak
2	9189.000	35.60	10.46	46.06	74.00	-27.94	peak
3	11059.000	34.74	14.96	49.70	74.00	-24.30	peak
4	11521.000	32.57	16.82	49.39	74.00	-24.61	peak
5	13919.000	28.34	21.68	50.02	74.00	-23.98	peak
6	17956.000	23.63	25.82	49.45	74.00	-24.55	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5260
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7363.000	40.54	6.92	47.46	74.00	-26.54	peak
2	8408.000	43.46	6.81	50.27	74.00	-23.73	peak
3	11059.000	34.64	14.96	49.60	74.00	-24.40	peak
4	11807.000	33.16	17.34	50.50	74.00	-23.50	peak
5	13853.000	28.77	21.52	50.29	74.00	-23.71	peak
6	17945.000	23.92	25.75	49.67	74.00	-24.33	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5260
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8408.000	43.02	6.81	49.83	74.00	-24.17	peak
2	11048.000	34.97	14.91	49.88	74.00	-24.12	peak
3	11840.000	32.98	17.40	50.38	74.00	-23.62	peak
4	12698.000	32.36	18.08	50.44	74.00	-23.56	peak
5	13589.000	29.19	20.86	50.05	74.00	-23.95	peak
6	18000.000	24.58	26.12	50.70	74.00	-23.30	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5280
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8441.000	42.27	6.84	49.11	74.00	-24.89	peak
2	11026.000	34.60	14.82	49.42	74.00	-24.58	peak
3	11719.000	33.08	17.18	50.26	74.00	-23.74	peak
4	12599.000	32.48	17.95	50.43	74.00	-23.57	peak
5	13611.000	29.71	20.92	50.63	74.00	-23.37	peak
6	17945.000	24.49	25.75	50.24	74.00	-23.76	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5280
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8441.000	42.56	6.84	49.40	74.00	-24.60	peak
2	10223.000	36.90	12.24	49.14	74.00	-24.86	peak
3	11840.000	33.15	17.40	50.55	74.00	-23.45	peak
4	12687.000	31.97	18.05	50.02	74.00	-23.98	peak
5	13512.000	29.80	20.68	50.48	74.00	-23.52	peak
6	17967.000	24.32	25.89	50.21	74.00	-23.79	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5320
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8507.000	43.61	6.94	50.55	74.00	-23.45	peak
2	10641.000	36.46	13.36	49.82	74.00	-24.18	peak
3	11697.000	33.07	17.13	50.20	74.00	-23.80	peak
4	12555.000	32.31	17.90	50.21	74.00	-23.79	peak
5	13380.000	29.70	20.12	49.82	74.00	-24.18	peak
6	18000.000	24.04	26.12	50.16	74.00	-23.84	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5320
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8507.000	42.43	6.94	49.37	74.00	-24.63	peak
2	11070.000	34.62	15.01	49.63	74.00	-24.37	peak
3	11697.000	32.85	17.13	49.98	74.00	-24.02	peak
4	12665.000	31.68	18.04	49.72	74.00	-24.28	peak
5	13919.000	28.55	21.68	50.23	74.00	-23.77	peak
6	18000.000	23.17	26.12	49.29	74.00	-24.71	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5500
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8793.000	39.64	8.91	48.55	74.00	-25.45	peak
2	11004.000	35.28	14.74	50.02	74.00	-23.98	peak
3	11785.000	33.50	17.30	50.80	74.00	-23.20	peak
4	12654.000	32.52	18.01	50.53	74.00	-23.47	peak
5	14183.000	29.33	21.11	50.44	74.00	-23.56	peak
6	17989.000	24.04	26.04	50.08	74.00	-23.92	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5500
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8793.000	40.73	8.91	49.64	74.00	-24.36	peak
2	11004.000	34.84	14.74	49.58	74.00	-24.42	peak
3	11367.000	33.24	16.22	49.46	74.00	-24.54	peak
4	12698.000	31.02	18.08	49.10	74.00	-24.90	peak
5	13875.000	28.57	21.57	50.14	74.00	-23.86	peak
6	17978.000	22.76	25.97	48.73	74.00	-25.27	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5520
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7715.000	41.95	6.68	48.63	74.00	-25.37	peak
2	8826.000	41.32	9.14	50.46	74.00	-23.54	peak
3	11400.000	33.93	16.36	50.29	74.00	-23.71	peak
4	12247.000	32.93	17.77	50.70	74.00	-23.30	peak
5	13963.000	29.13	21.78	50.91	74.00	-23.09	peak
6	17670.000	25.73	23.86	49.59	74.00	-24.41	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5520
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8826.000	40.71	9.14	49.85	74.00	-24.15	peak
2	10531.000	35.33	12.94	48.27	74.00	-25.73	peak
3	11807.000	32.34	17.34	49.68	74.00	-24.32	peak
4	12687.000	31.93	18.05	49.98	74.00	-24.02	peak
5	13897.000	28.52	21.62	50.14	74.00	-23.86	peak
6	17681.000	25.47	23.94	49.41	74.00	-24.59	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5580
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7715.000	37.81	6.68	44.49	74.00	-29.51	peak
2	8925.000	39.40	9.82	49.22	74.00	-24.78	peak
3	11004.000	34.85	14.74	49.59	74.00	-24.41	peak
4	12654.000	31.65	18.01	49.66	74.00	-24.34	peak
5	13996.000	28.46	21.87	50.33	74.00	-23.67	peak
6	17956.000	23.73	25.82	49.55	74.00	-24.45	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5580
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8925.000	40.79	9.82	50.61	74.00	-23.39	peak
2	11048.000	34.40	14.91	49.31	74.00	-24.69	peak
3	11510.000	33.03	16.79	49.82	74.00	-24.18	peak
4	12698.000	31.14	18.08	49.22	74.00	-24.78	peak
5	13578.000	29.11	20.83	49.94	74.00	-24.06	peak
6	17989.000	24.12	26.04	50.16	74.00	-23.84	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5660
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7924.000	42.06	6.49	48.55	74.00	-25.45	peak
2	9057.000	39.16	10.38	49.54	74.00	-24.46	peak
3	11455.000	34.06	16.58	50.64	74.00	-23.36	peak
4	11906.000	32.86	17.52	50.38	74.00	-23.62	peak
5	13380.000	30.67	20.12	50.79	74.00	-23.21	peak
6	17989.000	24.84	26.04	50.88	74.00	-23.12	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5660
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7913.000	43.81	6.51	50.32	74.00	-23.68	peak
2	9057.000	39.77	10.38	50.15	74.00	-23.85	peak
3	11697.000	32.76	17.13	49.89	74.00	-24.11	peak
4	12698.000	31.91	18.08	49.99	74.00	-24.01	peak
5	13765.000	28.63	21.30	49.93	74.00	-24.07	peak
6	17923.000	24.13	25.60	49.73	74.00	-24.27	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5680
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9090.000	39.31	10.39	49.70	74.00	-24.30	peak
2	10795.000	34.72	13.94	48.66	74.00	-25.34	peak
3	11697.000	33.36	17.13	50.49	74.00	-23.51	peak
4	12698.000	31.79	18.08	49.87	74.00	-24.13	peak
5	13919.000	28.27	21.68	49.95	74.00	-24.05	peak
6	17725.000	25.47	24.24	49.71	74.00	-24.29	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5680
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9090.000	38.60	10.39	48.99	74.00	-25.01	peak
2	11301.000	34.14	15.95	50.09	74.00	-23.91	peak
3	11840.000	32.78	17.40	50.18	74.00	-23.82	peak
4	12676.000	32.18	18.05	50.23	74.00	-23.77	peak
5	14172.000	28.89	21.16	50.05	74.00	-23.95	peak
6	17989.000	23.77	26.04	49.81	74.00	-24.19	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5700
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9112.000	38.75	10.41	49.16	74.00	-24.84	peak
2	11070.000	34.12	15.01	49.13	74.00	-24.87	peak
3	11840.000	32.68	17.40	50.08	74.00	-23.92	peak
4	13138.000	30.96	19.05	50.01	74.00	-23.99	peak
5	13974.000	28.11	21.82	49.93	74.00	-24.07	peak
6	17934.000	24.67	25.67	50.34	74.00	-23.66	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5700
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7968.000	41.27	6.45	47.72	74.00	-26.28	peak
2	9112.000	39.10	10.41	49.51	74.00	-24.49	peak
3	11268.000	33.79	15.83	49.62	74.00	-24.38	peak
4	11851.000	33.33	17.43	50.76	74.00	-23.24	peak
5	12698.000	32.65	18.08	50.73	74.00	-23.27	peak
6	17725.000	25.72	24.24	49.96	74.00	-24.04	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5720
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9145.000	38.66	10.43	49.09	74.00	-24.91	peak
2	11070.000	34.73	15.01	49.74	74.00	-24.26	peak
3	11433.000	33.93	16.50	50.43	74.00	-23.57	peak
4	12533.000	31.59	17.87	49.46	74.00	-24.54	peak
5	13897.000	28.71	21.62	50.33	74.00	-23.67	peak
6	17989.000	23.77	26.04	49.81	74.00	-24.19	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5720
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7880.000	37.82	6.54	44.36	74.00	-29.64	peak
2	9145.000	40.00	10.43	50.43	74.00	-23.57	peak
3	11246.000	34.68	15.73	50.41	74.00	-23.59	peak
4	12709.000	31.85	18.09	49.94	74.00	-24.06	peak
5	13523.000	30.21	20.70	50.91	74.00	-23.09	peak
6	18000.000	24.67	26.12	50.79	74.00	-23.21	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5745
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	39.68	10.46	50.14	74.00	-23.86	peak
2	11004.000	35.08	14.74	49.82	74.00	-24.18	peak
3	11774.000	33.02	17.28	50.30	74.00	-23.70	peak
4	12687.000	32.61	18.05	50.66	74.00	-23.34	peak
5	13985.000	28.50	21.85	50.35	74.00	-23.65	peak
6	18000.000	24.17	26.12	50.29	74.00	-23.71	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5745
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	39.10	10.46	49.56	74.00	-24.44	peak
2	11037.000	34.42	14.87	49.29	74.00	-24.71	peak
3	11697.000	32.91	17.13	50.04	74.00	-23.96	peak
4	12709.000	32.03	18.09	50.12	74.00	-23.88	peak
5	13842.000	28.85	21.49	50.34	74.00	-23.66	peak
6	17615.000	26.83	23.49	50.32	74.00	-23.68	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5785
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	38.86	10.51	49.37	74.00	-24.63	peak
2	11059.000	34.45	14.96	49.41	74.00	-24.59	peak
3	11873.000	32.41	17.46	49.87	74.00	-24.13	peak
4	12676.000	31.97	18.05	50.02	74.00	-23.98	peak
5	13897.000	28.67	21.62	50.29	74.00	-23.71	peak
6	17978.000	24.00	25.97	49.97	74.00	-24.03	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5785
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8089.000	41.16	6.51	47.67	74.00	-26.33	peak
2	9255.000	39.77	10.51	50.28	74.00	-23.72	peak
3	11565.000	33.33	16.89	50.22	74.00	-23.78	peak
4	12676.000	31.82	18.05	49.87	74.00	-24.13	peak
5	13864.000	28.88	21.53	50.41	74.00	-23.59	peak
6	17967.000	23.95	25.89	49.84	74.00	-24.16	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5805
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7297.000	37.86	6.95	44.81	74.00	-29.19	peak
2	9288.000	40.27	10.52	50.79	74.00	-23.21	peak
3	11268.000	34.32	15.83	50.15	74.00	-23.85	peak
4	12665.000	31.41	18.04	49.45	74.00	-24.55	peak
5	13930.000	28.77	21.71	50.48	74.00	-23.52	peak
6	17956.000	23.51	25.82	49.33	74.00	-24.67	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5805
Polarity:	Vertical	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9288.000	39.60	10.52	50.12	74.00	-23.88	peak
2	10883.000	34.48	14.27	48.75	74.00	-25.25	peak
3	11598.000	33.48	16.96	50.44	74.00	-23.56	peak
4	12610.000	31.51	17.97	49.48	74.00	-24.52	peak
5	13908.000	28.06	21.66	49.72	74.00	-24.28	peak
6	17989.000	23.73	26.04	49.77	74.00	-24.23	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5825
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7605.000	38.87	6.78	45.65	74.00	-28.35	peak
2	9321.000	40.39	10.53	50.92	74.00	-23.08	peak
3	11037.000	34.95	14.87	49.82	74.00	-24.18	peak
4	11884.000	32.26	17.48	49.74	74.00	-24.26	peak
5	13853.000	28.44	21.52	49.96	74.00	-24.04	peak
6	17989.000	23.72	26.04	49.76	74.00	-24.24	peak


Test Mode:	802.11n HT20	Frequency(MHz):	5825
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9321.000	39.01	10.53	49.54	74.00	-24.46	peak
2	10894.000	35.39	14.32	49.71	74.00	-24.29	peak
3	11653.000	33.74	17.05	50.79	74.00	-23.21	peak
4	12698.000	32.48	18.08	50.56	74.00	-23.44	peak
5	13853.000	28.38	21.52	49.90	74.00	-24.10	peak
6	17967.000	24.12	25.89	50.01	74.00	-23.99	peak


8.2.4. SPURIOUS EMISSIONS(9 kHz~30 MHz)

Test Mode:	802.11a20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 12 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	0.0100	77.22	-101.40	-24.18	47.60	-71.78	peak
2	0.0131	73.47	-101.38	-27.91	45.25	-73.16	peak
3	0.0221	70.63	-101.35	-30.72	40.71	-71.43	peak
4	0.0279	69.17	-101.38	-32.21	38.69	-70.90	peak
5	0.0369	66.19	-101.42	-35.23	36.26	-71.49	peak
6	0.0551	62.45	-101.50	-39.05	32.78	-71.83	peak

Test Mode:	802.11a20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	0.1554	76.77	-101.65	-24.88	23.77	-48.65	peak
2	0.1794	73.27	-101.68	-28.41	22.53	-50.94	peak
3	0.2053	69.29	-101.73	-32.44	21.35	-53.79	peak
4	0.2348	66.43	-101.77	-35.34	20.19	-55.53	peak
5	0.2676	64.51	-101.82	-37.31	19.05	-56.36	peak
6	0.3163	63.70	-101.87	-38.17	17.60	-55.77	peak


Test Mode:	802.11a20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	0.5917	64.74	-62.08	2.66	32.16	-29.50	peak
2	0.8820	62.68	-62.19	0.49	28.69	-28.20	peak
3	1.2721	59.24	-62.15	-2.91	25.52	-28.43	peak
4	2.5935	56.61	-61.68	-5.07	29.54	-34.61	peak
5	6.3338	55.37	-61.31	-5.94	29.54	-35.48	peak
6	11.8513	55.06	-60.88	-5.82	29.54	-35.36	peak


8.2.5. SPURIOUS EMISSIONS(18 GHz~26 GHz)

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	18368.000	49.29	-5.41	43.88	74.00	-30.12	peak
2	20016.000	49.56	-5.47	44.09	74.00	-29.91	peak
3	21248.000	49.29	-4.77	44.52	74.00	-29.48	peak
4	21640.000	49.07	-4.49	44.58	74.00	-29.42	peak
5	23584.000	47.42	-3.15	44.27	74.00	-29.73	peak
6	25000.000	46.36	-2.10	44.26	74.00	-29.74	peak


Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	18792.000	49.95	-5.39	44.56	74.00	-29.44	peak
2	20240.000	50.32	-5.61	44.71	74.00	-29.29	peak
3	20472.000	50.07	-5.39	44.68	74.00	-29.32	peak
4	22792.000	48.11	-3.65	44.46	74.00	-29.54	peak
5	23088.000	48.52	-3.41	45.11	74.00	-28.89	peak
6	25728.000	46.11	-0.72	45.39	74.00	-28.61	peak


8.2.6. SPURIOUS EMISSIONS(26 GHz~40 GHz)

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	26490.000	52.29	-4.74	47.55	74.00	-26.45	peak
2	28786.000	48.49	-0.64	47.85	74.00	-26.15	peak
3	30144.000	48.96	-1.30	47.66	74.00	-26.34	peak
4	35870.000	43.83	3.75	47.58	74.00	-26.42	peak
5	36262.000	44.60	3.28	47.88	74.00	-26.12	peak
6	39958.000	43.58	5.12	48.70	74.00	-25.30	peak


Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 12 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	26476.000	51.53	-4.78	46.75	74.00	-27.25	peak
2	29948.000	48.13	-1.37	46.76	74.00	-27.24	peak
3	33294.000	47.07	-0.29	46.78	74.00	-27.22	peak
4	35394.000	45.18	2.58	47.76	74.00	-26.24	peak
5	35926.000	43.94	3.88	47.82	74.00	-26.18	peak
6	37158.000	44.34	3.17	47.51	74.00	-26.49	peak


8.2.7. SPURIOUS EMISSIONS(30 MHz~1 GHz)

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC12V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	32.9100	37.85	-18.69	19.16	40.00	-20.84	QP
2	191.9900	48.58	-16.68	31.90	43.50	-11.60	QP
3	288.9900	38.90	-15.94	22.96	46.00	-23.04	QP
4	375.3200	39.77	-12.92	26.85	46.00	-19.15	QP
5	749.7400	37.23	-7.14	30.09	46.00	-15.91	QP
6	874.8700	38.29	-5.44	32.85	46.00	-13.15	QP

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC12V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	32.9100	39.64	-18.69	20.95	40.00	-19.05	QP
2	55.2200	47.92	-20.43	27.49	40.00	-12.51	QP
3	107.6000	41.38	-20.52	20.86	43.50	-22.64	QP
4	192.9600	43.19	-16.66	26.53	43.50	-16.97	QP
5	500.4500	37.60	-10.67	26.93	46.00	-19.07	QP
6	624.6100	40.00	-9.43	30.57	46.00	-15.43	QP

9. ANTENNA REQUIREMENT

REQUIREMENT

Please refer to FCC part 15.203

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section. The manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

Please refer to FCC part 15.407(a)

For an indoor access point operating in the band 5.15-5.25 GHz, the maximum conducted output power over the frequency band of operation shall not exceed 1 W provided the maximum antenna gain does not exceed 6 dBi. In addition, the maximum power spectral density shall not exceed 17 dBm in any 1 megahertz band. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

DESCRIPTION

Pass


10. TEST DATA FOR EXTERNAL ANTENNA

10.1. APPENDIX A1: EMISSION BANDWIDTH

10.1.1. Test Result

Test Mode	Antenna	Frequency[MHz]	26db EBW [MHz]	FL[MHz]	FH[MHz]	Verdict
11A	Ant2	5180	24.280	5167.840	5192.120	PASS
		5200	28.240	5185.640	5213.880	PASS
		5240	30.600	5224.360	5254.960	PASS
		5260	27.560	5247.520	5275.080	PASS
		5280	29.840	5263.720	5293.560	PASS
		5320	23.000	5308.640	5331.640	PASS
		5500	22.600	5489.640	5512.240	PASS
		5520	32.640	5504.960	5537.600	PASS
		5540	29.880	5524.000	5553.880	PASS
		5580	28.560	5565.560	5594.120	PASS
		5660	29.320	5644.560	5673.880	PASS
		5680	27.440	5665.920	5693.360	PASS
		5700	20.560	5690.040	5710.600	PASS
		5720	28.000	5705.920	5733.920	PASS
		5720 UNII-2C	19.08	5705.920	5725	PASS
		5720 UNII-3	8.92	5725	5733.920	PASS
		5745	28.360	5730.520	5758.880	PASS
		5785	31.000	5769.320	5800.320	PASS
		5805	28.880	5790.680	5819.560	PASS
		5825	23.840	5813.080	5836.920	PASS
11N20SISO	Ant2	5180	21.160	5169.440	5190.600	PASS
		5200	28.200	5185.920	5214.120	PASS
		5240	29.160	5225.560	5254.720	PASS
		5260	29.320	5245.040	5274.360	PASS
		5280	28.040	5265.840	5293.880	PASS
		5320	21.040	5309.360	5330.400	PASS
		5500	21.920	5489.000	5510.920	PASS
		5520	25.520	5506.480	5532.000	PASS
		5540	29.560	5525.000	5554.560	PASS
		5580	31.240	5563.800	5595.040	PASS
		5660	26.840	5647.000	5673.840	PASS
		5680	27.760	5666.960	5694.720	PASS
		5700	21.280	5689.240	5710.520	PASS
		5720	28.320	5706.440	5734.760	PASS
		5720 UNII-2C	18.56	5706.440	5725	PASS
		5720 UNII-3	9.76	5725	5734.760	PASS
		5745	25.080	5732.360	5757.440	PASS
		5785	29.880	5770.000	5799.880	PASS
		5805	30.400	5789.200	5819.600	PASS
		5825	21.040	5814.520	5835.560	PASS

10.1.2. Test Graphs





11A Ant2 5260




11A Ant2 5280



11A Ant2 5320







11A Ant2 5660





11A Ant2 5680



11A Ant2 5700





11A_Ant2_5805



11A Ant2 5825




11N20SISO Ant2 5180




11N20SISO Ant2 5200









11N20SISO Ant2 5580



11N20SISO Ant2 5660



11N20SISO Ant2 5680



11N20SISO Ant2 5700









10.2. APPENDIX B1: OCCUPIED CHANNEL BANDWIDTH

10.2.1. Test Result





Test Mode	Antenna	Frequency[MHz]	OCB [MHz]	FL[MHz]	FH[MHz]	Verdict
11A	Ant2	5180	16.609	5171.7040	5188.3130	PASS
		5200	16.899	5191.5737	5208.4727	PASS
		5240	17.120	5231.4674	5248.5874	PASS
		5260	16.940	5251.5425	5268.4825	PASS
		5280	17.005	5271.6248	5288.6298	PASS
		5320	16.494	5311.8143	5328.3083	PASS
		5500	16.445	5491.7786	5508.2236	PASS
		5520	16.815	5511.6385	5528.4535	PASS
		5540	17.000	5531.5154	5548.5154	PASS
		5580	16.845	5571.6676	5588.5126	PASS
		5660	17.012	5651.6367	5668.6487	PASS
		5680	16.977	5671.6052	5688.5822	PASS
		5700	16.456	5691.8081	5708.2641	PASS
		5720	16.915	5711.6163	5728.5313	PASS
		5720 UNII-2C	13.384	5711.6163	5725	PASS
		5720 UNII-3	3.531	5725	5728.5313	PASS
		5745	16.827	5736.5244	5753.3514	PASS
		5785	17.086	5776.4318	5793.5178	PASS
		5805	17.071	5796.4401	5813.5111	PASS
		5825	16.577	5816.7710	5833.3480	PASS
11N20SISO	Ant2	5180	17.715	5171.1609	5188.8759	PASS
		5200	18.324	5190.8563	5209.1803	PASS
		5240	18.347	5230.8153	5249.1623	PASS
		5260	18.375	5250.8731	5269.2481	PASS
		5280	18.526	5270.6991	5289.2251	PASS
		5320	17.815	5311.0765	5328.8915	PASS
		5500	17.765	5491.1563	5508.9213	PASS
		5520	18.205	5510.9095	5529.1145	PASS
		5540	18.212	5530.8198	5549.0318	PASS
		5580	18.208	5570.8801	5589.0881	PASS
		5660	18.224	5650.9686	5669.1926	PASS
		5680	18.267	5670.8964	5689.1634	PASS
		5700	17.659	5691.1472	5708.8062	PASS
		5720	18.148	5710.9884	5729.1364	PASS
		5720 UNII-2C	14.012	5710.9884	5725	PASS
		5720 UNII-3	4.136	5725	5729.1364	PASS
		5745	18.091	5735.9572	5754.0482	PASS
		5785	18.333	5775.7817	5794.1147	PASS
		5805	18.185	5795.8528	5814.0378	PASS
		5825	17.835	5816.0715	5833.9065	PASS

10.2.2. Test Graphs





































10.3. APPENDIX C1: MIN EMISSION BANDWIDTH

10.3.1. Test Result

Test Mode	Antenna	Frequency[MHz]	6db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant2	5720	15.360	5712.240	5727.600	≥0.5	PASS
		5720 UNII-3	2.6	5725	5727.600	≥0.5	PASS
		5745	15.680	5736.880	5752.560	≥0.5	PASS
		5785	15.920	5776.880	5792.800	≥0.5	PASS
		5805	15.680	5796.880	5812.560	≥0.5	PASS
		5825	16.320	5816.880	5833.200	≥0.5	PASS
11N20SISO	Ant2	5720	13.440	5712.480	5725.920	≥0.5	PASS
		5720 UNII-3	0.92	5725	5725.920	≥0.5	PASS
		5745	14.680	5737.440	5752.120	≥0.5	PASS
		5785	14.160	5777.480	5791.640	≥0.5	PASS
		5805	15.440	5797.080	5812.520	≥0.5	PASS
		5825	12.560	5818.720	5831.280	≥0.5	PASS

10.3.2. Test Graphs





11A Ant2 5805



11A Ant2 5825



11N20SISO Ant2 5720





10.4. APPENDIX D1: MAXIMUM CONDUCTED OUTPUT POWER


10.4.1. Test Result


Test Mode	Antenna	Frequency[MHz]	Power [dBm]	FCC Limit [dBm]	ISED Limit [dBm]	EIRP [dBm]	Limit [dBm]	Verdict
11A	Ant2	5180	8.44	≤23.98	---	9.61	≤22.20	PASS
		5200	9.75	≤23.98	---	10.92	≤22.28	PASS
		5240	9.98	≤23.98	---	11.15	≤22.34	PASS
		5260	10.90	≤23.98	≤23.29	12.07	≤29.29	PASS
		5280	10.92	≤23.98	≤23.31	12.09	≤29.31	PASS
		5320	10.12	≤23.98	≤23.17	11.29	≤29.17	PASS
		5500	9.73	≤23.98	≤23.16	10.90	≤29.16	PASS
		5520	10.04	≤23.98	≤23.26	11.21	≤29.26	PASS
		5540	12.34	≤23.98	≤23.30	13.51	≤29.30	PASS
		5580	11.78	≤23.98	≤23.26	12.95	≤29.26	PASS
		5660	11.19	≤23.98	≤23.31	12.36	≤29.31	PASS
		5680	8.90	≤23.98	≤23.30	10.07	≤29.30	PASS
		5700	7.97	≤23.98	≤23.16	9.14	≤29.16	PASS
		5720 UNII-2C	11.31	≤23.81	≤22.27	12.48	≤28.27	PASS
		5720 UNII-3	2.55	≤30.00	≤30.00	3.72	---	PASS
		5745	11.74	≤30.00	≤30.00	12.91	---	PASS
		5785	12.80	≤30.00	≤30.00	13.97	---	PASS
5805	10.82	≤30.00	≤30.00	11.99	---	PASS		
5825	10.20	≤30.00	≤30.00	11.37	---	PASS		
11N20SISO	Ant2	5180	8.30	≤23.98	---	9.47	≤22.48	PASS
		5200	10.18	≤23.98	---	11.35	≤22.63	PASS
		5240	10.02	≤23.98	---	11.19	≤22.64	PASS
		5260	10.53	≤23.98	≤23.64	11.70	≤29.64	PASS
		5280	10.91	≤23.98	≤23.68	12.08	≤29.68	PASS
		5320	9.68	≤23.98	≤23.51	10.85	≤29.51	PASS
		5500	9.32	≤23.98	≤23.50	10.49	≤29.50	PASS
		5520	12.29	≤23.98	≤23.60	13.46	≤29.60	PASS
		5540	11.88	≤23.98	≤23.60	13.05	≤29.60	PASS
		5580	12.15	≤23.98	≤23.60	13.32	≤29.60	PASS
		5660	10.73	≤23.98	≤23.61	11.90	≤29.61	PASS
		5680	10.81	≤23.98	≤23.62	11.98	≤29.62	PASS
		5700	7.79	≤23.98	≤23.47	8.96	≤29.47	PASS
		5720 UNII-2C	10.22	≤23.69	≤22.47	11.39	≤28.47	PASS
		5720 UNII-3	1.73	≤30.00	≤30.00	2.90	---	PASS
		5745	11.07	≤30.00	≤30.00	12.24	---	PASS
		5785	11.93	≤30.00	≤30.00	13.10	---	PASS
5805	12.15	≤30.00	≤30.00	13.32	---	PASS		
5825	9.36	≤30.00	≤30.00	10.53	---	PASS		

Note: 1. Conducted Power=Meas. Level+ Correction Factor

2. The Duty Cycle Factor (refer to section 7.1) had already compensated to the test data.

10.4.2. Test Graphs





10.5. APPENDIX E1: MAXIMUM POWER SPECTRAL DENSITY


10.5.1. Test Result

Test Mode	Antenna	Frequency[MHz]	Power [dBm/MHz]	Limit [dBm/MHz]	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11A	Ant2	5180	-1.82	≤11.00	-0.65	≤10.00	PASS
		5200	-0.07	≤11.00	1.10	≤10.00	PASS
		5240	-0.1	≤11.00	1.07	≤10.00	PASS
		5260	0.62	≤11.00	1.79	---	PASS
		5280	1.26	≤11.00	2.43	---	PASS
		5320	0.51	≤11.00	1.68	---	PASS
		5500	-0.31	≤11.00	0.86	---	PASS
		5520	-0.11	≤11.00	1.06	---	PASS
		5540	2.29	≤11.00	3.46	---	PASS
		5580	1.89	≤11.00	3.06	---	PASS
		5660	1.06	≤11.00	2.23	---	PASS
		5680	-1.67	≤11.00	-0.50	---	PASS
		5700	-2.08	≤11.00	-0.91	---	PASS
		5720_UNII-2C	2.2	≤11.00	3.37	---	PASS
		5720_UNII-3	-2.67	≤30.00	-1.50	---	PASS
		5745	-0.65	≤30.00	0.52	---	PASS
		5785	0.49	≤30.00	1.66	---	PASS
		5805	-2.32	≤30.00	-1.15	---	PASS
5825	-2.58	≤30.00	-1.41	---	PASS		
11N20SISO	Ant2	5180	-1.61	≤11.00	-0.44	≤10.00	PASS
		5200	-0.17	≤11.00	1.00	≤10.00	PASS
		5240	-0.1	≤11.00	1.07	≤10.00	PASS
		5260	0.76	≤11.00	1.93	---	PASS
		5280	0.48	≤11.00	1.65	---	PASS
		5320	-0.21	≤11.00	0.96	---	PASS
		5500	-0.65	≤11.00	0.52	---	PASS
		5520	2.44	≤11.00	3.61	---	PASS
		5540	1.87	≤11.00	3.04	---	PASS
		5580	2.11	≤11.00	3.28	---	PASS
		5660	0.85	≤11.00	2.02	---	PASS
		5680	0.62	≤11.00	1.79	---	PASS
		5700	-2.19	≤11.00	-1.02	---	PASS
		5720_UNII-2C	0.87	≤11.00	2.04	---	PASS
		5720_UNII-3	-3.72	≤30.00	-2.55	---	PASS
		5745	-1.64	≤30.00	-0.47	---	PASS
		5785	-0.69	≤30.00	0.48	---	PASS
		5805	-0.97	≤30.00	0.20	---	PASS
5825	-3.18	≤30.00	-2.01	---	PASS		

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.

2.The Duty Cycle Factor and RBW Factor is compensated in the graph.

10.5.2. Test Graphs







11A Ant2 5260





11A Ant2 5280



11A Ant2 5320








11A Ant2 5660



11A Ant2 5680



11A Ant2 5700



