

Test Report

Report No. : FCC2023-00003

Company : ZEROWELL Inc.

Representative : Sang Jin, Kim

Address : 102ho, 106ho, 17-31, Cheomdangwagi-ro 208beon-gil, Buk-gu, Gwangju, Republic of Korea

1. Product Name : Air Doctor babysafe
- Type and Model : ZWA-MC310W
2. Use of Report : Evaluation of EMC test
3. Date of Receipt : 2023-09-13
4. Date of test : 2023-09-13 ~ 2023-11-23
5. Testing Method : FCC 47 CFR Part 15 Subpart B
ANSI C 63.4-2014
6. Test Results : as stated in the annexed paper

Tested by : Seok Hyeon, Woo

Seok Hyeon, Woo

Approved by : Sung Ryul, Kim

Sung Ryul Kim

1. This result of the above report are unrelated to KS Q ISO/IEC 17025 and KOLAS recognition and the result of testing with samples and sample names suggested by the client does not guarantee the quality of entire products
2. This report should not be used for advertising, lawsuit, etc. without any official permission of KTC. It is only used for the purpose of the quality test.
3. The authenticity of the report is available on the website (www.ktc.re.kr).




2023-11-23



Korea Testing Certification institute

www.ktc.re.kr [15809] 22 Heungan-daero27beon-gil, Gunpo-si, Gyeonggi-Do, Korea

TEL : +82-1899-7654, FAX : +82-31-428-2926






Test Result

Report No. : FCC2023-00003

1.0 Testing Program Details

Testing procedure and testing location	
Testing Laboratory	KTC (Korea Testing Certification)
Testing location / address	[15809] 22 Heungan-daero27beon-gil, Gunpo-si, Gyeonggi-Do, Republic of Korea
Tested by (name)	Seok Hyeon, Woo
Approved by (name)	Sung Ryul, Kim
Test item description	Air Doctor babysafe
Applicant	ZEROWELL Inc.
Applicant Address	102ho, 106ho, 17-31, Cheomdangwagi-ro 208beon-gil, Buk-gu, Gwangju, Republic of Korea
Manufacturer	ZEROWELL Inc.
Manufacturer Address	102ho, 106ho, 17-31, Cheomdangwagi-ro 208beon-gil, Buk-gu, Gwangju, Republic of Korea
Factory	ZEROWELL Inc.
Factory Address	102ho, 106ho, 17-31, Cheomdangwagi-ro 208beon-gil, Buk-gu, Gwangju, Republic of Korea
Model / Type reference	ZWA-MC310W
Ratings	5 Vdc, 12 W
FCC ID	2BC63-ZWA-MC310W
Test site MRA or registration number	KR0006



Test Result

Report No. : FCC2023-00003




Possible test case verdicts	
- test case does not apply to test object	N/A
- test object does meet requirement	P (Pass)
- test object does not meet requirement	F (Fail)
Testing	
Date of receipt of test item	2023-09-13
Date(s) of performance of tests	2023-09-13 ~ 2023-11-23

General remarks:

The test results presented in this report relate only to the object tested.

The results contained in this report reflect the results for this particular model and serial number. It is the responsibility of the manufacturer to ensure that all production models meet the intent of the requirements detailed within this report.

This report shall not be reproduced, except in full, without the written approval of the Issuing testing laboratory.




Test Result

Report No. : FCC2023-00003

INDEX

- 1.0 Testing Program Details 2
- 1.1 Applicant Information 5
- 1.2 Supporting Equipment Used During Test..... 5
- 1.3 Input / Output Ports 5
- 1.4 Power Interface 5
- 1.5 EUT Operation Modes 5
- 1.6 EUT Configuration Modes 6
- 1.7 Test System Layout..... 6
- 1.8 Applicable Standards for Testing 7
- 1.9 Summary of Test Results 7
- 1.10 Series Models 7
- 2.1 Conducted Emission..... 8
- 2.2 Radiated Emission 11
- 3.1 Photographs of EUT 19



Test Result

Report No. : FCC2023-00003

1.1 Applicant Information

Name	ZEROWELL Inc.
Address	102ho, 106ho, 17-31, Cheomdangwagi-ro 208beon-gil, Buk-gu, Gwangju, Republic of Korea

1.2 Supporting Equipment Used During Test

Use	Product Type	Manufacturer	Model	Comments
EUT	Air Doctor babysafe	ZEROWELL Inc.	ZWA-MC310W	-
AE	AC/DC Adapter	Salcomp (Guigang) Co., Ltd.	S21A27	-

Supplementary information: EUT = Equipment Under Test, AE = Auxiliary / Associated Equipment, SIM = Simulator (Not Subjected to Test).

1.3 Input / Output Ports

Port No.	Name	Type	Cable Max. > 3 m	Cable Shielded	Comments
1	Power port	AC	1.0	N	AC/DC Adapter Input

Supplementary information: AC = AC Power Port, DC = DC Power Port, N/E = Non-Electrical, TP = Telecommunication Ports, I/O = Signal Input or Output Port (Not Involved in Process Control).




1.4 Power Interface

Mode No.	Voltage (V)	Current (A)	Power (W)	Frequency (Hz)	Phases (No.)	Comments
1	120	-	-	60	1	-
2	5.0 Vdc	-	-	-	-	-

Supplementary information : -

1.5 EUT Operation Modes

Mode No.	Description
1	Operating Mode







Test Result

Report No. : FCC2023-00003

1.6 EUT Configuration Modes

Mode No.	Description
1	The EUT was operated with connected AC/DC Adaptor.
2	The EUT was operated with own battery.

1.7 Test System Layout



Test Result

Report No. : FCC2023-00003

1.8 Applicable Standards for Testing




Standards	Status	Deviation
FCC 47 CFR Part 15 Subpart B ANSI C 63.4-2014	Applicable	No Deviation

1.9 Summary of Test Results

Requirement - Test	Result	Remark
Conducted Emission	Pass	
Radiated Emissions(Below 1GHz)	Pass	
Radiated Emissions(Above 1GHz)	Pass	

1.10 Series Models

-



Test Result

Report No. : FCC2023-00003

2.1 Conducted Emission

The initial preliminary exploratory scans were performed over the measuring frequency range(0.15 MHz to 30 MHz) using a max hold mode incorporating a Peak detector and Average detector and using the software of EP5/CE (Version 5.4.12 from TOYO). The final test data was measured using a Quasi-Peak detector and Average detector.

2.1.1 Limits of radiated emission measurement

Frequency Range	Limits (dB(μ V))		Class
	Quasi-peak	Average	
0.15 MHz ~ 0.5 MHz	66 ~ 56	56 ~ 46	Class B
0.5 MHz ~ 5 MHz	56	46	
5 MHz ~ 30 MHz	60	50	

2.1.2 Environment Conditions




Temperature : 21 °C
Humidity : 45 %R.H.
Atmospheric Pressure : 101.2 kPa

2.1.3 Test Site

EMI Test Room 1 in KTC Laboratory

2.1.4 Test Equipment

Description	Manufacturer	Model	Identifier	Cal. Date	Cal. Due
EMI Test Receiver	N9038A	Agilent	MY51100116	2023-07-12	2024-07-12
LISN	ENV4200	Rohde & Schwarz	100212	2023-10-06	2024-10-06





Test Result

Report No. : FCC2023-00003

2.1.5 Test Results




Test Date : 2023.10.18



Test Result

Report No. : FCC2023-00003

2.1.6 Photographs of test setup



Test Result

Report No. : FCC2023-00003

2.2 Radiated Emission

The initial preliminary exploratory scans were performed over the measuring frequency range(30 MHz to 6 GHz) using a max hold mode incorporating a Peak detector and using the software of Radiated Emission Measurement Software EP5/RE(Version 6.0.10 from TOYO). The final test data was measured using a Quasi-Peak detector below 1 GHz and a Peak and Average detector above 1 GHz. Measurements were made with the antenna positioned in both the horizontal and vertical planes of polarization. The antenna height was varied from 1 m to 4 m and the EUT was rotated 360° to find the maximum emitting point for each frequency.

2.2.1 Limits of radiated emission measurement

- Below 1 GHz

Frequency Range [MHz]	Limits ($\mu\text{V}/\text{m}$)	Measuring Distance
	Quasi-peak	
30 ~ 88	100	Class B 3 m
88 ~ 216	150	
216 ~ 960	200	
960 ~ 1 000	500	




- Above 1 GHz

Frequency Range [GHz]	Detector type	Limits ($\mu\text{V}/\text{m}$)	Measuring Distance
1 ~ 6	Average	54	Class B 3m
1 ~ 6	Peak	74	

2.2.2 Environment Conditions

- Below 1 GHz

Temperature : 21 ℃
Humidity : 45 %R.H.
Atmospheric Pressure : 101.1 kPa



Test Result

Report No. : FCC2023-00003

- Above 1 GHz

Temperature : 20 °C
Humidity : 45 %R.H.
Atmospheric Pressure : 101.1 kPa

2.2.3 Test Site

10 m Semi-Anechoic Chamber in KTC Laboratory




2.2.4 Test Equipment

- Below 1GHz

Description	Model	Manufacturer	Identifier	Cal. Date	Cal. Due
EMI Test Receiver	ESR 7	Rohde & Schwarz	101368	2023-07-14	2024-07-14
Pre Amplifier	310N	SONOMA	340214	2023-01-04	2024-01-04
Bilog Antenna	VULB9168	Schwarzbeck	1043	2023-08-21	2025-08-21
Antenna Master	innco systems	MA 4640-XP-ET-0800	7150519	-	-
Turn Table	innco systems	DT3000-3t	-	-	-

- Above 1 GHz

Description	Model	Manufacturer	Identifier	Cal. Date	Cal. Due
EMI Test Receiver	ESR 7	Rohde & Schwarz	101368	2023-07-14	2024-07-14
RF Amplifier	SCU-18	Rohde & Schwarz	10142	2023-07-14	2024-07-14
Horn Antenna	HF907	Rohde & Schwarz	102641	2023-03-17	2024-03-17
Antenna Master	AM2.0	Maturo GmbH	-	-	-
Turn Table	DT3000-3t	innco systems	-	-	-





Test Result

Report No. : FCC2023-00003

2.2.5 Test Results



- Below 1GHz

Test Date : 2023. 10. 07



Test Result

Report No. : FCC2023-00003





Test Result

Report No. : FCC2023-00003



- Above 1GHz

Test Date : 2023. 10. 10



Test Result

Report No. : FCC2023-00003






Test Result

Report No. : FCC2023-00003

2.2.6 Photographs of test setup




- Below 1GHz



Test Result

Report No. : FCC2023-00003




- Above 1GHz



Test Result

Report No. : FCC2023-00003

3.1 Photographs of EUT






Test Result

Report No. : FCC2023-00003

Left Side



Right Side



Test Result

Report No. : FCC2023-00003

Back Side



Bottom Side



End.

