



11AX20SI SO	Ant1	High	5825	5855~5875	-49.47	≤ 10.07	PASS
11AX20SI SO	Ant1	High	5825	5875~5925	-50.68	≤ -26.87	PASS
11AX20SI SO	Ant1	High	5825	5925~5935	-49.91	≤ -27	PASS
11AX40SI SO	Ant1	Low	5755	5720~5725	-37.53	≤ 15.90	PASS
11AX40SI SO	Ant1	Low	5755	5700~5720	-40.4	≤ 10.05	PASS
11AX40SI SO	Ant1	Low	5755	5650~5700	-50.56	≤ -26.07	PASS
11AX40SI SO	Ant1	Low	5755	5645~5650	-50.95	≤ -27	PASS
11AX40SI SO	Ant1	High	5795	5850~5855	-49.85	≤ 15.85	PASS
11AX40SI SO	Ant1	High	5795	5855~5875	-48.17	≤ 10.61	PASS
11AX40SI SO	Ant1	High	5795	5875~5925	-50.66	≤ -26.97	PASS
11AX40SI SO	Ant1	High	5795	5925~5935	-50.04	≤ -27	PASS


Note: The margin is at least greater than the antenna gain plus the cable loss.





Test Graphs B1/2/3























11AC20SISO-Ant1-5500-PASS





11AC20SISO-Ant1-5700-PASS





















Test Graphs B4









11N40SISO-Ant1-5755-PASS




11N40SISO-Ant1-5795-PASS











11AX20SISO-Ant1-5745-PASS




11AX20SISO-Ant1-5825-PASS





11AX40SISO-Ant1-5755-PASS



11AX40SISO-Ant1-5795-PASS



Appendix F: DFS Detection Thresholds


Test Result

TestMode	Frequency[dbm]	Radar Type	Result	Limit[dbm]	Verdict
11AX40SISO	5270	Type0	-63.21	-62.00	PASS
11AX40SISO	5510	Type0	-63.14	-62.00	PASS

Note: 1.EIRP=Maximum conducted output power+Antenna Gain=17.95+4.85=22.80dBm(<200mw).



Test Graphs



Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotech.com



Hotline
400-003-0500
www.anbotech.com




**Appendix G: Channel Move Time and Channel Closing
Transmission Time**

Test Result

TestMode	Frequency[MHz]	CCT[ms]	Limit[ms]	CMT[ms]	Limit[ms]	Verdict
11AX40SISO	5270	200+6.5	200+60	476.8	10000	PASS
11AX40SISO	5510	200+0	200+60	188.2	10000	PASS



Test Graphs



---END---

