




Maximum Conducted Output Power NVNT\_ANT1\_802\_11n(HT20)\_5745




Maximum Conducted Output Power NVNT\_ANT1\_802\_11n(HT20)\_5785




### Maximum Conducted Output Power NVNT\_ANT1\_802\_11n(HT20)\_5825




### Maximum Conducted Output Power NVNT\_ANT1\_802\_11ac(VHT20)\_5745




Maximum Conducted Output Power\_NVNT\_ANT1\_802\_11ac(VHT20)\_5785




Maximum Conducted Output Power\_NVNT\_ANT1\_802\_11ac(VHT20)\_5825




Maximum Conducted Output Power\_NVNT\_ANT1\_802\_11ax(HE20)\_5745




Maximum Conducted Output Power\_NVNT\_ANT1\_802\_11ax(HE20)\_5785




### Maximum Conducted Output Power\_NVNT\_ANT1\_802\_11ax(HE20)\_5825




### Maximum Conducted Output Power\_NVNT\_ANT1\_802\_11n(HT40)\_5755




Maximum Conducted Output Power NVNT\_ANT1\_802\_11n(HT40) 5795




Maximum Conducted Output Power NVNT\_ANT1\_802\_11ac(VHT40) 5755




Maximum Conducted Output Power\_NVNT\_ANT1\_802\_11ac(VHT40)\_5795




Maximum Conducted Output Power\_NVNT\_ANT1\_802\_11ax(HE40)\_5755



**Maximum Conducted Output Power\_NVNT\_ANT1\_802\_11ax(HE40)\_5795**




**Maximum Conducted Output Power\_NVNT\_ANT1\_802\_11ac(VHT80)\_5775**






Maximum Conducted Output Power\_NVNT\_ANT1\_802\_11ax(HE80)\_5775




## 5. Power Spectral Density

Condition	Antenna	Modulation	Frequency (MHz)	PSD_SA(dBm/RBW)	Duty factor(dB)	RB factor(dB)	PSD(dBm/500kHz)	limit(dBm/500kHz)	Result
NVNT	ANT1	802.11a	5745.00	-12.76	0.12	-0.08	-12.72	30	Pass
NVNT	ANT1	802.11a	5785.00	-12.26	0.18	-0.08	-12.16	30	Pass
NVNT	ANT1	802.11a	5825.00	-12.62	0.18	-0.09	-12.53	30	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	-13.13	0.22	-0.08	-12.99	30	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	-12.36	0.14	-0.08	-12.30	30	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	-12.80	0.14	-0.08	-12.74	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	-12.98	0.21	-0.09	-12.86	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	-11.96	0.22	-0.09	-11.83	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	-13.40	0.22	-0.09	-13.27	30	Pass
NVNT	ANT1	802.11ax(HE20)	5745.00	-13.00	0.22	-0.09	-12.87	30	Pass
NVNT	ANT1	802.11ax(HE20)	5785.00	-12.72	0.22	-0.09	-12.59	30	Pass
NVNT	ANT1	802.11ax(HE20)	5825.00	-13.30	0.22	-0.09	-13.17	30	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	-18.29	0.43	-0.09	-17.95	30	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	-18.33	0.28	-0.09	-18.14	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	-17.86	0.43	-0.08	-17.51	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	-17.92	0.43	-0.09	-17.58	30	Pass
NVNT	ANT1	802.11ax(HE40)	5755.00	-18.49	0.43	-0.08	-18.14	30	Pass
NVNT	ANT1	802.11ax(HE40)	5795.00	-18.17	0.28	-0.09	-17.98	30	Pass
NVNT	ANT1	802.11ac(VHT80)	5775.00	-22.59	0.79	-0.08	-21.88	30	Pass
NVNT	ANT1	802.11ax(HE80)	5775.00	-22.29	0.79	-0.09	-21.59	30	Pass




Power Spectral Density NVNT\_ANT1\_802\_11a\_5785




Power Spectral Density NVNT\_ANT1\_802\_11a\_5825




Power Spectral Density\_NVNT\_ANT1\_802\_11n(HT20)\_5745




Power Spectral Density\_NVNT\_ANT1\_802\_11n(HT20)\_5785





Power Spectral Density\_NVNT\_ANT1\_802\_11n(HT20)\_5825




Power Spectral Density\_NVNT\_ANT1\_802\_11ac(VHT20)\_5745







Power Spectral Density\_NVNT\_ANT1\_802\_11ax(HE20)\_5745




Power Spectral Density\_NVNT\_ANT1\_802\_11ax(HE20)\_5785



Power Spectral Density\_NVNT\_ANT1\_802\_11ax(HE20)\_5825




Power Spectral Density\_NVNT\_ANT1\_802\_11n(HT40)\_5755







Power Spectral Density\_NVNT\_ANT1\_802\_11n(HT40)\_5795




Power Spectral Density\_NVNT\_ANT1\_802\_11ac(VHT40)\_5755






Power Spectral Density\_NVNT\_ANT1\_802\_11ax(HE40)\_5795



Power Spectral Density\_NVNT\_ANT1\_802\_11ac(VHT80)\_5775






## 6. Bandedge

Condition	Antenna	Modulation	TX_Frequency (MHz)	Frequency Area(MHz)	Frequency(MHz)	Amplitude(dBm)	Limit(dBm)	Result
NVNT	ANT1	802.11a	LCH	5565-5655	5603.520	-46.10	-27.00	Pass
NVNT	ANT1	802.11a	LCH	5655-5700	5655.000	-46.53	-27.00	Pass
NVNT	ANT1	802.11a	LCH	5700-5720	5717.920	-43.24	15.02	Pass
NVNT	ANT1	802.11a	LCH	5720-5725	5721.990	-38.74	20.14	Pass
NVNT	ANT1	802.11a	HCH	5850-5855	5854.970	-43.26	15.67	Pass
NVNT	ANT1	802.11a	HCH	5855-5875	5872.680	-46.01	10.65	Pass
NVNT	ANT1	802.11a	HCH	5875-5920	5916.040	-45.81	-23.74	Pass
NVNT	ANT1	802.11a	HCH	5920-6005	5960.545	-41.54	-27.00	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5565-5655	5637.990	-46.01	-27.00	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5655-5700	5655.045	-46.88	-26.96	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5700-5720	5720.000	-40.96	15.60	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5720-5725	5720.715	-38.37	17.23	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5850-5855	5851.995	-41.80	22.45	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5855-5875	5861.220	-45.57	13.86	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5875-5920	5918.290	-46.26	-25.59	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5920-6005	5980.010	-40.64	-27.00	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5565-5655	5575.800	-46.13	-27.00	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5655-5700	5656.125	-46.66	-26.07	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5700-5720	5718.560	-41.31	15.20	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5720-5725	5723.190	-37.64	22.87	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5850-5855	5852.010	-42.00	22.42	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5855-5875	5873.020	-45.79	10.55	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5875-5920	5914.870	-46.31	-22.78	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5920-6005	5923.145	-41.13	-27.00	Pass
NVNT	ANT1	802.11ax(HE20)	LCH	5565-5655	5570.130	-45.36	-27.00	Pass
NVNT	ANT1	802.11ax(HE20)	LCH	5655-5700	5656.485	-47.08	-25.78	Pass
NVNT	ANT1	802.11ax(HE20)	LCH	5700-5720	5719.460	-41.47	15.45	Pass
NVNT	ANT1	802.11ax(HE20)	LCH	5720-5725	5722.290	-37.45	20.82	Pass
NVNT	ANT1	802.11ax(HE20)	HCH	5850-5855	5852.875	-41.27	20.45	Pass
NVNT	ANT1	802.11ax(HE20)	HCH	5855-5875	5857.000	-44.66	15.04	Pass
NVNT	ANT1	802.11ax(HE20)	HCH	5875-5920	5916.895	-46.37	-24.45	Pass
NVNT	ANT1	802.11ax(HE20)	HCH	5920-6005	5975.590	-39.73	-27.00	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5595-5655	5645.880	-46.18	-27.00	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5655-5700	5661.435	-46.39	-21.71	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5700-5720	5715.500	-42.45	14.34	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5720-5725	5722.520	-41.08	21.35	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5850-5855	5854.070	-45.22	17.72	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5855-5875	5874.200	-46.21	10.22	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5875-5920	5919.415	-46.28	-26.52	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5920-5955	5924.865	-41.65	-27.00	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5595-5655	5653.260	-45.94	-27.00	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5655-5700	5660.670	-46.07	-22.34	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5700-5720	5714.160	-42.45	13.96	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5720-5725	5721.760	-40.71	19.61	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5850-5855	5854.655	-46.07	16.39	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5855-5875	5872.680	-46.41	10.65	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5875-5920	5919.370	-46.57	-26.48	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5920-5955	5947.965	-41.64	-27.00	Pass
NVNT	ANT1	802.11ax(HE40)	LCH	5595-5655	5622.660	-45.81	-27.00	Pass
NVNT	ANT1	802.11ax(HE40)	LCH	5655-5700	5684.475	-45.71	-2.76	Pass
NVNT	ANT1	802.11ax(HE40)	LCH	5700-5720	5716.220	-42.07	14.54	Pass
NVNT	ANT1	802.11ax(HE40)	LCH	5720-5725	5721.640	-41.03	19.34	Pass
NVNT	ANT1	802.11ax(HE40)	HCH	5850-5855	5854.760	-45.92	16.15	Pass
NVNT	ANT1	802.11ax(HE40)	HCH	5855-5875	5874.260	-46.18	10.21	Pass
NVNT	ANT1	802.11ax(HE40)	HCH	5875-5920	5919.010	-46.55	-26.19	Pass
NVNT	ANT1	802.11ax(HE40)	HCH	5920-5955	5937.360	-42.04	-27.00	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5650-5655	5650.810	-45.08	-27.00	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5655-5700	5691.675	-44.23	3.16	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5700-5720	5715.680	-42.32	14.39	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5720-5725	5720.070	-40.96	15.76	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5850-5855	5854.320	-42.34	17.15	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5855-5875	5865.320	-43.01	12.71	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5875-5920	5911.720	-45.10	-20.19	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5920-5925	5922.620	-40.27	-27.00	Pass
NVNT	ANT1	802.11ax(HE80)	MCH	5650-5655	5652.370	-44.66	-27.00	Pass
NVNT	ANT1	802.11ax(HE80)	MCH	5655-5700	5683.800	-44.25	-3.32	Pass


NVNT	ANT1	802.11ax(HE80)	MCH	5700-5720	5708.500	-42.77	12.38	Pass
NVNT	ANT1	802.11ax(HE80)	MCH	5720-5725	5720.355	-41.06	16.41	Pass
NVNT	ANT1	802.11ax(HE80)	MCH	5850-5855	5853.265	-42.50	19.56	Pass
NVNT	ANT1	802.11ax(HE80)	MCH	5855-5875	5863.120	-43.22	13.33	Pass
NVNT	ANT1	802.11ax(HE80)	MCH	5875-5920	5899.480	-44.29	-10.13	Pass
NVNT	ANT1	802.11ax(HE80)	MCH	5920-5925	5921.165	-41.42	-27.00	Pass

Note: The test diagram has integrated antenna gain to Offset Settings.


### Bandedge\_NVNT\_ANT1\_802\_11a\_5745




### Bandedge\_NVNT\_ANT1\_802\_11a\_5825




**Bandedge\_NVNT\_ANT1\_802\_11n(HT20)\_5745**




**Bandedge\_NVNT\_ANT1\_802\_11n(HT20)\_5825**



Bandedge\_NVNT\_ANT1\_802\_11ac(VHT20)\_5745




Bandedge\_NVNT\_ANT1\_802\_11ac(VHT20)\_5825







Bandedge\_NVNT\_ANT1\_802\_11ax(HE20)\_5745




Bandedge\_NVNT\_ANT1\_802\_11ax(HE20)\_5825




Bandedge\_NVNT\_ANT1\_802\_11n(HT40)\_5755




Bandedge\_NVNT\_ANT1\_802\_11n(HT40)\_5795




Bandedge\_NVNT\_ANT1\_802\_11ac(VHT40)\_5755




Bandedge\_NVNT\_ANT1\_802\_11ac(VHT40)\_5795




Bandedge\_NVNT\_ANT1\_802\_11ax(HE40)\_5755




Bandedge\_NVNT\_ANT1\_802\_11ax(HE40)\_5795




Bandedge\_NVNT\_ANT1\_802\_11ac(VHT80)\_5775\_low




Bandedge\_NVNT\_ANT1\_802\_11ac(VHT80)\_5775\_up



**Bandedge\_NVNT\_ANT1\_802\_11ax(HE80)\_5775\_low**



**Bandedge\_NVNT\_ANT1\_802\_11ax(HE80)\_5775\_up**




# 7. Spurious Emission


Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark Frequency(MHz)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5745.00	704.99	-28.13	-27	Pass
NVNT	ANT1	802.11a	5785.00	2441.42	-30.30	-27	Pass
NVNT	ANT1	802.11a	5825.00	2438.77	-32.42	-27	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	2436.12	-32.33	-27	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	2438.77	-31.69	-27	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	2438.77	-32.73	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	2436.12	-31.57	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	26171.77	-37.70	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	2436.12	-32.08	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5745.00	2436.12	-31.00	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5785.00	24922.39	-38.00	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5825.00	2441.42	-29.57	-27	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	2438.77	-29.19	-27	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	2436.12	-30.10	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	2436.12	-31.19	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	25668.84	-38.60	-27	Pass
NVNT	ANT1	802.11ax(HE40)	5755.00	704.99	-29.21	-27	Pass
NVNT	ANT1	802.11ax(HE40)	5795.00	2436.12	-30.92	-27	Pass
NVNT	ANT1	802.11ac(VHT80)	5775.00	24983.27	-37.68	-27	Pass
NVNT	ANT1	802.11ax(HE80)	5775.00	2436.12	-30.41	-27	Pass

Note:1. The antenna gain is compensated in the test data.


2. 26.5GHz-40GHz the Spurious level margin is the largest, so the test data only reflects 30MHz-26.5GHz



Spurious Emission NVNT\_ANT1\_802\_11a\_5785




Spurious Emission NVNT\_ANT1\_802\_11a\_5825







Spurious Emission NVNT\_ANT1\_802\_11n(HT20)\_5745




Spurious Emission NVNT\_ANT1\_802\_11n(HT20)\_5785




### Spurious Emission NVNT\_ANT1\_802\_11n(HT20)\_5825




### Spurious Emission NVNT\_ANT1\_802\_11ac(VHT20)\_5745




Spurious Emission\_NVNT\_ANT1\_802\_11ac(VHT20)\_5785




Spurious Emission\_NVNT\_ANT1\_802\_11ac(VHT20)\_5825




Spurious\_Emission\_NVNT\_ANT1\_802\_11ax(HE20)\_5745




Spurious\_Emission\_NVNT\_ANT1\_802\_11ax(HE20)\_5785




Spurious Emission NVNT\_ANT1\_802\_11ax(HE20)\_5825




Spurious Emission NVNT\_ANT1\_802\_11n(HT40)\_5755




Spurious Emission NVNT\_ANT1\_802\_11n(HT40)\_5795




Spurious Emission NVNT\_ANT1\_802\_11ac(VHT40)\_5755




Spurious Emission\_NVNT\_ANT1\_802\_11ac(VHT40) 5795




Spurious Emission\_NVNT\_ANT1\_802\_11ax(HE40) 5755



Spurious Emission NVNT\_ANT1\_802\_11ax(HE40)\_5795




Spurious Emission NVNT\_ANT1\_802\_11ac(VHT80)\_5775





Spurious\_Emission\_NVNT\_ANT1\_802\_11ax(HE80)\_5775



## 8. Frequency Stability

Condition	Antenna	Modulation	Frequency (MHz)	Fc(MHz)	Fi(MHz)	Fh(MHz)	Limit(MHz)	Result
55degrees C&&AC 120V	ANT1	802.11a	5745.00	5745.076	5736.376	5753.776	5725~5850	Pass
45degrees C&&AC 120V	ANT1	802.11a	5745.00	5745.048	5736.668	5753.428	5725~5850	Pass
35degrees C&&AC 120V	ANT1	802.11a	5745.00	5745.052	5736.800	5753.304	5725~5850	Pass
25degrees C&&AC 120V	ANT1	802.11a	5745.00	5745.032	5736.884	5753.180	5725~5850	Pass
15degrees C&&AC 120V	ANT1	802.11a	5745.00	5745.038	5736.948	5753.128	5725~5850	Pass
5degrees C&&AC 120V	ANT1	802.11a	5745.00	5745.046	5737.008	5753.084	5725~5850	Pass
-5degrees C&&AC 120V	ANT1	802.11a	5745.00	5745.032	5737.060	5753.004	5725~5850	Pass
-15degrees C&&AC 120V	ANT1	802.11a	5745.00	5745.032	5737.108	5752.956	5725~5850	Pass
25degrees C&&AC 138V	ANT1	802.11a	5745.00	5745.038	5737.152	5752.924	5725~5850	Pass
25degrees C&&AC 120V	ANT1	802.11a	5745.00	5745.036	5737.192	5752.880	5725~5850	Pass
25degrees C&&AC 102V	ANT1	802.11a	5745.00	5745.030	5737.244	5752.816	5725~5850	Pass
55degrees C&&AC 120V	ANT1	802.11a	5785.00	5785.046	5776.416	5793.676	5725~5850	Pass
45degrees C&&AC 120V	ANT1	802.11a	5785.00	5785.042	5776.676	5793.408	5725~5850	Pass
35degrees C&&AC 120V	ANT1	802.11a	5785.00	5785.034	5776.796	5793.272	5725~5850	Pass
25degrees C&&AC 120V	ANT1	802.11a	5785.00	5785.030	5776.872	5793.188	5725~5850	Pass
15degrees C&&AC 120V	ANT1	802.11a	5785.00	5785.024	5776.940	5793.108	5725~5850	Pass
5degrees C&&AC 120V	ANT1	802.11a	5785.00	5785.030	5776.996	5793.064	5725~5850	Pass
-5degrees C&&AC 120V	ANT1	802.11a	5785.00	5785.022	5777.052	5792.992	5725~5850	Pass
-15degrees C&&AC 120V	ANT1	802.11a	5785.00	5785.020	5777.092	5792.948	5725~5850	Pass
25degrees C&&AC 138V	ANT1	802.11a	5785.00	5785.024	5777.132	5792.916	5725~5850	Pass
25degrees C&&AC 120V	ANT1	802.11a	5785.00	5785.016	5777.172	5792.860	5725~5850	Pass
25degrees C&&AC 102V	ANT1	802.11a	5785.00	5785.010	5777.216	5792.804	5725~5850	Pass
55degrees C&&AC 120V	ANT1	802.11a	5825.00	5825.084	5816.428	5833.740	5725~5850	Pass
45degrees C&&AC 120V	ANT1	802.11a	5825.00	5825.032	5816.652	5833.412	5725~5850	Pass
35degrees C&&AC 120V	ANT1	802.11a	5825.00	5825.028	5816.788	5833.268	5725~5850	Pass
25degrees C&&AC 120V	ANT1	802.11a	5825.00	5825.020	5816.868	5833.172	5725~5850	Pass
15degrees C&&AC 120V	ANT1	802.11a	5825.00	5825.018	5816.932	5833.104	5725~5850	Pass
5degrees C&&AC 120V	ANT1	802.11a	5825.00	5825.014	5816.988	5833.040	5725~5850	Pass
-5degrees C&&AC 120V	ANT1	802.11a	5825.00	5825.018	5817.040	5832.996	5725~5850	Pass
-15degrees C&&AC 120V	ANT1	802.11a	5825.00	5825.018	5817.092	5832.944	5725~5850	Pass
25degrees C&&AC 138V	ANT1	802.11a	5825.00	5825.010	5817.132	5832.888	5725~5850	Pass
25degrees C&&AC 120V	ANT1	802.11a	5825.00	5825.006	5817.168	5832.844	5725~5850	Pass
25degrees C&&AC 102V	ANT1	802.11a	5825.00	5825.000	5817.208	5832.792	5725~5850	Pass
55degrees C&&AC 120V	ANT1	802.11n(HT20)	5745.00	5745.050	5735.920	5754.180	5725~5850	Pass
45degrees C&&AC 120V	ANT1	802.11n(HT20)	5745.00	5745.052	5736.164	5753.940	5725~5850	Pass
35degrees C&&AC 120V	ANT1	802.11n(HT20)	5745.00	5745.046	5736.280	5753.812	5725~5850	Pass
25degrees C&&AC 120V	ANT1	802.11n(HT20)	5745.00	5745.046	5736.376	5753.716	5725~5850	Pass
15degrees C&&AC 120V	ANT1	802.11n(HT20)	5745.00	5745.058	5736.456	5753.660	5725~5850	Pass
5degrees C&&AC 120V	ANT1	802.11n(HT20)	5745.00	5745.050	5736.532	5753.568	5725~5850	Pass
-5degrees C&&AC 120V	ANT1	802.11n(HT20)	5745.00	5745.050	5736.584	5753.516	5725~5850	Pass
-15degrees C&&AC 120V	ANT1	802.11n(HT20)	5745.00	5745.040	5736.640	5753.440	5725~5850	Pass
25degrees C&&AC 138V	ANT1	802.11n(HT20)	5745.00	5745.054	5736.704	5753.404	5725~5850	Pass
25degrees C&&AC 120V	ANT1	802.11n(HT20)	5745.00	5745.080	5736.760	5753.400	5725~5850	Pass
25degrees C&&AC 102V	ANT1	802.11n(HT20)	5745.00	5745.066	5736.816	5753.316	5725~5850	Pass
55degrees C&&AC 120V	ANT1	802.11n(HT20)	5785.00	5785.034	5775.904	5794.164	5725~5850	Pass
45degrees C&&AC 120V	ANT1	802.11n(HT20)	5785.00	5785.024	5776.152	5793.896	5725~5850	Pass
35degrees C&&AC 120V	ANT1	802.11n(HT20)	5785.00	5785.034	5776.276	5793.792	5725~5850	Pass
25degrees C&&AC 120V	ANT1	802.11n(HT20)	5785.00	5785.020	5776.352	5793.688	5725~5850	Pass
15degrees C&&AC 120V	ANT1	802.11n(HT20)	5785.00	5785.018	5776.416	5793.620	5725~5850	Pass
5degrees C&&AC 120V	ANT1	802.11n(HT20)	5785.00	5785.024	5776.484	5793.564	5725~5850	Pass
-5degrees C&&AC 120V	ANT1	802.11n(HT20)	5785.00	5785.002	5776.548	5793.456	5725~5850	Pass
-15degrees C&&AC 120V	ANT1	802.11n(HT20)	5785.00	5785.018	5776.604	5793.432	5725~5850	Pass
25degrees C&&AC 138V	ANT1	802.11n(HT20)	5785.00	5785.014	5776.656	5793.372	5725~5850	Pass
25degrees C&&AC 120V	ANT1	802.11n(HT20)	5785.00	5785.016	5776.712	5793.320	5725~5850	Pass
25degrees C&&AC 102V	ANT1	802.11n(HT20)	5785.00	5785.016	5776.756	5793.276	5725~5850	Pass
55degrees C&&AC 120V	ANT1	802.11n(HT20)	5825.00	5825.046	5815.948	5834.144	5725~5850	Pass
45degrees C&&AC 120V	ANT1	802.11n(HT20)	5825.00	5825.026	5816.152	5833.900	5725~5850	Pass
35degrees C&&AC 120V	ANT1	802.11n(HT20)	5825.00	5825.022	5816.280	5833.764	5725~5850	Pass
25degrees C&&AC 120V	ANT1	802.11n(HT20)	5825.00	5825.026	5816.368	5833.684	5725~5850	Pass
15degrees C&&AC 120V	ANT1	802.11n(HT20)	5825.00	5825.032	5816.440	5833.624	5725~5850	Pass
5degrees C&&AC 120V	ANT1	802.11n(HT20)	5825.00	5825.020	5816.500	5833.540	5725~5850	Pass
-5degrees C&&AC 120V	ANT1	802.11n(HT20)	5825.00	5825.020	5816.572	5833.468	5725~5850	Pass
-15degrees C&&AC 120V	ANT1	802.11n(HT20)	5825.00	5825.024	5816.628	5833.420	5725~5850	Pass
25degrees C&&AC 138V	ANT1	802.11n(HT20)	5825.00	5825.028	5816.676	5833.380	5725~5850	Pass
25degrees C&&AC 120V	ANT1	802.11n(HT20)	5825.00	5825.022	5816.724	5833.320	5725~5850	Pass
25degrees C&&AC 102V	ANT1	802.11n(HT20)	5825.00	5825.020	5816.776	5833.264	5725~5850	Pass

55degrees C&&AC 120V	ANT1	802.11ac(VHT20)	5745.00	5745.048	5735.924	5754.172	5725~5850	Pass
45degrees C&&AC 120V	ANT1	802.11ac(VHT20)	5745.00	5745.042	5736.168	5753.916	5725~5850	Pass
35degrees C&&AC 120V	ANT1	802.11ac(VHT20)	5745.00	5745.048	5736.284	5753.812	5725~5850	Pass
25degrees C&&AC 120V	ANT1	802.11ac(VHT20)	5745.00	5745.052	5736.376	5753.728	5725~5850	Pass
15degrees C&&AC 120V	ANT1	802.11ac(VHT20)	5745.00	5745.050	5736.456	5753.644	5725~5850	Pass
5degrees C&&AC 120V	ANT1	802.11ac(VHT20)	5745.00	5745.060	5736.524	5753.596	5725~5850	Pass
-5degrees C&&AC 120V	ANT1	802.11ac(VHT20)	5745.00	5745.048	5736.584	5753.512	5725~5850	Pass
-15degrees C&&AC 120V	ANT1	802.11ac(VHT20)	5745.00	5745.056	5736.660	5753.452	5725~5850	Pass
25degrees C&&AC 138V	ANT1	802.11ac(VHT20)	5745.00	5745.046	5736.700	5753.392	5725~5850	Pass
25degrees C&&AC 120V	ANT1	802.11ac(VHT20)	5745.00	5745.048	5736.760	5753.336	5725~5850	Pass
25degrees C&&AC 102V	ANT1	802.11ac(VHT20)	5745.00	5745.050	5736.808	5753.292	5725~5850	Pass
55degrees C&&AC 120V	ANT1	802.11ac(VHT20)	5785.00	5785.052	5775.920	5794.184	5725~5850	Pass
45degrees C&&AC 120V	ANT1	802.11ac(VHT20)	5785.00	5785.034	5776.152	5793.916	5725~5850	Pass
35degrees C&&AC 120V	ANT1	802.11ac(VHT20)	5785.00	5785.036	5776.284	5793.788	5725~5850	Pass
25degrees C&&AC 120V	ANT1	802.11ac(VHT20)	5785.00	5785.028	5776.360	5793.696	5725~5850	Pass
15degrees C&&AC 120V	ANT1	802.11ac(VHT20)	5785.00	5785.024	5776.428	5793.620	5725~5850	Pass
5degrees C&&AC 120V	ANT1	802.11ac(VHT20)	5785.00	5785.026	5776.492	5793.560	5725~5850	Pass
-5degrees C&&AC 120V	ANT1	802.11ac(VHT20)	5785.00	5785.018	5776.552	5793.484	5725~5850	Pass
-15degrees C&&AC 120V	ANT1	802.11ac(VHT20)	5785.00	5785.016	5776.612	5793.420	5725~5850	Pass
25degrees C&&AC 138V	ANT1	802.11ac(VHT20)	5785.00	5785.016	5776.660	5793.372	5725~5850	Pass
25degrees C&&AC 120V	ANT1	802.11ac(VHT20)	5785.00	5785.002	5776.708	5793.296	5725~5850	Pass
25degrees C&&AC 102V	ANT1	802.11ac(VHT20)	5785.00	5785.002	5776.756	5793.248	5725~5850	Pass
55degrees C&&AC 120V	ANT1	802.11ac(VHT20)	5825.00	5825.042	5815.912	5834.172	5725~5850	Pass
45degrees C&&AC 120V	ANT1	802.11ac(VHT20)	5825.00	5825.028	5816.148	5833.908	5725~5850	Pass
35degrees C&&AC 120V	ANT1	802.11ac(VHT20)	5825.00	5825.018	5816.268	5833.768	5725~5850	Pass
25degrees C&&AC 120V	ANT1	802.11ac(VHT20)	5825.00	5825.024	5816.356	5833.692	5725~5850	Pass
15degrees C&&AC 120V	ANT1	802.11ac(VHT20)	5825.00	5825.024	5816.424	5833.624	5725~5850	Pass
5degrees C&&AC 120V	ANT1	802.11ac(VHT20)	5825.00	5825.024	5816.496	5833.552	5725~5850	Pass
-5degrees C&&AC 120V	ANT1	802.11ac(VHT20)	5825.00	5825.026	5816.568	5833.484	5725~5850	Pass
-15degrees C&&AC 120V	ANT1	802.11ac(VHT20)	5825.00	5825.018	5816.620	5833.416	5725~5850	Pass
25degrees C&&AC 138V	ANT1	802.11ac(VHT20)	5825.00	5825.016	5816.680	5833.352	5725~5850	Pass
25degrees C&&AC 120V	ANT1	802.11ac(VHT20)	5825.00	5825.016	5816.736	5833.296	5725~5850	Pass
25degrees C&&AC 102V	ANT1	802.11ac(VHT20)	5825.00	5825.022	5816.784	5833.260	5725~5850	Pass
55degrees C&&AC 120V	ANT1	802.11ax(HE20)	5745.00	5745.052	5735.940	5754.164	5725~5850	Pass
45degrees C&&AC 120V	ANT1	802.11ax(HE20)	5745.00	5745.060	5736.188	5753.932	5725~5850	Pass
35degrees C&&AC 120V	ANT1	802.11ax(HE20)	5745.00	5745.050	5736.300	5753.800	5725~5850	Pass
25degrees C&&AC 120V	ANT1	802.11ax(HE20)	5745.00	5745.048	5736.384	5753.712	5725~5850	Pass
15degrees C&&AC 120V	ANT1	802.11ax(HE20)	5745.00	5745.038	5736.448	5753.628	5725~5850	Pass
5degrees C&&AC 120V	ANT1	802.11ax(HE20)	5745.00	5745.056	5736.528	5753.584	5725~5850	Pass
-5degrees C&&AC 120V	ANT1	802.11ax(HE20)	5745.00	5745.056	5736.588	5753.524	5725~5850	Pass
-15degrees C&&AC 120V	ANT1	802.11ax(HE20)	5745.00	5745.064	5736.656	5753.472	5725~5850	Pass
25degrees C&&AC 138V	ANT1	802.11ax(HE20)	5745.00	5745.060	5736.712	5753.408	5725~5850	Pass
25degrees C&&AC 120V	ANT1	802.11ax(HE20)	5745.00	5745.040	5736.748	5753.332	5725~5850	Pass
25degrees C&&AC 102V	ANT1	802.11ax(HE20)	5745.00	5745.026	5736.784	5753.268	5725~5850	Pass
55degrees C&&AC 120V	ANT1	802.11ax(HE20)	5785.00	5785.040	5775.920	5794.160	5725~5850	Pass
45degrees C&&AC 120V	ANT1	802.11ax(HE20)	5785.00	5785.038	5776.152	5793.924	5725~5850	Pass
35degrees C&&AC 120V	ANT1	802.11ax(HE20)	5785.00	5785.034	5776.276	5793.792	5725~5850	Pass
25degrees C&&AC 120V	ANT1	802.11ax(HE20)	5785.00	5785.036	5776.356	5793.716	5725~5850	Pass
15degrees C&&AC 120V	ANT1	802.11ax(HE20)	5785.00	5785.018	5776.424	5793.612	5725~5850	Pass
5degrees C&&AC 120V	ANT1	802.11ax(HE20)	5785.00	5785.022	5776.492	5793.552	5725~5850	Pass
-5degrees C&&AC 120V	ANT1	802.11ax(HE20)	5785.00	5785.016	5776.552	5793.480	5725~5850	Pass
-15degrees C&&AC 120V	ANT1	802.11ax(HE20)	5785.00	5785.014	5776.612	5793.416	5725~5850	Pass
25degrees C&&AC 138V	ANT1	802.11ax(HE20)	5785.00	5785.036	5776.676	5793.396	5725~5850	Pass
25degrees C&&AC 120V	ANT1	802.11ax(HE20)	5785.00	5785.024	5776.724	5793.324	5725~5850	Pass
25degrees C&&AC 102V	ANT1	802.11ax(HE20)	5785.00	5784.996	5776.772	5793.220	5725~5850	Pass
55degrees C&&AC 120V	ANT1	802.11ax(HE20)	5825.00	5825.046	5815.932	5834.160	5725~5850	Pass
45degrees C&&AC 120V	ANT1	802.11ax(HE20)	5825.00	5825.030	5816.156	5833.904	5725~5850	Pass
35degrees C&&AC 120V	ANT1	802.11ax(HE20)	5825.00	5825.032	5816.276	5833.788	5725~5850	Pass
25degrees C&&AC 120V	ANT1	802.11ax(HE20)	5825.00	5825.034	5816.360	5833.708	5725~5850	Pass
15degrees C&&AC 120V	ANT1	802.11ax(HE20)	5825.00	5825.028	5816.432	5833.624	5725~5850	Pass
5degrees C&&AC 120V	ANT1	802.11ax(HE20)	5825.00	5825.022	5816.496	5833.548	5725~5850	Pass
-5degrees C&&AC 120V	ANT1	802.11ax(HE20)	5825.00	5825.014	5816.552	5833.476	5725~5850	Pass
-15degrees C&&AC 120V	ANT1	802.11ax(HE20)	5825.00	5825.016	5816.604	5833.428	5725~5850	Pass
25degrees C&&AC 138V	ANT1	802.11ax(HE20)	5825.00	5825.014	5816.652	5833.376	5725~5850	Pass
25degrees C&&AC 120V	ANT1	802.11ax(HE20)	5825.00	5825.006	5816.700	5833.312	5725~5850	Pass
25degrees C&&AC 102V	ANT1	802.11ax(HE20)	5825.00	5824.994	5816.748	5833.240	5725~5850	Pass
55degrees C&&AC 120V	ANT1	802.11n(HT40)	5755.00	5755.092	5736.832	5773.352	5725~5850	Pass
45degrees C&&AC 120V	ANT1	802.11n(HT40)	5755.00	5755.088	5737.064	5773.112	5725~5850	Pass
35degrees C&&AC 120V	ANT1	802.11n(HT40)	5755.00	5755.084	5737.232	5772.936	5725~5850	Pass
25degrees C&&AC 120V	ANT1	802.11n(HT40)	5755.00	5755.120	5737.392	5772.848	5725~5850	Pass
15degrees C&&AC 120V	ANT1	802.11n(HT40)	5755.00	5755.100	5737.520	5772.680	5725~5850	Pass
5degrees C&&AC 120V	ANT1	802.11n(HT40)	5755.00	5755.120	5737.624	5772.616	5725~5850	Pass
-5degrees C&&AC 120V	ANT1	802.11n(HT40)	5755.00	5755.108	5737.736	5772.480	5725~5850	Pass
-15degrees C&&AC 120V	ANT1	802.11n(HT40)	5755.00	5755.144	5737.856	5772.432	5725~5850	Pass
25degrees C&&AC 138V	ANT1	802.11n(HT40)	5755.00	5755.140	5737.968	5772.312	5725~5850	Pass

25degrees C&&AC 120V	ANT1	802.11n(HT40)	5755.00	5755.140	5738.056	5772.224	5725~5850	Pass
25degrees C&&AC 102V	ANT1	802.11n(HT40)	5755.00	5755.128	5738.152	5772.104	5725~5850	Pass
55degrees C&&AC 120V	ANT1	802.11n(HT40)	5795.00	5795.088	5776.832	5813.344	5725~5850	Pass
45degrees C&&AC 120V	ANT1	802.11n(HT40)	5795.00	5795.084	5777.040	5813.128	5725~5850	Pass
35degrees C&&AC 120V	ANT1	802.11n(HT40)	5795.00	5795.092	5777.184	5813.000	5725~5850	Pass
25degrees C&&AC 120V	ANT1	802.11n(HT40)	5795.00	5795.080	5777.320	5812.840	5725~5850	Pass
15degrees C&&AC 120V	ANT1	802.11n(HT40)	5795.00	5795.092	5777.464	5812.720	5725~5850	Pass
5degrees C&&AC 120V	ANT1	802.11n(HT40)	5795.00	5795.080	5777.568	5812.592	5725~5850	Pass
-5degrees C&&AC 120V	ANT1	802.11n(HT40)	5795.00	5795.084	5777.664	5812.504	5725~5850	Pass
-15degrees C&&AC 120V	ANT1	802.11n(HT40)	5795.00	5795.100	5777.768	5812.432	5725~5850	Pass
25degrees C&&AC 138V	ANT1	802.11n(HT40)	5795.00	5795.124	5777.888	5812.360	5725~5850	Pass
25degrees C&&AC 120V	ANT1	802.11n(HT40)	5795.00	5795.080	5777.984	5812.176	5725~5850	Pass
25degrees C&&AC 102V	ANT1	802.11n(HT40)	5795.00	5795.076	5778.080	5812.072	5725~5850	Pass
55degrees C&&AC 120V	ANT1	802.11ac(VHT40)	5755.00	5755.104	5736.840	5773.368	5725~5850	Pass
45degrees C&&AC 120V	ANT1	802.11ac(VHT40)	5755.00	5755.092	5737.048	5773.136	5725~5850	Pass
35degrees C&&AC 120V	ANT1	802.11ac(VHT40)	5755.00	5755.096	5737.208	5772.984	5725~5850	Pass
25degrees C&&AC 120V	ANT1	802.11ac(VHT40)	5755.00	5755.080	5737.336	5772.824	5725~5850	Pass
15degrees C&&AC 120V	ANT1	802.11ac(VHT40)	5755.00	5755.088	5737.488	5772.688	5725~5850	Pass
5degrees C&&AC 120V	ANT1	802.11ac(VHT40)	5755.00	5755.112	5737.600	5772.624	5725~5850	Pass
-5degrees C&&AC 120V	ANT1	802.11ac(VHT40)	5755.00	5755.128	5737.720	5772.536	5725~5850	Pass
-15degrees C&&AC 120V	ANT1	802.11ac(VHT40)	5755.00	5755.144	5737.848	5772.440	5725~5850	Pass
25degrees C&&AC 138V	ANT1	802.11ac(VHT40)	5755.00	5755.148	5737.968	5772.328	5725~5850	Pass
25degrees C&&AC 120V	ANT1	802.11ac(VHT40)	5755.00	5755.120	5738.048	5772.192	5725~5850	Pass
25degrees C&&AC 102V	ANT1	802.11ac(VHT40)	5755.00	5755.088	5738.136	5772.040	5725~5850	Pass
55degrees C&&AC 120V	ANT1	802.11ac(VHT40)	5795.00	5795.100	5776.840	5813.360	5725~5850	Pass
45degrees C&&AC 120V	ANT1	802.11ac(VHT40)	5795.00	5795.084	5777.048	5813.120	5725~5850	Pass
35degrees C&&AC 120V	ANT1	802.11ac(VHT40)	5795.00	5795.080	5777.200	5812.960	5725~5850	Pass
25degrees C&&AC 120V	ANT1	802.11ac(VHT40)	5795.00	5795.076	5777.320	5812.832	5725~5850	Pass
15degrees C&&AC 120V	ANT1	802.11ac(VHT40)	5795.00	5795.088	5777.456	5812.720	5725~5850	Pass
5degrees C&&AC 120V	ANT1	802.11ac(VHT40)	5795.00	5795.080	5777.560	5812.600	5725~5850	Pass
-5degrees C&&AC 120V	ANT1	802.11ac(VHT40)	5795.00	5795.052	5777.664	5812.440	5725~5850	Pass
-15degrees C&&AC 120V	ANT1	802.11ac(VHT40)	5795.00	5795.072	5777.768	5812.376	5725~5850	Pass
25degrees C&&AC 138V	ANT1	802.11ac(VHT40)	5795.00	5795.092	5777.856	5812.328	5725~5850	Pass
25degrees C&&AC 120V	ANT1	802.11ac(VHT40)	5795.00	5795.044	5777.944	5812.144	5725~5850	Pass
25degrees C&&AC 102V	ANT1	802.11ac(VHT40)	5795.00	5795.076	5778.032	5812.120	5725~5850	Pass
55degrees C&&AC 120V	ANT1	802.11ax(HE40)	5755.00	5755.080	5736.832	5773.328	5725~5850	Pass
45degrees C&&AC 120V	ANT1	802.11ax(HE40)	5755.00	5755.092	5737.072	5773.112	5725~5850	Pass
35degrees C&&AC 120V	ANT1	802.11ax(HE40)	5755.00	5755.096	5737.232	5772.960	5725~5850	Pass
25degrees C&&AC 120V	ANT1	802.11ax(HE40)	5755.00	5755.096	5737.368	5772.824	5725~5850	Pass
15degrees C&&AC 120V	ANT1	802.11ax(HE40)	5755.00	5755.104	5737.496	5772.712	5725~5850	Pass
5degrees C&&AC 120V	ANT1	802.11ax(HE40)	5755.00	5755.096	5737.624	5772.568	5725~5850	Pass
-5degrees C&&AC 120V	ANT1	802.11ax(HE40)	5755.00	5755.100	5737.752	5772.448	5725~5850	Pass
-15degrees C&&AC 120V	ANT1	802.11ax(HE40)	5755.00	5755.160	5737.888	5772.432	5725~5850	Pass
25degrees C&&AC 138V	ANT1	802.11ax(HE40)	5755.00	5755.144	5738.008	5772.280	5725~5850	Pass
25degrees C&&AC 120V	ANT1	802.11ax(HE40)	5755.00	5755.152	5738.112	5772.192	5725~5850	Pass
25degrees C&&AC 102V	ANT1	802.11ax(HE40)	5755.00	5755.152	5738.200	5772.104	5725~5850	Pass
55degrees C&&AC 120V	ANT1	802.11ax(HE40)	5795.00	5795.084	5776.816	5813.352	5725~5850	Pass
45degrees C&&AC 120V	ANT1	802.11ax(HE40)	5795.00	5795.076	5777.032	5813.120	5725~5850	Pass
35degrees C&&AC 120V	ANT1	802.11ax(HE40)	5795.00	5795.076	5777.200	5812.952	5725~5850	Pass
25degrees C&&AC 120V	ANT1	802.11ax(HE40)	5795.00	5795.080	5777.344	5812.816	5725~5850	Pass
15degrees C&&AC 120V	ANT1	802.11ax(HE40)	5795.00	5795.096	5777.488	5812.704	5725~5850	Pass
5degrees C&&AC 120V	ANT1	802.11ax(HE40)	5795.00	5795.112	5777.584	5812.640	5725~5850	Pass
-5degrees C&&AC 120V	ANT1	802.11ax(HE40)	5795.00	5795.104	5777.688	5812.520	5725~5850	Pass
-15degrees C&&AC 120V	ANT1	802.11ax(HE40)	5795.00	5795.084	5777.792	5812.376	5725~5850	Pass
25degrees C&&AC 138V	ANT1	802.11ax(HE40)	5795.00	5795.076	5777.888	5812.264	5725~5850	Pass
25degrees C&&AC 120V	ANT1	802.11ax(HE40)	5795.00	5795.076	5778.008	5812.144	5725~5850	Pass
25degrees C&&AC 102V	ANT1	802.11ax(HE40)	5795.00	5795.080	5778.096	5812.064	5725~5850	Pass
55degrees C&&AC 120V	ANT1	802.11ac(VHT80)	5775.00	5775.126	5737.128	5813.124	5725~5850	Pass
45degrees C&&AC 120V	ANT1	802.11ac(VHT80)	5775.00	5775.144	5737.380	5812.908	5725~5850	Pass
35degrees C&&AC 120V	ANT1	802.11ac(VHT80)	5775.00	5775.144	5737.596	5812.692	5725~5850	Pass
25degrees C&&AC 120V	ANT1	802.11ac(VHT80)	5775.00	5775.138	5737.764	5812.512	5725~5850	Pass
15degrees C&&AC 120V	ANT1	802.11ac(VHT80)	5775.00	5775.180	5738.004	5812.356	5725~5850	Pass
5degrees C&&AC 120V	ANT1	802.11ac(VHT80)	5775.00	5775.132	5738.184	5812.080	5725~5850	Pass
-5degrees C&&AC 120V	ANT1	802.11ac(VHT80)	5775.00	5775.144	5738.400	5811.888	5725~5850	Pass
-15degrees C&&AC 120V	ANT1	802.11ac(VHT80)	5775.00	5775.084	5738.592	5811.576	5725~5850	Pass
25degrees C&&AC 138V	ANT1	802.11ac(VHT80)	5775.00	5775.162	5738.808	5811.516	5725~5850	Pass
25degrees C&&AC 120V	ANT1	802.11ac(VHT80)	5775.00	5775.120	5739.012	5811.228	5725~5850	Pass
25degrees C&&AC 102V	ANT1	802.11ac(VHT80)	5775.00	5775.174	5739.288	5811.060	5725~5850	Pass
55degrees C&&AC 120V	ANT1	802.11ax(HE80)	5775.00	5775.156	5737.152	5813.160	5725~5850	Pass
45degrees C&&AC 120V	ANT1	802.11ax(HE80)	5775.00	5775.180	5737.464	5812.896	5725~5850	Pass
35degrees C&&AC 120V	ANT1	802.11ax(HE80)	5775.00	5775.144	5737.656	5812.632	5725~5850	Pass
25degrees C&&AC 120V	ANT1	802.11ax(HE80)	5775.00	5775.156	5737.836	5812.476	5725~5850	Pass
15degrees C&&AC 120V	ANT1	802.11ax(HE80)	5775.00	5775.150	5738.040	5812.260	5725~5850	Pass
5degrees C&&AC 120V	ANT1	802.11ax(HE80)	5775.00	5775.162	5738.268	5812.056	5725~5850	Pass
-5degrees C&&AC 120V	ANT1	802.11ax(HE80)	5775.00	5775.204	5738.484	5811.924	5725~5850	Pass

-15degrees C&&AC 120V	ANT1	802.11ax(HE80)	5775.00	5775.210	5738.712	5811.708	5725~5850	Pass
25degrees C&&AC 138V	ANT1	802.11ax(HE80)	5775.00	5775.186	5738.916	5811.456	5725~5850	Pass
25degrees C&&AC 120V	ANT1	802.11ax(HE80)	5775.00	5775.228	5739.108	5811.348	5725~5850	Pass
25degrees C&&AC 102V	ANT1	802.11ax(HE80)	5775.00	5775.282	5739.324	5811.240	5725~5850	Pass