

Appendix A

RF Test Data for BT LE(Conducted Measurement)

Product Name: Smart Pet Feeder

Test Model: ACF800D

Environmental Conditions

Temperature:	23.8° C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Jerry Chu
Supervised by:	Nick Peng



A.1 -6dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	BLE 1M	2402	Ant1	0.652	≥ 0.5	Pass
NVNT	BLE 1M	2440	Ant1	0.654	≥ 0.5	Pass
NVNT	BLE 1M	2480	Ant1	0.658	≥ 0.5	Pass
NVNT	BLE 2M	2402	Ant1	1.138	≥ 0.5	Pass
NVNT	BLE 2M	2440	Ant1	1.131	≥ 0.5	Pass
NVNT	BLE 2M	2480	Ant1	1.11	≥ 0.5	Pass






Test Graphs

-6dB Bandwidth NVNT BLE 1M 2402MHz Ant1



-6dB Bandwidth NVNT BLE 1M 2440MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-6dB Bandwidth NVNT BLE 1M 2480MHz Ant1



-6dB Bandwidth NVNT BLE 2M 2402MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-6dB Bandwidth NVNT BLE 2M 2440MHz Ant1



-6dB Bandwidth NVNT BLE 2M 2480MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity

A.2 Maximum Conducted Output Power


Condition	Mode	Frequency (MHz)	Antenna	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE 1M	2402	Ant1	-0.22	30	Pass
NVNT	BLE 1M	2440	Ant1	0.37	30	Pass
NVNT	BLE 1M	2480	Ant1	0.60	30	Pass
NVNT	BLE 2M	2402	Ant1	-0.35	30	Pass
NVNT	BLE 2M	2440	Ant1	0.22	30	Pass
NVNT	BLE 2M	2480	Ant1	0.42	30	Pass






Test Graphs

Power NVNT BLE 1M 2402MHz Ant1



Power NVNT BLE 1M 2440MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Power NVNT BLE 1M 2480MHz Ant1



Power NVNT BLE 2M 2402MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Power NVNT BLE 2M 2440MHz Ant1



Power NVNT BLE 2M 2480MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China



Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity


A.3 Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Total PSD (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
NVNT	BLE 1M	2402	Ant1	-16.78	8	Pass
NVNT	BLE 1M	2440	Ant1	-16.38	8	Pass
NVNT	BLE 1M	2480	Ant1	-15.99	8	Pass
NVNT	BLE 2M	2402	Ant1	-20.23	8	Pass
NVNT	BLE 2M	2440	Ant1	-20.08	8	Pass
NVNT	BLE 2M	2480	Ant1	-19.23	8	Pass








PSD NVNT BLE 1M 2480MHz Ant1



PSD NVNT BLE 2M 2402MHz Ant1











A.4 Band Edge



Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE 1M	2402	Ant1	-56.39	-20	Pass
NVNT	BLE 1M	2480	Ant1	-56.37	-20	Pass
NVNT	BLE 2M	2402	Ant1	-45.55	-20	Pass
NVNT	BLE 2M	2480	Ant1	-54.82	-20	Pass












A.5 Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE 1M	2402	Ant1	-54.07	-20	Pass
NVNT	BLE 1M	2440	Ant1	-55.16	-20	Pass
NVNT	BLE 1M	2480	Ant1	-55.4	-20	Pass
NVNT	BLE 2M	2402	Ant1	-55.06	-20	Pass
NVNT	BLE 2M	2440	Ant1	-55.12	-20	Pass
NVNT	BLE 2M	2480	Ant1	-55.17	-20	Pass




Test Graphs


Tx. Spurious NVNT BLE 1M 2402MHz Ant1 Ref




Tx. Spurious NVNT BLE 1M 2402MHz Ant1 Emission




Tx. Spurious NVNT BLE 1M 2440MHz Ant1 Ref




Tx. Spurious NVNT BLE 1M 2440MHz Ant1 Emission



Tx. Spurious NVNT BLE 1M 2480MHz Ant1 Ref




Tx. Spurious NVNT BLE 1M 2480MHz Ant1 Emission



Tx. Spurious NVNT BLE 2M 2402MHz Ant1 Ref




Tx. Spurious NVNT BLE 2M 2402MHz Ant1 Emission



Tx. Spurious NVNT BLE 2M 2440MHz Ant1 Ref




Tx. Spurious NVNT BLE 2M 2440MHz Ant1 Emission



Tx. Spurious NVNT BLE 2M 2480MHz Ant1 Ref





Tx. Spurious NVNT BLE 2M 2480MHz Ant1 Emission







A.6 Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	BLE 1M	2402	Ant1	87.39	0.59	0.61
NVNT	BLE 1M	2440	Ant1	87.41	0.58	0.61
NVNT	BLE 1M	2480	Ant1	87.39	0.59	0.61
NVNT	BLE 2M	2402	Ant1	65.96	1.81	1.21
NVNT	BLE 2M	2440	Ant1	65.96	1.81	1.21
NVNT	BLE 2M	2480	Ant1	65.96	1.81	1.21










A.7 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	BLE 1M	2402	Ant1	2310	-49.23	2	-	48.03	Peak	74	Pass
NVNT	BLE 1M	2402	Ant1	2310	-58.3	2	0.59	39.55	Average	54	Pass
NVNT	BLE 1M	2402	Ant1	2379.888	-47.59	2	-	49.67	Peak	74	Pass
NVNT	BLE 1M	2402	Ant1	2388.24	-57.59	2	0.59	40.26	Average	54	Pass
NVNT	BLE 1M	2402	Ant1	2390	-51.74	2	-	45.52	Peak	74	Pass
NVNT	BLE 1M	2402	Ant1	2390	-58.79	2	0.59	39.06	Average	54	Pass
NVNT	BLE 1M	2480	Ant1	2483.5	-48.57	2	-	48.69	Peak	74	Pass
NVNT	BLE 1M	2480	Ant1	2483.5	-56.96	2	0.59	40.89	Average	54	Pass
NVNT	BLE 1M	2480	Ant1	2484.232	-44.1	2	-	53.16	Peak	74	Pass
NVNT	BLE 1M	2480	Ant1	2483.512	-56.96	2	0.59	40.89	Average	54	Pass
NVNT	BLE 1M	2480	Ant1	2500	-50.43	2	-	46.83	Peak	74	Pass
NVNT	BLE 1M	2480	Ant1	2500	-57.67	2	0.59	40.18	Average	54	Pass
NVNT	BLE 2M	2402	Ant1	2310	-51.33	2	-	45.93	Peak	74	Pass
NVNT	BLE 2M	2402	Ant1	2310	-59.03	2	1.81	40.04	Average	54	Pass
NVNT	BLE 2M	2402	Ant1	2371.344	-46.65	2	-	50.61	Peak	74	Pass
NVNT	BLE 2M	2402	Ant1	2371.44	-57.72	2	1.81	41.35	Average	54	Pass
NVNT	BLE 2M	2402	Ant1	2390	-48.85	2	-	48.41	Peak	74	Pass
NVNT	BLE 2M	2402	Ant1	2390	-58.52	2	1.81	40.55	Average	54	Pass
NVNT	BLE 2M	2480	Ant1	2483.5	-50.51	2	-	46.75	Peak	74	Pass
NVNT	BLE 2M	2480	Ant1	2483.5	-57.82	2	1.81	41.25	Average	54	Pass
NVNT	BLE 2M	2480	Ant1	2487.688	-46.87	2	-	50.39	Peak	74	Pass
NVNT	BLE 2M	2480	Ant1	2484.04	-56.91	2	1.81	42.16	Average	54	Pass
NVNT	BLE 2M	2480	Ant1	2500	-50.12	2	-	47.14	Peak	74	Pass
NVNT	BLE 2M	2480	Ant1	2500	-58.31	2	1.81	40.76	Average	54	Pass




Test Graphs


Restrict Band NVNT BLE 1M 2402MHz Ant1 Peak



Restrict Band NVNT BLE 1M 2402MHz Ant1 Average



Restrict Band NVNT BLE 1M 2480MHz Ant1 Peak



Restrict Band NVNT BLE 1M 2480MHz Ant1 Average

