



BLE 1M Ant1 2480 0~Reference



BLE 1M Ant1 2480 30~1000




BLE 1M Ant1 2480 1000~26500




BLE 2M Ant1 2404 0~Reference



BLE 2M Ant1 2404 30~1000



BLE 2M Ant1 2404 1000~26500




BLE 2M Ant1 2440 0~Reference



BLE 2M Ant1 2440 30~1000




BLE 2M Ant1 2440 1000~26500




BLE 2M Ant1 2478 0~Reference



BLE 2M Ant1 2478 30~1000



BLE 2M Ant1 2478 1000~26500



Appendix B.5: Test Results of Radiated Spurious Emissions


Note:

- 1) This testing was carried out on different modulations, but only the worst case was presented in this report.
- 2) Testing was carried out within frequency range 9kHz to the tenth harmonics. The measurement results below 30MHz and 18GHz - 26.5GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz were reported.

30 MHz - 1GHz (Left earbud)

EUT Information

EUT Name:	OPENFIT 2
Model:	SHOKZ T920
Test Mode:	BLE 1M_Mid channel
Order No/Sample No:	168505519/A003825629-018
Test Voltage::	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
46.340769	15.34	40.00	24.66	100.0	H	127.0	-18.7
105.175000	17.40	43.50	26.10	100.0	H	29.0	-18.9
386.101923	21.47	46.00	24.53	100.0	H	265.0	-14.1
980.077692	34.30	54.00	19.70	100.0	H	20.0	-3.8

Final Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: OPENFIT 2
 Model: SHOKZ T920
 Test Mode: BLE 1M_Mid channel
 Order No/Sample No: 168505519/A003825629-018
 Test Voltage:: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
40.968462	14.42	40.00	25.58	100.0	V	115.0	-19.9
105.025769	13.94	43.50	29.56	100.0	V	178.0	-18.9
471.611154	19.93	46.00	26.07	100.0	V	143.0	-12.3
980.077692	33.12	54.00	20.88	100.0	V	292.0	-3.8

Final Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: OPENFIT 2
 Model: SHOKZ T920
 Test Mode: BLE 1M_High channel
 Order No/Sample No: 168505519/A003825629-018
 Test Voltage:: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7435.066667	---	35.56	54.00	18.44	150.0	V	3.0	8.4
7442.933333	45.03	---	74.00	28.97	150.0	V	74.0	8.4
12647.225000	50.24	---	74.00	23.76	150.0	V	49.0	15.0
12654.108333	---	41.60	54.00	12.40	150.0	V	289.0	15.0

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name:	OPENFIT 2
Model:	SHOKZ T920
Test Mode:	BLE 1M_Mid channel
Order No/Sample No:	168505519/A003825629-019
Test Voltage::	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
53.951539	15.16	40.00	24.84	100.0	H	14.0	-18.5
104.690000	16.98	43.50	26.52	100.0	H	238.0	-18.9
386.101923	20.41	46.00	25.59	100.0	H	340.0	-14.1
831.593077	28.34	46.00	17.66	100.0	H	143.0	-5.6
980.077692	34.11	54.00	19.89	100.0	H	34.0	-3.8

Final Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: OPENFIT 2
 Model: SHOKZ T920
 Test Mode: BLE 1M_Mid channel
 Order No/Sample No: 168505519/A003825629-019
 Test Voltage:: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
49.064231	14.44	40.00	25.56	100.0	V	272.0	-18.4
104.727308	16.70	43.50	26.80	100.0	V	41.0	-18.9
282.088077	15.54	46.00	30.46	100.0	V	120.0	-16.7
831.593077	28.76	46.00	17.24	100.0	V	359.0	-5.6
980.077692	33.21	54.00	20.79	100.0	V	247.0	-3.8

Final Result


Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

1GHz - 18GHz (Right earbud)

Note: The highest waveform in the figure is Bluetooth Fundamental.

EUT Information

EUT Name:	OPENFIT 2
Model:	SHOKZ T920
Test Mode:	BLE 1M_Low channel
Order No/Sample No:	168505519/A003825629-019
Test Voltage::	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1187.500000	46.03	---	74.00	27.97	150.0	H	181.0	1.7
1188.000000	---	38.66	54.00	15.34	150.0	H	346.0	1.7
4812.000000	52.47	---	74.00	21.53	150.0	H	207.0	13.3
4813.000000	---	41.83	54.00	12.17	150.0	H	234.0	13.3

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: OPENFIT 2
 Model: SHOKZ T920
 Test Mode: BLE 1M_High channel
 Order No/Sample No: 168505519/A003825629-019
 Test Voltage:: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4952.000000	---	41.54	54.00	12.46	150.0	H	68.0	13.3
4975.000000	52.39	---	74.00	21.61	150.0	H	13.0	13.3

Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Appendix B.6: Test Results of Radiated Emissions in Restricted Bands

Left earbud

EUT Information

EUT Name:	OPENFIT 2
Model:	SHOKZ T920
Test Mode:	BLE 1M_Low channel
Order No/Sample No:	168505519/A003825629-018
Test Voltage::	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2375.382353	---	41.48	54.00	12.52	150.0	V	328.0	8.5
2375.808824	51.69	---	74.00	22.31	150.0	V	11.0	8.5

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: OPENFIT 2
 Model: SHOKZ T920
 Test Mode: BLE 1M_Low channel
 Order No/Sample No: 168505519/A003825629-018
 Test Voltage:: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2324.029412	51.75	---	74.00	22.25	150.0	H	160.0	8.2
2325.514706	---	40.85	54.00	13.15	150.0	H	22.0	8.3

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	OPENFIT 2
Model:	SHOKZ T920
Test Mode:	BLE 1M_High channel
Order No/Sample No:	168505519/A003825629-018
Test Voltage::	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2489.551471	53.37	---	74.00	20.63	150.0	V	111.0	9.0
2489.650735	---	41.92	54.00	12.08	150.0	V	124.0	9.0

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	OPENFIT 2
Model:	SHOKZ T920
Test Mode:	BLE 1M_High channel
Order No/Sample No:	168505519/A003825629-018
Test Voltage::	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2492.323529	---	41.91	54.00	12.09	150.0	H	196.0	9.0
2492.459559	52.95	---	74.00	21.05	150.0	H	307.0	9.0

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: OPENFIT 2
 Model: SHOKZ T920
 Test Mode: BLE 2M_Low channel
 Order No/Sample No: 168505519/A003825629-018
 Test Voltage:: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2373.897059	---	41.59	54.00	12.41	150.0	V	336.0	8.5
2374.147059	51.64	---	74.00	22.36	150.0	V	111.0	8.5

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: OPENFIT 2
 Model: SHOKZ T920
 Test Mode: BLE 2M_Low channel
 Order No/Sample No: 168505519/A003825629-018
 Test Voltage:: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2374.735294	---	40.47	54.00	13.53	150.0	H	68.0	8.5
2374.794118	53.03	---	74.00	20.97	150.0	H	313.0	8.5

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	OPENFIT 2
Model:	SHOKZ T920
Test Mode:	BLE 2M_High channel
Order No/Sample No:	168505519/A003825629-018
Test Voltage::	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2487.819853	---	42.40	54.00	11.60	150.0	V	272.0	9.0
2487.963235	53.50	---	74.00	20.50	150.0	V	229.0	9.0

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	OPENFIT 2
Model:	SHOKZ T920
Test Mode:	BLE 2M_High channel
Order No/Sample No:	168505519/A003825629-018
Test Voltage::	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2487.854412	53.69	---	74.00	20.31	150.0	H	199.0	9.0
2487.947059	---	42.33	54.00	11.67	150.0	H	33.0	9.0


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Right earbud

EUT Information

EUT Name:	OPENFIT 2
Model:	SHOKZ T920
Test Mode:	BLE 1M_Low channel
Order No/Sample No:	168505519/A003825629-019
Test Voltage::	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2371.691177	52.66	---	74.00	21.34	150.0	V	301.0	8.5
2375.029412	---	41.47	54.00	12.53	150.0	V	0.0	8.5

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: OPENFIT 2
 Model: SHOKZ T920
 Test Mode: BLE 1M_Low channel
 Order No/Sample No: 168505519/A003825629-019
 Test Voltage:: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2377.911765	---	41.87	54.00	12.13	150.0	H	357.0	8.5
2378.308824	51.64	---	74.00	22.36	150.0	H	318.0	8.5

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	OPENFIT 2
Model:	SHOKZ T920
Test Mode:	BLE 1M_High channel
Order No/Sample No:	168505519/A003825629-019
Test Voltage::	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2489.014706	---	41.84	54.00	12.16	150.0	V	22.0	9.0
2489.033088	53.54	---	74.00	20.46	150.0	V	34.0	9.0

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: OPENFIT 2
 Model: SHOKZ T920
 Test Mode: BLE 1M_High channel
 Order No/Sample No: 168505519/A003825629-019
 Test Voltage:: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2491.672794	53.37	---	74.00	20.63	150.0	H	340.0	9.0
2491.816177	---	41.94	54.00	12.06	150.0	H	244.0	9.0

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: OPENFIT 2
 Model: SHOKZ T920
 Test Mode: BLE 2M_Low channel
 Order No/Sample No: 168505519/A003825629-019
 Test Voltage:: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2333.058824	---	40.75	54.00	13.25	150.0	V	265.0	8.3
2333.323530	51.83	---	74.00	22.17	150.0	V	335.0	8.3

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: OPENFIT 2
 Model: SHOKZ T920
 Test Mode: BLE 2M_Low channel
 Order No/Sample No: 168505519/A003825629-019
 Test Voltage:: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2378.014706	51.48	---	74.00	22.52	150.0	H	272.0	8.5
2379.632353	---	41.84	54.00	12.16	150.0	H	121.0	8.5

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: OPENFIT 2
 Model: SHOKZ T920
 Test Mode: BLE 2M_High channel
 Order No/Sample No: 168505519/A003825629-019
 Test Voltage:: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2487.863971	54.08	---	74.00	19.92	150.0	V	44.0	9.0
2487.871324	---	42.09	54.00	11.91	150.0	V	0.0	9.0

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	OPENFIT 2
Model:	SHOKZ T920
Test Mode:	BLE 2M_High channel
Order No/Sample No:	168505519/A003825629-019
Test Voltage::	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2487.974265	---	41.92	54.00	12.08	150.0	H	0.0	9.0
2488.113971	52.95	---	74.00	21.05	150.0	H	225.0	9.0

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---