



Above 1G (1GHz~18GHz)

Test mode: 11AC160MIMO


Test Channel:114

VERTICAL




HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11140.000	14.18	48.77	62.95	74.00	-11.05	peak		
2 *		11140.000	2.51	48.77	51.28	54.00	-2.72	AVG		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	30.17	14.44	44.61	68.20	-23.59	peak		
2		5460.000	49.86	14.51	64.37	68.20	-3.83	peak		
3 *		5460.000	38.96	14.51	53.47	54.00	-0.53	AVG		


Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO

Test Channel:36


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	
1	*	10360.000	57.24	7.05	64.29	68.20	-3.91	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1		4500.000	30.74	13.85	44.59	68.20	-23.61	peak		
2		5150.000	48.10	15.62	63.72	68.20	-4.48	peak		
3	*	5150.000	36.42	15.62	52.04	54.00	-1.96	AVG		


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	10360.000	55.08	7.05	62.13	68.20	-6.07	peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		4500.000	29.48	13.85	43.33	68.20	-24.87	peak		
2		5150.000	48.31	15.62	63.93	68.20	-4.27	peak		
3	*	5150.000	37.62	15.62	53.24	54.00	-0.76	AVG		

Above 1G (1GHz~18GHz)


Test mode: 11AX20MIMO

Test Channel:40

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO

Test Channel:48

VERTICAL


Radiated Emission



No.	Mk	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	
1	*	10480.000	57.78	6.47	64.25	68.20	-3.95	peak		

HORIZONTAL

Radiated Emission




No.	Mk	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	
1	*	10480.000	55.66	6.47	62.13	68.20	-6.07	peak		

Above 1G (1GHz~18GHz)


Test mode: 11AX20MIMO

Test Channel:52

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11AX20MIMO

Test Channel:56

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO

Test Channel:64


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
-1		10640.000	58.10	6.47	64.57	74.00	-9.43	peak		
2 *		10640.000	46.91	6.47	53.38	54.00	-0.62	AVG		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	47.20	14.44	61.64	68.20	-6.56	peak		
2 *		5350.000	34.84	14.44	49.28	54.00	-4.72	AVG		
3		5460.000	29.92	14.51	44.43	68.20	-23.77	peak		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10640.000	55.96	6.47	62.43	74.00	-11.57	peak		
2 *		10640.000	44.61	6.47	51.08	54.00	-2.92	AVG		

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	51.41	14.44	65.85	68.20	-2.35	peak		
2 *		5350.000	39.11	14.44	53.55	54.00	-0.45	AVG		
3		5460.000	30.00	14.51	44.51	68.20	-23.69	peak		

Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO


Test Channel:100

VERTICAL




HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11000.000	59.01	3.44	62.45	74.00	-11.55	peak		
2 *		11000.000	47.68	3.44	51.12	54.00	-2.88	AVG		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	31.05	14.44	45.49	68.20	-22.71	peak		
2 *		5460.000	33.22	14.51	47.73	68.20	-20.47	peak		

Above 1G (1GHz~18GHz)


Test mode: 11AX20MIMO

Test Channel:116

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO


Test Channel:140

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11400.000	15.69	49.06	64.75	74.00	-9.25	peak	
2	*	11400.000	4.22	49.06	53.28	54.00	-0.72	AVG	

HORIZONTAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11400.000	13.20	49.06	62.26	74.00	-11.74	peak	
2	*	11400.000	2.12	49.06	51.18	54.00	-2.82	AVG	


Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO

Test Channel:149


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11490.000	15.30	49.26	64.56	74.00	-9.44	peak	
2 *		11490.000	4.51	49.26	53.77	54.00	-0.23	AVG	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1 *		5650.000	39.75	15.12	54.87	68.20	-13.33	peak	
2		5700.000	42.32	15.46	57.78	105.20	-47.42	peak	
3		5720.000	74.86	15.33	90.19	110.80	-20.61	peak	
4		5725.000	79.70	15.30	95.00	122.20	-27.20	peak	


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11490.000	13.23	49.26	62.49	74.00	-11.51			peak
2 *		11490.000	2.01	49.26	51.27	54.00	-2.73			AVG

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1 *		5650.000	38.72	15.12	53.84	68.20	-14.36			peak
2		5700.000	42.22	15.46	57.68	105.20	-47.52			peak
3		5720.000	77.59	15.33	92.92	110.80	-17.88			peak
4		5725.000	81.05	15.30	96.35	122.20	-25.85			peak

Above 1G (1GHz~18GHz)


Test mode: 11AX20MIMO

Test Channel:157

VERTICAL



HORIZONTAL





Above 1G (1GHz~18GHz)



Test mode: 11AX20MIMO

Test Channel:165

VERTICAL



HORIZONTALA





Above 1G (1GHz~18GHz)

Test mode: 11AX40MIMO


Test Channel:38

VERTICAL




HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	10380.000	55.48	6.80	62.28	68.20	-5.92	peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		4500.000	30.73	13.85	44.58	68.20	-23.62	peak		
2		5150.000	51.63	15.62	67.25	68.20	-0.95	peak		
3	*	5150.000	38.10	15.62	53.72	54.00	-0.28	AVG		

Above 1G (1GHz~18GHz)


Test mode: 11AX40MIMO

Test Channel:46

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11AX40MIMO

Test Channel:54

VERTICAL




HORIZONTAL




VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		10620.000	58.15	6.07	64.22	74.00	-9.78	peak	
2 *		10620.000	47.71	6.07	53.78	54.00	-0.22	AVG	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	47.52	14.44	61.96	68.20	-6.24	peak	
2 *		5350.000	36.80	14.44	51.24	54.00	-2.76	AVG	
3		5460.000	30.08	14.51	44.59	68.20	-23.61	peak	


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		10620.000	56.24	6.07	62.31	74.00	-11.69	peak	
2	*	10620.000	44.87	6.07	50.94	54.00	-3.06	AVG	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	51.68	14.44	66.12	68.20	-2.08	peak	
2	*	5350.000	38.85	14.44	53.29	54.00	-0.71	AVG	
3		5460.000	29.32	14.51	43.83	68.20	-24.37	peak	


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11020.000	60.87	3.66	64.53	74.00	-9.47	peak		
2 *		11020.000	49.56	3.66	53.22	54.00	-0.78	AVG		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	30.33	14.44	44.77	68.20	-23.43	peak		
2 *		5460.000	35.57	14.51	50.08	68.20	-18.12	peak		




HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11020.000	58.81	3.66	62.47	74.00	-11.53	peak		
2 *		11020.000	47.89	3.66	51.55	54.00	-2.45	AVG		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	33.10	14.44	47.54	68.20	-20.66	peak		
2 *		5460.000	36.87	14.51	51.38	68.20	-16.82	peak		

Above 1G (1GHz~18GHz)


Test mode: 11AX40MIMO

Test Channel:118

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11AX40MIMO

Test Channel:134

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11AX40MIMO

Test Channel:151

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11510.000	15.37	49.24	64.61	74.00	-9.39	peak	
2 *		11510.000	4.65	49.24	53.89	54.00	-0.11	AVG	



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		5650.000	40.33	15.12	55.45	68.20	-12.75	peak	
2		5700.000	75.03	15.46	90.49	105.20	-14.71	peak	
3 *		5720.000	84.48	15.33	99.81	110.80	-10.99	peak	
4		5725.000	85.11	15.30	100.41	122.20	-21.79	peak	


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11510.000	13.22	49.24	62.46	74.00	-11.54	peak	
2	*	11510.000	1.76	49.24	51.00	54.00	-3.00	AVG	

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		5650.000	39.52	15.12	54.64	68.20	-13.56	peak	
2		5700.000	71.57	15.46	87.03	105.20	-18.17	peak	
3	*	5720.000	83.93	15.33	99.26	110.80	-11.54	peak	
4		5725.000	85.74	15.30	101.04	122.20	-21.16	peak	


Above 1G (1GHz~18GHz)

Test mode: 11AX40MIMO

Test Channel:159


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11590.000	15.40	48.86	64.26	74.00	-9.74	peak	
2 *		11590.000	4.47	48.86	53.33	54.00	-0.67	AVG	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		5850.000	66.63	15.18	81.81	122.20	-40.39	peak	
2		5855.000	61.88	15.25	77.13	110.80	-33.67	peak	
3		5875.000	38.95	15.51	54.46	105.20	-50.74	peak	
4 *		5925.000	38.16	16.28	54.44	68.20	-13.76	peak	


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11590.000	13.22	48.86	62.08	74.00	-11.92			peak
2 *		11590.000	2.70	48.86	51.56	54.00	-2.44			AVG

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5850.000	67.40	15.18	82.58	122.20	-39.62			peak
2		5855.000	64.20	15.25	79.45	110.80	-31.35			peak
3		5875.000	43.76	15.51	59.27	105.20	-45.93			peak
4 *		5925.000	40.42	16.28	56.70	68.20	-11.50			peak

Above 1G (1GHz~18GHz)

Test mode: 11AX80MIMO

Test Channel:42


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10420.000	57.47	6.54	64.01	68.20	-4.19	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		4500.000	30.71	13.85	44.56	68.20	-23.64	peak		
2		5150.000	48.96	15.62	64.58	68.20	-3.62	peak		
3	*	5150.000	35.62	15.62	51.24	54.00	-2.76	AVG		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10420.000	56.04	6.54	62.58	68.20	-5.62	peak		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		4500.000	29.42	13.85	43.27	68.20	-24.93	peak		
2		5150.000	50.84	15.62	66.46	68.20	-1.74	peak		
3	*	5150.000	37.95	15.62	53.57	54.00	-0.43	AVG		

Above 1G (1GHz~18GHz)

Test mode: 11AX80MIMO

Test Channel:58


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	
1	*	10580.000	58.83	5.83	64.66	68.20	-3.54	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1		5350.000	49.20	14.44	63.64	68.20	-4.56	peak		
2	*	5350.000	35.78	14.44	50.22	54.00	-3.78	AVG		
3		5460.000	30.43	14.51	44.94	68.20	-23.26	peak		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree		
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10580.000	56.81	5.83	62.64	68.20	-5.56	peak			

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		5350.000	51.77	14.44	66.21	68.20	-1.99	peak			
2	*	5350.000	38.97	14.44	53.41	54.00	-0.59	AVG			
3		5460.000	30.70	14.51	45.21	68.20	-22.99	peak			

Above 1G (1GHz~18GHz)

Test mode: 11AX80MIMO

Test Channel:106

VERTICAL

