


Above 1G (1GHz~40GHz)


Test mode: 11AX20MIMO

Test Channel:64

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	30.08	33.47	63.55	74.00	-10.45	peak		
2	*	5350.000	17.08	33.47	50.55	54.00	-3.45	AVG		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10636.733	53.88	-3.23	50.65	74.00	-23.35	peak		
2	*	10638.865	41.75	-3.23	38.52	54.00	-15.48	AVG		
3		15958.300	50.15	-0.11	50.04	74.00	-23.96	peak		
4		15961.498	38.18	-0.11	38.07	54.00	-15.93	AVG		

### HORIZONTALA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1		5350.000	36.48	33.47	69.95	74.00	-4.05			peak
2 *		5350.000	18.94	33.47	52.41	54.00	-1.59			AVG





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1 *		10658.415	45.38	-3.21	42.17	54.00	-11.83			AVG
2		10659.200	56.56	-3.20	53.36	74.00	-20.64			peak
3		15999.300	51.19	-0.11	51.08	74.00	-22.92			peak
4		16003.821	39.05	-0.10	38.95	54.00	-15.05			AVG

Above 1G (1GHz~40GHz)


Test mode: 11AX20MIMO

Test Channel:100


VERTICAL



### HORIZONTALA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5460.000	35.06	33.49	68.55	74.00	-5.45			peak
2		5460.000	17.48	33.49	50.97	54.00	-3.03			AVG
3 *		5470.000	34.27	33.49	67.76	68.20	-0.44			peak




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1 *		11001.425	46.50	-2.82	43.68	54.00	-10.32			AVG
2		11002.233	58.86	-2.82	56.04	74.00	-17.96			peak
3		16503.867	50.81	1.28	52.09	68.20	-16.11			peak

Above 1G (1GHz~40GHz)


Test mode: 11AX20MIMO

Test Channel:116

VERTICAL



HORIZONTAL




Above 1G (1GHz~40GHz)


Test mode: 11AX20MIMO

Test Channel:140

VERTICAL





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5850.000	27.54	34.13	61.67	68.20	-6.53			peak



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11400.436	42.86	-0.81	42.05	54.00	-11.95			AVG
2		11401.733	53.49	-0.81	52.68	74.00	-21.32			peak
3		17104.667	50.00	3.03	53.03	68.20	-15.17			peak

### HORIZONTALA




Above 1G (1GHz~40GHz)


Test mode: 11AX20MIMO

Test Channel:144

VERTICAL



HORIZONTAL






Above 1G (1GHz~40GHz)


Test mode: 11AX20MIMO

Test Channel:149

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5649.800	30.22	33.77	63.99	68.20	-4.21			peak
2	!	5938.600	29.56	34.29	63.85	68.20	-4.35			peak




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11489.836	45.49	-0.36	45.13	54.00	-8.87			AVG
2		11493.533	53.41	-0.34	53.07	74.00	-20.93			peak
3		17237.267	51.69	3.80	55.49	68.20	-12.71			peak

### HORIZONTALA



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1	*	5645.000	33.34	33.76	67.10	68.20	-1.10	peak			
2	!	5943.800	30.57	34.30	64.87	68.20	-3.33	peak			




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1	*	11491.064	50.17	-0.35	49.82	54.00	-4.18	AVG			
2		11491.833	60.04	-0.35	59.69	74.00	-14.31	peak			
3		17234.433	50.33	3.79	54.12	68.20	-14.08	peak			

Above 1G (1GHz~40GHz)


Test mode: 11AX20MIMO

Test Channel:157

VERTICAL



HORIZONTAL




Above 1G (1GHz~40GHz)


Test mode: 11AX20MIMO

Test Channel:165

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	!	5632.600	29.62	33.74	63.36	68.20	-4.84	peak		
2	*	5929.400	30.28	34.27	64.55	68.20	-3.65	peak		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11649.735	45.89	-0.86	45.03	54.00	-8.97	AVG		
2		11651.433	55.28	-0.86	54.42	74.00	-19.58	peak		
3		17475.467	50.35	5.18	55.53	68.20	-12.67	peak		

### HORIZONTAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		cm	degree	
1	!	5629.800	30.11	33.73	63.84	68.20	-4.36	peak			
2	*	5931.400	33.67	34.28	67.95	68.20	-0.25	peak			




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		cm	degree	
1	*	11651.066	49.33	-0.86	48.47	54.00	-5.53	AVG			
2		11651.067	59.52	-0.86	58.66	74.00	-15.34	peak			
3		17473.000	50.17	5.16	55.33	68.20	-12.87	peak			

Above 1G (1GHz~40GHz)


Test mode: 11AX40MIMO

Test Channel:38

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5150.000	27.21	33.43	60.64	74.00	-13.36			peak
2 *		5150.000	18.48	33.43	51.91	54.00	-2.09			AVG




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10380.600	53.74	-3.58	50.16	68.20	-18.04			peak
2 *		15571.707	40.24	-0.15	40.09	54.00	-13.91			AVG
3		15571.833	51.28	-0.15	51.13	74.00	-22.87			peak

### HORIZONTALA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1		5150.000	31.29	33.43	64.72	74.00	-9.28	peak		
2	*	5150.000	20.41	33.43	53.84	54.00	-0.16	AVG		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1		10382.300	54.73	-3.58	51.15	68.20	-17.05	peak		
2	*	15568.351	40.21	-0.15	40.06	54.00	-13.94	AVG		
3		15570.133	52.59	-0.15	52.44	74.00	-21.56	peak		

Above 1G (1GHz~40GHz)


Test mode: 11AX40MIMO

Test Channel:46

VERTICAL



HORIZONTAL






Above 1G (1GHz~40GHz)


Test mode: 11AX40MIMO

Test Channel:54

VERTICAL



HORIZONTAL




Above 1G (1GHz~40GHz)


Test mode: 11AX40MIMO

Test Channel:62

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	26.57	33.47	60.04	74.00	-13.96	peak	
2 *		5350.000	17.32	33.47	50.79	54.00	-3.21	AVG	




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1 *		10618.437	41.87	-3.25	38.62	54.00	-15.38	AVG	
2		10618.600	54.53	-3.25	51.28	74.00	-22.72	peak	
3		15924.454	37.88	-0.12	37.76	54.00	-16.24	AVG	
4		15932.233	50.10	-0.12	49.98	74.00	-24.02	peak	

### HORIZONTALA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	28.93	33.47	62.40	74.00	-11.60			peak
2 *		5350.000	19.61	33.47	53.08	54.00	-0.92			AVG




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1 *		10620.881	45.56	-3.25	42.31	54.00	-11.69			AVG
2		10622.567	56.90	-3.25	53.65	74.00	-20.35			peak
3		15928.000	38.67	-0.12	38.55	54.00	-15.45			AVG
4		15931.767	49.77	-0.12	49.65	74.00	-24.35			peak

Above 1G (1GHz~40GHz)


Test mode: 11AX40MIMO

Test Channel:102

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5460.000	26.98	33.49	60.47	74.00	-13.53			peak
2 *		5460.000	16.58	33.49	50.07	54.00	-3.93			AVG
3		5470.000	30.12	33.49	63.61	68.20	-4.59			peak




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11021.333	54.13	-2.72	51.41	74.00	-22.59			peak
2 *		11023.119	42.13	-2.71	39.42	54.00	-14.58			AVG
3		16531.567	51.09	1.34	52.43	68.20	-15.77			peak



### HORIZONTALA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5460.000	28.80	33.49	62.29	74.00	-11.71			peak
2		5460.000	17.86	33.49	51.35	54.00	-2.65			AVG
3 *		5470.000	32.84	33.49	66.33	68.20	-1.87			peak




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11015.833	54.74	-2.75	51.99	74.00	-22.01			peak
2 *		11017.190	41.59	-2.74	38.85	54.00	-15.15			AVG
3		16529.500	50.50	1.34	51.84	68.20	-16.36			peak

Above 1G (1GHz~40GHz)

Test mode: 11AX40MIMO


Test Channel:110

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11101.199	40.92	-2.32	38.60	54.00	-15.40	AVG		
2		11104.200	53.05	-2.30	50.75	74.00	-23.25	peak		
3		16652.000	50.57	1.62	52.19	68.20	-16.01	peak		

HORIZONTAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11096.867	55.81	-2.34	53.47	74.00	-20.53	peak		
2	*	11102.201	44.27	-2.31	41.96	54.00	-12.04	AVG		
3		16655.333	50.68	1.63	52.31	68.20	-15.89	peak		

Above 1G (1GHz~40GHz)


Test mode: 11AX40MIMO

Test Channel:134

VERTICAL





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1	*	5850.000	27.65	34.13	61.78	68.20	-6.42	peak	



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1	*	11337.971	40.85	-1.13	39.72	54.00	-14.28	AVG	
2		11339.733	53.72	-1.12	52.60	74.00	-21.40	peak	
3		17004.933	50.29	2.46	52.75	68.20	-15.45	peak	



### HORIZONTALA




Above 1G (1GHz~40GHz)


Test mode: 11AX40MIMO

Test Channel:142

VERTICAL



HORIZONTAL




Above 1G (1GHz~40GHz)


Test mode: 11AX40MIMO

Test Channel: 151

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5652.600	32.49	33.77	66.26	70.13	-3.87			peak
2	!	5947.400	29.64	34.31	63.95	68.20	-4.25			peak




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11506.919	44.95	-0.34	44.61	54.00	-9.39			AVG
2		11508.833	54.07	-0.34	53.73	74.00	-20.27			peak
3		17268.033	51.20	3.98	55.18	68.20	-13.02			peak

### HORIZONTALA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5642.200	34.31	33.76	68.07	68.20	-0.13			peak
2	!	5945.400	30.37	34.30	64.67	68.20	-3.53			peak




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11509.277	48.79	-0.34	48.45	54.00	-5.55			AVG
2		11511.100	57.84	-0.35	57.49	74.00	-16.51			peak
3		17267.133	50.31	3.97	54.28	68.20	-13.92			peak

Above 1G (1GHz~40GHz)


Test mode: 11AX40MIMO

Test Channel:159

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	!	5630.600	29.89	33.74	63.63	68.20	-4.57	peak		
2	*	5955.800	29.86	34.32	64.18	68.20	-4.02	peak		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11588.933	53.73	-0.64	53.09	74.00	-20.91	peak		
2	*	11589.773	44.05	-0.64	43.41	54.00	-10.59	AVG		
3		17383.067	50.56	4.64	55.20	68.20	-13.00	peak		

### HORIZONTAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1	!	5633.800	31.97	33.74	65.71	68.20	-2.49	peak	
2	*	5933.000	32.60	34.28	66.88	68.20	-1.32	peak	




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		11588.167	59.40	-0.63	58.77	74.00	-15.23	peak	
2	*	11592.058	49.02	-0.65	48.37	54.00	-5.63	AVG	
3		17385.533	50.62	4.66	55.28	68.20	-12.92	peak	

Above 1G (1GHz~40GHz)


Test mode: 11AX80MIMO

Test Channel:42

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5150.000	27.24	33.43	60.67	74.00	-13.33			peak
2	*	5150.000	18.32	33.43	51.75	54.00	-2.25			AVG




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10425.367	53.09	-3.51	49.58	68.20	-18.62			peak
2		15632.667	52.53	-0.15	52.38	74.00	-21.62			peak
3	*	15633.504	39.81	-0.15	39.66	54.00	-14.34			AVG

### HORIZONTALA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5150.000	28.53	33.43	61.96	74.00	-12.04			peak
2	*	5150.000	20.02	33.43	53.45	54.00	-0.55			AVG



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10419.900	53.07	-3.52	49.55	68.20	-18.65			peak
2		15630.967	52.22	-0.15	52.07	74.00	-21.93			peak
3	*	15633.404	39.66	-0.15	39.51	54.00	-14.49			AVG




Above 1G (1GHz~40GHz)


Test mode: 11AX80MIMO

Test Channel:58

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	27.48	33.47	60.95	74.00	-13.05		peak
2 *		5350.000	17.26	33.47	50.73	54.00	-3.27		AVG




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		10582.700	53.78	-3.29	50.49	68.20	-17.71		peak
2 *		15871.965	39.44	-0.12	39.32	54.00	-14.68		AVG
3		15873.867	51.33	-0.12	51.21	74.00	-22.79		peak

### HORIZONTALA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	28.98	33.47	62.45	74.00	-11.55	peak		
2		5350.000	19.71	33.47	53.18	54.00	-0.82	AVG		
3		5353.600	32.57	33.47	66.04	74.00	-7.96	peak		
4 *		5353.600	20.48	33.47	53.95	54.00	-0.05	AVG		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10580.433	54.01	-3.29	50.72	68.20	-17.48	peak		
2 *		15871.450	39.23	-0.12	39.11	54.00	-14.89	AVG		
3		15872.167	51.16	-0.12	51.04	74.00	-22.96	peak		

Above 1G (1GHz~40GHz)


Test mode: 11AX80MIMO

Test Channel:106

VERTICAL




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		5458.400	26.56	33.49	60.05	74.00	-13.95	peak			
2 *		5458.400	19.16	33.49	52.65	54.00	-1.35	AVG			
3		5460.000	27.75	33.49	61.24	74.00	-12.76	peak			
4		5463.200	19.34	33.49	52.83	68.20	-15.37	AVG			
5		5470.000	28.18	33.49	61.67	68.20	-6.53	peak			




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1 *		11062.451	42.13	-2.52	39.61	54.00	-14.39	AVG			
2		11062.867	53.71	-2.51	51.20	74.00	-22.80	peak			
3		16592.433	51.49	1.48	52.97	68.20	-15.23	peak			

### HORIZONTALA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5458.000	31.23	33.49	64.72	74.00	-9.28			peak
2	*	5458.000	20.23	33.49	53.72	54.00	-0.28			AVG
3		5460.000	31.64	33.49	65.13	74.00	-8.87			peak
4		5460.000	19.50	33.49	52.99	54.00	-1.01			AVG
5		5470.000	31.49	33.49	64.98	68.20	-3.22			peak




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11057.800	54.28	-2.54	51.74	74.00	-22.26			peak
2	*	11059.222	41.64	-2.53	39.11	54.00	-14.89			AVG
3		16586.367	51.76	1.47	53.23	68.20	-14.97			peak

Above 1G (1GHz~40GHz)

Test mode: 11AX80MIMO

Test Channel:122

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5460.000	27.10	33.49	60.59	74.00	-13.41			peak
2 *		5460.000	17.42	33.49	50.91	54.00	-3.09			AVG
3		5470.000	28.30	33.49	61.79	68.20	-6.41			peak
4		5725.000	27.87	33.91	61.78	68.20	-6.42			peak




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	cm	degree	Comment
1 *		11221.552	41.46	-1.71	39.75	54.00	-14.25			AVG
2		11222.500	54.41	-1.71	52.70	74.00	-21.30			peak

HORIZONTALA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1		5460.000	31.06	33.49	64.55	74.00	-9.45	peak		
2		5460.000	19.59	33.49	53.08	54.00	-0.92	AVG		
3		5470.000	30.91	33.49	64.40	68.20	-3.80	peak		
4 *		5725.000	33.88	33.91	67.79	68.20	-0.41	peak		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBm	dB	dBm	dBm	dB	cm	degree	
1		11216.250	57.24	-1.74	55.50	74.00	-18.50	peak		
2 *		11221.984	44.99	-1.71	43.28	54.00	-10.72	AVG		

Above 1G (1GHz~40GHz)

Test mode: 11AX80MIMO


Test Channel:138

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11380.250	42.46	-0.91	41.55	54.00	-12.45	AVG		
2		11381.250	52.93	-0.91	52.02	74.00	-21.98	peak		

HORIZONTAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11379.000	52.93	-0.92	52.01	74.00	-21.99	peak		
2	*	11381.750	44.50	-0.91	43.59	54.00	-10.41	AVG		






Above 1G (1GHz~40GHz)


Test mode: 11AX80MIMO

Test Channel: 155

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5653.800	30.96	33.78	64.74	71.02	-6.28			peak
2 *		5969.400	30.16	34.34	64.50	68.20	-3.70			peak




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1 *		11506.919	44.95	-0.34	44.61	54.00	-9.39			AVG
2		11508.833	54.07	-0.34	53.73	74.00	-20.27			peak
3		17268.033	51.20	3.98	55.18	68.20	-13.02			peak

### HORIZONTALA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5638.600	34.32	33.75	68.07	68.20	-0.13			peak
2	!	5938.600	32.62	34.29	66.91	68.20	-1.29			peak




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11509.277	48.79	-0.34	48.45	54.00	-5.55			AVG
2		11511.100	57.84	-0.35	57.49	74.00	-16.51			peak
3		17267.133	50.31	3.97	54.28	68.20	-13.92			peak

Above 1G (1GHz~40GHz)


Test mode: 11AX160MIMO

Test Channel:50

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5150.000	25.92	33.43	59.35	74.00	-14.65			peak
2		5150.000	16.53	33.43	49.96	54.00	-4.04			AVG
3		5350.000	26.52	33.47	59.99	74.00	-14.01			peak
4		5350.000	16.72	33.47	50.19	54.00	-3.81			AVG
5		5387.200	26.38	33.48	59.86	74.00	-14.14			peak
6 *		5387.200	18.11	33.48	51.59	54.00	-2.41			AVG




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10501.667	53.50	-3.38	50.12	68.20	-18.08			peak
2 *		15787.626	38.48	-0.13	38.35	54.00	-15.65			AVG
3		15788.300	51.39	-0.13	51.26	74.00	-22.74			peak

### HORIZONTALA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5150.000	27.72	33.43	61.15	74.00	-12.85	peak		
2		5150.000	17.84	33.43	51.27	54.00	-2.73	AVG		
3		5350.000	28.25	33.47	61.72	74.00	-12.28	peak		
4		5350.000	19.14	33.47	52.61	54.00	-1.39	AVG		
5		5377.600	30.54	33.48	64.02	74.00	-9.98	peak		
6 *		5377.600	20.25	33.48	53.73	54.00	-0.27	AVG		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10499.367	54.12	-3.38	50.74	68.20	-17.46	peak		
2		15746.933	50.58	-0.14	50.44	74.00	-23.56	peak		
3 *		15747.741	39.02	-0.14	38.88	54.00	-15.12	AVG		

Above 1G (1GHz~40GHz)


Test mode: 11AX160MIMO

Test Channel:114

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5460.000	27.53	33.49	61.02	74.00	-12.98			peak
2 *		5460.000	17.21	33.49	50.70	54.00	-3.30			AVG
3		5470.000	27.89	33.49	61.38	68.20	-6.82			peak
4		5725.000	27.21	33.91	61.12	68.20	-7.08			peak




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1 *		11143.128	42.37	-2.11	40.26	54.00	-13.74			AVG
2		11145.067	54.35	-2.10	52.25	74.00	-21.75			peak
3		16711.800	51.07	1.76	52.83	68.20	-15.37			peak

### HORIZONTALA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5460.000	28.37	33.49	61.86	74.00	-12.14			peak
2	*	5460.000	18.71	33.49	52.20	54.00	-1.80			AVG
3		5470.000	29.45	33.49	62.94	68.20	-5.26			peak
4		5725.000	30.08	33.91	63.99	68.20	-4.21			peak



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11142.254	40.93	-2.11	38.82	54.00	-15.18			AVG
2		11142.433	54.72	-2.11	52.61	74.00	-21.39			peak
3	*	16713.867	52.96	1.77	54.73	68.20	-13.47			peak

Note: All the EUT's emissions had been evaluated for simultaneous transmission with the WIFI 2.4GHz and WIFI 5GHz, and there were no any additional or worse emissions found.

### 3.3 Spectrum Bandwidth

#### 3.3.1 Limit

FCC Part15, Subpart E (15.407)			
Section	Test Item	Limit	Frequency Range (MHz)
15.407(a)	26 dB Bandwidth	-	5150-5250
	26 dB Bandwidth	-	5250-5350
15.407(e)	26 dB Bandwidth	-	5470-5725
	26 dB Bandwidth	-	5725-5850
	6 dB Bandwidth	Minimum 500 kHz	5725-5850

#### 3.3.2 Test Procedure

Test Method	
<input checked="" type="radio"/> Conducted Measurement	<input type="radio"/> Radiated Measurement
Test Channels	
<input checked="" type="radio"/> Lowest, Middle and Highest Channel	<input type="radio"/> Lowest and Highest Channel
Environmental conditions	
<input checked="" type="radio"/> Normal	<input type="radio"/> Normal and Extreme
Note: <input checked="" type="radio"/> :Test <input type="radio"/> :No Test	

a) The EUT was directly connected to the tonscend test system and antenna output port as show in the block diagram below.

b) the spectrum analyser is set as follow:

For 26 dB Bandwidth


Centre Frequency	The centre frequency of the channel under test
RBW	$\geq 1\% \times$ Nominal Channel Bandwidth
VBW	$\geq 3 \times$ RBW
Frequency span	2 x Nominal Channel Bandwidth
Detector Mode	Peak
Trace Mode	Max Hold
Sweep Time	Auto Couple

For 6 dB Bandwidth

Centre Frequency	The centre frequency of the channel under test
RBW	100 kHz
VBW	300 kHz
Frequency span	2 x Nominal Channel Bandwidth
Detector Mode	Peak
Trace Mode	Max Hold
Sweep Time	Auto Couple

- c) Wait for the trace to stabilize then find the peak value of the trace and place the analyser marker on this peak.
- d) Use the -26/-6dB bandwidth function of the spectrum analyser to measure the -26/-6dB Bandwidth of the EUT. This value shall be recorded.
- e) Make sure that the power envelope is sufficiently above the noise floor of the analyser to avoid the noise signals left and right from the power envelope being taken into account by this measurement.

### 3.3.3 Test Setup





### 3.3.4 Test Result

#### 26 dB Bandwidth

TestMode	Antenna	Frequency[MHz]	26db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A-MIMO	Ant1	5180	21.480	5169.200	5190.680	---	---
	Ant2	5180	21.440	5169.320	5190.760	---	---
	Ant3	5180	21.400	5169.320	5190.720	---	---
	Ant4	5180	21.640	5169.120	5190.760	---	---
	Ant1	5200	21.760	5189.200	5210.960	---	---
	Ant2	5200	21.640	5189.000	5210.640	---	---
	Ant3	5200	21.600	5189.160	5210.760	---	---
	Ant4	5200	21.880	5188.840	5210.720	---	---
	Ant1	5240	21.480	5229.120	5250.600	---	---
	Ant2	5240	21.240	5229.360	5250.600	---	---
	Ant3	5240	21.680	5229.080	5250.760	---	---
	Ant4	5240	21.800	5229.040	5250.840	---	---
	Ant1	5260	21.280	5249.280	5270.560	---	---
	Ant2	5260	21.400	5249.280	5270.680	---	---
	Ant3	5260	21.560	5249.200	5270.760	---	---
	Ant4	5260	21.440	5249.280	5270.720	---	---
	Ant1	5300	21.360	5289.320	5310.680	---	---
	Ant2	5300	21.520	5289.160	5310.680	---	---
	Ant3	5300	21.480	5289.120	5310.600	---	---
	Ant4	5300	21.320	5289.320	5310.640	---	---
	Ant1	5320	21.520	5309.040	5330.560	---	---
	Ant2	5320	21.240	5309.280	5330.520	---	---
	Ant3	5320	21.440	5309.160	5330.600	---	---
	Ant4	5320	21.200	5309.360	5330.560	---	---
	Ant1	5500	21.320	5489.240	5510.560	---	---
	Ant2	5500	21.400	5489.360	5510.760	---	---
	Ant3	5500	21.360	5489.320	5510.680	---	---
	Ant4	5500	21.520	5489.240	5510.760	---	---
	Ant1	5580	21.280	5569.280	5590.560	---	---
	Ant2	5580	21.360	5569.240	5590.600	---	---
	Ant3	5580	21.520	5569.120	5590.640	---	---
	Ant4	5580	21.520	5569.160	5590.680	---	---
	Ant1	5700	21.280	5689.280	5710.560	---	---
	Ant2	5700	21.440	5689.240	5710.680	---	---
	Ant3	5700	21.280	5689.320	5710.600	---	---
	Ant4	5700	21.560	5689.160	5710.720	---	---
Ant1	5720	21.200	5709.320	5730.520	---	---	

	Ant2	5720	21.680	5709.200	5730.880	---	---
	Ant3	5720	21.480	5709.200	5730.680	---	---
	Ant4	5720	21.360	5709.320	5730.680	---	---
	Ant1	5720_UNII-2C	15.68	5709.320	5725	---	---
	Ant2	5720_UNII-2C	15.8	5709.200	5725	---	---
	Ant3	5720_UNII-2C	15.8	5709.200	5725	---	---
	Ant4	5720_UNII-2C	15.68	5709.320	5725	---	---
	Ant1	5720_UNII-3	5.52	5725	5730.520	---	---
	Ant2	5720_UNII-3	5.88	5725	5730.880	---	---
	Ant3	5720_UNII-3	5.68	5725	5730.680	---	---
	Ant4	5720_UNII-3	5.68	5725	5730.680	---	---
	Ant1	5745	22.960	5733.280	5756.240	---	---
	Ant2	5745	24.200	5733.560	5757.760	---	---
	Ant3	5745	21.720	5734.080	5755.800	---	---
	Ant4	5745	26.520	5731.280	5757.800	---	---
	Ant1	5785	22.640	5773.320	5795.960	---	---
	Ant2	5785	25.240	5773.680	5798.920	---	---
	Ant3	5785	22.360	5773.560	5795.920	---	---
	Ant4	5785	29.640	5770.720	5800.360	---	---
	Ant1	5825	40.000	5805.000	5845.000	---	---
	Ant2	5825	23.760	5813.440	5837.200	---	---
	Ant3	5825	21.840	5813.880	5835.720	---	---
	Ant4	5825	29.480	5809.560	5839.040	---	---
11N40MIMO	Ant1	5190	40.240	5169.920	5210.160	---	---
	Ant2	5190	39.520	5170.320	5209.840	---	---
	Ant3	5190	39.760	5170.160	5209.920	---	---
	Ant4	5190	39.760	5170.240	5210.000	---	---
	Ant1	5230	39.680	5210.080	5249.760	---	---
	Ant2	5230	40.080	5209.840	5249.920	---	---
	Ant3	5230	39.840	5210.080	5249.920	---	---
	Ant4	5230	50.560	5204.320	5254.880	---	---
	Ant1	5270	39.600	5250.240	5289.840	---	---
	Ant2	5270	40.160	5249.920	5290.080	---	---
	Ant3	5270	39.840	5250.080	5289.920	---	---
	Ant4	5270	40.400	5249.920	5290.320	---	---
	Ant1	5310	39.680	5290.240	5329.920	---	---
	Ant2	5310	39.600	5290.240	5329.840	---	---
	Ant3	5310	39.600	5290.240	5329.840	---	---
	Ant4	5310	40.240	5289.920	5330.160	---	---
	Ant1	5510	39.840	5490.240	5530.080	---	---
	Ant2	5510	39.520	5490.320	5529.840	---	---

	Ant3	5510	39.760	5490.160	5529.920	---	---
	Ant4	5510	40.080	5489.920	5530.000	---	---
	Ant1	5550	39.760	5530.080	5569.840	---	---
	Ant2	5550	40.160	5530.080	5570.240	---	---
	Ant3	5550	39.600	5530.240	5569.840	---	---
	Ant4	5550	40.240	5529.920	5570.160	---	---
	Ant1	5670	39.920	5650.080	5690.000	---	---
	Ant2	5670	39.840	5650.160	5690.000	---	---
	Ant3	5670	39.760	5650.240	5690.000	---	---
	Ant4	5670	40.480	5649.840	5690.320	---	---
	Ant1	5710	39.840	5690.000	5729.840	---	---
	Ant2	5710	39.920	5690.160	5730.080	---	---
	Ant3	5710	39.680	5690.240	5729.920	---	---
	Ant4	5710	40.160	5690.000	5730.160	---	---
	Ant1	5710_UNII-2C	35	5690.000	5725	---	---
	Ant2	5710_UNII-2C	34.84	5690.160	5725	---	---
	Ant3	5710_UNII-2C	34.76	5690.240	5725	---	---
	Ant4	5710_UNII-2C	35	5690.000	5725	---	---
	Ant1	5710_UNII-3	4.84	5725	5729.840	---	---
	Ant2	5710_UNII-3	5.08	5725	5730.080	---	---
	Ant3	5710_UNII-3	4.92	5725	5729.920	---	---
	Ant4	5710_UNII-3	5.16	5725	5730.160	---	---
	Ant1	5755	42.560	5732.520	5775.080	---	---
	Ant2	5755	42.640	5732.520	5775.160	---	---
	Ant3	5755	39.760	5735.160	5774.920	---	---
	Ant4	5755	60.320	5724.600	5784.920	---	---
	Ant1	5795	46.560	5772.520	5819.080	---	---
	Ant2	5795	45.280	5774.120	5819.400	---	---
	Ant3	5795	40.000	5775.080	5815.080	---	---
	Ant4	5795	65.280	5762.760	5828.040	---	---
11AC80MIMO	Ant1	5210	81.760	5169.200	5250.960	---	---
	Ant2	5210	81.280	5169.520	5250.800	---	---
	Ant3	5210	81.600	5169.360	5250.960	---	---
	Ant4	5210	80.960	5169.680	5250.640	---	---
	Ant1	5290	82.400	5248.880	5331.280	---	---
	Ant2	5290	81.280	5249.360	5330.640	---	---
	Ant3	5290	80.960	5249.680	5330.640	---	---
	Ant4	5290	81.440	5249.360	5330.800	---	---
	Ant1	5530	81.760	5489.360	5571.120	---	---
	Ant2	5530	81.440	5489.200	5570.640	---	---
	Ant3	5530	81.760	5489.360	5571.120	---	---

	Ant4	5530	82.080	5489.040	5571.120	---	---
	Ant1	5610	81.760	5569.200	5650.960	---	---
	Ant2	5610	80.960	5569.680	5650.640	---	---
	Ant3	5610	81.600	5569.360	5650.960	---	---
	Ant4	5610	81.600	5569.360	5650.960	---	---
	Ant1	5690	82.240	5649.200	5731.440	---	---
	Ant2	5690	81.280	5649.520	5730.800	---	---
	Ant3	5690	81.280	5649.520	5730.800	---	---
	Ant4	5690	81.920	5649.200	5731.120	---	---
	Ant1	5690_UNII-2C	75.8	5649.200	5725	---	---
	Ant2	5690_UNII-2C	75.48	5649.520	5725	---	---
	Ant3	5690_UNII-2C	75.48	5649.520	5725	---	---
	Ant4	5690_UNII-2C	75.8	5649.200	5725	---	---
	Ant1	5690_UNII-3	6.44	5725	5731.440	---	---
	Ant2	5690_UNII-3	5.8	5725	5730.800	---	---
	Ant3	5690_UNII-3	5.8	5725	5730.800	---	---
	Ant4	5690_UNII-3	6.12	5725	5731.120	---	---
	Ant1	5775	82.080	5734.200	5816.280	---	---
	Ant2	5775	81.120	5734.520	5815.640	---	---
	Ant3	5775	81.920	5734.200	5816.120	---	---
Ant4	5775	81.280	5734.360	5815.640	---	---	
11AC160MIMO	Ant1	5250	163.840	5168.400	5332.240	---	---
	Ant2	5250	165.120	5168.400	5333.520	---	---
	Ant3	5250	162.560	5169.040	5331.600	---	---
	Ant4	5250	163.200	5168.720	5331.920	---	---
	Ant1	5250_UNII-1	81.6	5168.400	5250	---	---
	Ant2	5250_UNII-1	81.6	5168.400	5250	---	---
	Ant3	5250_UNII-1	80.96	5169.040	5250	---	---
	Ant4	5250_UNII-1	81.28	5168.720	5250	---	---
	Ant1	5250_UNII-2A	82.24	5250	5332.240	---	---
	Ant2	5250_UNII-2A	83.52	5250	5333.520	---	---
	Ant3	5250_UNII-2A	81.6	5250	5331.600	---	---
	Ant4	5250_UNII-2A	81.92	5250	5331.920	---	---
	Ant1	5570	163.520	5488.400	5651.920	---	---
	Ant2	5570	165.120	5488.720	5653.840	---	---
	Ant3	5570	163.200	5488.720	5651.920	---	---
	Ant4	5570	162.560	5489.040	5651.600	---	---
11AX20MIMO	Ant1	5180	21.680	5169.160	5190.840	---	---
	Ant2	5180	21.800	5169.240	5191.040	---	---
	Ant3	5180	21.320	5169.320	5190.640	---	---
	Ant4	5180	21.440	5169.280	5190.720	---	---

Ant1	5200	21.440	5189.360	5210.800	---	---
Ant2	5200	21.720	5189.080	5210.800	---	---
Ant3	5200	21.440	5189.200	5210.640	---	---
Ant4	5200	21.480	5189.360	5210.840	---	---
Ant1	5240	21.680	5229.280	5250.960	---	---
Ant2	5240	21.600	5229.240	5250.840	---	---
Ant3	5240	21.680	5229.160	5250.840	---	---
Ant4	5240	21.640	5229.160	5250.800	---	---
Ant1	5260	21.720	5249.120	5270.840	---	---
Ant2	5260	21.520	5249.280	5270.800	---	---
Ant3	5260	21.640	5249.240	5270.880	---	---
Ant4	5260	21.560	5249.240	5270.800	---	---
Ant1	5300	21.520	5289.280	5310.800	---	---
Ant2	5300	21.600	5289.120	5310.720	---	---
Ant3	5300	21.440	5289.280	5310.720	---	---
Ant4	5300	21.600	5289.320	5310.920	---	---
Ant1	5320	21.480	5309.240	5330.720	---	---
Ant2	5320	21.560	5309.280	5330.840	---	---
Ant3	5320	21.440	5309.280	5330.720	---	---
Ant4	5320	21.680	5309.120	5330.800	---	---
Ant1	5500	21.440	5489.280	5510.720	---	---
Ant2	5500	21.520	5489.280	5510.800	---	---
Ant3	5500	21.640	5489.200	5510.840	---	---
Ant4	5500	21.560	5489.280	5510.840	---	---
Ant1	5580	21.720	5569.080	5590.800	---	---
Ant2	5580	21.480	5569.280	5590.760	---	---
Ant3	5580	21.520	5569.280	5590.800	---	---
Ant4	5580	21.480	5569.360	5590.840	---	---
Ant1	5700	21.360	5689.360	5710.720	---	---
Ant2	5700	21.720	5689.120	5710.840	---	---
Ant3	5700	21.520	5689.160	5710.680	---	---
Ant4	5700	21.600	5689.160	5710.760	---	---
Ant1	5720	21.560	5709.200	5730.760	---	---
Ant2	5720	21.440	5709.240	5730.680	---	---
Ant3	5720	21.600	5709.200	5730.800	---	---
Ant4	5720	21.560	5709.120	5730.680	---	---
Ant1	5720_UNII-2C	15.8	5709.200	5725	---	---
Ant2	5720_UNII-2C	15.76	5709.240	5725	---	---
Ant3	5720_UNII-2C	15.8	5709.200	5725	---	---
Ant4	5720_UNII-2C	15.88	5709.120	5725	---	---
Ant1	5720_UNII-3	5.76	5725	5730.760	---	---

	Ant2	5720_UNII-3	5.68	5725	5730.680	---	---
	Ant3	5720_UNII-3	5.8	5725	5730.800	---	---
	Ant4	5720_UNII-3	5.68	5725	5730.680	---	---
	Ant1	5745	25.040	5732.480	5757.520	---	---
	Ant2	5745	22.840	5733.800	5756.640	---	---
	Ant3	5745	21.560	5734.200	5755.760	---	---
	Ant4	5745	27.080	5731.960	5759.040	---	---
	Ant1	5785	23.800	5774.080	5797.880	---	---
	Ant2	5785	24.720	5773.080	5797.800	---	---
	Ant3	5785	21.800	5774.160	5795.960	---	---
	Ant4	5785	29.080	5772.160	5801.240	---	---
	Ant1	5825	25.400	5810.720	5836.120	---	---
	Ant2	5825	21.840	5813.960	5835.800	---	---
	Ant3	5825	21.640	5814.200	5835.840	---	---
Ant4	5825	34.520	5805.480	5840.000	---	---	
11AX40MIMO	Ant1	5190	40.240	5170.000	5210.240	---	---
	Ant2	5190	40.320	5169.920	5210.240	---	---
	Ant3	5190	40.240	5169.920	5210.160	---	---
	Ant4	5190	40.000	5170.080	5210.080	---	---
	Ant1	5230	40.240	5209.840	5250.080	---	---
	Ant2	5230	41.120	5208.960	5250.080	---	---
	Ant3	5230	40.640	5209.680	5250.320	---	---
	Ant4	5230	46.240	5205.600	5251.840	---	---
	Ant1	5270	40.320	5249.840	5290.160	---	---
	Ant2	5270	40.560	5249.680	5290.240	---	---
	Ant3	5270	40.320	5249.920	5290.240	---	---
	Ant4	5270	40.320	5250.080	5290.400	---	---
	Ant1	5310	40.240	5289.920	5330.160	---	---
	Ant2	5310	40.160	5289.920	5330.080	---	---
	Ant3	5310	40.400	5289.760	5330.160	---	---
	Ant4	5310	40.640	5289.840	5330.480	---	---
	Ant1	5510	40.000	5490.080	5530.080	---	---
	Ant2	5510	40.080	5490.000	5530.080	---	---
	Ant3	5510	40.560	5489.680	5530.240	---	---
	Ant4	5510	40.400	5489.840	5530.240	---	---
	Ant1	5550	40.320	5529.760	5570.080	---	---
	Ant2	5550	40.320	5529.840	5570.160	---	---
	Ant3	5550	40.240	5530.000	5570.240	---	---
	Ant4	5550	40.400	5529.840	5570.240	---	---
Ant1	5670	40.640	5649.760	5690.400	---	---	
Ant2	5670	40.240	5650.000	5690.240	---	---	

	Ant3	5670	40.640	5649.840	5690.480	---	---
	Ant4	5670	40.480	5649.840	5690.320	---	---
	Ant1	5710	40.160	5689.920	5730.080	---	---
	Ant2	5710	40.400	5689.920	5730.320	---	---
	Ant3	5710	40.320	5689.840	5730.160	---	---
	Ant4	5710	40.400	5689.840	5730.240	---	---
	Ant1	5710_UNII-2C	35.08	5689.920	5725	---	---
	Ant2	5710_UNII-2C	35.08	5689.920	5725	---	---
	Ant3	5710_UNII-2C	35.16	5689.840	5725	---	---
	Ant4	5710_UNII-2C	35.16	5689.840	5725	---	---
	Ant1	5710_UNII-3	5.08	5725	5730.080	---	---
	Ant2	5710_UNII-3	5.32	5725	5730.320	---	---
	Ant3	5710_UNII-3	5.16	5725	5730.160	---	---
	Ant4	5710_UNII-3	5.24	5725	5730.240	---	---
	Ant1	5755	46.080	5731.640	5777.720	---	---
	Ant2	5755	41.920	5733.400	5775.320	---	---
	Ant3	5755	41.120	5734.360	5775.480	---	---
	Ant4	5755	56.400	5725.080	5781.480	---	---
	Ant1	5795	40.480	5774.760	5815.240	---	---
	Ant2	5795	43.600	5772.120	5815.720	---	---
	Ant3	5795	40.560	5774.840	5815.400	---	---
	Ant4	5795	52.320	5769.160	5821.480	---	---
11AX80MIMO	Ant1	5210	82.080	5169.200	5251.280	---	---
	Ant2	5210	81.280	5169.520	5250.800	---	---
	Ant3	5210	81.600	5169.360	5250.960	---	---
	Ant4	5210	81.440	5169.360	5250.800	---	---
	Ant1	5290	81.600	5249.360	5330.960	---	---
	Ant2	5290	81.600	5249.520	5331.120	---	---
	Ant3	5290	81.440	5249.360	5330.800	---	---
	Ant4	5290	81.760	5249.200	5330.960	---	---
	Ant1	5530	81.440	5489.360	5570.800	---	---
	Ant2	5530	81.760	5489.200	5570.960	---	---
	Ant3	5530	81.600	5489.200	5570.800	---	---
	Ant4	5530	81.760	5489.200	5570.960	---	---
	Ant1	5610	81.920	5569.040	5650.960	---	---
	Ant2	5610	81.600	5569.360	5650.960	---	---
	Ant3	5610	81.600	5569.200	5650.800	---	---
	Ant4	5610	81.600	5569.360	5650.960	---	---
	Ant1	5690	81.760	5649.360	5731.120	---	---
	Ant2	5690	81.600	5649.360	5730.960	---	---
	Ant3	5690	81.280	5649.520	5730.800	---	---

	Ant4	5690	82.080	5649.040	5731.120	---	---
	Ant1	5690_UNII-2C	75.64	5649.360	5725	---	---
	Ant2	5690_UNII-2C	75.64	5649.360	5725	---	---
	Ant3	5690_UNII-2C	75.48	5649.520	5725	---	---
	Ant4	5690_UNII-2C	75.96	5649.040	5725	---	---
	Ant1	5690_UNII-3	6.12	5725	5731.120	---	---
	Ant2	5690_UNII-3	5.96	5725	5730.960	---	---
	Ant3	5690_UNII-3	5.8	5725	5730.800	---	---
	Ant4	5690_UNII-3	6.12	5725	5731.120	---	---
	Ant1	5775	82.560	5733.720	5816.280	---	---
	Ant2	5775	81.920	5733.880	5815.800	---	---
	Ant3	5775	81.440	5734.360	5815.800	---	---
	Ant4	5775	81.760	5734.200	5815.960	---	---
	11AX160MIMO	Ant1	5250	164.480	5167.760	5332.240	---
Ant2		5250	164.800	5168.080	5332.880	---	---
Ant3		5250	164.480	5168.080	5332.560	---	---
Ant4		5250	164.480	5168.080	5332.560	---	---
Ant1		5250_UNII-1	82.24	5167.760	5250	---	---
Ant2		5250_UNII-1	81.92	5168.080	5250	---	---
Ant3		5250_UNII-1	81.92	5168.080	5250	---	---
Ant4		5250_UNII-1	81.92	5168.080	5250	---	---
Ant1		5250_UNII-2A	82.24	5250	5332.240	---	---
Ant2		5250_UNII-2A	82.88	5250	5332.880	---	---
Ant3		5250_UNII-2A	82.56	5250	5332.560	---	---
Ant4		5250_UNII-2A	82.56	5250	5332.560	---	---
Ant1		5570	163.200	5488.400	5651.600	---	---
Ant2		5570	164.160	5488.720	5652.880	---	---
Ant3		5570	164.480	5487.440	5651.920	---	---
Ant4		5570	163.840	5488.400	5652.240	---	---



11A-MIMO\_Ant1\_5180



11A-MIMO\_Ant2\_5180



11A-MIMO\_Ant3\_5180



11A-MIMO\_Ant4\_5180



11A-MIMO\_Ant1\_5200



11A-MIMO\_Ant2\_5200



11A-MIMO\_Ant3\_5200



11A-MIMO\_Ant4\_5200



11A-MIMO\_Ant1\_5240



11A-MIMO\_Ant2\_5240



11A-MIMO\_Ant3\_5240



11A-MIMO\_Ant4\_5240



11A-MIMO\_Ant1\_5260



11A-MIMO\_Ant2\_5260



11A-MIMO\_Ant3\_5260



11A-MIMO\_Ant4\_5260



11A-MIMO\_Ant1\_5300





11A-MIMO\_Ant2\_5300



11A-MIMO\_Ant3\_5300



11A-MIMO\_Ant4\_5300



11A-MIMO\_Ant1\_5320



11A-MIMO\_Ant2\_5320



11A-MIMO\_Ant3\_5320



11A-MIMO\_Ant4\_5320



11A-MIMO\_Ant1\_5500



11A-MIMO\_Ant2\_5500



11A-MIMO\_Ant3\_5500



11A-MIMO\_Ant4\_5500



11A-MIMO\_Ant1\_5580



11A-MIMO\_Ant2\_5580



11A-MIMO\_Ant3\_5580



11A-MIMO\_Ant4\_5580



11A-MIMO\_Ant1\_5700





11A-MIMO\_Ant2\_5700



11A-MIMO\_Ant3\_5700



11A-MIMO\_Ant4\_5700



11A-MIMO\_Ant1\_5720



11A-MIMO\_Ant2\_5720



11A-MIMO\_Ant3\_5720



11A-MIMO\_Ant4\_5720



11A-MIMO\_Ant1\_5745



11A-MIMO\_Ant2\_5745



11A-MIMO\_Ant3\_5745



11A-MIMO\_Ant4\_5745



11A-MIMO\_Ant1\_5785



11A-MIMO\_Ant2\_5785



11A-MIMO\_Ant3\_5785



11A-MIMO\_Ant4\_5785



11A-MIMO\_Ant1\_5825





11A-MIMO\_Ant2\_5825



11A-MIMO\_Ant3\_5825



11A-MIMO\_Ant4\_5825



11N40MIMO\_Ant1\_5190



11N40MIMO\_Ant2\_5190



11N40MIMO\_Ant3\_5190