


Above 1G (1GHz~18GHz)

Test mode: 11AC40MIMO

Test Channel:102


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11020.000	60.87	3.66	64.53	74.00	-9.47	peak		
2 *		11020.000	49.76	3.66	53.42	54.00	-0.58	AVG		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	40.37	4.44	44.81	68.20	-23.39	peak		
2 *		5460.000	63.10	4.51	67.61	68.20	-0.59	peak		
3		5460.000	48.38	4.51	52.89	54.00	-1.11	AVG		


## HORIZONTAL

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11020.000	58.68	3.66	62.34	74.00	-11.66	peak	
2 *		11020.000	47.56	3.66	51.22	54.00	-2.78	AVG	

### Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	41.65	4.44	46.09	68.20	-22.11	peak	
2 *		5460.000	57.11	4.51	61.62	68.20	-6.58	peak	
3		5460.000	42.81	4.51	47.32	54.00	-6.68	AVG	

Above 1G (1GHz~18GHz)

Test mode: 11AC40MIMO


Test Channel:118

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11180.000	15.87	48.77	64.64	74.00	-9.36	peak	
2 *		11180.000	4.67	48.77	53.44	54.00	-0.56	AVG	

HORIZONTAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11180.000	13.66	48.77	62.43	74.00	-11.57	peak	
2 *		11180.000	2.73	48.77	51.50	54.00	-2.50	AVG	

Above 1G (1GHz~18GHz)

Test mode: 11AC40MIMO


Test Channel:134

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11340.000	15.60	48.76	64.36	74.00	-9.64	peak	
2 *		11340.000	4.53	48.76	53.29	54.00	-0.71	AVG	

HORIZONTAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11340.000	13.33	48.76	62.09	74.00	-11.91	peak	
2 *		11340.000	2.64	48.76	51.40	54.00	-2.60	AVG	

Above 1G (1GHz~18GHz)


Test mode: 11AC40MIMO

Test Channel:151

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11510.000	15.00	49.24	64.24	74.00	-9.76	peak		
2 *		11510.000	3.95	49.24	53.19	54.00	-0.81	AVG		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1 *		5650.000	39.83	15.12	54.95	68.20	-13.25	peak		
2		5700.000	65.32	15.46	80.78	105.20	-24.42	peak		
3		5720.000	78.19	15.33	93.52	110.80	-17.28	peak		
4		5725.000	80.89	15.30	96.19	122.20	-26.01	peak		


## HORIZONTALA

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11510.000	12.92	49.24	62.16	74.00	-11.84	peak	
2 *		11510.000	2.13	49.24	51.37	54.00	-2.63	AVG	

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1 *		5650.000	40.53	15.12	55.65	68.20	-12.55	peak	
2		5700.000	57.39	15.46	72.85	105.20	-32.35	peak	
3		5720.000	73.11	15.33	88.44	110.80	-22.36	peak	
4		5725.000	74.08	15.30	89.38	122.20	-32.82	peak	


Above 1G (1GHz~18GHz)

Test mode: 11AC40MIMO

Test Channel:159


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11590.000	15.39	48.86	64.25	74.00	-9.75	peak	
2 *		11590.000	4.31	48.86	53.17	54.00	-0.83	AVG	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		5850.000	57.94	15.18	73.12	122.20	-49.08	peak	
2		5855.000	52.91	15.25	68.16	110.80	-42.64	peak	
3		5875.000	39.14	15.51	54.65	105.20	-50.55	peak	
4 *		5925.000	38.79	16.28	55.07	68.20	-13.13	peak	


## HORIZONTALA

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11590.000	13.49	48.86	62.35	74.00	-11.65			peak
2 *		11590.000	2.19	48.86	51.05	54.00	-2.95			AVG

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5850.000	62.10	15.18	77.28	122.20	-44.92			peak
2		5855.000	57.76	15.25	73.01	110.80	-37.79			peak
3		5875.000	41.09	15.51	56.60	105.20	-48.60			peak
4 *		5925.000	39.62	16.28	55.90	68.20	-12.30			peak




Above 1G (1GHz~18GHz)

Test mode: 11AC80MIMO

Test Channel:42


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10420.000	57.91	6.54	64.45	68.20	-3.75	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		4500.000	41.88	3.85	45.73	68.20	-22.47	peak	
2		5150.000	60.61	5.62	66.23	68.20	-1.97	peak	
3	*	5150.000	48.20	5.62	53.82	54.00	-0.18	AVG	


## HORIZONTALA

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10420.000	55.58	6.54	62.12	68.20	-6.08	peak	

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		4500.000	39.95	3.85	43.80	68.20	-24.40	peak	
2		5150.000	53.52	5.62	59.14	68.20	-9.06	peak	
3	*	5150.000	40.95	5.62	46.57	54.00	-7.43	AVG	


Above 1G (1GHz~18GHz)

Test mode: 11AC80MIMO

Test Channel:58


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10580.000	58.98	5.83	64.81	68.20	-3.39	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	61.99	4.44	66.43	68.20	-1.77	peak	
2	*	5350.000	48.82	4.44	53.26	54.00	-0.74	AVG	
3		5460.000	41.04	4.51	45.55	68.20	-22.65	peak	


## HORIZONTALA

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	10580.000	56.65	5.83	62.48	68.20	-5.72	peak		

### Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		5350.000	53.68	4.44	58.12	68.20	-10.08	peak		
2	*	5350.000	42.39	4.44	46.83	54.00	-7.17	AVG		
3		5460.000	41.05	4.51	45.56	68.20	-22.64	peak		

Above 1G (1GHz~18GHz)


Test mode: 11AC80MIMO

Test Channel:106

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11060.000	60.10	4.11	64.21	74.00	-9.79	peak	
2 *		11060.000	48.93	4.11	53.04	54.00	-0.96	AVG	



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	40.51	4.44	44.95	68.20	-23.25	peak	
2		5460.000	60.96	4.51	65.47	68.20	-2.73	peak	
3 *		5460.000	49.30	4.51	53.81	54.00	-0.19	AVG	


## HORIZONTALA

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	
1		11060.000	58.36	4.11	62.47	74.00	-11.53	peak		
2 *		11060.000	47.37	4.11	51.48	54.00	-2.52	AVG		

### Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1		5350.000	40.44	4.44	44.88	68.20	-23.32	peak		
2 *		5460.000	46.83	4.51	51.34	68.20	-16.86	peak		

Above 1G (1GHz~18GHz)

Test mode: 11AC80MIMO


Test Channel:122

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11220.000	14.94	48.73	63.67	74.00	-10.33	peak		
2 *		11220.000	4.43	48.73	53.16	54.00	-0.84	AVG		

HORIZONTAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11220.000	13.40	48.73	62.13	74.00	-11.87	peak		
2 *		11220.000	3.04	48.73	51.77	54.00	-2.23	AVG		


Above 1G (1GHz~18GHz)

Test mode: 11AC80MIMO

Test Channel:155


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11550.000	15.15	49.05	64.20	74.00	-9.80	peak		
2 *		11550.000	4.58	49.05	53.63	54.00	-0.37	AVG		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1 *		5650.000	41.86	15.12	56.98	68.20	-11.22	peak		
2		5700.000	77.51	15.46	92.97	105.20	-12.23	peak		
3		5720.000	83.09	15.33	98.42	110.80	-12.38	peak		
4		5725.000	83.79	15.30	99.09	122.20	-23.11	peak		
5		5850.000	74.99	15.18	90.17	122.20	-32.03	peak		
6		5855.000	73.82	15.25	89.07	110.80	-21.73	peak		
7		5875.000	63.63	15.51	79.14	105.20	-26.06	peak		
8		5925.000	38.98	16.28	55.26	68.20	-12.94	peak		




## HORIZONTALA

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	
1		11550.000	12.98	49.05	62.03	74.00	-11.97	peak		
2 *		11550.000	2.72	49.05	51.77	54.00	-2.23	AVG		

### Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1		5650.000	40.95	15.12	56.07	68.20	-12.13	peak		
2		5700.000	71.84	15.46	87.30	105.20	-17.90	peak		
3		5720.000	76.39	15.33	91.72	110.80	-19.08	peak		
4		5725.000	77.45	15.30	92.75	122.20	-29.45	peak		
5		5850.000	71.48	15.18	86.66	122.20	-35.54	peak		
6		5855.000	70.24	15.25	85.49	110.80	-25.31	peak		
7		5875.000	63.81	15.51	79.32	105.20	-25.88	peak		
8 *		5925.000	39.92	16.28	56.20	68.20	-12.00	peak		

Above 1G (1GHz~18GHz)


Test mode: 11AC160MIMO

Test Channel:50

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10500.000	58.02	6.46	64.48	68.20	-3.72	peak		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		4500.000	41.78	3.85	45.63	68.20	-22.57	peak		
2		5150.000	59.05	5.62	64.67	68.20	-3.53	peak		
3	*	5150.000	47.73	5.62	53.35	54.00	-0.65	AVG		


### HORIZONTALA

#### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10500.000	56.10	6.46	62.56	68.20	-5.64			peak

#### Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		4500.000	39.95	3.85	43.80	68.20	-24.40			peak
2		5150.000	54.35	5.62	59.97	68.20	-8.23			peak
3	*	5150.000	41.81	5.62	47.43	54.00	-6.57			AVG

Above 1G (1GHz~18GHz)

Test mode: 11AC160MIMO


Test Channel:114

VERTICAL




## HORIZONTALA

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	
1		11140.000	13.64	48.77	62.41	74.00	-11.59			peak
2 *		11140.000	2.45	48.77	51.22	54.00	-2.78			AVG

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1		5350.000	40.65	4.44	45.09	68.20	-23.11			peak
2		5460.000	51.95	4.51	56.46	68.20	-11.74			peak
3 *		5460.000	41.33	4.51	45.84	54.00	-8.16			AVG


Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO

Test Channel:36


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10360.000	57.90	7.05	64.95	68.20	-3.25	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		4500.000	41.13	3.85	44.98	68.20	-23.22	peak		
2	*	5150.000	61.99	5.62	67.61	68.20	-0.59	peak		
3		5150.000	45.12	5.62	50.74	54.00	-3.26	AVG		


## HORIZONTALA

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	10360.000	55.68	7.05	62.73	68.20	-5.47	peak		

### Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		4500.000	40.83	3.85	44.68	68.20	-23.52	peak		
2		5150.000	53.32	5.62	58.94	68.20	-9.26	peak		
3	*	5150.000	40.81	5.62	46.43	54.00	-7.57	AVG		

Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO


Test Channel:40

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10400.000	57.98	6.55	64.53	68.20	-3.67	peak		

HORIZONTAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10400.000	55.49	6.55	62.04	68.20	-6.16	peak		




Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO


Test Channel:48

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10480.000	58.16	6.47	64.63	68.20	-3.57	peak		

HORIZONTAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10480.000	55.91	6.47	62.38	68.20	-5.82	peak		

Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO


Test Channel:52

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10520.000	58.56	6.30	64.86	68.20	-3.34	peak	

HORIZONTAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10520.000	55.96	6.30	62.26	68.20	-5.94	peak	

Above 1G (1GHz~18GHz)


Test mode: 11AX20MIMO

Test Channel:56

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO

Test Channel:64


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10640.000	57.84	6.47	64.31	74.00	-9.69	peak		
2 *		10640.000	46.77	6.47	53.24	54.00	-0.76	AVG		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1 *		5350.000	63.13	4.44	67.57	68.20	-0.63	peak		
2		5350.000	45.77	4.44	50.21	54.00	-3.79	AVG		
3		5460.000	40.40	4.51	44.91	68.20	-23.29	peak		


## HORIZONTALA

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10640.000	55.66	6.47	62.13	74.00	-11.87	peak		
2 *		10640.000	44.76	6.47	51.23	54.00	-2.77	AVG		

### Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	55.42	4.44	59.86	68.20	-8.34	peak		
2 *		5350.000	42.50	4.44	46.94	54.00	-7.06	AVG		
3		5460.000	40.80	4.51	45.31	68.20	-22.89	peak		

Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO


Test Channel:100

VERTICAL




## HORIZONTALA

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11000.000	57.90	3.44	61.34	74.00	-12.66			peak
2 *		11000.000	47.19	3.44	50.63	54.00	-3.37			AVG

### Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	41.08	4.44	45.52	68.20	-22.68			peak
2		5460.000	53.32	4.51	57.83	68.20	-10.37			peak
3 *		5460.000	42.08	4.51	46.59	54.00	-7.41			AVG

Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO


Test Channel:116

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11160.000	15.64	48.77	64.41	74.00	-9.59	peak		
2 *		11160.000	4.47	48.77	53.24	54.00	-0.76	AVG		

HORIZONTAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11160.000	13.36	48.77	62.13	74.00	-11.87	peak		
2 *		11160.000	2.85	48.77	51.62	54.00	-2.38	AVG		




Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO


Test Channel:140

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11400.000	15.07	49.06	64.13	74.00	-9.87	peak	
2	*	11400.000	4.02	49.06	53.08	54.00	-0.92	AVG	

HORIZONTAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11400.000	13.11	49.06	62.17	74.00	-11.83	peak	
2	*	11400.000	2.19	49.06	51.25	54.00	-2.75	AVG	


Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO

Test Channel:149


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11490.000	14.94	49.26	64.20	74.00	-9.80	peak	
2 *		11490.000	4.49	49.26	53.75	54.00	-0.25	AVG	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1 *		5650.000	40.01	15.12	55.13	68.20	-13.07	peak	
2		5700.000	40.88	15.46	56.34	105.20	-48.86	peak	
3		5720.000	73.53	15.33	88.86	110.80	-21.94	peak	
4		5725.000	77.62	15.30	92.92	122.20	-29.28	peak	


## HORIZONTALA

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11490.000	12.81	49.26	62.07	74.00	-11.93	peak	
2 *		11490.000	2.18	49.26	51.44	54.00	-2.56	AVG	

### Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1 *		5650.000	40.29	15.12	55.41	68.20	-12.79	peak	
2		5700.000	40.67	15.46	56.13	105.20	-49.07	peak	
3		5720.000	67.49	15.33	82.82	110.80	-27.98	peak	
4		5725.000	73.83	15.30	89.13	122.20	-33.07	peak	

Above 1G (1GHz~18GHz)


Test mode: 11AX20MIMO

Test Channel:157

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO

Test Channel:165


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11650.000	15.46	48.62	64.08	74.00	-9.92	peak	
2 *		11650.000	4.75	48.62	53.37	54.00	-0.63	AVG	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		5850.000	70.13	15.18	85.31	122.20	-36.89	peak	
2		5855.000	61.10	15.25	76.35	110.80	-34.45	peak	
3		5875.000	39.41	15.51	54.92	105.20	-50.28	peak	
4 *		5925.000	38.99	16.28	55.27	68.20	-12.93	peak	


## HORIZONTALA

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11650.000	13.63	48.62	62.25	74.00	-11.75			peak
2 *		11650.000	3.24	48.62	51.86	54.00	-2.14			AVG

### Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5850.000	70.06	15.18	85.24	122.20	-36.96			peak
2		5855.000	59.80	15.25	75.05	110.80	-35.75			peak
3		5875.000	38.71	15.51	54.22	105.20	-50.98			peak
4 *		5925.000	38.13	16.28	54.41	68.20	-13.79			peak

Above 1G (1GHz~18GHz)


Test mode: 11AX40MIMO

Test Channel:38

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10380.000	57.62	6.80	64.42	68.20	-3.78	peak	



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		4500.000	40.97	3.85	44.82	68.20	-23.38	peak	
2		5150.000	59.87	5.62	65.49	68.20	-2.71	peak	
3	*	5150.000	47.75	5.62	53.37	54.00	-0.63	AVG	


## HORIZONTALA

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1 *		10380.000	55.83	6.80	62.63	68.20	-5.57	peak	

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		4500.000	41.89	3.85	45.74	68.20	-22.46	peak	
2		5150.000	56.46	5.62	62.08	68.20	-6.12	peak	
3 *		5150.000	43.04	5.62	48.66	54.00	-5.34	AVG	




Above 1G (1GHz~18GHz)

Test mode: 11AX40MIMO


Test Channel:46

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	
1	*	10460.000	57.58	6.49	64.07	68.20	-4.13	peak		

HORIZONTAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	
1	*	10460.000	56.10	6.49	62.59	68.20	-5.61	peak		

Above 1G (1GHz~18GHz)

Test mode: 11AX40MIMO


Test Channel:54

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10540.000	58.12	6.14	64.26	68.20	-3.94	peak	


HORIZONTAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10540.000	56.71	6.14	62.85	68.20	-5.35	peak	


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1		10620.000	58.44	6.07	64.51	74.00	-9.49			peak
2 *		10620.000	47.20	6.07	53.27	54.00	-0.73			AVG


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1 *		5350.000	63.13	4.44	67.57	68.20	-0.63			peak
2		5350.000	47.70	4.44	52.14	54.00	-1.86			AVG
3		5460.000	40.81	4.51	45.32	68.20	-22.88			peak


## HORIZONTA

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10620.000	56.24	6.07	62.31	74.00	-11.69	peak		
2 *		10620.000	44.95	6.07	51.02	54.00	-2.98	AVG		


### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1 *		5350.000	57.51	4.44	61.95	68.20	-6.25	peak		
2		5350.000	42.55	4.44	46.99	54.00	-7.01	AVG		
3		5460.000	40.43	4.51	44.94	68.20	-23.26	peak		


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	
1		11020.000	59.79	3.66	63.45	74.00	-10.55			peak
2 *		11020.000	49.30	3.66	52.96	54.00	-1.04			AVG


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1		5350.000	41.85	4.44	46.29	68.20	-21.91			peak
2		5460.000	62.42	4.51	66.93	68.20	-1.27			peak
3 *		5460.000	49.16	4.51	53.67	54.00	-0.33			AVG


## HORIZONTALA

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	
1		11020.000	57.91	3.66	61.57	74.00	-12.43			peak
2 *		11020.000	47.25	3.66	50.91	54.00	-3.09			AVG

### Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1		5350.000	40.65	4.44	45.09	68.20	-23.11			peak
2 *		5460.000	57.44	4.51	61.95	68.20	-6.25			peak
3		5460.000	43.18	4.51	47.69	54.00	-6.31			AVG

Above 1G (1GHz~18GHz)

Test mode: 11AX40MIMO


Test Channel:118

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11180.000	15.60	48.77	64.37	74.00	-9.63	peak		
2	*	11180.000	4.69	48.77	53.46	54.00	-0.54	AVG		

HORIZONTAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11180.000	13.17	48.77	61.94	74.00	-12.06	peak		
2	*	11180.000	1.28	48.77	50.05	54.00	-3.95	AVG		

Above 1G (1GHz~18GHz)

Test mode: 11AX40MIMO


Test Channel:134

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11340.000	15.43	48.76	64.19	74.00	-9.81	peak		
2	*	11340.000	4.50	48.76	53.26	54.00	-0.74	AVG		

HORIZONTAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11340.000	13.31	48.76	62.07	74.00	-11.93	peak		
2	*	11340.000	2.29	48.76	51.05	54.00	-2.95	AVG		




Above 1G (1GHz~18GHz)

Test mode: 11AX40MIMO

Test Channel:151


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11510.000	15.26	49.24	64.50	74.00	-9.50	peak	
2 *		11510.000	3.87	49.24	53.11	54.00	-0.89	AVG	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1 *		5650.000	40.24	15.12	55.36	68.20	-12.84	peak	
2		5700.000	64.51	15.46	79.97	105.20	-25.23	peak	
3		5720.000	80.20	15.33	95.53	110.80	-15.27	peak	
4		5725.000	82.02	15.30	97.32	122.20	-24.88	peak	


## HORIZONTALA

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	
1		11510.000	12.02	49.24	61.26	74.00	-12.74			peak
2 *		11510.000	1.62	49.24	50.86	54.00	-3.14			AVG

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1 *		5650.000	38.43	15.12	53.55	68.20	-14.65			peak
2		5700.000	60.06	15.46	75.52	105.20	-29.68			peak
3		5720.000	75.87	15.33	91.20	110.80	-19.60			peak
4		5725.000	76.85	15.30	92.15	122.20	-30.05			peak


Above 1G (1GHz~18GHz)

Test mode: 11AX40MIMO

Test Channel:159


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11590.000	14.81	48.86	63.67	74.00	-10.33	peak		
2 *		11590.000	4.31	48.86	53.17	54.00	-0.83	AVG		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5850.000	65.35	15.18	80.53	122.20	-41.67	peak		
2		5855.000	60.86	15.25	76.11	110.80	-34.69	peak		
3		5875.000	40.42	15.51	55.93	105.20	-49.27	peak		
4 *		5925.000	39.64	16.28	55.92	68.20	-12.28	peak		


## HORIZONTALA

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11590.000	13.52	48.86	62.38	74.00	-11.62	peak	
2	*	11590.000	2.18	48.86	51.04	54.00	-2.96	AVG	

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		5850.000	64.37	15.18	79.55	122.20	-42.65	peak	
2		5855.000	60.96	15.25	76.21	110.80	-34.59	peak	
3		5875.000	38.93	15.51	54.44	105.20	-50.76	peak	
4	*	5925.000	39.41	16.28	55.69	68.20	-12.51	peak	


Above 1G (1GHz~18GHz)

Test mode: 11AX80MIMO

Test Channel:42


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10420.000	58.27	6.54	64.81	68.20	-3.39	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		4500.000	40.50	3.85	44.35	68.20	-23.85	peak	
2	*	5150.000	62.04	5.62	67.66	68.20	-0.54	peak	
3		5150.000	46.69	5.62	52.31	54.00	-1.69	AVG	


## HORIZONTALA

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree		
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10420.000	56.11	6.54	62.65	68.20	-5.55	peak			

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		4500.000	41.20	3.85	45.05	68.20	-23.15	peak			
2		5150.000	54.34	5.62	59.96	68.20	-8.24	peak			
3	*	5150.000	40.66	5.62	46.28	54.00	-7.72	AVG			


Above 1G (1GHz~18GHz)

Test mode: 11AX80MIMO

Test Channel:58


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10580.000	58.79	5.83	64.62	68.20	-3.58	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	61.16	4.44	65.60	68.20	-2.60	peak	
2	*	5350.000	48.75	4.44	53.19	54.00	-0.81	AVG	
3		5460.000	40.47	4.51	44.98	68.20	-23.22	peak	


## HORIZONTALA

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	10580.000	56.74	5.83	62.57	68.20	-5.63	peak		

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		5350.000	51.97	4.44	56.41	68.20	-11.79	peak		
2	*	5350.000	41.15	4.44	45.59	54.00	-8.41	AVG		
3		5460.000	40.21	4.51	44.72	68.20	-23.48	peak		




Above 1G (1GHz~18GHz)

Test mode: 11AX80MIMO

Test Channel:106


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11060.000	59.94	4.11	64.05	74.00	-9.95	peak	
2 *		11060.000	49.17	4.11	53.28	54.00	-0.72	AVG	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	40.42	4.44	44.86	68.20	-23.34	peak	
2		5460.000	60.66	4.51	65.17	68.20	-3.03	peak	
3 *		5460.000	49.16	4.51	53.67	54.00	-0.33	AVG	


## HORIZONTALA

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	
1		11060.000	57.46	4.11	61.57	74.00	-12.43			peak
2 *		11060.000	46.54	4.11	50.65	54.00	-3.35			AVG

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1		5350.000	40.74	4.44	45.18	68.20	-23.02			peak
2 *		5460.000	47.69	4.51	52.20	68.20	-16.00			peak


Above 1G (1GHz~18GHz)

Test mode: 11AX80MIMO

Test Channel:122

VERTICAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11220.000	15.43	48.73	64.16	74.00	-9.84	peak		
2	*	11220.000	4.31	48.73	53.04	54.00	-0.96	AVG		

HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11220.000	13.54	48.73	62.27	74.00	-11.73	peak		
2	*	11220.000	2.98	48.73	51.71	54.00	-2.29	AVG		


Above 1G (1GHz~18GHz)

Test mode: 11AX80MIMO

Test Channel:155


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11550.000	15.30	49.05	64.35	74.00	-9.65	peak		
2	*	11550.000	3.97	49.05	53.02	54.00	-0.98	AVG		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5650.000	41.17	15.12	56.29	68.20	-11.91	peak		
2		5700.000	66.94	15.46	82.40	105.20	-22.80	peak		
3		5720.000	70.05	15.33	85.38	110.80	-25.42	peak		
4		5725.000	70.01	15.30	85.31	122.20	-36.89	peak		
5		5850.000	67.07	15.18	82.25	122.20	-39.95	peak		
6		5855.000	66.33	15.25	81.58	110.80	-29.22	peak		
7		5875.000	54.85	15.51	70.36	105.20	-34.84	peak		
8		5925.000	38.36	16.28	54.64	68.20	-13.56	peak		


## HORIZONTALA

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11550.000	13.41	49.05	62.46	74.00	-11.54			peak
2 *		11550.000	2.33	49.05	51.38	54.00	-2.62			AVG

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1 *		5650.000	40.85	15.12	55.97	68.20	-12.23			peak
2		5700.000	62.14	15.46	77.60	105.20	-27.60			peak
3		5720.000	65.36	15.33	80.69	110.80	-30.11			peak
4		5725.000	66.21	15.30	81.51	122.20	-40.69			peak
5		5850.000	63.05	15.18	78.23	122.20	-43.97			peak
6		5855.000	61.58	15.25	76.83	110.80	-33.97			peak
7		5875.000	55.63	15.51	71.14	105.20	-34.06			peak
8		5925.000	39.20	16.28	55.48	68.20	-12.72			peak


Above 1G (1GHz~18GHz)

Test mode: 11AX160MIMO

Test Channel:50


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10500.000	58.42	6.46	64.88	68.20	-3.32	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		4500.000	41.28	3.85	45.13	68.20	-23.07	peak		
2	*	5150.000	61.56	5.62	67.18	68.20	-1.02	peak		
3		5150.000	46.82	5.62	52.44	54.00	-1.56	AVG		


## HORIZONTALA

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	10500.000	55.87	6.46	62.33	68.20	-5.87	peak		

### Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		4500.000	40.94	3.85	44.79	68.20	-23.41	peak		
2	*	5150.000	57.65	5.62	63.27	68.20	-4.93	peak		
3		5150.000	43.05	5.62	48.67	54.00	-5.33	AVG		

Above 1G (1GHz~18GHz)

Test mode: 11AX160MIMO

Test Channel:114


VERTICAL






## HORIZONTALA

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		11140.000	13.07	48.77	61.84	74.00	-12.16	peak		
2	*	11140.000	2.06	48.77	50.83	54.00	-3.17	AVG		

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		5350.000	41.52	4.44	45.96	68.20	-22.24	peak		
2		5460.000	54.82	4.51	59.33	68.20	-8.87	peak		
3	*	5460.000	41.84	4.51	46.35	54.00	-7.65	AVG		

Note: The high frequency, which started from 18GHz to 40GHz, was pre-scanned and the result which was 20dB lower than the limit line was not recorded in this report.

### 3.3 Spectrum Bandwidth

#### 3.3.1 Limit

FCC Part15, Subpart E (15.407)			
Section	Test Item	Limit	Frequency Range (MHz)
15.407(a)	26 dB Bandwidth	-	5150-5250
	26 dB Bandwidth	-	5250-5350
15.407(e)	26 dB Bandwidth	-	5470-5725
	26 dB Bandwidth	-	5725-5850
	6 dB Bandwidth	Minimum 500 kHz	5725-5850

#### 3.3.2 Test Procedure

Test Method	
<input checked="" type="radio"/> Conducted Measurement	<input type="radio"/> Radiated Measurement
Test Channels	
<input checked="" type="radio"/> Lowest, Middle and Highest Channel	<input type="radio"/> Lowest and Highest Channel
Environmental conditions	
<input checked="" type="radio"/> Normal	<input type="radio"/> Normal and Extreme
Note: ●:Test    ○:No Test	

a) The EUT was directly connected to the tonscend test system and antenna output port as show in the block diagram below.

b) the spectrum analyser is set as follow:

For 26 dB Bandwidth


Centre Frequency	The centre frequency of the channel under test
RBW	$\geq 1\% \times$ Nominal Channel Bandwidth
VBW	$\geq 3 \times$ RBW
Frequency span	2 x Nominal Channel Bandwidth
Detector Mode	Peak
Trace Mode	Max Hold
Sweep Time	Auto Couple

For 6 dB Bandwidth

Centre Frequency	The centre frequency of the channel under test
RBW	100 kHz
VBW	300 kHz
Frequency span	2 x Nominal Channel Bandwidth
Detector Mode	Peak
Trace Mode	Max Hold
Sweep Time	Auto Couple

- c) Wait for the trace to stabilize then find the peak value of the trace and place the analyser marker on this peak.
- d) Use the -26/-6dB bandwidth function of the spectrum analyser to measure the -26/-6dB Bandwidth of the EUT. This value shall be recorded.
- e) Make sure that the power envelope is sufficiently above the noise floor of the analyser to avoid the noise signals left and right from the power envelope being taken into account by this measurement.

### 3.3.3 Test Setup



### 3.3.4 Test Result

#### 26 dB Bandwidth

Test Mode	Antenna	Freq(MHz)	26dB EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A-CDD	Ant1	5180	21.000	5169.360	5190.360	---	---
	Ant2	5180	21.520	5168.960	5190.480	---	---
	Ant3	5180	21.120	5169.440	5190.560	---	---
	Ant4	5180	21.080	5169.440	5190.520	---	---
	Ant1	5200	24.280	5187.360	5211.640	---	---
	Ant2	5200	23.520	5187.040	5210.560	---	---
	Ant3	5200	21.400	5189.160	5210.560	---	---
	Ant4	5200	21.480	5189.280	5210.760	---	---
	Ant1	5240	24.520	5228.800	5253.320	---	---
	Ant2	5240	21.680	5229.040	5250.720	---	---
	Ant3	5240	21.240	5229.520	5250.760	---	---
	Ant4	5240	21.280	5229.480	5250.760	---	---
	Ant1	5260	21.040	5249.320	5270.360	---	---
	Ant2	5260	21.520	5249.280	5270.800	---	---
	Ant3	5260	21.160	5249.520	5270.680	---	---
	Ant4	5260	21.160	5249.560	5270.720	---	---
	Ant1	5280	21.160	5269.440	5290.600	---	---
	Ant2	5280	21.040	5269.480	5290.520	---	---
	Ant3	5280	21.080	5269.400	5290.480	---	---
	Ant4	5280	21.240	5269.560	5290.800	---	---
	Ant1	5320	21.200	5309.320	5330.520	---	---
	Ant2	5320	21.280	5309.520	5330.800	---	---
	Ant3	5320	21.240	5309.320	5330.560	---	---
	Ant4	5320	21.160	5309.440	5330.600	---	---
	Ant1	5500	21.080	5489.480	5510.560	---	---
	Ant2	5500	21.240	5489.480	5510.720	---	---
	Ant3	5500	21.280	5489.400	5510.680	---	---
	Ant4	5500	21.000	5489.440	5510.440	---	---
	Ant1	5580	21.200	5569.360	5590.560	---	---
	Ant2	5580	20.960	5569.440	5590.400	---	---
	Ant3	5580	21.200	5569.440	5590.640	---	---
	Ant4	5580	21.000	5569.560	5590.560	---	---
	Ant1	5700	21.280	5689.280	5710.560	---	---
	Ant2	5700	21.400	5689.320	5710.720	---	---
	Ant3	5700	21.400	5689.200	5710.600	---	---
	Ant4	5700	21.080	5689.600	5710.680	---	---
	Ant1	5745	21.160	5734.280	5755.440	---	---
	Ant2	5745	21.480	5734.120	5755.600	---	---
	Ant3	5745	21.200	5734.280	5755.480	---	---

	Ant4	5745	21.320	5734.280	5755.600	---	---
	Ant1	5785	30.720	5768.560	5799.280	---	---
	Ant2	5785	32.440	5768.560	5801.000	---	---
	Ant3	5785	26.080	5772.200	5798.280	---	---
	Ant4	5785	31.480	5769.200	5800.680	---	---
	Ant1	5825	21.320	5814.080	5835.400	---	---
	Ant2	5825	21.200	5814.360	5835.560	---	---
	Ant3	5825	21.280	5814.320	5835.600	---	---
	Ant4	5825	22.040	5813.600	5835.640	---	---
11N20MIMO	Ant1	5180	21.360	5169.320	5190.680	---	---
	Ant2	5180	21.600	5169.200	5190.800	---	---
	Ant3	5180	21.160	5169.280	5190.440	---	---
	Ant4	5180	21.520	5169.160	5190.680	---	---
	Ant1	5200	25.680	5185.640	5211.320	---	---
	Ant2	5200	23.160	5188.120	5211.280	---	---
	Ant3	5200	21.480	5189.280	5210.760	---	---
	Ant4	5200	21.400	5189.200	5210.600	---	---
	Ant1	5240	23.360	5227.440	5250.800	---	---
	Ant2	5240	23.280	5228.640	5251.920	---	---
	Ant3	5240	21.360	5229.200	5250.560	---	---
	Ant4	5240	21.360	5229.360	5250.720	---	---
	Ant1	5260	21.480	5249.240	5270.720	---	---
	Ant2	5260	21.640	5249.200	5270.840	---	---
	Ant3	5260	21.280	5249.360	5270.640	---	---
	Ant4	5260	21.640	5249.040	5270.680	---	---
	Ant1	5280	21.280	5269.320	5290.600	---	---
	Ant2	5280	21.440	5269.160	5290.600	---	---
	Ant3	5280	21.200	5269.280	5290.480	---	---
	Ant4	5280	21.600	5269.160	5290.760	---	---
	Ant1	5320	21.640	5309.040	5330.680	---	---
	Ant2	5320	21.040	5309.440	5330.480	---	---
	Ant3	5320	21.800	5309.000	5330.800	---	---
	Ant4	5320	21.520	5309.160	5330.680	---	---
	Ant1	5500	21.320	5489.320	5510.640	---	---
	Ant2	5500	21.280	5489.400	5510.680	---	---
	Ant3	5500	21.200	5489.360	5510.560	---	---
	Ant4	5500	21.360	5489.240	5510.600	---	---
	Ant1	5580	21.440	5569.280	5590.720	---	---
	Ant2	5580	21.320	5569.320	5590.640	---	---
	Ant3	5580	21.280	5569.280	5590.560	---	---
	Ant4	5580	21.280	5569.400	5590.680	---	---
Ant1	5700	21.400	5689.320	5710.720	---	---	

	Ant2	5700	21.520	5689.200	5710.720	---	---
	Ant3	5700	21.400	5689.400	5710.800	---	---
	Ant4	5700	21.360	5689.360	5710.720	---	---
	Ant1	5745	23.400	5733.920	5757.320	---	---
	Ant2	5745	22.280	5733.920	5756.200	---	---
	Ant3	5745	21.840	5734.400	5756.240	---	---
	Ant4	5745	22.240	5733.480	5755.720	---	---
	Ant1	5785	31.080	5768.800	5799.880	---	---
	Ant2	5785	33.600	5768.320	5801.920	---	---
	Ant3	5785	26.680	5771.840	5798.520	---	---
	Ant4	5785	32.720	5769.560	5802.280	---	---
	Ant1	5825	34.280	5805.800	5840.080	---	---
	Ant2	5825	32.200	5807.240	5839.440	---	---
	Ant3	5825	35.640	5806.840	5842.480	---	---
Ant4	5825	36.360	5805.240	5841.600	---	---	
11N40MIMO	Ant1	5190	48.560	5161.120	5209.680	---	---
	Ant2	5190	55.280	5155.040	5210.320	---	---
	Ant3	5190	39.680	5169.920	5209.600	---	---
	Ant4	5190	54.800	5155.120	5209.920	---	---
	Ant1	5230	75.600	5192.560	5268.160	---	---
	Ant2	5230	73.040	5194.960	5268.000	---	---
	Ant3	5230	69.600	5193.200	5262.800	---	---
	Ant4	5230	73.120	5195.040	5268.160	---	---
	Ant1	5270	67.120	5241.120	5308.240	---	---
	Ant2	5270	72.960	5235.200	5308.160	---	---
	Ant3	5270	39.440	5250.240	5289.680	---	---
	Ant4	5270	54.880	5249.840	5304.720	---	---
	Ant1	5310	39.920	5290.160	5330.080	---	---
	Ant2	5310	39.280	5290.320	5329.600	---	---
	Ant3	5310	39.440	5290.240	5329.680	---	---
	Ant4	5310	39.680	5290.080	5329.760	---	---
	Ant1	5510	39.600	5490.240	5529.840	---	---
	Ant2	5510	39.520	5490.320	5529.840	---	---
	Ant3	5510	39.440	5490.320	5529.760	---	---
	Ant4	5510	39.840	5490.080	5529.920	---	---
	Ant1	5550	39.680	5530.240	5569.920	---	---
	Ant2	5550	39.520	5530.240	5569.760	---	---
	Ant3	5550	39.360	5530.320	5569.680	---	---
	Ant4	5550	40.080	5529.840	5569.920	---	---
	Ant1	5670	39.440	5650.320	5689.760	---	---
	Ant2	5670	39.520	5650.160	5689.680	---	---
	Ant3	5670	39.200	5650.240	5689.440	---	---

	Ant4	5670	40.160	5649.920	5690.080	---	---
	Ant1	5755	78.160	5715.080	5793.240	---	---
	Ant2	5755	75.920	5717.320	5793.240	---	---
	Ant3	5755	75.440	5717.720	5793.160	---	---
	Ant4	5755	79.200	5715.400	5794.600	---	---
	Ant1	5795	78.400	5755.240	5833.640	---	---
	Ant2	5795	74.960	5757.320	5832.280	---	---
	Ant3	5795	77.920	5755.240	5833.160	---	---
	Ant4	5795	79.600	5755.000	5834.600	---	---
11AC20MIMO	Ant1	5180	21.600	5169.120	5190.720	---	---
	Ant2	5180	21.640	5169.160	5190.800	---	---
	Ant3	5180	21.400	5169.200	5190.600	---	---
	Ant4	5180	21.720	5169.040	5190.760	---	---
	Ant1	5200	29.360	5185.080	5214.440	---	---
	Ant2	5200	27.120	5188.520	5215.640	---	---
	Ant3	5200	21.720	5189.080	5210.800	---	---
	Ant4	5200	23.080	5187.560	5210.640	---	---
	Ant1	5240	23.560	5228.440	5252.000	---	---
	Ant2	5240	21.720	5228.840	5250.560	---	---
	Ant3	5240	21.880	5229.120	5251.000	---	---
	Ant4	5240	21.680	5228.880	5250.560	---	---
	Ant1	5260	21.160	5249.440	5270.600	---	---
	Ant2	5260	21.040	5249.440	5270.480	---	---
	Ant3	5260	21.600	5249.080	5270.680	---	---
	Ant4	5260	21.440	5249.280	5270.720	---	---
	Ant1	5280	21.240	5269.360	5290.600	---	---
	Ant2	5280	21.320	5269.360	5290.680	---	---
	Ant3	5280	21.320	5269.440	5290.760	---	---
	Ant4	5280	21.480	5269.240	5290.720	---	---
	Ant1	5320	21.120	5309.480	5330.600	---	---
	Ant2	5320	21.520	5309.120	5330.640	---	---
	Ant3	5320	21.520	5309.360	5330.880	---	---
	Ant4	5320	21.640	5309.240	5330.880	---	---
	Ant1	5500	21.360	5489.200	5510.560	---	---
	Ant2	5500	21.280	5489.400	5510.680	---	---
	Ant3	5500	21.280	5489.320	5510.600	---	---
	Ant4	5500	21.440	5489.240	5510.680	---	---
	Ant1	5580	21.440	5569.240	5590.680	---	---
	Ant2	5580	21.280	5569.360	5590.640	---	---
	Ant3	5580	21.560	5569.240	5590.800	---	---
	Ant4	5580	21.120	5569.440	5590.560	---	---
Ant1	5700	21.320	5689.360	5710.680	---	---	

	Ant2	5700	21.360	5689.280	5710.640	---	---
	Ant3	5700	21.400	5689.240	5710.640	---	---
	Ant4	5700	21.600	5689.200	5710.800	---	---
	Ant1	5745	30.800	5728.640	5759.440	---	---
	Ant2	5745	35.560	5726.760	5762.320	---	---
	Ant3	5745	26.840	5731.520	5758.360	---	---
	Ant4	5745	34.560	5727.360	5761.920	---	---
	Ant1	5785	31.080	5768.960	5800.040	---	---
	Ant2	5785	31.440	5768.600	5800.040	---	---
	Ant3	5785	33.320	5768.840	5802.160	---	---
	Ant4	5785	34.040	5768.800	5802.840	---	---
	Ant1	5825	34.440	5807.240	5841.680	---	---
	Ant2	5825	37.120	5805.480	5842.600	---	---
	Ant3	5825	38.160	5805.400	5843.560	---	---
Ant4	5825	36.920	5806.080	5843.000	---	---	
11AC40MIMO	Ant1	5190	50.400	5159.520	5209.920	---	---
	Ant2	5190	45.120	5164.480	5209.600	---	---
	Ant3	5190	42.800	5166.640	5209.440	---	---
	Ant4	5190	45.680	5164.160	5209.840	---	---
	Ant1	5230	64.000	5194.560	5258.560	---	---
	Ant2	5230	60.640	5196.960	5257.600	---	---
	Ant3	5230	57.280	5197.040	5254.320	---	---
	Ant4	5230	64.720	5197.040	5261.760	---	---
	Ant1	5270	40.080	5249.760	5289.840	---	---
	Ant2	5270	39.920	5250.080	5290.000	---	---
	Ant3	5270	39.440	5250.160	5289.600	---	---
	Ant4	5270	39.840	5250.080	5289.920	---	---
	Ant1	5310	40.000	5289.760	5329.760	---	---
	Ant2	5310	39.440	5290.320	5329.760	---	---
	Ant3	5310	39.760	5290.080	5329.840	---	---
	Ant4	5310	39.840	5290.080	5329.920	---	---
	Ant1	5510	40.160	5489.520	5529.680	---	---
	Ant2	5510	39.440	5490.160	5529.600	---	---
	Ant3	5510	39.680	5490.080	5529.760	---	---
	Ant4	5510	39.840	5489.920	5529.760	---	---
	Ant1	5550	40.000	5529.920	5569.920	---	---
	Ant2	5550	39.520	5530.160	5569.680	---	---
	Ant3	5550	39.600	5530.080	5569.680	---	---
	Ant4	5550	39.840	5530.080	5569.920	---	---
Ant1	5670	40.160	5649.680	5689.840	---	---	
Ant2	5670	39.520	5650.160	5689.680	---	---	
Ant3	5670	39.680	5650.080	5689.760	---	---	



	Ant4	5670	40.160	5649.840	5690.000	---	---
	Ant1	5755	39.840	5734.760	5774.600	---	---
	Ant2	5755	39.760	5735.160	5774.920	---	---
	Ant3	5755	39.360	5735.240	5774.600	---	---
	Ant4	5755	39.760	5735.000	5774.760	---	---
	Ant1	5795	40.080	5774.760	5814.840	---	---
	Ant2	5795	39.600	5775.160	5814.760	---	---
	Ant3	5795	39.600	5775.000	5814.600	---	---
	Ant4	5795	39.840	5775.000	5814.840	---	---
11AC80MIMO	Ant1	5210	81.280	5169.040	5250.320	---	---
	Ant2	5210	83.040	5167.280	5250.320	---	---
	Ant3	5210	81.600	5169.200	5250.800	---	---
	Ant4	5210	82.400	5168.400	5250.800	---	---
	Ant1	5290	81.280	5249.520	5330.800	---	---
	Ant2	5290	80.960	5249.520	5330.480	---	---
	Ant3	5290	81.600	5249.200	5330.800	---	---
	Ant4	5290	81.760	5249.360	5331.120	---	---
	Ant1	5530	81.120	5489.520	5570.640	---	---
	Ant2	5530	80.800	5489.680	5570.480	---	---
	Ant3	5530	81.600	5489.360	5570.960	---	---
	Ant4	5530	81.760	5489.200	5570.960	---	---
	Ant1	5610	81.280	5569.200	5650.480	---	---
	Ant2	5610	80.960	5569.520	5650.480	---	---
	Ant3	5610	81.440	5569.200	5650.640	---	---
	Ant4	5610	81.440	5569.360	5650.800	---	---
	Ant1	5775	148.160	5698.040	5846.200	---	---
	Ant2	5775	141.600	5703.160	5844.760	---	---
	Ant3	5775	149.920	5695.000	5844.920	---	---
	Ant4	5775	92.960	5723.000	5815.960	---	---
11AC160MIMO	Ant1	5250	163.840	5168.080	5331.920	---	---
	Ant2	5250	163.520	5168.400	5331.920	---	---
	Ant3	5250	180.480	5167.760	5348.240	---	---
	Ant4	5250	164.800	5167.440	5332.240	---	---
	Ant1	5250_UNII-1	81.92	5168.080	5250	---	---
	Ant2	5250_UNII-1	81.6	5168.400	5250	---	---
	Ant3	5250_UNII-1	82.24	5167.760	5250	---	---
	Ant4	5250_UNII-1	82.56	5167.440	5250	---	---
	Ant1	5250_UNII-1	81.92	5250	5331.920	---	---

		2A					
	Ant2	5250_UNII-2A	81.92	5250	5331.920	---	---
	Ant3	5250_UNII-2A	98.24	5250	5348.240	---	---
	Ant4	5250_UNII-2A	82.24	5250	5332.240	---	---
	Ant1	5570	162.240	5489.040	5651.280	---	---
	Ant2	5570	163.520	5488.080	5651.600	---	---
	Ant3	5570	163.200	5488.080	5651.280	---	---
	Ant4	5570	164.160	5487.760	5651.920	---	---
11AX20MIMO	Ant1	5180	24.840	5167.000	5191.840	---	---
	Ant2	5180	27.680	5166.800	5194.480	---	---
	Ant3	5180	24.480	5167.000	5191.480	---	---
	Ant4	5180	24.120	5166.760	5190.880	---	---
	Ant1	5200	37.360	5180.440	5217.800	---	---
	Ant2	5200	35.840	5182.160	5218.000	---	---
	Ant3	5200	27.800	5186.520	5214.320	---	---
	Ant4	5200	24.640	5186.920	5211.560	---	---
	Ant1	5240	39.360	5220.080	5259.440	---	---
	Ant2	5240	38.280	5221.560	5259.840	---	---
	Ant3	5240	33.600	5222.960	5256.560	---	---
	Ant4	5240	26.920	5226.280	5253.200	---	---
	Ant1	5260	21.240	5249.440	5270.680	---	---
	Ant2	5260	21.520	5249.240	5270.760	---	---
	Ant3	5260	21.320	5249.360	5270.680	---	---
	Ant4	5260	21.360	5249.160	5270.520	---	---
	Ant1	5280	21.360	5269.320	5290.680	---	---
	Ant2	5280	21.440	5269.160	5290.600	---	---
	Ant3	5280	21.520	5269.200	5290.720	---	---
	Ant4	5280	21.320	5269.360	5290.680	---	---
	Ant1	5320	21.280	5309.240	5330.520	---	---
	Ant2	5320	21.360	5309.240	5330.600	---	---
	Ant3	5320	21.520	5309.120	5330.640	---	---
	Ant4	5320	21.480	5309.120	5330.600	---	---
	Ant1	5500	21.400	5489.360	5510.760	---	---
	Ant2	5500	21.360	5489.280	5510.640	---	---
	Ant3	5500	21.600	5489.040	5510.640	---	---
	Ant4	5500	21.480	5489.080	5510.560	---	---
	Ant1	5580	21.640	5569.160	5590.800	---	---
	Ant2	5580	21.600	5569.120	5590.720	---	---
	Ant3	5580	21.360	5569.240	5590.600	---	---

	Ant4	5580	21.520	5569.280	5590.800	---	---
	Ant1	5700	21.600	5689.160	5710.760	---	---
	Ant2	5700	21.200	5689.440	5710.640	---	---
	Ant3	5700	21.280	5689.320	5710.600	---	---
	Ant4	5700	21.760	5689.040	5710.800	---	---
	Ant1	5745	37.000	5725.200	5762.200	---	---
	Ant2	5745	38.880	5725.120	5764.000	---	---
	Ant3	5745	32.640	5727.280	5759.920	---	---
	Ant4	5745	34.080	5726.160	5760.240	---	---
	Ant1	5785	37.240	5765.600	5802.840	---	---
	Ant2	5785	33.160	5769.200	5802.360	---	---
	Ant3	5785	34.320	5767.440	5801.760	---	---
	Ant4	5785	38.240	5766.600	5804.840	---	---
	Ant1	5825	39.120	5805.000	5844.120	---	---
	Ant2	5825	21.760	5814.000	5835.760	---	---
	Ant3	5825	37.640	5805.280	5842.920	---	---
	Ant4	5825	39.040	5805.000	5844.040	---	---
11AX40MIMO	Ant1	5190	54.880	5158.240	5213.120	---	---
	Ant2	5190	54.960	5158.160	5213.120	---	---
	Ant3	5190	47.440	5162.560	5210.000	---	---
	Ant4	5190	54.240	5158.160	5212.400	---	---
	Ant1	5230	68.880	5193.120	5262.000	---	---
	Ant2	5230	63.680	5198.320	5262.000	---	---
	Ant3	5230	55.760	5201.920	5257.680	---	---
	Ant4	5230	63.920	5198.080	5262.000	---	---
	Ant1	5270	39.840	5250.080	5289.920	---	---
	Ant2	5270	40.160	5249.840	5290.000	---	---
	Ant3	5270	40.320	5249.840	5290.160	---	---
	Ant4	5270	40.320	5250.000	5290.320	---	---
	Ant1	5310	40.320	5289.840	5330.160	---	---
	Ant2	5310	40.480	5289.760	5330.240	---	---
	Ant3	5310	40.560	5289.840	5330.400	---	---
	Ant4	5310	40.400	5289.840	5330.240	---	---
	Ant1	5510	40.240	5489.680	5529.920	---	---
	Ant2	5510	40.720	5489.520	5530.240	---	---
	Ant3	5510	40.240	5489.840	5530.080	---	---
	Ant4	5510	40.160	5489.840	5530.000	---	---
	Ant1	5550	40.160	5530.000	5570.160	---	---
	Ant2	5550	40.080	5529.920	5570.000	---	---
	Ant3	5550	40.160	5530.000	5570.160	---	---
	Ant4	5550	40.400	5529.680	5570.080	---	---
Ant1	5670	40.240	5649.840	5690.080	---	---	

	Ant2	5670	40.080	5649.920	5690.000	---	---
	Ant3	5670	40.320	5649.760	5690.080	---	---
	Ant4	5670	40.800	5649.440	5690.240	---	---
	Ant1	5755	40.160	5734.920	5775.080	---	---
	Ant2	5755	40.160	5734.840	5775.000	---	---
	Ant3	5755	40.160	5734.840	5775.000	---	---
	Ant4	5755	40.480	5734.680	5775.160	---	---
	Ant1	5795	39.840	5775.000	5814.840	---	---
	Ant2	5795	40.160	5774.680	5814.840	---	---
	Ant3	5795	40.080	5774.920	5815.000	---	---
Ant4	5795	40.400	5774.840	5815.240	---	---	
11AX80MIMO	Ant1	5210	115.840	5149.520	5265.360	---	---
	Ant2	5210	115.200	5151.440	5266.640	---	---
	Ant3	5210	98.400	5152.400	5250.800	---	---
	Ant4	5210	124.960	5137.200	5262.160	---	---
	Ant1	5290	81.600	5249.360	5330.960	---	---
	Ant2	5290	81.440	5249.200	5330.640	---	---
	Ant3	5290	80.960	5249.520	5330.480	---	---
	Ant4	5290	81.120	5249.520	5330.640	---	---
	Ant1	5530	81.760	5489.520	5571.280	---	---
	Ant2	5530	81.280	5489.200	5570.480	---	---
	Ant3	5530	81.280	5489.200	5570.480	---	---
	Ant4	5530	81.600	5489.520	5571.120	---	---
	Ant1	5610	82.080	5569.040	5651.120	---	---
	Ant2	5610	81.120	5569.520	5650.640	---	---
	Ant3	5610	81.600	5569.040	5650.640	---	---
	Ant4	5610	81.760	5569.200	5650.960	---	---
	Ant1	5775	138.880	5699.320	5838.200	---	---
	Ant2	5775	123.200	5709.080	5832.280	---	---
Ant3	5775	138.400	5704.280	5842.680	---	---	
Ant4	5775	155.680	5695.000	5850.680	---	---	
11AX160MIMO	Ant1	5250	164.160	5167.760	5331.920	---	---
	Ant2	5250	165.440	5167.120	5332.560	---	---
	Ant3	5250	164.800	5167.440	5332.240	---	---
	Ant4	5250	164.160	5167.760	5331.920	---	---
	Ant1	5250_UNII-1	82.24	5167.760	5250	---	---
	Ant2	5250_UNII-1	82.88	5167.120	5250	---	---
	Ant3	5250_UNII-1	82.56	5167.440	5250	---	---
	Ant4	5250_UNII-1	82.24	5167.760	5250	---	---

		1					
	Ant1	5250_UNII-2A	81.92	5250	5331.920	---	---
	Ant2	5250_UNII-2A	82.56	5250	5332.560	---	---
	Ant3	5250_UNII-2A	82.24	5250	5332.240	---	---
	Ant4	5250_UNII-2A	81.92	5250	5331.920	---	---
	Ant1	5570	163.520	5488.400	5651.920	---	---
	Ant2	5570	163.520	5488.080	5651.600	---	---
	Ant3	5570	164.160	5488.080	5652.240	---	---
	Ant4	5570	164.800	5488.400	5653.200	---	---

11A-CDD\_Ant1\_5180



11A-CDD\_Ant2\_5180



11A-CDD\_Ant3\_5180



11A-CDD\_Ant4\_5180



11A-CDD\_Ant1\_5200



11A-CDD\_Ant2\_5200





11A-CDD\_Ant3\_5200



11A-CDD\_Ant4\_5200



11A-CDD\_Ant1\_5240



11A-CDD\_Ant2\_5240



11A-CDD\_Ant3\_5240



11A-CDD\_Ant4\_5240



11A-CDD\_Ant1\_5260



11A-CDD\_Ant2\_5260



11A-CDD\_Ant3\_5260



11A-CDD\_Ant4\_5260



11A-CDD\_Ant1\_5280



11A-CDD\_Ant2\_5280

