


Above 1G (1GHz~40GHz)

Test mode: 11N40MIMO


Test Channel:110

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11099.037	41.35	-2.33	39.02	54.00	-14.98	AVG		
2		11100.800	52.77	-2.32	50.45	74.00	-23.55	peak		
3		16650.950	50.45	1.62	52.07	68.20	-16.13	peak		

HORIZONTAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11096.046	41.24	-2.35	38.89	54.00	-15.11	AVG		
2		11098.950	53.28	-2.33	50.95	74.00	-23.05	peak		
3		16650.300	51.11	1.62	52.73	68.20	-15.47	peak		

Above 1G (1GHz~40GHz)


Test mode: 11N40MIMO

Test Channel:134

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5725.000	31.53	33.91	65.44	68.20	-2.76			peak
2 *		5726.000	32.85	33.91	66.76	68.20	-1.44			peak




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1 *		11343.749	41.35	-1.10	40.25	54.00	-13.75			AVG
2		11353.000	51.96	-1.05	50.91	74.00	-23.09			peak
3		17039.500	50.20	2.66	52.86	68.20	-15.34			peak

HORIZONTALA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1	*	5725.000	28.54	33.91	62.45	68.20	-5.75	peak	




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1	*	11351.482	41.85	-1.06	40.79	54.00	-13.21	AVG	
2		11353.000	52.11	-1.05	51.06	74.00	-22.94	peak	
3		17039.500	50.81	2.66	53.47	68.20	-14.73	peak	

Above 1G (1GHz~40GHz)


Test mode: 11N40MIMO

Test Channel:151

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1	*	5649.000	34.23	33.77	68.00	68.20	-0.20	peak	
2	!	5921.400	31.02	34.26	65.28	70.85	-5.57	peak	




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1	*	11523.168	41.76	-0.39	41.37	54.00	-12.63	AVG	
2		11531.500	52.87	-0.43	52.44	74.00	-21.56	peak	
3		17269.000	50.25	3.98	54.23	68.20	-13.97	peak	

HORIZONTALA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1	!	5578.600	30.39	33.64	64.03	68.20	-4.17			peak
2	*	5950.200	30.38	34.31	64.69	68.20	-3.51			peak




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1	*	11514.616	42.96	-0.36	42.60	54.00	-11.40			AVG
2		11531.500	53.43	-0.43	53.00	74.00	-21.00			peak
3		17269.000	50.96	3.98	54.94	68.20	-13.26			peak

Above 1G (1GHz~40GHz)


Test mode: 11N40MIMO

Test Channel:159

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	!	5637.400	29.75	33.75	63.50	68.20	-4.70			peak
2	*	5922.200	35.02	34.26	69.28	70.26	-0.98			peak




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11589.878	44.05	-0.64	43.41	54.00	-10.59			AVG
2		11608.000	55.08	-0.71	54.37	74.00	-19.63			peak
3		17396.500	51.06	4.72	55.78	68.20	-12.42			peak

HORIZONTALA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1	!	5619.800	29.74	33.72	63.46	68.20	-4.74		peak
2	*	5950.600	30.26	34.31	64.57	68.20	-3.63		peak




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1	*	11590.320	44.40	-0.64	43.76	54.00	-10.24		AVG
2		11590.500	53.44	-0.64	52.80	74.00	-21.20		peak
3		17396.500	50.11	4.72	54.83	68.20	-13.37		peak

Above 1G (1GHz~40GHz)


Test mode: 11AC80MIMO

Test Channel:42

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5150.000	27.98	33.43	61.41	74.00	-12.59	peak		
2 *		5150.000	19.18	33.43	52.61	54.00	-1.39	AVG		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10409.500	52.57	-3.53	49.04	68.20	-19.16	peak		
2 *		15630.626	39.08	-0.15	38.93	54.00	-15.07	AVG		
3		15637.000	51.92	-0.15	51.77	74.00	-22.23	peak		

HORIZONTALA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1		5150.000	25.72	33.43	59.15	74.00	-14.85	peak		
2 *		5150.000	16.66	33.43	50.09	54.00	-3.91	AVG		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1		10435.000	52.69	-3.49	49.20	68.20	-19.00	peak		
2 *		15636.800	39.06	-0.15	38.91	54.00	-15.09	AVG		
3		15637.000	51.37	-0.15	51.22	74.00	-22.78	peak		

Above 1G (1GHz~40GHz)


Test mode: 11AC80MIMO

Test Channel:58

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	30.84	33.47	64.31	74.00	-9.69			peak
2	*	5350.000	20.48	33.47	53.95	54.00	-0.05			AVG




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10580.500	52.80	-3.29	49.51	68.20	-18.69			peak
2		10583.497	41.62	-3.29	38.33	68.20	-29.87			AVG
3	*	15858.168	39.16	-0.12	39.04	54.00	-14.96			AVG
4		15866.500	50.79	-0.12	50.67	74.00	-23.33			peak

HORIZONTALA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	26.14	33.47	59.61	74.00	-14.39			peak
2 *		5350.000	16.71	33.47	50.18	54.00	-3.82			AVG




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10562.500	53.53	-3.31	50.22	68.20	-17.98			peak
2		10567.935	41.59	-3.31	38.28	68.20	-29.92			AVG
3 *		15863.063	39.11	-0.12	38.99	54.00	-15.01			AVG
4		15866.500	51.78	-0.12	51.66	74.00	-22.34			peak

Above 1G (1GHz~40GHz)


Test mode: 11AC80MIMO

Test Channel:106

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1		5457.380	32.57	33.49	66.06	74.00	-7.94			peak
2	*	5457.380	20.32	33.49	53.81	54.00	-0.19			AVG
3		5460.000	31.85	33.49	65.34	74.00	-8.66			peak
4		5460.000	18.46	33.49	51.95	54.00	-2.05			AVG
5		5470.000	30.54	33.49	64.03	68.20	-4.17			peak




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1		11038.508	40.62	-2.64	37.98	54.00	-16.02			AVG
2		11047.000	52.23	-2.59	49.64	74.00	-24.36			peak
3	*	16580.500	50.91	1.46	52.37	68.20	-15.83			peak

HORIZONTALA




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5460.000	27.49	33.49	60.98	74.00	-13.02			peak
2	*	5460.000	16.34	33.49	49.83	54.00	-4.17			AVG
3		5470.000	28.64	33.49	62.13	68.20	-6.07			peak




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11067.505	41.17	-2.49	38.68	54.00	-15.32			AVG
2		11072.500	52.56	-2.46	50.10	74.00	-23.90			peak
3		16580.500	51.11	1.46	52.57	68.20	-15.63			peak

Above 1G (1GHz~40GHz)	Test mode: 11AC80MIMO	Test Channel:122
-----------------------	-----------------------	------------------

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5725.000	33.39	33.91	67.30	68.20	-0.90			peak




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11225.500	51.99	-1.69	50.30	74.00	-23.70			peak
2	*	11231.534	41.74	-1.66	40.08	54.00	-13.92			AVG
3		16835.500	51.82	2.05	53.87	68.20	-14.33			peak

HORIZONTALA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5725.000	28.67	33.91	62.58	68.20	-5.62	peak		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11225.500	52.81	-1.69	51.12	74.00	-22.88	peak		
2	*	11230.795	41.90	-1.67	40.23	54.00	-13.77	AVG		
3		16835.500	51.77	2.05	53.82	68.20	-14.38	peak		

Above 1G (1GHz~40GHz)


Test mode: 11AC80MIMO

Test Channel:155

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1	*	5646.200	34.00	33.76	67.76	68.20	-0.44	peak	
2	!	5925.000	33.18	34.27	67.45	68.20	-0.75	peak	




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		11557.000	53.79	-0.52	53.27	74.00	-20.73	peak	
2	*	11564.153	42.65	-0.54	42.11	54.00	-11.89	AVG	
3		17345.500	50.84	4.43	55.27	68.20	-12.93	peak	

HORIZONTALA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1	!	5629.400	29.47	33.73	63.20	68.20	-5.00			peak
2	*	5941.400	30.37	34.29	64.66	68.20	-3.54			peak




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1		11557.000	54.58	-0.52	54.06	74.00	-19.94			peak
2	*	11563.553	42.88	-0.54	42.34	54.00	-11.66			AVG
3		17345.500	50.70	4.43	55.13	68.20	-13.07			peak

Above 1G (1GHz~40GHz)


Test mode: 11AC160MIMO

Test Channel:50

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		5127.200	28.28	33.43	61.71	74.00	-12.29	peak	
2	*	5127.200	20.10	33.43	53.53	54.00	-0.47	AVG	
3		5150.000	27.78	33.43	61.21	74.00	-12.79	peak	
4		5150.000	17.53	33.43	50.96	54.00	-3.04	AVG	
5		5350.000	26.69	33.47	60.16	74.00	-13.84	peak	
6		5350.000	16.73	33.47	50.20	54.00	-3.80	AVG	
7		5398.800	28.82	33.48	62.30	74.00	-11.70	peak	
8		5398.800	19.01	33.48	52.49	54.00	-1.51	AVG	




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		10511.500	53.09	-3.37	49.72	68.20	-18.48	peak	
2	*	15755.449	38.66	-0.13	38.53	54.00	-15.47	AVG	
3		15764.500	50.81	-0.13	50.68	74.00	-23.32	peak	

Above 1G (1GHz~40GHz)


Test mode: 11AC160MIMO

Test Channel:114

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5447.200	29.88	33.49	63.37	74.00	-10.63			peak
2	*	5447.200	18.89	33.49	52.38	54.00	-1.62			AVG
3		5460.000	27.83	33.49	61.32	74.00	-12.68			peak
4		5460.000	16.63	33.49	50.12	54.00	-3.88			AVG
5		5470.000	28.97	33.49	62.46	68.20	-5.74			peak
6		5725.000	29.91	33.91	63.82	68.20	-4.38			peak




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11149.000	52.21	-2.08	50.13	74.00	-23.87			peak
2		11166.362	40.45	-1.99	38.46	54.00	-15.54			AVG
3	*	16708.000	52.26	1.75	54.01	68.20	-14.19			peak

HORIZONTALA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5447.200	27.76	33.49	61.25	74.00	-12.75	peak		
2	*	5447.200	17.22	33.49	50.71	54.00	-3.29	AVG		
3		5460.000	26.83	33.49	60.32	74.00	-13.68	peak		
4		5460.000	15.72	33.49	49.21	54.00	-4.79	AVG		
5		5470.000	26.61	33.49	60.10	68.20	-8.10	peak		
6		5725.000	27.57	33.91	61.48	68.20	-6.72	peak		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11149.000	52.00	-2.08	49.92	74.00	-24.08	peak		
2		11166.922	40.36	-1.99	38.37	54.00	-15.63	AVG		
3	*	16733.500	50.83	1.81	52.64	68.20	-15.56	peak		

Above 1G (1GHz~40GHz)


Test mode: 11AX20MIMO

Test Channel:36

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		5150.000	29.20	33.43	62.63	74.00	-11.37	peak	
2	*	5150.000	20.28	33.43	53.71	54.00	-0.29	AVG	




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		10358.500	54.74	-3.62	51.12	68.20	-17.08	peak	
2		15535.000	53.59	-0.16	53.43	74.00	-20.57	peak	
3	*	15542.112	43.52	-0.16	43.36	54.00	-10.64	AVG	

HORIZONTALA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5150.000	26.26	33.43	59.69	74.00	-14.31	peak		
2 *		5150.000	16.45	33.43	49.88	54.00	-4.12	AVG		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10358.500	55.21	-3.62	51.59	68.20	-16.61	peak		
2		15535.000	56.04	-0.16	55.88	74.00	-18.12	peak		
3 *		15542.193	45.99	-0.16	45.83	54.00	-8.17	AVG		

Above 1G (1GHz~40GHz)

Test mode: 11AX20MIMO


Test Channel:40

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10400.300	54.47	-3.55	50.92	68.20	-17.28			peak
2	*	15597.355	40.00	-0.15	39.85	54.00	-14.15			AVG
3		15601.500	50.15	-0.15	50.00	74.00	-24.00			peak

HORIZONTAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10400.150	55.31	-3.55	51.76	68.20	-16.44			peak
2		15602.850	50.64	-0.15	50.49	74.00	-23.51			peak
3	*	15605.017	40.24	-0.15	40.09	54.00	-13.91			AVG

Above 1G (1GHz~40GHz)

Test mode: 11AX20MIMO


Test Channel:48

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10470.700	54.43	-3.43	51.00	68.20	-17.20			peak
2		15724.750	50.41	-0.14	50.27	74.00	-23.73			peak
3 *		15726.569	39.65	-0.14	39.51	54.00	-14.49			AVG

HORIZONTAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10480.900	55.21	-3.41	51.80	68.20	-16.40			peak
2		15720.900	51.01	-0.14	50.87	74.00	-23.13			peak
3 *		15727.404	39.63	-0.14	39.49	54.00	-14.51			AVG

Above 1G (1GHz~40GHz)

Test mode: 11AX20MIMO


Test Channel:52

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10521.700	53.93	-3.36	50.57	68.20	-17.63			peak
2	*	15771.378	39.93	-0.13	39.80	54.00	-14.20			AVG
3		15777.050	50.35	-0.13	50.22	74.00	-23.78			peak

HORIZONTAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10520.850	53.38	-3.36	50.02	68.20	-18.18			peak
2	*	15771.686	40.09	-0.13	39.96	54.00	-14.04			AVG
3		15774.700	50.87	-0.13	50.74	74.00	-23.26			peak

Above 1G (1GHz~40GHz)

Test mode: 11AX20MIMO


Test Channel:56

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10560.500	52.69	-3.31	49.38	68.20	-18.82	peak		
2		15835.050	50.72	-0.13	50.59	74.00	-23.41	peak		
3 *		15839.830	39.53	-0.13	39.40	54.00	-14.60	AVG		

HORIZONTAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10556.550	53.28	-3.32	49.96	68.20	-18.24	peak		
2		15836.750	49.86	-0.13	49.73	74.00	-24.27	peak		
3 *		15843.546	39.50	-0.13	39.37	54.00	-14.63	AVG		

Above 1G (1GHz~40GHz)


Test mode: 11AX20MIMO

Test Channel:64

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1	*	5350.000	19.15	33.47	52.62	54.00	-1.38	AVG		
2		5350.000	30.79	33.47	64.26	74.00	-9.74	peak	0	




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1		10639.000	53.53	-3.23	50.30	74.00	-23.70	peak		
2	*	10641.218	42.88	-3.22	39.66	54.00	-14.34	AVG		
3		15968.500	51.35	-0.11	51.24	74.00	-22.76	peak		
4		15972.457	38.91	-0.11	38.80	54.00	-15.20	AVG		

HORIZONTALA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	25.63	33.47	59.10	74.00	-14.90			peak
2 *		5350.000	15.78	33.47	49.25	54.00	-4.75			AVG




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10639.000	56.07	-3.23	52.84	74.00	-21.16			peak
2 *		10641.098	46.16	-3.22	42.94	54.00	-11.06			AVG
3		15968.500	50.45	-0.11	50.34	74.00	-23.66			peak
4		15977.311	38.99	-0.11	38.88	54.00	-15.12			AVG

Above 1G (1GHz~40GHz)


Test mode: 11AX20MIMO

Test Channel:100

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5460.000	30.76	33.49	64.25	74.00	-9.75	peak		
2	*	5460.000	19.07	33.49	52.56	54.00	-1.44	AVG		
3		5470.000	29.24	33.49	62.73	68.20	-5.47	peak		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10996.000	53.49	-2.83	50.66	74.00	-23.34	peak		
2	*	11000.016	43.98	-2.83	41.15	54.00	-12.85	AVG		
3		16504.000	52.61	1.28	53.89	68.20	-14.31	peak		

HORIZONTALA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5460.000	27.78	33.49	61.27	74.00	-12.73			peak
2	*	5460.000	16.22	33.49	49.71	54.00	-4.29			AVG
3		5470.000	27.81	33.49	61.30	68.20	-6.90			peak




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10996.000	55.85	-2.83	53.02	74.00	-20.98			peak
2	*	10998.577	45.54	-2.83	42.71	54.00	-11.29			AVG
3		16500.000	51.04	1.27	52.31	68.20	-15.89			peak

Above 1G (1GHz~40GHz)

Test mode: 11AX20MIMO


Test Channel:116

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11161.750	53.41	-2.01	51.40	74.00	-22.60	peak		
2 *		11167.314	41.12	-1.99	39.13	54.00	-14.87	AVG		
3		16740.400	50.33	1.83	52.16	68.20	-16.04	peak		

HORIZONTAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11161.750	52.69	-2.01	50.68	74.00	-23.32	peak		
2		11167.767	41.43	-1.98	39.45	54.00	-14.55	AVG		
3 *		16733.500	52.22	1.81	54.03	68.20	-14.17	peak		

Above 1G (1GHz~40GHz)


Test mode: 11AX20MIMO

Test Channel:140

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1	*	5725.000	33.43	33.91	67.34	68.20	-0.86	peak		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1		11400.000	52.49	-0.81	51.68	74.00	-22.32	peak		
2	*	11401.159	44.96	-0.81	44.15	54.00	-9.85	AVG		
3		17090.500	48.95	2.95	51.90	68.20	-16.30	peak		

HORIZONTALA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5725.000	28.92	33.91	62.83	68.20	-5.37			peak




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11399.700	45.81	-0.82	44.99	54.00	-9.01			AVG
2		11400.000	53.12	-0.81	52.31	74.00	-21.69			peak
3		17090.500	49.33	2.95	52.28	68.20	-15.92			peak

Above 1G (1GHz~40GHz)


Test mode: 11AX20MIMO

Test Channel:149

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1	*	5646.200	32.71	33.76	66.47	68.20	-1.73	peak	
2	!	5923.800	29.74	34.26	64.00	69.08	-5.08	peak	




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		11480.500	54.79	-0.41	54.38	74.00	-19.62	peak	
2	*	11491.649	44.40	-0.35	44.05	54.00	-9.95	AVG	
3		17243.500	51.07	3.84	54.91	68.20	-13.29	peak	

HORIZONTALA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	!	5639.800	29.65	33.75	63.40	68.20	-4.80			peak
2	*	5937.800	29.59	34.29	63.88	68.20	-4.32			peak




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11480.500	55.90	-0.41	55.49	74.00	-18.51			peak
2	*	11491.469	45.45	-0.35	45.10	54.00	-8.90			AVG
3		17243.500	52.21	3.84	56.05	68.20	-12.15			peak

Above 1G (1GHz~40GHz)

Test mode: 11AX20MIMO


Test Channel:157

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11579.100	53.53	-0.60	52.93	74.00	-21.07			peak
2		11583.521	41.86	-0.62	41.24	54.00	-12.76			AVG
3	*	17354.000	51.10	4.48	55.58	68.20	-12.62			peak

HORIZONTAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11569.750	52.63	-0.57	52.06	74.00	-21.94			peak
2		11576.936	42.04	-0.59	41.45	54.00	-12.55			AVG
3	*	17361.650	51.15	4.52	55.67	68.20	-12.53			peak

Above 1G (1GHz~40GHz)


Test mode: 11AX20MIMO

Test Channel:165

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	!	5651.400	29.82	33.77	63.59	69.24	-5.65			peak
2	*	5925.000	33.17	34.27	67.44	68.20	-0.76			peak




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11633.500	56.56	-0.80	55.76	74.00	-18.24			peak
2	*	11648.685	45.99	-0.85	45.14	54.00	-8.86			AVG
3		17549.500	50.19	5.70	55.89	68.20	-12.31			peak

HORIZONTALA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	!	5640.200	29.54	33.75	63.29	68.20	-4.91			peak
2	*	5968.600	30.25	34.34	64.59	68.20	-3.61			peak




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11633.500	55.86	-0.80	55.06	74.00	-18.94			peak
2	*	11646.167	45.46	-0.84	44.62	54.00	-9.38			AVG
3		17498.500	50.66	5.31	55.97	68.20	-12.23			peak

Above 1G (1GHz~40GHz)


Test mode: 11AX40MIMO

Test Channel:38

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5150.000	30.73	33.43	64.16	74.00	-9.84	peak		
2	*	5150.000	19.35	33.43	52.78	54.00	-1.22	AVG		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10358.500	54.61	-3.62	50.99	68.20	-17.21	peak		
2	*	15560.280	41.42	-0.15	41.27	54.00	-12.73	AVG		
3		15560.500	51.98	-0.15	51.83	74.00	-22.17	peak		

HORIZONTALA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5150.000	27.54	33.43	60.97	74.00	-13.03	peak		
2	*	5150.000	16.50	33.43	49.93	54.00	-4.07	AVG		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10358.500	52.52	-3.62	48.90	68.20	-19.30	peak		
2	*	15559.661	42.50	-0.15	42.35	54.00	-11.65	AVG		
3		15560.500	52.45	-0.15	52.30	74.00	-21.70	peak		

Above 1G (1GHz~40GHz)

Test mode: 11AX40MIMO


Test Channel:46

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10469.000	54.55	-3.43	51.12	68.20	-17.08			peak
2	*	15684.716	39.58	-0.14	39.44	54.00	-14.56			AVG
3		15690.500	49.76	-0.14	49.62	74.00	-24.38			peak

HORIZONTAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10466.250	54.56	-3.44	51.12	68.20	-17.08			peak
2	*	15681.765	39.67	-0.14	39.53	54.00	-14.47			AVG
3		15683.750	50.21	-0.14	50.07	74.00	-23.93			peak

Above 1G (1GHz~40GHz)

Test mode: 11AX40MIMO


Test Channel:54

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10544.650	53.44	-3.33	50.11	68.20	-18.09			peak
2		15818.050	51.00	-0.13	50.87	74.00	-23.13			peak
3	*	15822.285	39.22	-0.13	39.09	54.00	-14.91			AVG

HORIZONTAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10540.300	53.40	-3.34	50.06	68.20	-18.14			peak
2		15817.200	50.12	-0.13	49.99	74.00	-24.01			peak
3	*	15821.969	39.02	-0.13	38.89	54.00	-15.11			AVG

Above 1G (1GHz~40GHz)


Test mode: 11AX40MIMO

Test Channel:62

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	26.74	33.47	60.21	74.00	-13.79	peak		
2	*	5350.000	16.00	33.47	49.47	54.00	-4.53	AVG		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10613.020	42.65	-3.26	39.39	54.00	-14.61	AVG		
2		10613.500	53.77	-3.26	50.51	74.00	-23.49	peak		
3		15943.000	49.97	-0.12	49.85	74.00	-24.15	peak		
4		15949.174	38.51	-0.12	38.39	54.00	-15.61	AVG		

HORIZONTALA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5350.000	20.14	33.47	53.61	54.00	-0.39	AVG		
2		5350.000	31.50	33.47	64.97	74.00	-9.03	peak	0	




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10613.500	54.23	-3.26	50.97	74.00	-23.03	peak		
2	*	10613.900	43.69	-3.25	40.44	54.00	-13.56	AVG		
3		15943.000	50.50	-0.12	50.38	74.00	-23.62	peak		
4		15947.176	38.39	-0.12	38.27	54.00	-15.73	AVG		

Above 1G (1GHz~40GHz)


Test mode: 11AX40MIMO

Test Channel:102

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5460.000	32.45	33.49	65.94	74.00	-8.06	peak		
2	*	5460.000	20.44	33.49	53.93	54.00	-0.07	AVG		
3		5470.000	30.30	33.49	63.79	68.20	-4.41	peak		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11021.500	52.52	-2.72	49.80	74.00	-24.20	peak		
2	*	11030.711	41.95	-2.68	39.27	54.00	-14.73	AVG		
3		16529.500	50.79	1.34	52.13	68.20	-16.07	peak		

HORIZONTALA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5460.000	26.45	33.49	59.94	74.00	-14.06	peak		
2	*	5460.000	17.28	33.49	50.77	54.00	-3.23	AVG		
3		5470.000	30.47	33.49	63.96	68.20	-4.24	peak		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11021.500	53.07	-2.72	50.35	74.00	-23.65	peak		
2	*	11027.434	42.40	-2.69	39.71	54.00	-14.29	AVG		
3		16529.500	50.52	1.34	51.86	68.20	-16.34	peak		

Above 1G (1GHz~40GHz)

Test mode: 11AX40MIMO


Test Channel:110

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11096.610	41.27	-2.34	38.93	54.00	-15.07			AVG
2		11100.500	53.08	-2.32	50.76	74.00	-23.24			peak
3		16641.700	51.45	1.60	53.05	68.20	-15.15			peak

HORIZONTAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11090.350	53.18	-2.37	50.81	74.00	-23.19			peak
2	*	11095.622	41.36	-2.35	39.01	54.00	-14.99			AVG
3		16650.050	50.93	1.62	52.55	68.20	-15.65			peak

Above 1G (1GHz~40GHz)


Test mode: 11AX40MIMO

Test Channel:134

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1	*	5725.000	33.38	33.91	67.29	68.20	-0.91	peak	




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1	*	11350.742	42.82	-1.06	41.76	54.00	-12.24	AVG	
2		11353.000	54.02	-1.05	52.97	74.00	-21.03	peak	
3		17039.500	50.66	2.66	53.32	68.20	-14.88	peak	

HORIZONTALA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5725.000	27.91	33.91	61.82	68.20	-6.38			peak
2	*	5747.600	30.82	33.95	64.77	68.20	-3.43			peak




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11332.867	43.41	-1.15	42.26	54.00	-11.74			AVG
2		11340.000	52.70	-1.12	51.58	74.00	-22.42			peak
3		17039.500	49.80	2.66	52.46	68.20	-15.74			peak

Above 1G (1GHz~40GHz)


Test mode: 11AX40MIMO

Test Channel:151

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1	*	5643.400	33.42	33.76	67.18	68.20	-1.02	peak	
2	!	5950.200	29.87	34.31	64.18	68.20	-4.02	peak	




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1	*	11503.163	43.66	-0.32	43.34	54.00	-10.66	AVG	
2		11506.000	54.97	-0.33	54.64	74.00	-19.36	peak	
3		17269.000	50.12	3.98	54.10	68.20	-14.10	peak	

HORIZONTALA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1	!	5574.600	29.75	33.63	63.38	68.20	-4.82	peak	
2	*	5950.200	29.78	34.31	64.09	68.20	-4.11	peak	




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1	*	11503.023	43.90	-0.32	43.58	54.00	-10.42	AVG	
2		11506.000	54.79	-0.33	54.46	74.00	-19.54	peak	
3		17269.000	50.45	3.98	54.43	68.20	-13.77	peak	

Above 1G (1GHz~40GHz)


Test mode: 11AX40MIMO

Test Channel:159

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1	!	5649.400	32.84	33.77	66.61	68.20	-1.59	peak	
2	*	5930.200	32.94	34.27	67.21	68.20	-0.99	peak	




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		11582.500	54.90	-0.61	54.29	74.00	-19.71	peak	
2	*	11583.199	45.52	-0.61	44.91	54.00	-9.09	AVG	
3		17396.500	49.69	4.72	54.41	68.20	-13.79	peak	

HORIZONTALA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	!	5624.200	29.68	33.72	63.40	68.20	-4.80	peak		
2	*	5947.400	30.41	34.31	64.72	68.20	-3.48	peak		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11582.500	55.58	-0.61	54.97	74.00	-19.03	peak		
2	*	11582.980	44.41	-0.61	43.80	54.00	-10.20	AVG		
3		17396.500	50.21	4.72	54.93	68.20	-13.27	peak		

Above 1G (1GHz~40GHz)


Test mode: 11AX80MIMO

Test Channel:42

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5150.000	29.31	33.43	62.74	74.00	-11.26	peak		
2	*	5150.000	20.10	33.43	53.53	54.00	-0.47	AVG		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10409.500	52.99	-3.53	49.46	68.20	-18.74	peak		
2	*	15629.668	39.22	-0.15	39.07	54.00	-14.93	AVG		
3		15637.000	51.23	-0.15	51.08	74.00	-22.92	peak		

HORIZONTALA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5150.000	26.64	33.43	60.07	74.00	-13.93	peak		
2	*	5150.000	16.74	33.43	50.17	54.00	-3.83	AVG		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10409.500	52.90	-3.53	49.37	68.20	-18.83	peak		
2	*	15630.487	39.12	-0.15	38.97	54.00	-15.03	AVG		
3		15637.000	51.86	-0.15	51.71	74.00	-22.29	peak		

Above 1G (1GHz~40GHz)


Test mode: 11AX80MIMO

Test Channel:58

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	28.14	33.47	61.61	74.00	-12.39	peak	
2		5350.000	19.77	33.47	53.24	54.00	-0.76	AVG	
3		5350.650	29.54	33.47	63.01	74.00	-10.99	peak	
4 *		5350.650	19.96	33.47	53.43	54.00	-0.57	AVG	




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		10562.500	52.62	-3.31	49.31	68.20	-18.89	peak	
2 *		15858.928	39.05	-0.12	38.93	54.00	-15.07	AVG	
3		15866.500	51.45	-0.12	51.33	74.00	-22.67	peak	

HORIZONTALA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	27.86	33.47	61.33	74.00	-12.67	peak		
2 *		5350.000	16.75	33.47	50.22	54.00	-3.78	AVG		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10562.500	53.47	-3.31	50.16	68.20	-18.04	peak		
2 *		15858.288	39.23	-0.12	39.11	54.00	-14.89	AVG		
3		15866.500	52.18	-0.12	52.06	74.00	-21.94	peak		

Above 1G (1GHz~40GHz)


Test mode: 11AX80MIMO

Test Channel:106

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		5458.680	30.40	33.49	63.89	74.00	-10.11	peak	
2 *		5458.680	20.15	33.49	53.64	54.00	-0.36	AVG	
3		5460.000	28.33	33.49	61.82	74.00	-12.18	peak	
4		5460.000	18.64	33.49	52.13	54.00	-1.87	AVG	
5		5470.000	30.54	33.49	64.03	68.20	-4.17	peak	




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		11062.870	40.78	-2.51	38.27	54.00	-15.73	AVG	
2		11072.500	52.05	-2.46	49.59	74.00	-24.41	peak	
3 *		16580.500	51.11	1.46	52.57	68.20	-15.63	peak	

HORIZONTALA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5460.000	27.29	33.49	60.78	74.00	-13.22			peak
2	*	5460.000	16.35	33.49	49.84	54.00	-4.16			AVG
3		5470.000	29.99	33.49	63.48	68.20	-4.72			peak




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11067.405	41.30	-2.49	38.81	54.00	-15.19			AVG
2		11072.500	51.97	-2.46	49.51	74.00	-24.49			peak
3		16580.500	50.94	1.46	52.40	68.20	-15.80			peak

Above 1G (1GHz~40GHz)


Test mode: 11AX80MIMO

Test Channel:138

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5725.000	32.34	33.91	66.25	68.20	-1.95			peak
2	*	5737.550	33.87	33.93	67.80	68.20	-0.40			peak




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11225.500	52.32	-1.69	50.63	74.00	-23.37			peak
2		11233.092	41.53	-1.66	39.87	54.00	-14.13			AVG
3	*	16835.500	52.78	2.05	54.83	68.20	-13.37			peak

HORIZONTALA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5725.000	29.20	33.91	63.11	68.20	-5.09	peak		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11225.500	53.96	-1.69	52.27	74.00	-21.73	peak		
2	*	11232.653	41.94	-1.66	40.28	54.00	-13.72	AVG		
3		16835.500	51.83	2.05	53.88	68.20	-14.32	peak		

Above 1G (1GHz~40GHz)


Test mode: 11AX80MIMO

Test Channel:155

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1	*	5644.269	33.96	33.76	67.72	68.20	-0.48	peak	
2	!	5940.966	31.74	34.29	66.03	68.20	-2.17	peak	




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		11557.000	53.90	-0.52	53.38	74.00	-20.62	peak	
2	*	11563.713	42.89	-0.54	42.35	54.00	-11.65	AVG	
3		17345.500	51.09	4.43	55.52	68.20	-12.68	peak	

HORIZONTALA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1	!	5634.200	30.43	33.74	64.17	68.20	-4.03	peak	
2	*	5973.400	30.33	34.35	64.68	68.20	-3.52	peak	




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		11557.000	54.27	-0.52	53.75	74.00	-20.25	peak	
2	*	11565.331	42.74	-0.55	42.19	54.00	-11.81	AVG	
3		17345.500	50.75	4.43	55.18	68.20	-13.02	peak	

Above 1G (1GHz~40GHz)


Test mode: 11AX160MIMO

Test Channel:50

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5127.200	30.13	33.43	63.56	74.00	-10.44	peak		
2		5127.200	19.88	33.43	53.31	54.00	-0.69	AVG		
3		5150.000	29.65	33.43	63.08	74.00	-10.92	peak		
4		5150.000	18.96	33.43	52.39	54.00	-1.61	AVG		
5		5350.000	27.81	33.47	61.28	74.00	-12.72	peak		
6		5350.000	18.32	33.47	51.79	54.00	-2.21	AVG		
7		5372.400	28.25	33.47	61.72	74.00	-12.28	peak		
8 *		5372.400	20.41	33.47	53.88	54.00	-0.12	AVG		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10511.500	52.89	-3.37	49.52	68.20	-18.68	peak		
2 *		15740.984	38.91	-0.14	38.77	54.00	-15.23	AVG		
3		15764.500	51.46	-0.13	51.33	74.00	-22.67	peak		

HORIZONTALA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5114.800	27.16	33.42	60.58	74.00	-13.42			peak
2		5114.800	18.09	33.42	51.51	54.00	-2.49			AVG
3		5150.000	26.76	33.43	60.19	74.00	-13.81			peak
4		5150.000	16.58	33.43	50.01	54.00	-3.99			AVG
5		5350.000	27.55	33.47	61.02	74.00	-12.98			peak
6		5350.000	18.23	33.47	51.70	54.00	-2.30			AVG
7		5360.400	26.85	33.47	60.32	74.00	-13.68			peak
8 *		5360.400	19.02	33.47	52.49	54.00	-1.51			AVG




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10511.500	52.07	-3.37	48.70	68.20	-19.50			peak
2		15739.000	52.80	-0.14	52.66	74.00	-21.34			peak
3 *		15740.878	38.77	-0.14	38.63	54.00	-15.37			AVG

Above 1G (1GHz~40GHz)


Test mode: 11AX160MIMO

Test Channel:114

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5453.200	30.23	33.49	63.72	74.00	-10.28			peak
2	*	5453.200	20.39	33.49	53.88	54.00	-0.12			AVG
3		5460.000	30.35	33.49	63.84	74.00	-10.16			peak
4		5460.000	18.30	33.49	51.79	54.00	-2.21			AVG
5		5470.000	30.83	33.49	64.32	68.20	-3.88			peak
6		5725.000	31.08	33.91	64.99	68.20	-3.21			peak




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11149.000	51.98	-2.08	49.90	74.00	-24.10			peak
2		11157.531	40.34	-2.04	38.30	54.00	-15.70			AVG
3	*	16733.500	51.95	1.81	53.76	68.20	-14.44			peak

HORIZONTALA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		5447.200	28.00	33.49	61.49	74.00	-12.51	peak	
2	*	5447.200	18.39	33.49	51.88	54.00	-2.12	AVG	
3		5460.000	27.10	33.49	60.59	74.00	-13.41	peak	
4		5460.000	16.42	33.49	49.91	54.00	-4.09	AVG	
5		5470.000	27.00	33.49	60.49	68.20	-7.71	peak	
6		5725.000	28.29	33.91	62.20	68.20	-6.00	peak	



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		11149.000	52.26	-2.08	50.18	74.00	-23.82	peak	
2		11155.154	40.37	-2.05	38.32	54.00	-15.68	AVG	
3	*	16733.500	51.88	1.81	53.69	68.20	-14.51	peak	

Note: All the EUT's emissions had been evaluated for simultaneous transmission with the WIFI 2.4GHz and WIFI 5GHz, and there were no any additional or worse emissions found.

3.3 Spectrum Bandwidth

3.3.1 Limit

FCC Part15, Subpart E (15.407)			
Section	Test Item	Limit	Frequency Range (MHz)
15.407(a)	26 dB Bandwidth	-	5150-5250
	26 dB Bandwidth	-	5250-5350
15.407(e)	26 dB Bandwidth	-	5470-5725
	26 dB Bandwidth	-	5725-5850
	6 dB Bandwidth	Minimum 500 kHz	5725-5850

3.3.2 Test Procedure

Test Method	
<input checked="" type="radio"/> Conducted Measurement	<input type="radio"/> Radiated Measurement
Test Channels	
<input checked="" type="radio"/> Lowest, Middle and Highest Channel	<input type="radio"/> Lowest and Highest Channel
Environmental conditions	
<input checked="" type="radio"/> Normal	<input type="radio"/> Normal and Extreme
Note: <input checked="" type="radio"/> :Test <input type="radio"/> :No Test	

a) The EUT was directly connected to the tonscend test system and antenna output port as show in the block diagram below.

b) the spectrum analyser is set as follow:

For 26 dB Bandwidth

Centre Frequency	The centre frequency of the channel under test
RBW	$\geq 1\% \times$ Nominal Channel Bandwidth
VBW	$\geq 3 \times$ RBW
Frequency span	2 x Nominal Channel Bandwidth
Detector Mode	Peak
Trace Mode	Max Hold
Sweep Time	Auto Couple

For 6 dB Bandwidth

Centre Frequency	The centre frequency of the channel under test
RBW	100 kHz
VBW	300 kHz
Frequency span	2 x Nominal Channel Bandwidth
Detector Mode	Peak
Trace Mode	Max Hold
Sweep Time	Auto Couple


c) Wait for the trace to stabilize then find the peak value of the trace and place the analyser marker

on this peak.

d) Use the -26/-6dB bandwidth function of the spectrum analyser to measure the -26/-6dB Bandwidth of the EUT. This value shall be recorded.

e) Make sure that the power envelope is sufficiently above the noise floor of the analyser to avoid the noise signals left and right from the power envelope being taken into account by this measurement.

3.3.3 Test Setup



3.3.4 Test Result

26 dB Bandwidth

TestMode	Antenna	Frequency[MHz]	26db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A-CDD	Ant1	5180	24.720	5168.080	5192.800	---	---
	Ant2	5180	26.200	5166.840	5193.040	---	---
	Ant1	5200	27.000	5186.840	5213.840	---	---
	Ant2	5200	24.560	5186.880	5211.440	---	---
	Ant1	5240	26.240	5227.400	5253.640	---	---
	Ant2	5240	24.160	5226.560	5250.720	---	---
	Ant1	5260	20.600	5249.840	5270.440	---	---
	Ant2	5260	20.160	5249.680	5269.840	---	---
	Ant1	5280	20.000	5270.000	5290.000	---	---
	Ant2	5280	20.480	5269.600	5290.080	---	---
	Ant1	5320	25.760	5306.880	5332.640	---	---
	Ant2	5320	24.560	5306.240	5330.800	---	---
	Ant1	5500	23.280	5488.840	5512.120	---	---
	Ant2	5500	22.840	5488.560	5511.400	---	---
	Ant1	5580	20.120	5570.080	5590.200	---	---
	Ant2	5580	20.040	5569.920	5589.960	---	---
	Ant1	5700	24.720	5686.240	5710.960	---	---
	Ant2	5700	25.160	5686.560	5711.720	---	---
	Ant1	5745	39.760	5725.160	5764.920	---	---
	Ant2	5745	39.800	5725.080	5764.880	---	---
	Ant1	5785	36.200	5767.320	5803.520	---	---
	Ant2	5785	37.600	5766.800	5804.400	---	---
	Ant1	5825	35.920	5805.080	5841.000	---	---
	Ant2	5825	37.400	5805.320	5842.720	---	---
11N20MIMO	Ant1	5180	28.360	5166.600	5194.960	---	---
	Ant2	5180	26.080	5167.800	5193.880	---	---
	Ant1	5200	27.040	5186.600	5213.640	---	---
	Ant2	5200	27.160	5185.960	5213.120	---	---
	Ant1	5240	25.920	5224.200	5250.120	---	---
	Ant2	5240	25.040	5225.200	5250.240	---	---
	Ant1	5260	20.720	5249.760	5270.480	---	---
	Ant2	5260	21.240	5249.360	5270.600	---	---
	Ant1	5280	22.120	5269.040	5291.160	---	---
	Ant2	5280	21.320	5269.520	5290.840	---	---
	Ant1	5320	26.720	5306.120	5332.840	---	---
	Ant2	5320	26.480	5306.160	5332.640	---	---

	Ant1	5500	25.720	5488.280	5514.000	---	---
	Ant2	5500	26.200	5487.040	5513.240	---	---
	Ant1	5580	20.680	5569.760	5590.440	---	---
	Ant2	5580	21.600	5569.120	5590.720	---	---
	Ant1	5700	24.320	5686.800	5711.120	---	---
	Ant2	5700	25.000	5686.120	5711.120	---	---
	Ant1	5745	32.160	5730.640	5762.800	---	---
	Ant2	5745	37.560	5727.400	5764.960	---	---
	Ant1	5785	36.160	5766.840	5803.000	---	---
	Ant2	5785	36.400	5766.480	5802.880	---	---
	Ant1	5825	39.560	5805.000	5844.560	---	---
	Ant2	5825	39.960	5805.000	5844.960	---	---
11N40MIMO	Ant1	5190	44.160	5167.600	5211.760	---	---
	Ant2	5190	47.120	5167.280	5214.400	---	---
	Ant1	5230	44.320	5209.600	5253.920	---	---
	Ant2	5230	40.640	5209.840	5250.480	---	---
	Ant1	5270	39.280	5250.400	5289.680	---	---
	Ant2	5270	40.320	5249.920	5290.240	---	---
	Ant1	5310	47.200	5285.520	5332.720	---	---
	Ant2	5310	44.960	5285.680	5330.640	---	---
	Ant1	5510	41.520	5489.040	5530.560	---	---
	Ant2	5510	44.240	5487.760	5532.000	---	---
	Ant1	5550	40.320	5530.080	5570.400	---	---
	Ant2	5550	40.240	5529.840	5570.080	---	---
	Ant1	5670	56.400	5645.520	5701.920	---	---
	Ant2	5670	61.520	5637.680	5699.200	---	---
	Ant1	5755	62.240	5729.080	5791.320	---	---
	Ant2	5755	78.720	5715.640	5794.360	---	---
	Ant1	5795	76.000	5756.120	5832.120	---	---
	Ant2	5795	76.480	5756.280	5832.760	---	---
11AC80MIMO	Ant1	5210	115.040	5165.520	5280.560	---	---
	Ant2	5210	106.080	5167.600	5273.680	---	---
	Ant1	5290	92.960	5237.680	5330.640	---	---
	Ant2	5290	96.960	5235.600	5332.560	---	---
	Ant1	5530	96.960	5486.640	5583.600	---	---
	Ant2	5530	103.840	5484.400	5588.240	---	---
	Ant1	5610	79.520	5570.480	5650.000	---	---
	Ant2	5610	79.200	5570.480	5649.680	---	---
	Ant1	5775	79.360	5735.480	5814.840	---	---
	Ant2	5775	102.240	5721.880	5824.120	---	---
11AC160MIMO	Ant1	5250	163.520	5169.680	5333.200	---	---
	Ant2	5250	166.080	5169.680	5335.760	---	---

	Ant1	5250_UNII-1	80.32	5169.680	5250	---	---
	Ant2	5250_UNII-1	80.32	5169.680	5250	---	---
	Ant1	5250_UNII-2A	83.2	5250	5333.200	---	---
	Ant2	5250_UNII-2A	85.76	5250	5335.760	---	---
	Ant1	5570	171.840	5484.560	5656.400	---	---
	Ant2	5570	167.360	5489.680	5657.040	---	---
11AX20MIMO	Ant1	5180	24.320	5168.760	5193.080	---	---
	Ant2	5180	24.800	5168.040	5192.840	---	---
	Ant1	5200	33.000	5183.800	5216.800	---	---
	Ant2	5200	28.240	5185.520	5213.760	---	---
	Ant1	5240	22.600	5228.040	5250.640	---	---
	Ant2	5240	21.760	5230.080	5251.840	---	---
	Ant1	5260	21.240	5249.520	5270.760	---	---
	Ant2	5260	22.720	5248.760	5271.480	---	---
	Ant1	5280	21.680	5269.200	5290.880	---	---
	Ant2	5280	21.560	5269.120	5290.680	---	---
	Ant1	5320	25.160	5307.560	5332.720	---	---
	Ant2	5320	27.600	5306.320	5333.920	---	---
	Ant1	5500	23.880	5488.920	5512.800	---	---
	Ant2	5500	27.000	5488.200	5515.200	---	---
	Ant1	5580	21.560	5569.200	5590.760	---	---
	Ant2	5580	21.880	5568.840	5590.720	---	---
	Ant1	5700	25.800	5685.480	5711.280	---	---
	Ant2	5700	24.160	5687.520	5711.680	---	---
	Ant1	5745	39.800	5725.200	5765.000	---	---
	Ant2	5745	40.000	5725.000	5765.000	---	---
	Ant1	5785	39.480	5765.120	5804.600	---	---
	Ant2	5785	39.240	5765.120	5804.360	---	---
	Ant1	5825	35.920	5806.200	5842.120	---	---
	Ant2	5825	38.960	5805.000	5843.960	---	---
11AX40MIMO	Ant1	5190	51.600	5164.080	5215.680	---	---
	Ant2	5190	39.760	5170.160	5209.920	---	---
	Ant1	5230	40.480	5209.920	5250.400	---	---
	Ant2	5230	39.520	5210.320	5249.840	---	---
	Ant1	5270	39.520	5250.480	5290.000	---	---
	Ant2	5270	39.520	5250.320	5289.840	---	---
	Ant1	5310	49.840	5283.920	5333.760	---	---
	Ant2	5310	47.920	5285.040	5332.960	---	---
	Ant1	5510	39.760	5490.000	5529.760	---	---
	Ant2	5510	48.960	5486.560	5535.520	---	---
	Ant1	5550	39.760	5530.240	5570.000	---	---
	Ant2	5550	39.440	5530.480	5569.920	---	---

	Ant1	5670	54.800	5644.400	5699.200	---	---
	Ant2	5670	50.240	5645.120	5695.360	---	---
	Ant1	5755	64.320	5728.840	5793.160	---	---
	Ant2	5755	72.400	5720.760	5793.160	---	---
	Ant1	5795	76.400	5756.520	5832.920	---	---
	Ant2	5795	79.440	5755.560	5835.000	---	---
11AX80MIMO	Ant1	5210	82.720	5167.440	5250.160	---	---
	Ant2	5210	91.840	5168.240	5260.080	---	---
	Ant1	5290	80.000	5250.160	5330.160	---	---
	Ant2	5290	87.840	5242.320	5330.160	---	---
	Ant1	5530	88.800	5490.000	5578.800	---	---
	Ant2	5530	81.920	5488.400	5570.320	---	---
	Ant1	5610	80.000	5570.160	5650.160	---	---
	Ant2	5610	79.840	5570.320	5650.160	---	---
	Ant1	5775	80.320	5734.840	5815.160	---	---
	Ant2	5775	81.120	5733.880	5815.000	---	---
11AX160MIMO	Ant1	5250	162.240	5169.360	5331.600	---	---
	Ant2	5250	161.600	5169.680	5331.280	---	---
	Ant1	5250_UNII-1	80.64	5169.360	5250	---	---
	Ant2	5250_UNII-1	80.32	5169.680	5250	---	---
	Ant1	5250_UNII-2A	81.6	5250	5331.600	---	---
	Ant2	5250_UNII-2A	81.28	5250	5331.280	---	---
	Ant1	5570	161.920	5489.360	5651.280	---	---
	Ant2	5570	162.240	5489.040	5651.280	---	---


11A-CDD_Ant1_5180



11A-CDD_Ant2_5180



11A-CDD_Ant1_5200



11A-CDD_Ant2_5200



11A-CDD_Ant1_5240



11A-CDD_Ant2_5240



11A-CDD_Ant1_5260



11A-CDD_Ant2_5260



11A-CDD_Ant1_5280