


Test Mode UNII-2C\_TX AX(HE20) Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	22.099	19.200
116	5580	22.150	19.200
140	5700	21.950	19.200
144	5720	21.648	19.200


**CH100**



Date: 6.AUG.2024 20:34:03


**CH116**

**26 dB Bandwidth**




Date: 6.AUG.2024 20:35:08

**CH140**




Date: 6.AUG.2024 20:36:43


**99 % Occupied Bandwidth**



Date: 6.AUG.2024 20:33:35




Date: 6.AUG.2024 20:34:43



Date: 6.AUG.2024 20:36:19

**CH144**


**26 dB Bandwidth**



Date: 3.SEP.2024 11:13:03

**CH144**

**99 % Occupied Bandwidth**




Date: 3.SEP.2024 11:12:36

Test Mode UNII-2C\_TX AX(HE40) Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	40.300	38.000
110	5550	40.400	38.000
134	5670	40.200	38.000
142	5710	40.100	38.000


**CH102**



Date: 6.AUG.2024 21:38:06


**CH110**

**26 dB Bandwidth**




Date: 6.AUG.2024 21:39:52

**CH134**




Date: 6.AUG.2024 21:41:26


**99 % Occupied Bandwidth**



Date: 6.AUG.2024 21:37:26




Date: 6.AUG.2024 21:39:14



Date: 6.AUG.2024 21:40:48

**CH142**


**26 dB Bandwidth**



Date: 3.SEP.2024 11:17:01

**CH142**

**99 % Occupied Bandwidth**




Date: 3.SEP.2024 11:16:25

Test Mode	UNII-2C_TX AX(HE80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	82.600	77.600
122	5610	83.200	77.600
138	5690	83.200	77.600

**CH106**




Date: 6.AUG.2024 21:54:47

**CH122**  
26 dB Bandwidth




Date: 6.AUG.2024 21:56:23

**CH138**




Date: 3.SEP.2024 11:22:19


**99 % Occupied Bandwidth**



Date: 6.AUG.2024 21:54:12



Date: 6.AUG.2024 21:55:49




Date: 3.SEP.2024 11:21:45



Test Mode UNII-3\_TX A Mode


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	16.389	16.700	0.5	Complies
157	5785	16.450	16.800	0.5	Complies
165	5825	16.450	16.800	0.5	Complies

**CH149**




Date: 6.AUG.2024 00:36:21

**CH157**  
6 dB Bandwidth




Date: 6.AUG.2024 00:37:58

**CH165**




Date: 6.AUG.2024 00:39:11


**99 % Occupied Bandwidth**



Date: 6.AUG.2024 00:35:53



Date: 6.AUG.2024 00:37:29




Date: 6.AUG.2024 00:38:43

Test Mode UNII-3\_TX AC(VHT20) Mode


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	17.650	17.900	0.5	Complies
157	5785	17.650	18.000	0.5	Complies
165	5825	17.650	18.000	0.5	Complies

**CH149**




Date: 6.AUG.2024 01:00:27

**CH157**  
6 dB Bandwidth




Date: 6.AUG.2024 01:01:40

**CH165**




Date: 6.AUG.2024 01:03:10


**99 % Occupied Bandwidth**



Date: 6.AUG.2024 01:00:00



Date: 6.AUG.2024 01:01:13




Date: 6.AUG.2024 01:02:43

Test Mode UNII-3\_TX AC(VHT40) Mode


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	35.598	36.400	0.5	Complies
159	5795	34.997	36.400	0.5	Complies

### CH151




Date: 6.AUG.2024 01:16:40

### CH159 6 dB Bandwidth




Date: 6.AUG.2024 01:18:09

### 99 % Occupied Bandwidth



Date: 6.AUG.2024 01:16:02




Date: 6.AUG.2024 01:17:28

Test Mode UNII-3\_TX AC(VHT80) Mode


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	74.008	76.000	0.5	Complies

### CH155 6 dB Bandwidth



Date: 6.AUG.2024 01:28:07

### 99 % Occupied Bandwidth




Date: 6.AUG.2024 01:27:23



Test Mode UNII-3\_TX AX(HE20) Mode


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	19.050	19.200	0.5	Complies
157	5785	19.150	19.200	0.5	Complies
165	5825	19.050	19.200	0.5	Complies

**CH149**




Date: 6.AUG.2024 20:37:58

**CH157**  
6 dB Bandwidth




Date: 6.AUG.2024 20:39:17

**CH165**




Date: 6.AUG.2024 20:43:56


**99 % Occupied Bandwidth**



Date: 6.AUG.2024 20:37:33



Date: 6.AUG.2024 20:38:51




Date: 6.AUG.2024 20:43:29

Test Mode UNII-3\_TX AX(HE40) Mode


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	36.200	38.000	0.5	Complies
159	5795	38.100	38.200	0.5	Complies

### CH151




Date: 6.JUN.2024 21:43:45

### CH159 6 dB Bandwidth




Date: 6.JUN.2024 21:45:47

### 99 % Occupied Bandwidth



Date: 6.JUN.2024 21:43:02




Date: 6.JUN.2024 21:45:09

Test Mode UNII-3\_TX AX(HE80) Mode


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	77.190	77.600	0.5	Complies

### CH155 6 dB Bandwidth



Date: 6.AUG.2024 21:59:28

### 99 % Occupied Bandwidth



Date: 6.AUG.2024 21:59:48

## APPENDIX F    MAXIMUM OUTPUT POWER

Test Mode	Non Beamforming
Test Date	2024/8/28

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.38	0.14	21.52	30.00	1.0000	Complies
40	5200	21.41	0.14	21.55	30.00	1.0000	Complies
48	5240	21.34	0.14	23.98	30.00	1.0000	Complies

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.11	0.14	21.25	30.00	1.0000	Complies
40	5200	21.46	0.14	21.60	30.00	1.0000	Complies
48	5240	21.81	0.14	21.95	30.00	1.0000	Complies

Test Mode	UNII-1_TX A Mode_Ant. 3
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.60	0.14	21.74	30.00	1.0000	Complies
40	5200	21.63	0.14	21.77	30.00	1.0000	Complies
48	5240	21.33	0.14	21.47	30.00	1.0000	Complies

Test Mode	UNII-1_TX A Mode_Ant. 4
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.14	0.14	21.28	30.00	1.0000	Complies
40	5200	21.09	0.14	21.23	30.00	1.0000	Complies
48	5240	21.05	0.14	21.19	30.00	1.0000	Complies

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	27.47	30.00	1.0000	Complies
40	5200	27.56	30.00	1.0000	Complies
48	5240	27.55	30.00	1.0000	Complies

<b>Test Mode</b>	UNII-1_TX AC(VHT20) Mode_Ant. 1
------------------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	23.98	0.00	23.98	30.00	1.0000	Complies
40	5200	21.09	0.00	21.09	30.00	1.0000	Complies
48	5240	20.97	0.00	20.97	30.00	1.0000	Complies

<b>Test Mode</b>	UNII-1_TX AC(VHT20) Mode_Ant. 2
------------------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.32	0.00	21.32	30.00	1.0000	Complies
40	5200	20.87	0.00	20.87	30.00	1.0000	Complies
48	5240	21.22	0.00	21.22	30.00	1.0000	Complies

<b>Test Mode</b>	UNII-1_TX AC(VHT20) Mode_Ant. 3
------------------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.25	0.00	21.25	30.00	1.0000	Complies
40	5200	20.93	0.00	20.93	30.00	1.0000	Complies
48	5240	20.66	0.00	20.66	30.00	1.0000	Complies

<b>Test Mode</b>	UNII-1_TX AC(VHT20) Mode_Ant. 4
------------------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.89	0.00	20.89	30.00	1.0000	Complies
40	5200	20.39	0.00	20.39	30.00	1.0000	Complies
48	5240	20.32	0.00	20.32	30.00	1.0000	Complies

<b>Test Mode</b>	UNII-1_TX AC(VHT20) Mode_Total
------------------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	27.26	30.00	1.0000	Complies
40	5200	26.85	30.00	1.0000	Complies
48	5240	26.83	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.96	0.00	19.96	30.00	1.0000	Complies
46	5230	21.35	0.00	21.35	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.31	0.00	20.31	30.00	1.0000	Complies
46	5230	21.78	0.00	21.78	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.01	0.00	20.01	30.00	1.0000	Complies
46	5230	21.39	0.00	21.39	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.68	0.00	19.68	30.00	1.0000	Complies
46	5230	21.27	0.00	21.27	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	26.02	30.00	1.0000	Complies
46	5230	27.47	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.83	0.00	19.83	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	20.66	0.00	20.66	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.79	0.00	19.79	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.52	0.00	19.52	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	25.99	30.00	1.0000	Complies



<b>Test Mode</b>	UNII-1_TX AX(HE20) Mode_Ant. 1
------------------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.20	0.00	21.20	30.00	1.0000	Complies
40	5200	21.20	0.00	21.20	30.00	1.0000	Complies
48	5240	21.24	0.00	21.24	30.00	1.0000	Complies

<b>Test Mode</b>	UNII-1_TX AX(HE20) Mode_Ant. 2
------------------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.36	0.00	21.36	30.00	1.0000	Complies
40	5200	21.32	0.00	21.32	30.00	1.0000	Complies
48	5240	21.67	0.00	21.67	30.00	1.0000	Complies

<b>Test Mode</b>	UNII-1_TX AX(HE20) Mode_Ant. 3
------------------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.22	0.00	21.22	30.00	1.0000	Complies
40	5200	21.34	0.00	21.34	30.00	1.0000	Complies
48	5240	20.94	0.00	20.94	30.00	1.0000	Complies

<b>Test Mode</b>	UNII-1_TX AX(HE20) Mode_Ant. 4
------------------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.07	0.00	21.07	30.00	1.0000	Complies
40	5200	21.04	0.00	21.04	30.00	1.0000	Complies
48	5240	20.98	0.00	20.98	30.00	1.0000	Complies

<b>Test Mode</b>	UNII-1_TX AX(HE20) Mode_Total
------------------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	27.23	30.00	1.0000	Complies
40	5200	27.25	30.00	1.0000	Complies
48	5240	27.24	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.83	0.00	19.83	30.00	1.0000	Complies
46	5230	21.17	0.00	21.17	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.82	0.00	19.82	30.00	1.0000	Complies
46	5230	21.83	0.00	21.83	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.64	0.00	19.64	30.00	1.0000	Complies
46	5230	21.02	0.00	21.02	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.32	0.00	19.32	30.00	1.0000	Complies
46	5230	20.96	0.00	20.96	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	25.68	30.00	1.0000	Complies
46	5230	27.28	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.74	0.00	19.74	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	20.53	0.00	20.53	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.68	0.00	19.68	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.56	0.00	19.56	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	25.92	30.00	1.0000	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.08	0.14	15.22	23.98	0.2500	Complies
60	5300	15.15	0.14	15.29	23.98	0.2500	Complies
64	5320	15.38	0.14	15.52	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.41	0.14	15.55	23.98	0.2500	Complies
60	5300	15.67	0.14	15.81	23.98	0.2500	Complies
64	5320	15.92	0.14	16.06	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 3
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.78	0.14	14.92	23.98	0.2500	Complies
60	5300	14.87	0.14	15.01	23.98	0.2500	Complies
64	5320	15.20	0.14	15.34	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 4
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.64	0.14	14.78	23.98	0.2500	Complies
60	5300	14.76	0.14	14.90	23.98	0.2500	Complies
64	5320	15.02	0.14	15.16	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	21.15	23.98	0.2500	Complies
60	5300	21.29	23.98	0.2500	Complies
64	5320	21.55	23.98	0.2500	Complies

<b>Test Mode</b>	UNII-2A_TX AC(VHT20) Mode_Ant. 1
------------------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.31	0.00	15.31	23.98	0.2500	Complies
60	5300	15.35	0.00	15.35	23.98	0.2500	Complies
64	5320	15.26	0.00	15.26	23.98	0.2500	Complies

<b>Test Mode</b>	UNII-2A_TX AC(VHT20) Mode_Ant. 2
------------------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.22	0.00	15.22	23.98	0.2500	Complies
60	5300	15.47	0.00	15.47	23.98	0.2500	Complies
64	5320	15.76	0.00	15.76	23.98	0.2500	Complies

<b>Test Mode</b>	UNII-2A_TX AC(VHT20) Mode_Ant. 3
------------------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.56	0.00	14.56	23.98	0.2500	Complies
60	5300	14.67	0.00	14.67	23.98	0.2500	Complies
64	5320	14.99	0.00	14.99	23.98	0.2500	Complies

<b>Test Mode</b>	UNII-2A_TX AC(VHT20) Mode_Ant. 4
------------------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.53	0.00	14.53	23.98	0.2500	Complies
60	5300	14.63	0.00	14.63	23.98	0.2500	Complies
64	5320	14.83	0.00	14.83	23.98	0.2500	Complies

<b>Test Mode</b>	UNII-2A_TX AC(VHT20) Mode_Total
------------------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	20.94	23.98	0.2500	Complies
60	5300	21.07	23.98	0.2500	Complies
64	5320	21.25	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.38	0.00	15.38	23.98	0.2500	Complies
62	5310	15.41	0.00	15.41	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.67	0.00	15.67	23.98	0.2500	Complies
62	5310	16.06	0.00	16.06	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.97	0.00	14.97	23.98	0.2500	Complies
62	5310	14.99	0.00	14.99	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.87	0.00	14.87	23.98	0.2500	Complies
62	5310	15.06	0.00	15.06	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	21.26	23.98	0.2500	Complies
62	5310	21.42	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.12	0.00	15.12	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.48	0.00	15.48	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	14.63	0.00	14.63	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	14.76	0.00	14.76	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	21.03	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.42	0.00	15.42	23.98	0.2500	Complies
60	5300	15.43	0.00	15.43	23.98	0.2500	Complies
64	5320	15.21	0.00	15.21	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.77	0.00	15.77	23.98	0.2500	Complies
60	5300	15.94	0.00	15.94	23.98	0.2500	Complies
64	5320	15.87	0.00	15.87	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.97	0.00	14.97	23.98	0.2500	Complies
60	5300	15.09	0.00	15.09	23.98	0.2500	Complies
64	5320	15.26	0.00	15.26	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.28	0.00	15.28	23.98	0.2500	Complies
60	5300	15.25	0.00	15.25	23.98	0.2500	Complies
64	5320	15.41	0.00	15.41	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	21.39	23.98	0.2500	Complies
60	5300	21.46	23.98	0.2500	Complies
64	5320	21.47	23.98	0.2500	Complies



Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.09	0.00	15.09	23.98	0.2500	Complies
62	5310	15.06	0.00	15.06	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.39	0.00	15.39	23.98	0.2500	Complies
62	5310	15.69	0.00	15.69	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.04	0.00	16.04	23.98	0.2500	Complies
62	5310	14.41	0.00	14.41	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.49	0.00	14.49	23.98	0.2500	Complies
62	5310	14.76	0.00	14.76	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	21.31	23.98	0.2500	Complies
62	5310	21.03	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.43	0.00	15.43	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.85	0.00	15.85	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	14.96	0.00	14.96	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.07	0.00	15.07	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	21.36	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	13.78	0.48	14.26	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	14.63	0.48	15.11	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 3
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	14.28	0.48	14.76	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 4
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	14.67	0.48	15.15	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Total
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	20.86	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 1
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	13.03	0.67	13.70	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 2
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	14.51	0.67	15.18	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 3
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	14.35	0.67	15.02	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 4
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	15.09	0.67	15.76	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Total
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	21.00	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.40	0.14	15.54	23.98	0.2500	Complies
116	5580	14.78	0.14	14.92	23.98	0.2500	Complies
140	5700	14.89	0.14	15.03	23.98	0.2500	Complies
144	5720	14.46	0.14	14.60	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.46	0.14	15.60	23.98	0.2500	Complies
116	5580	15.01	0.14	15.15	23.98	0.2500	Complies
140	5700	15.05	0.14	15.19	23.98	0.2500	Complies
144	5720	15.53	0.14	15.67	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 3
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.06	0.14	15.20	23.98	0.2500	Complies
116	5580	15.21	0.14	15.35	23.98	0.2500	Complies
140	5700	15.24	0.14	15.38	23.98	0.2500	Complies
144	5720	16.63	0.14	16.77	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 4
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.54	0.14	15.68	23.98	0.2500	Complies
116	5580	16.54	0.14	16.68	23.98	0.2500	Complies
140	5700	16.34	0.14	16.48	23.98	0.2500	Complies
144	5720	14.84	0.14	14.98	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	21.53	23.98	0.2500	Complies
116	5580	21.60	23.98	0.2500	Complies
140	5700	21.58	23.98	0.2500	Complies
144	5720	21.60	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.22	0.00	15.22	23.98	0.2500	Complies
116	5580	14.56	0.00	14.56	23.98	0.2500	Complies
140	5700	14.85	0.00	14.85	23.98	0.2500	Complies
144	5720	14.44	0.00	14.44	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.25	0.00	15.25	23.98	0.2500	Complies
116	5580	15.11	0.00	15.11	23.98	0.2500	Complies
140	5700	14.80	0.00	14.80	23.98	0.2500	Complies
144	5720	15.07	0.00	15.07	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.85	0.00	14.85	23.98	0.2500	Complies
116	5580	14.96	0.00	14.96	23.98	0.2500	Complies
140	5700	15.01	0.00	15.01	23.98	0.2500	Complies
144	5720	16.02	0.00	16.02	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.33	0.00	16.33	23.98	0.2500	Complies
116	5580	16.73	0.00	16.73	23.98	0.2500	Complies
140	5700	16.09	0.00	16.09	23.98	0.2500	Complies
144	5720	14.41	0.00	14.41	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	21.47	23.98	0.2500	Complies
116	5580	21.44	23.98	0.2500	Complies
140	5700	21.24	23.98	0.2500	Complies
144	5720	21.06	23.98	0.2500	Complies



<b>Test Mode</b>	UNII-2C_TX AC(VHT40) Mode_Ant. 1
------------------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.16	0.00	15.16	23.98	0.2500	Complies
110	5550	15.13	0.00	15.13	23.98	0.2500	Complies
134	5670	15.05	0.00	15.05	23.98	0.2500	Complies
142	5710	14.42	0.00	14.42	23.98	0.2500	Complies

<b>Test Mode</b>	UNII-2C_TX AC(VHT40) Mode_Ant. 2
------------------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.11	0.00	15.11	23.98	0.2500	Complies
110	5550	15.61	0.00	15.61	23.98	0.2500	Complies
134	5670	15.28	0.00	15.28	23.98	0.2500	Complies
142	5710	15.09	0.00	15.09	23.98	0.2500	Complies

<b>Test Mode</b>	UNII-2C_TX AC(VHT40) Mode_Ant. 3
------------------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.47	0.00	14.47	23.98	0.2500	Complies
110	5550	14.74	0.00	14.74	23.98	0.2500	Complies
134	5670	14.93	0.00	14.93	23.98	0.2500	Complies
142	5710	16.06	0.00	16.06	23.98	0.2500	Complies

<b>Test Mode</b>	UNII-2C_TX AC(VHT40) Mode_Ant. 4
------------------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.37	0.00	16.37	23.98	0.2500	Complies
110	5550	16.16	0.00	16.16	23.98	0.2500	Complies
134	5670	16.31	0.00	16.31	23.98	0.2500	Complies
142	5710	15.04	0.00	15.04	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	21.35	23.98	0.2500	Complies
110	5550	21.46	23.98	0.2500	Complies
134	5670	21.45	23.98	0.2500	Complies
142	5710	21.21	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	15.01	0.00	15.01	23.98	0.2500	Complies
122	5610	14.83	0.00	14.83	23.98	0.2500	Complies
138	5690	14.07	0.00	14.07	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	15.42	0.00	15.42	23.98	0.2500	Complies
122	5610	15.06	0.00	15.06	23.98	0.2500	Complies
138	5690	14.94	0.00	14.94	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	14.39	0.00	14.39	23.98	0.2500	Complies
122	5610	14.25	0.00	14.25	23.98	0.2500	Complies
138	5690	15.82	0.00	15.82	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.51	0.00	16.51	23.98	0.2500	Complies
122	5610	16.76	0.00	16.76	23.98	0.2500	Complies
138	5690	14.54	0.00	14.54	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	21.42	23.98	0.2500	Complies
122	5610	21.35	23.98	0.2500	Complies
138	5690	20.91	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	13.79	0.48	14.27	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	14.87	0.48	15.35	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	14.06	0.48	14.54	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	16.53	0.48	17.01	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	21.45	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.16	0.00	15.16	23.98	0.2500	Complies
116	5580	14.93	0.00	14.93	23.98	0.2500	Complies
140	5700	15.11	0.00	15.11	23.98	0.2500	Complies
144	5720	14.16	0.00	14.16	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.28	0.00	15.28	23.98	0.2500	Complies
116	5580	15.28	0.00	15.28	23.98	0.2500	Complies
140	5700	15.02	0.00	15.02	23.98	0.2500	Complies
144	5720	15.06	0.00	15.06	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.68	0.00	14.68	23.98	0.2500	Complies
116	5580	14.77	0.00	14.77	23.98	0.2500	Complies
140	5700	14.89	0.00	14.89	23.98	0.2500	Complies
144	5720	16.58	0.00	16.58	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.34	0.00	16.34	23.98	0.2500	Complies
116	5580	16.43	0.00	16.43	23.98	0.2500	Complies
140	5700	16.14	0.00	16.14	23.98	0.2500	Complies
144	5720	14.69	0.00	14.69	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	21.43	23.98	0.2500	Complies
116	5580	21.42	23.98	0.2500	Complies
140	5700	21.34	23.98	0.2500	Complies
144	5720	21.24	23.98	0.2500	Complies

<b>Test Mode</b>	UNII-2C_TX AX(HE40) Mode_Ant. 1
------------------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.22	0.00	15.22	23.98	0.2500	Complies
110	5550	14.76	0.00	14.76	23.98	0.2500	Complies
134	5670	14.63	0.00	14.63	23.98	0.2500	Complies
142	5710	14.06	0.00	14.06	23.98	0.2500	Complies

<b>Test Mode</b>	UNII-2C_TX AX(HE40) Mode_Ant. 2
------------------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.29	0.00	15.29	23.98	0.2500	Complies
110	5550	15.23	0.00	15.23	23.98	0.2500	Complies
134	5670	14.99	0.00	14.99	23.98	0.2500	Complies
142	5710	14.79	0.00	14.79	23.98	0.2500	Complies

<b>Test Mode</b>	UNII-2C_TX AX(HE40) Mode_Ant. 3
------------------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.47	0.00	14.47	23.98	0.2500	Complies
110	5550	14.36	0.00	14.36	23.98	0.2500	Complies
134	5670	14.52	0.00	14.52	23.98	0.2500	Complies
142	5710	16.63	0.00	16.63	23.98	0.2500	Complies

<b>Test Mode</b>	UNII-2C_TX AX(HE40) Mode_Ant. 4
------------------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.53	0.00	16.53	23.98	0.2500	Complies
110	5550	16.83	0.00	16.83	23.98	0.2500	Complies
134	5670	16.46	0.00	16.46	23.98	0.2500	Complies
142	5710	14.69	0.00	14.69	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	21.46	23.98	0.2500	Complies
110	5550	21.42	23.98	0.2500	Complies
134	5670	21.24	23.98	0.2500	Complies
142	5710	21.17	23.98	0.2500	Complies



Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	15.23	0.00	15.23	23.98	0.2500	Complies
122	5610	14.86	0.00	14.86	23.98	0.2500	Complies
138	5690	14.18	0.00	14.18	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	15.17	0.00	15.17	23.98	0.2500	Complies
122	5610	14.85	0.00	14.85	23.98	0.2500	Complies
138	5690	14.94	0.00	14.94	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	14.69	0.00	14.69	23.98	0.2500	Complies
122	5610	14.23	0.00	14.23	23.98	0.2500	Complies
138	5690	16.16	0.00	16.16	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.37	0.00	16.37	23.98	0.2500	Complies
122	5610	17.07	0.00	17.07	23.98	0.2500	Complies
138	5690	14.53	0.00	14.53	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	21.43	23.98	0.2500	Complies
122	5610	21.42	23.98	0.2500	Complies
138	5690	21.04	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	13.37	0.67	14.04	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	14.38	0.67	15.05	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	13.37	0.67	14.04	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	15.98	0.67	16.65	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	21.10	23.98	0.2500	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.22	0.14	21.36	30.00	1.0000	Complies
157	5785	21.11	0.14	21.25	30.00	1.0000	Complies
165	5825	21.21	0.14	21.35	30.00	1.0000	Complies

Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.15	0.14	21.29	30.00	1.0000	Complies
157	5785	20.83	0.14	20.97	30.00	1.0000	Complies
165	5825	20.46	0.14	20.60	30.00	1.0000	Complies

Test Mode	UNII-3_TX A Mode_Ant. 3
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.63	0.14	21.77	30.00	1.0000	Complies
157	5785	21.56	0.14	21.70	30.00	1.0000	Complies
165	5825	21.88	0.14	22.02	30.00	1.0000	Complies

Test Mode	UNII-3_TX A Mode_Ant. 4
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.96	0.14	21.10	30.00	1.0000	Complies
157	5785	20.54	0.14	20.68	30.00	1.0000	Complies
165	5825	20.38	0.14	20.52	30.00	1.0000	Complies

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	27.41	30.00	1.0000	Complies
157	5785	27.18	30.00	1.0000	Complies
165	5825	27.18	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.37	0.00	21.37	30.00	1.0000	Complies
157	5785	21.29	0.00	21.29	30.00	1.0000	Complies
165	5825	21.33	0.00	21.33	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.36	0.00	21.36	30.00	1.0000	Complies
157	5785	21.04	0.00	21.04	30.00	1.0000	Complies
165	5825	21.49	0.00	21.49	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.81	0.00	21.81	30.00	1.0000	Complies
157	5785	21.83	0.00	21.83	30.00	1.0000	Complies
165	5825	22.03	0.00	22.03	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.17	0.00	21.17	30.00	1.0000	Complies
157	5785	20.33	0.00	20.33	30.00	1.0000	Complies
165	5825	20.47	0.00	20.47	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	27.45	30.00	1.0000	Complies
157	5785	27.18	30.00	1.0000	Complies
165	5825	27.39	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.34	0.00	21.34	30.00	1.0000	Complies
159	5795	21.23	0.00	21.23	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.23	0.00	21.23	30.00	1.0000	Complies
159	5795	20.92	0.00	20.92	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.58	0.00	21.58	30.00	1.0000	Complies
159	5795	21.32	0.00	21.32	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.06	0.00	21.06	30.00	1.0000	Complies
159	5795	20.36	0.00	20.36	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	27.33	30.00	1.0000	Complies
159	5795	26.99	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.41	0.00	21.41	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.27	0.00	21.27	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.73	0.00	21.73	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.89	0.00	20.89	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	27.36	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.23	0.00	21.23	30.00	1.0000	Complies
157	5785	21.31	0.00	21.31	30.00	1.0000	Complies
165	5825	21.34	0.00	21.34	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.43	0.00	21.43	30.00	1.0000	Complies
157	5785	21.08	0.00	21.08	30.00	1.0000	Complies
165	5825	21.23	0.00	21.23	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.56	0.00	21.56	30.00	1.0000	Complies
157	5785	21.65	0.00	21.65	30.00	1.0000	Complies
165	5825	22.07	0.00	22.07	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.33	0.00	21.33	30.00	1.0000	Complies
157	5785	20.64	0.00	20.64	30.00	1.0000	Complies
165	5825	20.53	0.00	20.53	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	27.41	30.00	1.0000	Complies
157	5785	27.21	30.00	1.0000	Complies
165	5825	27.35	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.44	0.00	21.44	30.00	1.0000	Complies
159	5795	21.34	0.00	21.34	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.36	0.00	21.36	30.00	1.0000	Complies
159	5795	21.06	0.00	21.06	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.46	0.00	21.46	30.00	1.0000	Complies
159	5795	21.41	0.00	21.41	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.22	0.00	21.22	30.00	1.0000	Complies
159	5795	20.42	0.00	20.42	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	27.39	30.00	1.0000	Complies
159	5795	27.10	30.00	1.0000	Complies



Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.27	0.00	21.27	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.13	0.00	21.13	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	23.98	0.00	23.98	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.76	0.00	20.76	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	27.19	30.00	1.0000	Complies

Note: Output power = Measure result + Cable loss

Test Mode	Beamforming
Test Date	2024/8/28

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.86	0.00	20.86	27.50	0.5623	Complies
40	5200	20.50	0.00	20.50	27.50	0.5623	Complies
48	5240	20.33	0.00	20.33	27.50	0.5623	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.73	0.00	20.73	27.50	0.5623	Complies
40	5200	20.25	0.00	20.25	27.50	0.5623	Complies
48	5240	20.56	0.00	20.56	27.50	0.5623	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.70	0.00	20.70	27.50	0.5623	Complies
40	5200	20.35	0.00	20.35	27.50	0.5623	Complies
48	5240	20.05	0.00	20.05	27.50	0.5623	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.27	0.00	20.27	27.50	0.5623	Complies
40	5200	19.74	0.00	19.74	27.50	0.5623	Complies
48	5240	19.75	0.00	19.75	27.50	0.5623	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	26.67	27.50	0.5623	Complies
40	5200	26.24	27.50	0.5623	Complies
48	5240	26.20	27.50	0.5623	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.36	0.00	19.36	27.50	0.5623	Complies
46	5230	20.79	0.00	20.79	27.50	0.5623	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.78	0.00	19.78	27.50	0.5623	Complies
46	5230	21.16	0.00	21.16	27.50	0.5623	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.49	0.00	19.49	27.50	0.5623	Complies
46	5230	20.77	0.00	20.77	27.50	0.5623	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.06	0.00	19.06	27.50	0.5623	Complies
46	5230	20.63	0.00	20.63	27.50	0.5623	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	25.45	27.50	0.5623	Complies
46	5230	26.86	27.50	0.5623	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.31	0.00	19.31	27.50	0.5623	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	20.08	0.00	20.08	27.50	0.5623	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.12	0.00	19.12	27.50	0.5623	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.97	0.00	19.97	27.50	0.5623	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	25.66	27.50	0.5623	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.59	0.00	20.59	27.50	0.5623	Complies
40	5200	20.55	0.00	20.55	27.50	0.5623	Complies
48	5240	20.67	0.00	20.67	27.50	0.5623	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.73	0.00	20.73	27.50	0.5623	Complies
40	5200	20.69	0.00	20.69	27.50	0.5623	Complies
48	5240	21.11	0.00	21.11	27.50	0.5623	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.60	0.00	20.60	27.50	0.5623	Complies
40	5200	20.71	0.00	20.71	27.50	0.5623	Complies
48	5240	20.42	0.00	20.42	27.50	0.5623	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.56	0.00	20.56	27.50	0.5623	Complies
40	5200	20.53	0.00	20.53	27.50	0.5623	Complies
48	5240	20.45	0.00	20.45	27.50	0.5623	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	26.64	27.50	0.5623	Complies
40	5200	26.64	27.50	0.5623	Complies
48	5240	26.69	27.50	0.5623	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.17	0.00	19.17	27.50	0.5623	Complies
46	5230	20.57	0.00	20.57	27.50	0.5623	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.24	0.00	19.24	27.50	0.5623	Complies
46	5230	21.51	0.00	21.51	27.50	0.5623	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.07	0.00	19.07	27.50	0.5623	Complies
46	5230	20.48	0.00	20.48	27.50	0.5623	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.71	0.00	18.71	27.50	0.5623	Complies
46	5230	20.43	0.00	20.43	27.50	0.5623	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	25.07	27.50	0.5623	Complies
46	5230	26.79	27.50	0.5623	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.21	0.00	19.21	27.50	0.5623	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.97	0.00	19.97	27.50	0.5623	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.09	0.00	19.09	27.50	0.5623	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.02	0.00	19.02	27.50	0.5623	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	25.36	27.50	0.5623	Complies

<b>Test Mode</b>	UNII-2A_TX AC(VHT20) Mode_Ant. 1
------------------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.78	0.00	14.78	21.48	0.1406	Complies
60	5300	14.72	0.00	14.72	21.48	0.1406	Complies
64	5320	14.64	0.00	14.64	21.48	0.1406	Complies

<b>Test Mode</b>	UNII-2A_TX AC(VHT20) Mode_Ant. 2
------------------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.60	0.00	14.60	21.48	0.1406	Complies
60	5300	14.86	0.00	14.86	21.48	0.1406	Complies
64	5320	15.07	0.00	15.07	21.48	0.1406	Complies

<b>Test Mode</b>	UNII-2A_TX AC(VHT20) Mode_Ant. 3
------------------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.06	0.00	14.06	21.48	0.1406	Complies
60	5300	14.08	0.00	14.08	21.48	0.1406	Complies
64	5320	14.37	0.00	14.37	21.48	0.1406	Complies

<b>Test Mode</b>	UNII-2A_TX AC(VHT20) Mode_Ant. 4
------------------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.97	0.00	13.97	21.48	0.1406	Complies
60	5300	14.09	0.00	14.09	21.48	0.1406	Complies
64	5320	14.27	0.00	14.27	21.48	0.1406	Complies

<b>Test Mode</b>	UNII-2A_TX AC(VHT20) Mode_Total
------------------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	20.39	21.48	0.1406	Complies
60	5300	20.47	21.48	0.1406	Complies
64	5320	20.62	21.48	0.1406	Complies



Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.71	0.00	14.71	21.48	0.1406	Complies
62	5310	14.79	0.00	14.79	21.48	0.1406	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.15	0.00	15.15	21.48	0.1406	Complies
62	5310	15.44	0.00	15.44	21.48	0.1406	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.44	0.00	14.44	21.48	0.1406	Complies
62	5310	14.47	0.00	14.47	21.48	0.1406	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.19	0.00	14.19	21.48	0.1406	Complies
62	5310	14.44	0.00	14.44	21.48	0.1406	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	20.66	21.48	0.1406	Complies
62	5310	20.82	21.48	0.1406	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	14.49	0.00	14.49	21.48	0.1406	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	14.86	0.00	14.86	21.48	0.1406	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	14.11	0.00	14.11	21.48	0.1406	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	14.20	0.00	14.20	21.48	0.1406	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	20.45	21.48	0.1406	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.77	0.00	14.77	21.48	0.1406	Complies
60	5300	14.75	0.00	14.75	21.48	0.1406	Complies
64	5320	14.67	0.00	14.67	21.48	0.1406	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.14	0.00	15.14	21.48	0.1406	Complies
60	5300	15.34	0.00	15.34	21.48	0.1406	Complies
64	5320	15.26	0.00	15.26	21.48	0.1406	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.35	0.00	14.35	21.48	0.1406	Complies
60	5300	14.52	0.00	14.52	21.48	0.1406	Complies
64	5320	14.63	0.00	14.63	21.48	0.1406	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.66	0.00	14.66	21.48	0.1406	Complies
60	5300	14.63	0.00	14.63	21.48	0.1406	Complies
64	5320	14.88	0.00	14.88	21.48	0.1406	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	20.76	21.48	0.1406	Complies
60	5300	20.84	21.48	0.1406	Complies
64	5320	20.89	21.48	0.1406	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.56	0.00	14.56	21.48	0.1406	Complies
62	5310	14.49	0.00	14.49	21.48	0.1406	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.75	0.00	14.75	21.48	0.1406	Complies
62	5310	15.06	0.00	15.06	21.48	0.1406	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.43	0.00	15.43	21.48	0.1406	Complies
62	5310	13.87	0.00	13.87	21.48	0.1406	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.87	0.00	13.87	21.48	0.1406	Complies
62	5310	14.19	0.00	14.19	21.48	0.1406	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	20.71	21.48	0.1406	Complies
62	5310	20.45	21.48	0.1406	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	14.91	0.00	14.91	21.48	0.1406	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.28	0.00	15.28	21.48	0.1406	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	14.31	0.00	14.31	21.48	0.1406	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	14.62	0.00	14.62	21.48	0.1406	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	20.82	21.48	0.1406	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	13.22	0.48	13.70	21.48	0.1406	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	14.08	0.48	14.56	21.48	0.1406	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 3
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	13.69	0.48	14.17	21.48	0.1406	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 4
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	14.12	0.48	14.60	21.48	0.1406	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Total
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	20.29	21.48	0.1406	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 1
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	12.54	0.67	13.21	21.48	0.1406	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 2
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	13.85	0.67	14.52	21.48	0.1406	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 3
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	13.79	0.67	14.46	21.48	0.1406	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 4
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	14.58	0.67	15.25	21.48	0.1406	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Total
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	20.44	21.48	0.1406	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.61	0.00	14.61	21.48	0.1406	Complies
116	5580	14.01	0.00	14.01	21.48	0.1406	Complies
140	5700	14.21	0.00	14.21	21.48	0.1406	Complies
144	5720	13.86	0.00	13.86	21.48	0.1406	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.72	0.00	14.72	21.48	0.1406	Complies
116	5580	14.53	0.00	14.53	21.48	0.1406	Complies
140	5700	14.24	0.00	14.24	21.48	0.1406	Complies
144	5720	14.42	0.00	14.42	21.48	0.1406	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.33	0.00	14.33	21.48	0.1406	Complies
116	5580	14.41	0.00	14.41	21.48	0.1406	Complies
140	5700	14.34	0.00	14.34	21.48	0.1406	Complies
144	5720	15.31	0.00	15.31	21.48	0.1406	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.76	0.00	15.76	21.48	0.1406	Complies
116	5580	16.17	0.00	16.17	21.48	0.1406	Complies
140	5700	15.47	0.00	15.47	21.48	0.1406	Complies
144	5720	14.83	0.00	14.83	21.48	0.1406	Complies



Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	20.91	21.48	0.1406	Complies
116	5580	20.88	21.48	0.1406	Complies
140	5700	20.62	21.48	0.1406	Complies
144	5720	20.66	21.48	0.1406	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.53	0.00	14.53	21.48	0.1406	Complies
110	5550	14.51	0.00	14.51	21.48	0.1406	Complies
134	5670	14.48	0.00	14.48	21.48	0.1406	Complies
142	5710	13.89	0.00	13.89	21.48	0.1406	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.49	0.00	14.49	21.48	0.1406	Complies
110	5550	15.03	0.00	15.03	21.48	0.1406	Complies
134	5670	14.74	0.00	14.74	21.48	0.1406	Complies
142	5710	14.57	0.00	14.57	21.48	0.1406	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.85	0.00	13.85	21.48	0.1406	Complies
110	5550	14.18	0.00	14.18	21.48	0.1406	Complies
134	5670	14.34	0.00	14.34	21.48	0.1406	Complies
142	5710	15.38	0.00	15.38	21.48	0.1406	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.78	0.00	15.78	21.48	0.1406	Complies
110	5550	15.56	0.00	15.56	21.48	0.1406	Complies
134	5670	15.74	0.00	15.74	21.48	0.1406	Complies
142	5710	14.52	0.00	14.52	21.48	0.1406	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	20.74	21.48	0.1406	Complies
110	5550	20.87	21.48	0.1406	Complies
134	5670	20.88	21.48	0.1406	Complies
142	5710	20.64	21.48	0.1406	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	14.47	0.00	14.47	21.48	0.1406	Complies
122	5610	14.22	0.00	14.22	21.48	0.1406	Complies
138	5690	13.52	0.00	13.52	21.48	0.1406	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	14.81	0.00	14.81	21.48	0.1406	Complies
122	5610	14.37	0.00	14.37	21.48	0.1406	Complies
138	5690	14.34	0.00	14.34	21.48	0.1406	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	13.81	0.00	13.81	21.48	0.1406	Complies
122	5610	13.64	0.00	13.64	21.48	0.1406	Complies
138	5690	15.13	0.00	15.13	21.48	0.1406	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	15.98	0.00	15.98	21.48	0.1406	Complies
122	5610	16.23	0.00	16.23	21.48	0.1406	Complies
138	5690	14.02	0.00	14.02	21.48	0.1406	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	20.86	21.48	0.1406	Complies
122	5610	20.75	21.48	0.1406	Complies
138	5690	20.31	21.48	0.1406	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	13.28	0.48	13.76	21.48	0.1406	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	14.27	0.48	14.75	21.48	0.1406	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	13.55	0.48	14.03	21.48	0.1406	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	15.92	0.48	16.40	21.48	0.1406	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	20.88	21.48	0.1406	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.54	0.00	14.54	21.48	0.1406	Complies
116	5580	14.48	0.00	14.48	21.48	0.1406	Complies
140	5700	14.46	0.00	14.46	21.48	0.1406	Complies
144	5720	13.58	0.00	13.58	21.48	0.1406	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.67	0.00	14.67	21.48	0.1406	Complies
116	5580	14.64	0.00	14.64	21.48	0.1406	Complies
140	5700	14.49	0.00	14.49	21.48	0.1406	Complies
144	5720	14.47	0.00	14.47	21.48	0.1406	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.02	0.00	14.02	21.48	0.1406	Complies
116	5580	14.23	0.00	14.23	21.48	0.1406	Complies
140	5700	14.19	0.00	14.19	21.48	0.1406	Complies
144	5720	16.04	0.00	16.04	21.48	0.1406	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.72	0.00	15.72	21.48	0.1406	Complies
116	5580	15.85	0.00	15.85	21.48	0.1406	Complies
140	5700	15.56	0.00	15.56	21.48	0.1406	Complies
144	5720	14.13	0.00	14.13	21.48	0.1406	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	20.80	21.48	0.1406	Complies
116	5580	20.87	21.48	0.1406	Complies
140	5700	20.73	21.48	0.1406	Complies
144	5720	20.68	21.48	0.1406	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.65	0.00	14.65	21.48	0.1406	Complies
110	5550	14.17	0.00	14.17	21.48	0.1406	Complies
134	5670	14.06	0.00	14.06	21.48	0.1406	Complies
142	5710	14.08	0.00	14.08	21.48	0.1406	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.68	0.00	14.68	21.48	0.1406	Complies
110	5550	14.63	0.00	14.63	21.48	0.1406	Complies
134	5670	14.37	0.00	14.37	21.48	0.1406	Complies
142	5710	14.21	0.00	14.21	21.48	0.1406	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.91	0.00	13.91	21.48	0.1406	Complies
110	5550	13.74	0.00	13.74	21.48	0.1406	Complies
134	5670	13.96	0.00	13.96	21.48	0.1406	Complies
142	5710	16.07	0.00	16.07	21.48	0.1406	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.01	0.00	16.01	21.48	0.1406	Complies
110	5550	16.27	0.00	16.27	21.48	0.1406	Complies
134	5670	15.83	0.00	15.83	21.48	0.1406	Complies
142	5710	14.08	0.00	14.08	21.48	0.1406	Complies



Test Mode	UNII-2C_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	20.90	21.48	0.1406	Complies
110	5550	20.83	21.48	0.1406	Complies
134	5670	20.64	21.48	0.1406	Complies
142	5710	20.72	21.48	0.1406	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	14.59	0.00	14.59	21.48	0.1406	Complies
122	5610	14.32	0.00	14.32	21.48	0.1406	Complies
138	5690	13.55	0.00	13.55	21.48	0.1406	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	14.56	0.00	14.56	21.48	0.1406	Complies
122	5610	14.32	0.00	14.32	21.48	0.1406	Complies
138	5690	14.39	0.00	14.39	21.48	0.1406	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	14.11	0.00	14.11	21.48	0.1406	Complies
122	5610	13.64	0.00	13.64	21.48	0.1406	Complies
138	5690	15.54	0.00	15.54	21.48	0.1406	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	15.75	0.00	15.75	21.48	0.1406	Complies
122	5610	16.43	0.00	16.43	21.48	0.1406	Complies
138	5690	13.96	0.00	13.96	21.48	0.1406	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	20.82	21.48	0.1406	Complies
122	5610	20.83	21.48	0.1406	Complies
138	5690	20.45	21.48	0.1406	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	12.76	0.67	13.43	21.48	0.1406	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	13.79	0.67	14.46	21.48	0.1406	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	12.78	0.67	13.45	21.48	0.1406	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	15.42	0.67	16.09	21.48	0.1406	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	20.52	21.48	0.1406	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.68	0.00	20.68	27.50	0.5623	Complies
157	5785	20.71	0.00	20.71	27.50	0.5623	Complies
165	5825	20.72	0.00	20.72	27.50	0.5623	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.74	0.00	20.74	27.50	0.5623	Complies
157	5785	20.51	0.00	20.51	27.50	0.5623	Complies
165	5825	20.87	0.00	20.87	27.50	0.5623	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.19	0.00	21.19	27.50	0.5623	Complies
157	5785	21.20	0.00	21.20	27.50	0.5623	Complies
165	5825	21.42	0.00	21.42	27.50	0.5623	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.55	0.00	20.55	27.50	0.5623	Complies
157	5785	19.74	0.00	19.74	27.50	0.5623	Complies
165	5825	19.92	0.00	19.92	27.50	0.5623	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	26.82	27.50	0.5623	Complies
157	5785	26.59	27.50	0.5623	Complies
165	5825	26.79	27.50	0.5623	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.68	0.00	20.68	27.50	0.5623	Complies
159	5795	20.64	0.00	20.64	27.50	0.5623	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.71	0.00	20.71	27.50	0.5623	Complies
159	5795	20.28	0.00	20.28	27.50	0.5623	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.90	0.00	20.90	27.50	0.5623	Complies
159	5795	20.71	0.00	20.71	27.50	0.5623	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.41	0.00	20.41	27.50	0.5623	Complies
159	5795	19.83	0.00	19.83	27.50	0.5623	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	26.70	27.50	0.5623	Complies
159	5795	26.40	27.50	0.5623	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.77	0.00	20.77	27.50	0.5623	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.66	0.00	20.66	27.50	0.5623	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.13	0.00	21.13	27.50	0.5623	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.36	0.00	20.36	27.50	0.5623	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	26.76	27.50	0.5623	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.62	0.00	20.62	27.50	0.5623	Complies
157	5785	20.67	0.00	20.67	27.50	0.5623	Complies
165	5825	20.76	0.00	20.76	27.50	0.5623	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.76	0.00	20.76	27.50	0.5623	Complies
157	5785	20.47	0.00	20.47	27.50	0.5623	Complies
165	5825	20.64	0.00	20.64	27.50	0.5623	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.97	0.00	20.97	27.50	0.5623	Complies
157	5785	21.04	0.00	21.04	27.50	0.5623	Complies
165	5825	21.40	0.00	21.40	27.50	0.5623	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.79	0.00	20.79	27.50	0.5623	Complies
157	5785	20.08	0.00	20.08	27.50	0.5623	Complies
165	5825	20.03	0.00	20.03	27.50	0.5623	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	26.81	27.50	0.5623	Complies
157	5785	26.60	27.50	0.5623	Complies
165	5825	26.76	27.50	0.5623	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.79	0.00	20.79	27.50	0.5623	Complies
159	5795	20.72	0.00	20.72	27.50	0.5623	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.78	0.00	20.78	27.50	0.5623	Complies
159	5795	20.37	0.00	20.37	27.50	0.5623	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.91	0.00	20.91	27.50	0.5623	Complies
159	5795	20.86	0.00	20.86	27.50	0.5623	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.61	0.00	20.61	27.50	0.5623	Complies
159	5795	19.81	0.00	19.81	27.50	0.5623	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	26.79	27.50	0.5623	Complies
159	5795	26.48	27.50	0.5623	Complies



Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.73	0.00	20.73	27.50	0.5623	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.85	0.00	20.85	27.50	0.5623	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.85	0.00	20.85	27.50	0.5623	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.19	0.00	20.19	27.50	0.5623	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------


Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	26.68	27.50	0.5623	Complies

Note: Output power = Measure result + Cable loss


## APPENDIX G POWER SPECTRAL DENSITY

Test Mode UNII-1\_TX A Mode\_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.86	0.14	7.00	14.48	Complies
40	5200	7.04	0.14	7.18	14.48	Complies
48	5240	6.57	0.14	6.71	14.48	Complies



Date: 6.AUG.2024 00:25:51




Date: 6.AUG.2024 00:27:29




Date: 6.AUG.2024 00:28:36

Test Mode UNII-1\_TX A Mode\_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.32	0.14	6.46	14.48	Complies
40	5200	6.11	0.14	6.25	14.48	Complies
48	5240	5.63	0.14	5.77	14.48	Complies



Date: 6.AUG.2024 22:10:08




Date: 6.AUG.2024 22:10:43




Date: 6.AUG.2024 22:11:57

Test Mode	UNII-1_TX A Mode_Ant. 3
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.51	0.14	6.65	14.48	Complies
40	5200	6.47	0.14	6.61	14.48	Complies
48	5240	6.04	0.14	6.18	14.48	Complies



Date: 6.AUG.2024 23:53:10




Date: 6.AUG.2024 23:54:26




Date: 6.AUG.2024 23:55:56

Test Mode	UNII-1_TX A Mode_Ant. 4
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.31	0.14	6.45	14.48	Complies
40	5200	6.07	0.14	6.21	14.48	Complies
48	5240	5.59	0.14	5.73	14.48	Complies



Date: 7.AUG.2024 01:09:32



Date: 7.AUG.2024 01:10:07




Date: 7.AUG.2024 01:10:39

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	12.66	14.48	Complies
40	5200	12.60	14.48	Complies
48	5240	12.13	14.48	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.42	0.00	6.42	14.48	Complies
40	5200	0.65	0.00	0.65	14.48	Complies
48	5240	4.55	0.00	4.55	14.48	Complies



Date: 6.AUG.2024 00:43:18




Date: 6.AUG.2024 00:44:38




Date: 6.AUG.2024 00:47:09

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.57	0.00	5.57	14.48	Complies
40	5200	0.20	0.00	0.20	14.48	Complies
48	5240	3.88	0.00	3.88	14.48	Complies



Date: 6.AUG.2024 22:37:57




Date: 6.AUG.2024 22:38:40




Date: 6.AUG.2024 22:40:09

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.04	0.00	7.04	14.48	Complies
40	5200	1.18	0.00	1.18	14.48	Complies
48	5240	4.93	0.00	4.93	14.48	Complies



Date: 7.AUG.2024 00:08:15




Date: 7.AUG.2024 00:09:33




Date: 7.AUG.2024 00:10:29

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 4
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.50	0.00	7.50	14.48	Complies
40	5200	2.25	0.00	2.25	14.48	Complies
48	5240	5.52	0.00	5.52	14.48	Complies



Date: 7.AUG.2024 01:20:24



Date: 7.AUG.2024 01:21:39



Date: 7.AUG.2024 01:22:17

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	12.71	14.48	Complies
40	5200	7.16	14.48	Complies
48	5240	10.78	14.48	Complies



Test Mode UNII-1\_TX AC(VHT40) Mode\_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	0.15	0.00	0.15	14.48	Complies
46	5230	2.75	0.00	2.75	14.48	Complies

**CH38**



Date: 6.AUG.2024 01:06:25

**CH46**




Date: 6.AUG.2024 01:07:50

Test Mode UNII-1\_TX AC(VHT40) Mode\_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	0.77	0.00	0.77	14.48	Complies
46	5230	3.64	0.00	3.64	14.48	Complies

**CH38**



Date: 6.AUG.2024 22:56:46

**CH46**




Date: 6.AUG.2024 22:57:40

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	2.49	0.00	2.49	14.48	Complies
46	5230	5.31	0.00	5.31	14.48	Complies

**CH38**



Date: 7.AUG.2024 00:19:21

**CH46**




Date: 7.AUG.2024 00:20:20

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 4
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	1.00	0.00	1.00	14.48	Complies
46	5230	3.76	0.00	3.76	14.48	Complies

**CH38**



Date: 7.AUG.2024 01:29:27

**CH46**




Date: 7.AUG.2024 01:30:03

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	7.21	14.48	Complies
46	5230	9.99	14.48	Complies


Test Mode UNII-1\_TX AC(VHT80) Mode\_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-2.95	0.00	-2.95	14.48	Complies




Test Mode UNII-1\_TX AC(VHT80) Mode\_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-1.37	0.00	-1.37	14.48	Complies




Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-0.34	0.00	-0.34	14.48	Complies



Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-1.87	0.00	-1.87	14.48	Complies




Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	4.49	17.00	Complies

Test Mode UNII-1\_TX AX(HE20) Mode\_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	8.31	0.00	8.31	14.48	Complies
40	5200	3.56	0.00	3.56	14.48	Complies
48	5240	6.52	0.00	6.52	14.48	Complies



Date: 6.AUG.2024 20:09:11




Date: 6.AUG.2024 20:10:48




Date: 6.AUG.2024 20:12:01

Test Mode UNII-1\_TX AX(HE20) Mode\_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.49	0.00	7.49	14.48	Complies
40	5200	2.24	0.00	2.24	14.48	Complies
48	5240	6.06	0.00	6.06	14.48	Complies



Date: 6.AUG.2024 23:20:09




Date: 6.AUG.2024 23:21:45




Date: 6.AUG.2024 23:23:26

Test Mode UNII-1\_TX AX(HE20) Mode\_Ant. 3


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	8.60	0.00	8.60	14.48	Complies
40	5200	3.62	0.00	3.62	14.48	Complies
48	5240	7.04	0.00	7.04	14.48	Complies



Date: 7.AUG.2024 00:39:39




Date: 7.AUG.2024 00:40:17




Date: 7.AUG.2024 00:40:45

Test Mode UNII-1\_TX AX(HE20) Mode\_Ant. 4


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.30	0.00	7.30	14.48	Complies
40	5200	2.38	0.00	2.38	14.48	Complies
48	5240	5.77	0.00	5.77	14.48	Complies



Date: 7.AUG.2024 01:50:45



Date: 7.AUG.2024 01:51:29



Date: 7.AUG.2024 01:52:13


Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	13.98	14.48	Complies
40	5200	9.02	14.48	Complies
48	5240	12.39	14.48	Complies

Test Mode UNII-1\_TX AX(HE40) Mode\_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	2.34	0.00	2.34	14.48	Complies
46	5230	4.69	0.00	4.69	14.48	Complies

**CH38**



Date: 6.AUG.2024 20:46:46

**CH46**




Date: 6.AUG.2024 20:48:20

Test Mode UNII-1\_TX AX(HE40) Mode\_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	0.82	0.00	0.82	14.48	Complies
46	5230	3.58	0.00	3.58	14.48	Complies

**CH38**



Date: 6.AUG.2024 23:30:31

**CH46**




Date: 6.AUG.2024 23:31:14



Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	2.34	0.00	2.34	14.48	Complies
46	5230	4.95	0.00	4.95	14.48	Complies

**CH38**



Date: 7.AUG.2024 00:49:52

**CH46**




Date: 7.AUG.2024 00:51:19

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 4
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	0.88	0.00	0.88	14.48	Complies
46	5230	3.30	0.00	3.30	14.48	Complies

**CH38**



Date: 7.AUG.2024 02:03:25

**CH46**




Date: 7.AUG.2024 02:04:04

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	7.68	14.48	Complies
46	5230	10.21	14.48	Complies


Test Mode UNII-1\_TX AX(HE80) Mode\_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-0.78	0.00	-0.78	14.48	Complies




Test Mode UNII-1\_TX AX(HE80) Mode\_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-1.46	0.00	-1.46	14.48	Complies




Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-0.79	0.00	-0.79	14.48	Complies



Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-2.35	0.00	-2.35	14.48	Complies




Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	4.72	14.48	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-0.32	0.14	-0.18	8.48	Complies
60	5300	0.32	0.14	0.46	8.48	Complies
64	5320	0.63	0.14	0.77	8.48	Complies



Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	0.83	0.14	0.97	8.48	Complies
60	5300	-0.85	0.14	-0.71	8.48	Complies
64	5320	-0.09	0.14	0.05	8.48	Complies

