



802.11ax-HE20 Power Spectral Density- Ant 3 (Nss = 1)


Channel 181 (6855MHz)




Channel 185 (6875MHz)




Channel 189 (6895MHz)



Channel 213 (7015MHz)




Channel 229 (7095MHz)




802.11ax-HE40 Power Spectral Density- Ant 3 (Nss = 1)


Channel 3 (5965MHz)



Channel 51 (6205MHz)




Channel 91 (6405MHz)



Channel 99 (6445MHz)




Channel 107 (6485MHz)



Channel 115 (6525MHz)



Channel 123 (6565MHz)




Channel 147 (6685MHz)




802.11ax-HE40 Power Spectral Density- Ant 3 (Nss = 1)

Channel 179 (6845MHz)




Channel 187 (6885MHz)




Channel 195 (6925MHz)



Channel 211 (7005MHz)




Channel 227 (7085MHz)




802.11ax-HE80 Power Spectral Density- Ant 3 (Nss = 1)


Channel 7 (5985MHz)




Channel 55 (6225MHz)




Channel 87 (6385MHz)




Channel 103 (6465MHz)




Channel 119 (6545MHz)



Channel 151 (6705MHz)




Channel 183 (6865MHz)




Channel 199 (6945MHz)






802.11ax-HE160 Power Spectral Density- Ant 3 (Nss = 1)


Channel 15 (6025MHz)




Channel 47 (6185MHz)




Channel 79 (6345MHz)



Channel 111 (6505MHz)




Channel 143 (6665MHz)



Channel 175 (6825MHz)




Channel 207 (6985MHz)




802.11be-EHT20 Power Spectral Density- Ant 3 (Nss = 1)


Channel 1 (5955MHz)




Channel 49 (6195MHz)




Channel 93 (6415MHz)




Channel 97 (6435MHz)




Channel 105 (6475MHz)




Channel 113 (6515MHz)



Channel 117 (6535MHz)




Channel 153 (6715MHz)




802.11be-EHT20 Power Spectral Density- Ant 3 (Nss = 1)


Channel 181 (6855MHz)




Channel 185 (6875MHz)




Channel 189 (6895MHz)



Channel 213 (7015MHz)




Channel 229 (7095MHz)




802.11be-EHT40 Power Spectral Density- Ant 3 (Nss = 1)


Channel 3 (5965MHz)




Channel 51 (6205MHz)




Channel 91 (6405MHz)



Channel 99 (6445MHz)




Channel 107 (6485MHz)



Channel 115 (6525MHz)



Channel 123 (6565MHz)




Channel 147 (6685MHz)




802.11be-EHT40 Power Spectral Density- Ant 3 (Nss = 1)

Channel 179 (6845MHz)




Channel 187 (6885MHz)




Channel 195 (6925MHz)



Channel 211 (7005MHz)




Channel 227 (7085MHz)




802.11be-EHT80 Power Spectral Density- Ant 3 (Nss = 1)


Channel 7 (5985MHz)




Channel 55 (6225MHz)




Channel 87 (6385MHz)



Channel 103 (6465MHz)




Channel 119 (6545MHz)



Channel 151 (6705MHz)




Channel 183 (6865MHz)




Channel 199 (6945MHz)






802.11be-EHT160 Power Spectral Density- Ant 3 (Nss = 1)


Channel 15 (6025MHz)




Channel 47 (6185MHz)




Channel 79 (6345MHz)



Channel 111 (6505MHz)




Channel 143 (6665MHz)



Channel 175 (6825MHz)




Channel 207 (6985MHz)



802.11be-EHT320 Power Spectral Density- Ant 3 (Nss = 1)


Channel 31 (6105MHz)



Channel 63 (6265MHz)



Channel 95 (6425MHz)



Channel 127 (6585MHz)



Channel 159 (6745MHz)



Channel 191 (6905MHz)



Test Site	WZ-SR4	Test Engineer	Jeff Yang
Test Date	2024-01-23~2024-02-04	Test Mode	N _{ss} = 4

Test Mode	Data Rate /MCS	Channel No.	Freq. (MHz)	PSD (dBm/MHz)				Duty Cycle (%)	Directional Gain (dBi)	EIRP PSD (dBm/MHz)	Limit (dBm/MHz)
				Ant 0	Ant 1	Ant 2	Ant 3				
802.11ax-HE20	MCS0	1	5955	-4.499	-4.679	-3.865	-4.142	98.01	2.20	3.936	≤ 5.00
802.11ax-HE20	MCS0	49	6195	-4.766	-4.198	-3.668	-4.958	98.01	2.20	3.853	≤ 5.00
802.11ax-HE20	MCS0	93	6415	-5.049	-3.925	-4.037	-4.451	98.01	2.20	3.877	≤ 5.00
802.11ax-HE20	MCS0	97	6435	-4.564	-4.079	-4.997	-4.110	98.01	2.62	4.219	≤ 5.00
802.11ax-HE20	MCS0	105	6475	-4.433	-4.791	-4.231	-3.323	98.01	2.62	4.481	≤ 5.00
802.11ax-HE20	MCS0	113	6515	-4.677	-5.702	-3.729	-3.782	98.01	2.62	4.240	≤ 5.00
802.11ax-HE20	MCS0	117	6535	-4.836	-3.988	-3.966	-4.054	98.01	2.86	4.684	≤ 5.00
802.11ax-HE20	MCS0	153	6715	-4.576	-5.031	-2.889	-4.213	98.01	2.86	4.780	≤ 5.00
802.11ax-HE20	MCS0	181	6855	-4.946	-3.061	-5.843	-4.207	98.01	2.86	4.487	≤ 5.00
802.11ax-HE20	MCS0	185	6875	-4.432	-3.091	-5.147	-4.645	98.01	2.86	4.621	≤ 5.00
802.11ax-HE20	MCS0	189	6895	-3.927	-4.081	-4.037	-4.438	98.01	2.51	4.414	≤ 5.00
802.11ax-HE20	MCS0	213	7015	-4.226	-3.661	-4.565	-5.599	98.01	2.51	4.074	≤ 5.00
802.11ax-HE20	MCS0	229	7095	-3.537	-4.196	-4.230	-4.761	98.01	2.51	4.371	≤ 5.00
802.11ax-HE40	MCS0	3	5965	-4.554	-4.799	-3.889	-4.525	98.01	2.20	3.792	≤ 5.00
802.11ax-HE40	MCS0	51	6205	-4.518	-4.147	-4.214	-4.040	98.01	2.20	3.994	≤ 5.00
802.11ax-HE40	MCS0	91	6405	-4.246	-4.513	-3.894	-4.619	98.01	2.20	3.912	≤ 5.00
802.11ax-HE40	MCS0	99	6445	-4.626	-4.420	-4.206	-4.056	98.01	2.62	4.319	≤ 5.00
802.11ax-HE40	MCS0	107	6485	-4.599	-4.240	-4.040	-3.759	98.01	2.62	4.492	≤ 5.00
802.11ax-HE40	MCS0	115	6525	-4.800	-4.004	-4.303	-3.810	98.01	2.86	4.667	≤ 5.00
802.11ax-HE40	MCS0	123	6565	-4.820	-4.220	-4.639	-3.789	98.01	2.86	4.532	≤ 5.00
802.11ax-HE40	MCS0	147	6685	-4.736	-4.325	-3.960	-4.219	98.01	2.86	4.580	≤ 5.00
802.11ax-HE40	MCS0	179	6845	-3.827	-4.041	-3.815	-4.246	98.01	2.86	4.902	≤ 5.00
802.11ax-HE40	MCS0	187	6885	-4.052	-3.580	-3.707	-3.837	98.01	2.51	4.740	≤ 5.00
802.11ax-HE40	MCS0	195	6925	-4.072	-3.818	-3.238	-3.667	98.01	2.51	4.843	≤ 5.00
802.11ax-HE40	MCS0	211	7005	-3.880	-3.878	-3.664	-3.060	98.01	2.51	4.923	≤ 5.00
802.11ax-HE40	MCS0	227	7085	-3.487	-4.284	-3.480	-3.022	98.01	2.51	4.986	≤ 5.00

Test Mode	Data Rate /MCS	Channel No.	Freq. (MHz)	PSD (dBm/MHz)				Duty Cycle (%)	Directional Gain (dBi)	EIRP PSD (dBm/MHz)	Limit (dBm/MHz)
				Ant 0	Ant 1	Ant 2	Ant 3				
802.11ax-HE80	MCS0	7	5985	-3.520	-3.677	-3.675	-3.452	98.21	2.20	4.641	≤ 5.00
802.11ax-HE80	MCS0	55	6225	-3.296	-3.236	-3.437	-3.352	98.21	2.20	4.891	≤ 5.00
802.11ax-HE80	MCS0	87	6385	-3.389	-3.655	-3.405	-3.661	98.21	2.20	4.695	≤ 5.00
802.11ax-HE80	MCS0	103	6465	-3.878	-4.162	-3.489	-3.511	98.21	2.62	4.889	≤ 5.00
802.11ax-HE80	MCS0	119	6545	-4.174	-4.240	-4.308	-3.821	98.21	2.86	4.749	≤ 5.00
802.11ax-HE80	MCS0	151	6705	-4.230	-4.148	-3.944	-4.088	98.21	2.86	4.779	≤ 5.00
802.11ax-HE80	MCS0	183	6865	-4.126	-4.009	-3.899	-4.208	98.21	2.86	4.822	≤ 5.00
802.11ax-HE80	MCS0	199	6945	-3.933	-3.659	-3.289	-4.162	98.21	2.51	4.782	≤ 5.00
802.11ax-HE80	MCS0	215	7025	-3.847	-3.805	-3.588	-3.405	98.21	2.51	4.873	≤ 5.00
802.11ax-HE160	MCS0	15	6025	-3.715	-3.746	-3.377	-3.459	98.21	2.20	4.649	≤ 5.00
802.11ax-HE160	MCS0	47	6185	-3.662	-3.718	-3.910	-3.574	98.21	2.20	4.506	≤ 5.00
802.11ax-HE160	MCS0	79	6345	-3.666	-3.872	-3.437	-3.510	98.21	2.20	4.603	≤ 5.00
802.11ax-HE160	MCS0	111	6505	-3.793	-3.846	-3.891	-3.512	98.21	2.62	4.883	≤ 5.00
802.11ax-HE160	MCS0	143	6665	-4.100	-4.268	-4.037	-3.920	98.21	2.86	4.801	≤ 5.00
802.11ax-HE160	MCS0	175	6825	-4.074	-4.072	-4.322	-4.158	98.21	2.86	4.725	≤ 5.00
802.11ax-HE160	MCS0	207	6985	-4.013	-4.159	-3.632	-4.029	98.21	2.51	4.577	≤ 5.00
802.11be-EHT20	MCS0	1	5955	-3.437	-4.292	-3.184	-3.763	98.01	2.20	4.571	≤ 5.00
802.11be-EHT20	MCS0	49	6195	-3.533	-3.798	-3.573	-3.729	98.01	2.20	4.564	≤ 5.00
802.11be-EHT20	MCS0	93	6415	-3.626	-3.854	-3.056	-3.702	98.01	2.20	4.672	≤ 5.00
802.11be-EHT20	MCS0	97	6435	-3.799	-3.158	-4.552	-3.591	98.01	2.62	4.894	≤ 5.00
802.11be-EHT20	MCS0	105	6475	-3.582	-4.594	-3.094	-3.844	98.01	2.62	4.895	≤ 5.00
802.11be-EHT20	MCS0	113	6515	-4.303	-4.862	-3.762	-3.769	98.01	2.62	4.490	≤ 5.00
802.11be-EHT20	MCS0	117	6535	-4.332	-5.143	-3.907	-4.025	98.01	2.86	4.555	≤ 5.00
802.11be-EHT20	MCS0	153	6715	-4.509	-5.173	-3.052	-4.349	98.01	2.86	4.680	≤ 5.00
802.11be-EHT20	MCS0	181	6855	-4.709	-2.503	-5.738	-3.692	98.01	2.86	4.886	≤ 5.00
802.11be-EHT20	MCS0	185	6875	-4.566	-3.186	-5.229	-3.319	98.01	2.86	4.888	≤ 5.00
802.11be-EHT20	MCS0	189	6895	-3.425	-4.257	-3.705	-4.215	98.01	2.51	4.644	≤ 5.00
802.11be-EHT20	MCS0	213	7015	-3.684	-3.927	-3.767	-4.427	98.01	2.51	4.589	≤ 5.00
802.11be-EHT20	MCS0	229	7095	-4.075	-4.182	-3.595	-3.681	98.01	2.51	4.655	≤ 5.00

Test Mode	Data Rate /MCS	Channel No.	Freq. (MHz)	PSD (dBm/MHz)				Duty Cycle (%)	Directional Gain (dBi)	EIRP PSD (dBm/MHz)	Limit (dBm/MHz)
				Ant 0	Ant 1	Ant 2	Ant 3				
802.11be-EHT40	MCS0	3	5965	-3.680	-4.033	-3.257	-3.466	98.29	2.20	4.621	≤ 5.00
802.11be-EHT40	MCS0	51	6205	-3.424	-3.471	-3.385	-3.355	98.29	2.20	4.812	≤ 5.00
802.11be-EHT40	MCS0	91	6405	-3.525	-3.862	-3.222	-3.551	98.29	2.20	4.687	≤ 5.00
802.11be-EHT40	MCS0	99	6445	-4.244	-3.993	-3.762	-3.301	98.29	2.62	4.830	≤ 5.00
802.11be-EHT40	MCS0	107	6485	-3.913	-4.032	-3.885	-3.818	98.29	2.62	4.729	≤ 5.00
802.11be-EHT40	MCS0	115	6525	-4.376	-3.953	-4.244	-3.210	98.29	2.86	4.959	≤ 5.00
802.11be-EHT40	MCS0	123	6565	-4.613	-3.885	-4.306	-3.102	98.29	2.86	4.942	≤ 5.00
802.11be-EHT40	MCS0	147	6685	-4.486	-4.144	-3.818	-3.752	98.29	2.86	4.840	≤ 5.00
802.11be-EHT40	MCS0	179	6845	-3.957	-4.011	-3.697	-4.005	98.29	2.86	4.965	≤ 5.00
802.11be-EHT40	MCS0	187	6885	-4.295	-4.002	-3.926	-3.920	98.29	2.51	4.498	≤ 5.00
802.11be-EHT40	MCS0	195	6925	-3.833	-4.104	-3.462	-4.149	98.29	2.51	4.652	≤ 5.00
802.11be-EHT40	MCS0	211	7005	-4.082	-4.247	-3.784	-3.372	98.29	2.51	4.672	≤ 5.00
802.11be-EHT40	MCS0	227	7085	-4.077	-4.853	-3.821	-3.391	98.29	2.51	4.527	≤ 5.00
802.11be-EHT80	MCS0	7	5985	-3.631	-3.606	-3.476	-3.657	98.21	2.20	4.629	≤ 5.00
802.11be-EHT80	MCS0	55	6225	-3.600	-3.667	-3.826	-3.443	98.21	2.20	4.589	≤ 5.00
802.11be-EHT80	MCS0	87	6385	-3.402	-3.841	-3.430	-3.371	98.21	2.20	4.714	≤ 5.00
802.11be-EHT80	MCS0	103	6465	-3.649	-4.117	-3.592	-3.966	98.21	2.62	4.815	≤ 5.00
802.11be-EHT80	MCS0	119	6545	-4.211	-3.784	-4.212	-3.682	98.21	2.86	4.915	≤ 5.00
802.11be-EHT80	MCS0	151	6705	-4.329	-4.090	-3.874	-3.999	98.21	2.86	4.811	≤ 5.00
802.11be-EHT80	MCS0	183	6865	-4.334	-4.201	-4.182	-3.843	98.21	2.86	4.744	≤ 5.00
802.11be-EHT80	MCS0	199	6945	-4.043	-3.540	-3.252	-3.995	98.21	2.51	4.836	≤ 5.00
802.11be-EHT80	MCS0	215	7025	-3.913	-3.699	-3.526	-3.452	98.21	2.51	4.887	≤ 5.00
802.11be-EHT160	MCS0	15	6025	-3.294	-3.162	-3.303	-3.432	98.31	2.20	4.924	≤ 5.00
802.11be-EHT160	MCS0	47	6185	-3.113	-3.198	-3.567	-3.359	98.31	2.20	4.915	≤ 5.00
802.11be-EHT160	MCS0	79	6345	-3.868	-3.904	-3.608	-3.829	98.31	2.20	4.420	≤ 5.00
802.11be-EHT160	MCS0	111	6505	-3.845	-3.914	-3.704	-3.434	98.31	2.62	4.920	≤ 5.00
802.11be-EHT160	MCS0	143	6665	-3.940	-4.212	-4.006	-4.121	98.31	2.86	4.812	≤ 5.00
802.11be-EHT160	MCS0	175	6825	-4.061	-3.726	-3.866	-3.936	98.31	2.86	4.985	≤ 5.00
802.11be-EHT160	MCS0	207	6985	-3.822	-3.816	-3.277	-3.911	98.31	2.51	4.831	≤ 5.00

Test Mode	Data Rate /MCS	Channel No.	Freq. (MHz)	PSD (dBm/MHz)				Duty Cycle (%)	Directional Gain (dBi)	EIRP PSD (dBm/MHz)	Limit (dBm/MHz)
				Ant 0	Ant 1	Ant 2	Ant 3				
802.11be-EHT320	MCS0	31	6105	-2.997	-3.195	-3.782	-3.415	98.03	2.20	4.883	≤ 5.00
802.11be-EHT320	MCS0	95	6425	-3.549	-3.517	-3.637	-3.956	98.03	2.62	4.979	≤ 5.00
802.11be-EHT320	MCS0	159	6745	-3.582	-3.883	-4.099	-4.656	98.03	2.86	4.843	≤ 5.00
802.11be-EHT320	MCS0	63	6265	-3.570	-3.153	-3.745	-3.479	98.03	2.20	4.739	≤ 5.00
802.11be-EHT320	MCS0	127	6585	-3.549	-3.624	-4.222	-4.535	98.03	2.86	4.917	≤ 5.00
802.11be-EHT320	MCS0	191	6905	-3.713	-3.496	-4.026	-3.791	98.03	2.51	4.778	≤ 5.00

Note: EIRP PSD (dBm/MHz) = $10 \cdot \log \{10^{(\text{Ant 0 PSD}/10)} + 10^{(\text{Ant 1 PSD}/10)} + 10^{(\text{Ant 2 PSD}/10)} + 10^{(\text{Ant 3 PSD}/10)}\}$ (dBm/MHz) + Directional Gain (dBi).