



FCC RF EXPOSURE REPORT

FCC ID: 2BCGWD235

Report No.	:	eLab-FCCP-2-2401G101
Equipment	:	Tapo Video Doorbell Camera
Brand Name	:	tp-link
Test Model	:	Tapo D235
Series Model	:	TD25, Tapo D225
Applicant	:	TP-LINK CORPORATION PTE. LTD.
Address	:	7 Temasek Boulevard #29-03 Suntec Tower One, Singapore 038987
Radio Function	:	WLAN 2.4 GHz
FCC Rule Part(s)	:	FCC Guidelines for Human Exposure IEEE C95.1 & FCC Part 2.1091 FCC Title 47 Part 2.1091 & KDB 447498 D01 v06
Date of Receipt Date of Test Issued Date	:	2024/2/5 2024/2/6 ~ 2024/4/17 2024/4/30

The above equipment has been tested and found in compliance with the requirement of the above standards by eLab Inc.

Prepared by

Poken Ul

Approved by

Sam Chuang

eLab Inc.

10F., No. 167, Sec. 2, Datong Rd., Xizhi Dist., New Taipei City 221, Taiwan Tel: +886-2-8692-6160 Fax: +886-2-8692-6170

Page 1 of 3 eTest certification Laboratory Inc. www.btl.com.tw





REPORT ISSUED HISTORY

Report No.	Version	Description	Issued Date	Note
eLab-FCCP-2-2401G101	R00	Original Report.	2024/4/30	Valid





1. MPE CALCULATION METHOD

Calculation Method of RF Safety Distance:

$$S = \frac{PG}{4\pi r^2} = \frac{EIRP}{4\pi r^2}$$

where:

- S = power density
- P = power input to the antenna
- G = power gain of the antenna in the direction of interest relative to an isotropic radiator
- R = distance to the center of radiation of the antenna

2. ANTENNA SPECIFICATION

Ant.	Brand	Model Name	Antenna Type	Connector	Gain (dBi)
1	BIG FIELD GLOBAL PTE.	N/A	Dipole	IPEX	-0.11
	LTD.				
2	BIG FIELD GLOBAL PTE.	N/A	Dipole	IPEX	-0.14
	LTD.				

Note:

1) Smart antenna system with two transmit/receive chains, but operating in a mode where only one transmit/receive chain is used. Ant.1 refers to Main Antenna, Ant.2 refers to Aux Antenna.

2) Two antennas are tested, the worst case is Ant. 1 and recorded.

3. CALCULATED RESULT

Antenna Gain (dBi)	Antenna Gain (numeric)	Max. Output Power (dBm)	Max. Output Power (mW)	Power Density (S) (mW/cm ²)	Limit of Power Density (S) (mW/cm ²)	Test Result
-0.11	0.9750	21.13	129.7179	0.02517	1	Complies

Note: The calculated distance is 20 cm.

End of Test Report

Page 3 of 3 eTest certification Laboratory Inc. www.btl.com.tw