


Test Mode	UNII-2C_TX AX(HE40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	44.700	37.800
110	5550	39.600	37.600
134	5670	46.798	38.200
142	5710	35.500	37.800

CH102




Date: 12.AUG.2024 13:55:10

CH110
26 dB Bandwidth




Date: 12.AUG.2024 13:56:48

CH134




Date: 12.AUG.2024 13:57:55


99 % Occupied Bandwidth



Date: 12.AUG.2024 13:55:15




Date: 12.AUG.2024 13:56:11




Date: 12.AUG.2024 13:57:19

CH142
26 dB Bandwidth



Date: 12.SEP.2024 20:07:16

CH142
99 % Occupied Bandwidth




Date: 12.SEP.2024 20:06:23

Test Mode	UNII-2C_TX AX(HE80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	81.590	76.800
122	5610	81.000	76.800
138	5690	75.600	76.800

CH106




Date: 12.AUG.2024 14:06:30

CH122 26 dB Bandwidth




Date: 12.AUG.2024 14:07:47

CH138




Date: 12.SEP.2024 20:13:43


99 % Occupied Bandwidth



Date: 12.AUG.2024 14:05:36



Date: 12.AUG.2024 14:07:00




Date: 12.SEP.2024 20:12:58

Test Mode	UNII-2C_TX AX(HE160) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
114	5570	161.600	156.800

CH114 26 dB Bandwidth



Date: 12.AUG.2024 14:12:26

99 % Occupied Bandwidth




Date: 12.AUG.2024 14:11:35

Test Mode	UNII-3_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	15.400	16.800	0.5	Complies
157	5785	15.600	16.700	0.5	Complies
165	5825	15.590	16.800	0.5	Complies


CH149



Date: 12.AUG.2024 11:03:48


CH157

6 dB Bandwidth




Date: 12.AUG.2024 11:04:51

CH165




Date: 12.AUG.2024 11:05:55


99 % Occupied Bandwidth



Date: 12.AUG.2024 11:03:06



Date: 12.AUG.2024 11:04:09




Date: 12.AUG.2024 11:05:15

Test Mode UNII-3_TX AC(VHT20) Mode


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	15.190	17.900	0.5	Complies
157	5785	15.950	17.900	0.5	Complies
165	5825	15.398	18.000	0.5	Complies

CH149




Date: 12.AUG.2024 11:17:57

CH157
6 dB Bandwidth




Date: 12.AUG.2024 11:18:59

CH165




Date: 12.AUG.2024 11:20:07


99 % Occupied Bandwidth



Date: 12.AUG.2024 11:17:50



Date: 12.AUG.2024 11:18:17




Date: 12.AUG.2024 11:19:26

Test Mode	UNII-3_TX AC(VHT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	35.300	36.800	0.5	Complies
159	5795	33.900	36.600	0.5	Complies

CH151




Date: 12.AUG.2024 11:41:34

CH159 6 dB Bandwidth




Date: 12.AUG.2024 11:42:39



Date: 12.AUG.2024 11:40:55

99 % Occupied Bandwidth




Date: 12.AUG.2024 11:41:59

Test Mode	UNII-3_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	75.400	75.200	0.5	Complies

CH155 6 dB Bandwidth



Date: 12_AUG.2024 11:54:25

99 % Occupied Bandwidth




Date: 12_AUG.2024 11:53:38

Test Mode	UNII-3_TX AX(HE20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	17.189	19.000	0.5	Complies
157	5785	17.850	19.000	0.5	Complies
165	5825	17.600	19.100	0.5	Complies

CH149




Date: 12.AUG.2024 13:46:53

CH157 6 dB Bandwidth




Date: 12.AUG.2024 13:47:50

CH165




Date: 12.AUG.2024 13:48:55


99 % Occupied Bandwidth



Date: 12.AUG.2024 13:46:12



Date: 12.AUG.2024 13:47:12




Date: 12.AUG.2024 13:48:14

Test Mode	UNII-3_TX AX(HE40) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	35.300	38.000	0.5	Complies
159	5795	33.996	37.800	0.5	Complies

CH151




Date: 12.AUG.2024 13:59:02

CH159 6 dB Bandwidth




Date: 12.AUG.2024 14:00:09

99 % Occupied Bandwidth



Date: 12.AUG.2024 13:58:23




Date: 12.AUG.2024 13:59:18

Test Mode	UNII-3_TX AX(HE80) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	75.400	76.800	0.5	Complies

CH155 6 dB Bandwidth



Date: 12.AUG.2024 14:09:07

99 % Occupied Bandwidth



Date: 12.AUG.2024 14:08:20

APPENDIX F - MAXIMUM OUTPUT POWER

Non Beamforming

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.25	0.17	19.42	30.00	1.0000	Complies
40	5200	18.32	0.17	18.49	30.00	1.0000	Complies
48	5240	18.16	0.17	18.33	30.00	1.0000	Complies

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.36	0.17	19.53	30.00	1.0000	Complies
40	5200	18.45	0.17	18.62	30.00	1.0000	Complies
48	5240	18.28	0.17	18.45	30.00	1.0000	Complies

Test Mode	UNII-1_TX A Mode_Ant. 3
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.41	0.17	19.58	30.00	1.0000	Complies
40	5200	18.51	0.17	18.68	30.00	1.0000	Complies
48	5240	18.30	0.17	18.47	30.00	1.0000	Complies

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	24.28	30.00	1.0000	Complies
40	5200	23.37	30.00	1.0000	Complies
48	5240	23.19	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.95	0.19	20.14	30.00	1.0000	Complies
40	5200	19.81	0.19	20.00	30.00	1.0000	Complies
48	5240	19.39	0.19	19.58	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.18	0.19	20.37	30.00	1.0000	Complies
40	5200	20.12	0.19	20.31	30.00	1.0000	Complies
48	5240	19.77	0.19	19.96	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.82	0.19	20.01	30.00	1.0000	Complies
40	5200	19.79	0.19	19.98	30.00	1.0000	Complies
48	5240	19.22	0.19	19.41	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	24.95	30.00	1.0000	Complies
40	5200	24.87	30.00	1.0000	Complies
48	5240	24.43	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.36	0.35	19.71	30.00	1.0000	Complies
46	5230	22.43	0.35	22.78	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.45	0.35	19.80	30.00	1.0000	Complies
46	5230	22.18	0.35	22.53	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.17	0.35	19.52	30.00	1.0000	Complies
46	5230	22.01	0.35	22.36	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	24.45	30.00	1.0000	Complies
46	5230	27.33	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	14.04	0.74	14.78	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	14.20	0.74	14.94	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.83	0.74	14.57	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.53	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.04	0.76	20.80	30.00	1.0000	Complies
40	5200	20.01	0.76	20.77	30.00	1.0000	Complies
48	5240	19.93	0.76	20.69	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.23	0.76	20.99	30.00	1.0000	Complies
40	5200	20.19	0.76	20.95	30.00	1.0000	Complies
48	5240	20.09	0.76	20.85	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.84	0.76	20.60	30.00	1.0000	Complies
40	5200	19.79	0.76	20.55	30.00	1.0000	Complies
48	5240	19.63	0.76	20.39	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	25.57	30.00	1.0000	Complies
40	5200	25.53	30.00	1.0000	Complies
48	5240	25.42	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.17	0.77	17.94	30.00	1.0000	Complies
46	5230	22.56	0.77	23.33	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.39	0.77	18.16	30.00	1.0000	Complies
46	5230	22.18	0.77	22.95	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.12	0.77	17.89	30.00	1.0000	Complies
46	5230	22.25	0.77	23.02	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	22.77	30.00	1.0000	Complies
46	5230	27.87	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.82	0.80	14.62	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	14.24	0.80	15.04	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.75	0.80	14.55	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.52	30.00	1.0000	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.43	0.17	15.60	23.98	0.2500	Complies
60	5300	15.46	0.17	15.63	23.98	0.2500	Complies
64	5320	15.63	0.17	15.80	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.67	0.17	15.84	23.98	0.2500	Complies
60	5300	15.77	0.17	15.94	23.98	0.2500	Complies
64	5320	15.64	0.17	15.81	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 3
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.23	0.17	15.40	23.98	0.2500	Complies
60	5300	15.32	0.17	15.49	23.98	0.2500	Complies
64	5320	15.25	0.17	15.42	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	20.39	23.98	0.2500	Complies
60	5300	20.46	23.98	0.2500	Complies
64	5320	20.45	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.72	0.19	15.91	23.98	0.2500	Complies
60	5300	15.78	0.19	15.97	23.98	0.2500	Complies
64	5320	15.94	0.19	16.13	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.58	0.19	16.77	23.98	0.2500	Complies
60	5300	16.17	0.19	16.36	23.98	0.2500	Complies
64	5320	16.19	0.19	16.38	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.57	0.19	15.76	23.98	0.2500	Complies
60	5300	15.67	0.19	15.86	23.98	0.2500	Complies
64	5320	15.65	0.19	15.84	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	20.94	23.98	0.2500	Complies
60	5300	20.84	23.98	0.2500	Complies
64	5320	20.90	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.94	0.35	18.29	23.98	0.2500	Complies
62	5310	17.09	0.35	17.44	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.97	0.35	18.32	23.98	0.2500	Complies
62	5310	17.18	0.35	17.53	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.69	0.35	18.04	23.98	0.2500	Complies
62	5310	17.02	0.35	17.37	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	22.99	23.98	0.2500	Complies
62	5310	22.22	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	12.87	0.74	13.61	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.18	0.74	13.92	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	12.65	0.74	13.39	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	18.41	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.57	0.76	16.33	23.98	0.2500	Complies
60	5300	15.52	0.76	16.28	23.98	0.2500	Complies
64	5320	15.53	0.76	16.29	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.72	0.76	16.48	23.98	0.2500	Complies
60	5300	15.86	0.76	16.62	23.98	0.2500	Complies
64	5320	15.88	0.76	16.64	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.37	0.76	16.13	23.98	0.2500	Complies
60	5300	15.45	0.76	16.21	23.98	0.2500	Complies
64	5320	15.42	0.76	16.18	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	21.08	23.98	0.2500	Complies
60	5300	21.14	23.98	0.2500	Complies
64	5320	21.14	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.32	0.77	18.09	23.98	0.2500	Complies
62	5310	16.02	0.77	16.79	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.65	0.77	18.42	23.98	0.2500	Complies
62	5310	16.28	0.77	17.05	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.12	0.77	17.89	23.98	0.2500	Complies
62	5310	15.83	0.77	16.60	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	22.91	23.98	0.2500	Complies
62	5310	21.59	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.75	0.80	14.55	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	14.14	0.80	14.94	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.64	0.80	14.44	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	19.42	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	13.18	1.13	14.31	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	13.51	1.13	14.64	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 3
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	12.98	1.13	14.11	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Total
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	19.13	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 1
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	13.15	0.80	13.95	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 2
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	13.65	0.80	14.45	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 3
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	13.11	0.80	13.91	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Total
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	18.89	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.09	0.17	15.26	23.98	0.2500	Complies
116	5580	15.02	0.17	15.19	23.98	0.2500	Complies
140	5700	15.58	0.17	15.75	23.98	0.2500	Complies
144	5720	15.96	0.17	16.13	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.23	0.17	15.40	23.98	0.2500	Complies
116	5580	15.94	0.17	16.11	23.98	0.2500	Complies
140	5700	15.14	0.17	15.31	23.98	0.2500	Complies
144	5720	15.48	0.17	15.65	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 3
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.81	0.17	14.98	23.98	0.2500	Complies
116	5580	14.76	0.17	14.93	23.98	0.2500	Complies
140	5700	15.61	0.17	15.78	23.98	0.2500	Complies
144	5720	15.78	0.17	15.95	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	19.98	23.98	0.2500	Complies
116	5580	20.21	23.98	0.2500	Complies
140	5700	20.39	23.98	0.2500	Complies
144	5720	20.68	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.39	0.19	15.58	23.98	0.2500	Complies
116	5580	14.91	0.19	15.10	23.98	0.2500	Complies
140	5700	15.44	0.19	15.63	23.98	0.2500	Complies
144	5720	16.03	0.19	16.22	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.62	0.19	15.81	23.98	0.2500	Complies
116	5580	15.85	0.19	16.04	23.98	0.2500	Complies
140	5700	14.93	0.19	15.12	23.98	0.2500	Complies
144	5720	15.41	0.19	15.60	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.36	0.19	15.55	23.98	0.2500	Complies
116	5580	14.65	0.19	14.84	23.98	0.2500	Complies
140	5700	15.45	0.19	15.64	23.98	0.2500	Complies
144	5720	15.64	0.19	15.83	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	20.42	23.98	0.2500	Complies
116	5580	20.13	23.98	0.2500	Complies
140	5700	20.24	23.98	0.2500	Complies
144	5720	20.66	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.57	0.35	17.92	23.98	0.2500	Complies
110	5550	17.79	0.35	18.14	23.98	0.2500	Complies
134	5670	18.45	0.35	18.80	23.98	0.2500	Complies
142	5710	18.05	0.35	18.40	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.54	0.35	17.89	23.98	0.2500	Complies
110	5550	17.78	0.35	18.13	23.98	0.2500	Complies
134	5670	18.10	0.35	18.45	23.98	0.2500	Complies
142	5710	17.41	0.35	17.76	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.46	0.35	17.81	23.98	0.2500	Complies
110	5550	17.79	0.35	18.14	23.98	0.2500	Complies
134	5670	18.53	0.35	18.88	23.98	0.2500	Complies
142	5710	17.96	0.35	18.31	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	22.64	23.98	0.2500	Complies
110	5550	22.91	23.98	0.2500	Complies
134	5670	23.48	23.98	0.2500	Complies
142	5710	22.93	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	14.84	0.74	15.58	23.98	0.2500	Complies
122	5610	18.04	0.74	18.78	23.98	0.2500	Complies
138	5690	17.91	0.74	18.65	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	15.10	0.74	15.84	23.98	0.2500	Complies
122	5610	18.16	0.74	18.90	23.98	0.2500	Complies
138	5690	17.93	0.74	18.67	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	14.75	0.74	15.49	23.98	0.2500	Complies
122	5610	18.01	0.74	18.75	23.98	0.2500	Complies
138	5690	18.48	0.74	19.22	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	20.41	23.98	0.2500	Complies
122	5610	23.58	23.98	0.2500	Complies
138	5690	23.62	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	17.94	1.13	19.07	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	17.81	1.13	18.94	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	17.83	1.13	18.96	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	23.76	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.23	0.76	15.99	23.98	0.2500	Complies
116	5580	14.56	0.76	15.32	23.98	0.2500	Complies
140	5700	15.26	0.76	16.02	23.98	0.2500	Complies
144	5720	15.24	0.76	16.00	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.37	0.76	16.13	23.98	0.2500	Complies
116	5580	15.62	0.76	16.38	23.98	0.2500	Complies
140	5700	14.48	0.76	15.24	23.98	0.2500	Complies
144	5720	14.61	0.76	15.37	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.01	0.76	15.77	23.98	0.2500	Complies
116	5580	14.38	0.76	15.14	23.98	0.2500	Complies
140	5700	15.10	0.76	15.86	23.98	0.2500	Complies
144	5720	15.03	0.76	15.79	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	20.73	23.98	0.2500	Complies
116	5580	20.42	23.98	0.2500	Complies
140	5700	20.49	23.98	0.2500	Complies
144	5720	20.50	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.57	0.77	17.34	23.98	0.2500	Complies
110	5550	16.78	0.77	17.55	23.98	0.2500	Complies
134	5670	16.89	0.77	17.66	23.98	0.2500	Complies
142	5710	17.33	0.77	18.10	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.74	0.77	17.51	23.98	0.2500	Complies
110	5550	16.97	0.77	17.74	23.98	0.2500	Complies
134	5670	16.87	0.77	17.64	23.98	0.2500	Complies
142	5710	16.61	0.77	17.38	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.30	0.77	17.07	23.98	0.2500	Complies
110	5550	16.64	0.77	17.41	23.98	0.2500	Complies
134	5670	17.16	0.77	17.93	23.98	0.2500	Complies
142	5710	17.02	0.77	17.79	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	22.08	23.98	0.2500	Complies
110	5550	22.34	23.98	0.2500	Complies
134	5670	22.51	23.98	0.2500	Complies
142	5710	22.54	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	13.92	0.80	14.72	23.98	0.2500	Complies
122	5610	17.82	0.80	18.62	23.98	0.2500	Complies
138	5690	18.17	0.80	18.97	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	14.06	0.80	14.86	23.98	0.2500	Complies
122	5610	18.61	0.80	19.41	23.98	0.2500	Complies
138	5690	18.01	0.80	18.81	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	13.68	0.80	14.48	23.98	0.2500	Complies
122	5610	17.71	0.80	18.51	23.98	0.2500	Complies
138	5690	18.49	0.80	19.29	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	19.46	23.98	0.2500	Complies
122	5610	23.64	23.98	0.2500	Complies
138	5690	23.80	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	12.82	0.80	13.62	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	12.89	0.80	13.69	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	12.61	0.80	13.41	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	18.35	23.98	0.2500	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.76	0.17	21.93	30.00	1.0000	Complies
157	5785	22.01	0.17	22.18	30.00	1.0000	Complies
165	5825	22.11	0.17	22.28	30.00	1.0000	Complies

Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.39	0.17	22.56	30.00	1.0000	Complies
157	5785	22.56	0.17	22.73	30.00	1.0000	Complies
165	5825	21.61	0.17	21.78	30.00	1.0000	Complies

Test Mode	UNII-3_TX A Mode_Ant. 3
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.35	0.17	21.52	30.00	1.0000	Complies
157	5785	21.49	0.17	21.66	30.00	1.0000	Complies
165	5825	22.28	0.17	22.45	30.00	1.0000	Complies

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	26.79	30.00	1.0000	Complies
157	5785	26.98	30.00	1.0000	Complies
165	5825	26.95	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.67	0.19	21.86	30.00	1.0000	Complies
157	5785	21.86	0.19	22.05	30.00	1.0000	Complies
165	5825	21.98	0.19	22.17	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.23	0.19	22.42	30.00	1.0000	Complies
157	5785	22.39	0.19	22.58	30.00	1.0000	Complies
165	5825	21.47	0.19	21.66	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.22	0.19	21.41	30.00	1.0000	Complies
157	5785	21.63	0.19	21.82	30.00	1.0000	Complies
165	5825	22.16	0.19	22.35	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	26.69	30.00	1.0000	Complies
157	5785	26.94	30.00	1.0000	Complies
165	5825	26.84	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.86	0.35	22.21	30.00	1.0000	Complies
159	5795	22.12	0.35	22.47	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.45	0.35	22.80	30.00	1.0000	Complies
159	5795	22.53	0.35	22.88	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.53	0.35	21.88	30.00	1.0000	Complies
159	5795	21.72	0.35	22.07	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	27.08	30.00	1.0000	Complies
159	5795	27.25	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.87	0.74	22.61	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	22.45	0.74	23.19	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.62	0.74	22.36	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	27.50	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.76	0.76	22.52	30.00	1.0000	Complies
157	5785	21.83	0.76	22.59	30.00	1.0000	Complies
165	5825	21.89	0.76	22.65	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.27	0.76	23.03	30.00	1.0000	Complies
157	5785	22.45	0.76	23.21	30.00	1.0000	Complies
165	5825	21.48	0.76	22.24	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.32	0.76	22.08	30.00	1.0000	Complies
157	5785	21.65	0.76	22.41	30.00	1.0000	Complies
165	5825	22.21	0.76	22.97	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	27.33	30.00	1.0000	Complies
157	5785	27.52	30.00	1.0000	Complies
165	5825	27.40	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.96	0.77	22.73	30.00	1.0000	Complies
159	5795	22.13	0.77	22.90	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.51	0.77	23.28	30.00	1.0000	Complies
159	5795	22.65	0.77	23.42	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.62	0.77	22.39	30.00	1.0000	Complies
159	5795	21.76	0.77	22.53	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	27.59	30.00	1.0000	Complies
159	5795	27.74	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	22.04	0.80	22.84	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	22.51	0.80	23.31	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.72	0.80	22.52	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	27.68	30.00	1.0000	Complies

Note: Output power = Measure result + Cable loss

Beamforming

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.46	0.19	19.65	29.00	0.7943	Complies
40	5200	19.32	0.19	19.51	29.00	0.7943	Complies
48	5240	18.91	0.19	19.10	29.00	0.7943	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.66	0.19	19.85	29.00	0.7943	Complies
40	5200	19.67	0.19	19.86	29.00	0.7943	Complies
48	5240	19.25	0.19	19.44	29.00	0.7943	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.38	0.19	19.57	29.00	0.7943	Complies
40	5200	19.27	0.19	19.46	29.00	0.7943	Complies
48	5240	18.77	0.19	18.96	29.00	0.7943	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	24.47	29.00	0.7943	Complies
40	5200	24.39	29.00	0.7943	Complies
48	5240	23.94	29.00	0.7943	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.93	0.35	19.28	29.00	0.7943	Complies
46	5230	21.93	0.35	22.28	29.00	0.7943	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.03	0.35	19.38	29.00	0.7943	Complies
46	5230	21.69	0.35	22.04	29.00	0.7943	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.81	0.35	19.16	29.00	0.7943	Complies
46	5230	21.58	0.35	21.93	29.00	0.7943	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	24.04	29.00	0.7943	Complies
46	5230	26.85	29.00	0.7943	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.58	0.74	14.32	29.00	0.7943	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.84	0.74	14.58	29.00	0.7943	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.26	0.74	14.00	29.00	0.7943	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.07	29.00	0.7943	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.56	0.76	20.32	29.00	0.7943	Complies
40	5200	19.48	0.76	20.24	29.00	0.7943	Complies
48	5240	19.44	0.76	20.20	29.00	0.7943	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.77	0.76	20.53	29.00	0.7943	Complies
40	5200	19.68	0.76	20.44	29.00	0.7943	Complies
48	5240	19.61	0.76	20.37	29.00	0.7943	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.36	0.76	20.12	29.00	0.7943	Complies
40	5200	19.32	0.76	20.08	29.00	0.7943	Complies
48	5240	19.15	0.76	19.91	29.00	0.7943	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	25.09	29.00	0.7943	Complies
40	5200	25.02	29.00	0.7943	Complies
48	5240	24.93	29.00	0.7943	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.74	0.77	17.51	29.00	0.7943	Complies
46	5230	22.08	0.77	22.85	29.00	0.7943	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.81	0.77	17.58	29.00	0.7943	Complies
46	5230	21.68	0.77	22.45	29.00	0.7943	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.72	0.77	17.49	29.00	0.7943	Complies
46	5230	21.68	0.77	22.45	29.00	0.7943	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	22.30	29.00	0.7943	Complies
46	5230	27.36	29.00	0.7943	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.30	0.80	14.10	29.00	0.7943	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.65	0.80	14.45	29.00	0.7943	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.32	0.80	14.12	29.00	0.7943	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.00	29.00	0.7943	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.24	0.19	15.43	22.98	0.1986	Complies
60	5300	15.41	0.19	15.60	22.98	0.1986	Complies
64	5320	15.36	0.19	15.55	22.98	0.1986	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.23	0.19	16.42	22.98	0.1986	Complies
60	5300	15.75	0.19	15.94	22.98	0.1986	Complies
64	5320	15.84	0.19	16.03	22.98	0.1986	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.08	0.19	15.27	22.98	0.1986	Complies
60	5300	15.09	0.19	15.28	22.98	0.1986	Complies
64	5320	15.05	0.19	15.24	22.98	0.1986	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	20.51	22.98	0.1986	Complies
60	5300	20.39	22.98	0.1986	Complies
64	5320	20.39	22.98	0.1986	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.50	0.35	17.85	22.98	0.1986	Complies
62	5310	16.50	0.35	16.85	22.98	0.1986	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.60	0.35	17.95	22.98	0.1986	Complies
62	5310	16.77	0.35	17.12	22.98	0.1986	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.30	0.35	17.65	22.98	0.1986	Complies
62	5310	16.63	0.35	16.98	22.98	0.1986	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	22.59	22.98	0.1986	Complies
62	5310	21.75	22.98	0.1986	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	12.41	0.74	13.15	22.98	0.1986	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	12.75	0.74	13.49	22.98	0.1986	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	12.12	0.74	12.86	22.98	0.1986	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.94	22.98	0.1986	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.15	0.76	15.91	22.98	0.1986	Complies
60	5300	15.02	0.76	15.78	22.98	0.1986	Complies
64	5320	15.05	0.76	15.81	22.98	0.1986	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.34	0.76	16.10	22.98	0.1986	Complies
60	5300	15.46	0.76	16.22	22.98	0.1986	Complies
64	5320	15.49	0.76	16.25	22.98	0.1986	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.88	0.76	15.64	22.98	0.1986	Complies
60	5300	14.96	0.76	15.72	22.98	0.1986	Complies
64	5320	14.88	0.76	15.64	22.98	0.1986	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	20.66	22.98	0.1986	Complies
60	5300	20.68	22.98	0.1986	Complies
64	5320	20.68	22.98	0.1986	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.91	0.77	17.68	22.98	0.1986	Complies
62	5310	15.45	0.77	16.22	22.98	0.1986	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.18	0.77	17.95	22.98	0.1986	Complies
62	5310	15.83	0.77	16.60	22.98	0.1986	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.65	0.77	17.42	22.98	0.1986	Complies
62	5310	15.43	0.77	16.20	22.98	0.1986	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	22.46	22.98	0.1986	Complies
62	5310	21.11	22.98	0.1986	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.28	0.80	14.08	22.98	0.1986	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.79	0.80	14.59	22.98	0.1986	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.25	0.80	14.05	22.98	0.1986	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	19.02	22.98	0.1986	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	12.62	1.13	13.75	22.98	0.1986	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	12.96	1.13	14.09	22.98	0.1986	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 3
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	12.47	1.13	13.60	22.98	0.1986	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Total
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	18.59	22.98	0.1986	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 1
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	12.79	0.80	13.59	22.98	0.1986	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 2
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	13.08	0.80	13.88	22.98	0.1986	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 3
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	12.59	0.80	13.39	22.98	0.1986	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Total
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	18.40	22.98	0.1986	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.96	0.19	15.15	22.98	0.1986	Complies
116	5580	14.53	0.19	14.72	22.98	0.1986	Complies
140	5700	15.03	0.19	15.22	22.98	0.1986	Complies
144	5720	15.66	0.19	15.85	22.98	0.1986	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.20	0.19	15.39	22.98	0.1986	Complies
116	5580	15.41	0.19	15.60	22.98	0.1986	Complies
140	5700	14.38	0.19	14.57	22.98	0.1986	Complies
144	5720	14.94	0.19	15.13	22.98	0.1986	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.90	0.19	15.09	22.98	0.1986	Complies
116	5580	14.11	0.19	14.30	22.98	0.1986	Complies
140	5700	14.88	0.19	15.07	22.98	0.1986	Complies
144	5720	15.25	0.19	15.44	22.98	0.1986	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	19.99	22.98	0.1986	Complies
116	5580	19.68	22.98	0.1986	Complies
140	5700	19.74	22.98	0.1986	Complies
144	5720	20.26	22.98	0.1986	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.19	0.35	17.54	22.98	0.1986	Complies
110	5550	17.33	0.35	17.68	22.98	0.1986	Complies
134	5670	17.88	0.35	18.23	22.98	0.1986	Complies
142	5710	17.54	0.35	17.89	22.98	0.1986	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.17	0.35	17.52	22.98	0.1986	Complies
110	5550	17.19	0.35	17.54	22.98	0.1986	Complies
134	5670	17.57	0.35	17.92	22.98	0.1986	Complies
142	5710	16.93	0.35	17.28	22.98	0.1986	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.10	0.35	17.45	22.98	0.1986	Complies
110	5550	17.31	0.35	17.66	22.98	0.1986	Complies
134	5670	18.08	0.35	18.43	22.98	0.1986	Complies
142	5710	17.55	0.35	17.90	22.98	0.1986	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	22.27	22.98	0.1986	Complies
110	5550	22.40	22.98	0.1986	Complies
134	5670	22.97	22.98	0.1986	Complies
142	5710	22.47	22.98	0.1986	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	14.29	0.74	15.03	22.98	0.1986	Complies
122	5610	17.49	0.74	18.23	22.98	0.1986	Complies
138	5690	17.45	0.74	18.19	22.98	0.1986	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	14.51	0.74	15.25	22.98	0.1986	Complies
122	5610	17.31	0.74	18.05	22.98	0.1986	Complies
138	5690	17.49	0.74	18.23	22.98	0.1986	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	14.38	0.74	15.12	22.98	0.1986	Complies
122	5610	17.52	0.74	18.26	22.98	0.1986	Complies
138	5690	17.36	0.74	18.10	22.98	0.1986	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	19.90	22.98	0.1986	Complies
122	5610	22.95	22.98	0.1986	Complies
138	5690	22.94	22.98	0.1986	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	17.02	1.13	18.15	22.98	0.1986	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	16.84	1.13	17.97	22.98	0.1986	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	16.93	1.13	18.06	22.98	0.1986	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	22.83	22.98	0.1986	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.84	0.76	15.60	22.98	0.1986	Complies
116	5580	14.20	0.76	14.96	22.98	0.1986	Complies
140	5700	14.91	0.76	15.67	22.98	0.1986	Complies
144	5720	14.76	0.76	15.52	22.98	0.1986	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.94	0.76	15.70	22.98	0.1986	Complies
116	5580	15.06	0.76	15.82	22.98	0.1986	Complies
140	5700	13.98	0.76	14.74	22.98	0.1986	Complies
144	5720	14.16	0.76	14.92	22.98	0.1986	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.50	0.76	15.26	22.98	0.1986	Complies
116	5580	13.86	0.76	14.62	22.98	0.1986	Complies
140	5700	14.66	0.76	15.42	22.98	0.1986	Complies
144	5720	14.58	0.76	15.34	22.98	0.1986	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	20.29	22.98	0.1986	Complies
116	5580	19.93	22.98	0.1986	Complies
140	5700	20.06	22.98	0.1986	Complies
144	5720	20.04	22.98	0.1986	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.03	0.77	16.80	22.98	0.1986	Complies
110	5550	16.32	0.77	17.09	22.98	0.1986	Complies
134	5670	16.39	0.77	17.16	22.98	0.1986	Complies
142	5710	16.81	0.77	17.58	22.98	0.1986	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.28	0.77	17.05	22.98	0.1986	Complies
110	5550	16.57	0.77	17.34	22.98	0.1986	Complies
134	5670	16.40	0.77	17.17	22.98	0.1986	Complies
142	5710	16.14	0.77	16.91	22.98	0.1986	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.72	0.77	16.49	22.98	0.1986	Complies
110	5550	16.28	0.77	17.05	22.98	0.1986	Complies
134	5670	16.78	0.77	17.55	22.98	0.1986	Complies
142	5710	16.57	0.77	17.34	22.98	0.1986	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	21.56	22.98	0.1986	Complies
110	5550	21.93	22.98	0.1986	Complies
134	5670	22.07	22.98	0.1986	Complies
142	5710	22.06	22.98	0.1986	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	13.51	0.80	14.31	22.98	0.1986	Complies
122	5610	17.30	0.80	18.10	22.98	0.1986	Complies
138	5690	12.68	0.80	13.48	22.98	0.1986	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	13.51	0.80	14.31	22.98	0.1986	Complies
122	5610	17.12	0.80	17.92	22.98	0.1986	Complies
138	5690	12.56	0.80	13.36	22.98	0.1986	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	13.10	0.80	13.90	22.98	0.1986	Complies
122	5610	17.13	0.80	17.93	22.98	0.1986	Complies
138	5690	12.03	0.80	12.83	22.98	0.1986	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	18.95	22.98	0.1986	Complies
122	5610	22.76	22.98	0.1986	Complies
138	5690	18.01	22.98	0.1986	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	12.43	0.80	13.23	22.98	0.1986	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	12.53	0.80	13.33	22.98	0.1986	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	12.14	0.80	12.94	22.98	0.1986	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	17.95	22.98	0.1986	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.07	0.19	21.26	29.00	0.7943	Complies
157	5785	21.36	0.19	21.55	29.00	0.7943	Complies
165	5825	21.42	0.19	21.61	29.00	0.7943	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.75	0.19	21.94	29.00	0.7943	Complies
157	5785	21.89	0.19	22.08	29.00	0.7943	Complies
165	5825	21.00	0.19	21.19	29.00	0.7943	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.82	0.19	21.01	29.00	0.7943	Complies
157	5785	21.28	0.19	21.47	29.00	0.7943	Complies
165	5825	21.80	0.19	21.99	29.00	0.7943	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	26.19	29.00	0.7943	Complies
157	5785	26.48	29.00	0.7943	Complies
165	5825	26.38	29.00	0.7943	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.27	0.35	21.62	29.00	0.7943	Complies
159	5795	21.75	0.35	22.10	29.00	0.7943	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.98	0.35	22.33	29.00	0.7943	Complies
159	5795	22.09	0.35	22.44	29.00	0.7943	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.02	0.35	21.37	29.00	0.7943	Complies
159	5795	21.12	0.35	21.47	29.00	0.7943	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	26.56	29.00	0.7943	Complies
159	5795	26.79	29.00	0.7943	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.39	0.74	22.13	29.00	0.7943	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.96	0.74	22.70	29.00	0.7943	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.11	0.74	21.85	29.00	0.7943	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	27.01	29.00	0.7943	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.37	0.76	22.13	29.00	0.7943	Complies
157	5785	21.37	0.76	22.13	29.00	0.7943	Complies
165	5825	21.47	0.76	22.23	29.00	0.7943	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.78	0.76	22.54	29.00	0.7943	Complies
157	5785	22.04	0.76	22.80	29.00	0.7943	Complies
165	5825	21.10	0.76	21.86	29.00	0.7943	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.73	0.76	21.49	29.00	0.7943	Complies
157	5785	21.21	0.76	21.97	29.00	0.7943	Complies
165	5825	21.77	0.76	22.53	29.00	0.7943	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	26.84	29.00	0.7943	Complies
157	5785	27.08	29.00	0.7943	Complies
165	5825	26.98	29.00	0.7943	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.51	0.77	22.28	29.00	0.7943	Complies
159	5795	21.68	0.77	22.45	29.00	0.7943	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.15	0.77	22.92	29.00	0.7943	Complies
159	5795	22.14	0.77	22.91	29.00	0.7943	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.18	0.77	21.95	29.00	0.7943	Complies
159	5795	21.19	0.77	21.96	29.00	0.7943	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	27.17	29.00	0.7943	Complies
159	5795	27.23	29.00	0.7943	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.51	0.80	22.31	29.00	0.7943	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	22.02	0.80	22.82	29.00	0.7943	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.23	0.80	22.03	29.00	0.7943	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------




Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	27.17	29.00	0.7943	Complies

Note: Output power = Measure result + Cable loss

APPENDIX G - POWER SPECTRAL DENSITY




Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.60	0.17	10.77	16.23	Complies
40	5200	10.62	0.17	10.79	16.23	Complies
48	5240	10.57	0.17	10.74	16.23	Complies




Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.27	0.17	10.44	16.23	Complies
40	5200	10.42	0.17	10.59	16.23	Complies
48	5240	10.30	0.17	10.47	16.23	Complies




Test Mode	UNII-1_TX A Mode_Ant. 3
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.53	0.17	10.70	16.23	Complies
40	5200	10.64	0.17	10.81	16.23	Complies
48	5240	10.38	0.17	10.55	16.23	Complies



Date: 8.AUG.2024 15:32:29



Date: 8.AUG.2024 15:33:01




Date: 8.AUG.2024 15:35:46

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	15.41	16.23	Complies
40	5200	15.50	16.23	Complies
48	5240	15.36	16.23	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.27	0.19	10.46	16.23	Complies
40	5200	10.46	0.19	10.65	16.23	Complies
48	5240	10.17	0.19	10.36	16.23	Complies



Date: 8.AUG.2024 16:04:43




Date: 8.AUG.2024 16:05:39




Date: 8.AUG.2024 16:08:46

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.07	0.19	10.26	16.23	Complies
40	5200	10.02	0.19	10.21	16.23	Complies
48	5240	9.99	0.19	10.18	16.23	Complies



Date: 8.AUG.2024 16:04:08




Date: 8.AUG.2024 16:06:14




Date: 8.AUG.2024 16:08:16

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.04	0.19	10.23	16.23	Complies
40	5200	10.11	0.19	10.30	16.23	Complies
48	5240	9.87	0.19	10.06	16.23	Complies



Date: 8.AUG.2024 16:03:30



Date: 8.AUG.2024 16:06:50




Date: 8.AUG.2024 16:07:39

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	15.09	16.23	Complies
40	5200	15.16	16.23	Complies
48	5240	14.98	16.23	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	8.48	0.35	8.83	16.23	Complies
46	5230	8.93	0.35	9.28	16.23	Complies




Date: 12_AUG_2024 09:50:24




Date: 12_AUG_2024 09:54:35

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	8.44	0.35	8.79	16.23	Complies
46	5230	8.85	0.35	9.20	16.23	Complies





Date: 12_AUG_2024 09:51:13



Date: 12_AUG_2024 09:53:24

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	8.28	0.35	8.63	16.23	Complies
46	5230	8.80	0.35	9.15	16.23	Complies




Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	13.52	16.23	Complies
46	5230	13.98	16.23	Complies


Test Mode UNII-1_TX AC(VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	5.33	0.74	6.07	16.23	Complies




Test Mode UNII-1_TX AC(VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	5.27	0.74	6.01	16.23	Complies



Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	5.29	0.74	6.03	16.23	Complies






Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	10.80	16.23	Complies




Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.41	0.76	10.17	16.23	Complies
40	5200	8.92	0.76	9.68	16.23	Complies
48	5240	9.55	0.76	10.31	16.23	Complies




Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.13	0.76	9.89	16.23	Complies
40	5200	8.67	0.76	9.43	16.23	Complies
48	5240	8.62	0.76	9.38	16.23	Complies




Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.03	0.76	9.79	16.23	Complies
40	5200	9.39	0.76	10.15	16.23	Complies
48	5240	9.02	0.76	9.78	16.23	Complies



Date: 8.AUG.2024 19:35:13



Date: 8.AUG.2024 19:36:14




Date: 8.AUG.2024 19:42:39

Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	14.72	16.23	Complies
40	5200	14.53	16.23	Complies
48	5240	14.61	16.23	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	8.19	0.77	8.96	16.23	Complies
46	5230	8.45	0.77	9.22	16.23	Complies




Date: 12_AUG_2024 09:55:30




Date: 12_AUG_2024 09:58:49

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	8.04	0.77	8.81	16.23	Complies
46	5230	8.39	0.77	9.16	16.23	Complies




Date: 12_AUG_2024 09:56:08




Date: 12_AUG_2024 09:58:14

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	8.14	0.77	8.91	16.23	Complies
46	5230	8.35	0.77	9.12	16.23	Complies



Date: 12_AUG_2024 09:56:46




Date: 12_AUG_2024 09:57:37

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	13.66	16.23	Complies
46	5230	13.94	16.23	Complies

Test Mode UNII-1_TX AX(HE80) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	5.49	0.80	6.29	16.23	Complies



Date: 12.AUG.2024 10:29:44

Test Mode UNII-1_TX AX(HE80) Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	5.53	0.80	6.33	16.23	Complies



Date: 12.AUG.2024 10:30:27

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	5.42	0.80	6.22	16.23	Complies




Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	11.06	16.23	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.86	0.17	5.03	10.23	Complies
60	5300	4.91	0.17	5.08	10.23	Complies
64	5320	4.55	0.17	4.72	10.23	Complies



Date: 8.AUG.2024 15:38:06




Date: 8.AUG.2024 15:41:01




Date: 8.AUG.2024 15:45:14

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.50	0.17	4.67	10.23	Complies
60	5300	4.49	0.17	4.66	10.23	Complies
64	5320	4.48	0.17	4.65	10.23	Complies



Date: 8.AUG.2024 15:38:54




Date: 8.AUG.2024 15:41:23




Date: 8.AUG.2024 15:44:50

Test Mode	UNII-2A_TX A Mode_Ant. 3
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.96	0.17	5.13	10.23	Complies
60	5300	4.91	0.17	5.08	10.23	Complies
64	5320	4.97	0.17	5.14	10.23	Complies



Date: 8.AUG.2024 15:39:19



Date: 8.AUG.2024 15:41:47




Date: 8.AUG.2024 15:44:20

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	9.72	10.23	Complies
60	5300	9.71	10.23	Complies
64	5320	9.61	10.23	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	5.02	0.19	5.21	10.23	Complies
60	5300	4.99	0.19	5.18	10.23	Complies
64	5320	5.08	0.19	5.27	10.23	Complies



Date: 8.AUG.2024 16:10:23




Date: 8.AUG.2024 16:16:07




Date: 8.AUG.2024 16:18:38

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.69	0.19	4.88	10.23	Complies
60	5300	4.64	0.19	4.83	10.23	Complies
64	5320	4.72	0.19	4.91	10.23	Complies



Date: 8.AUG.2024 16:11:20




Date: 8.AUG.2024 16:15:13




Date: 8.AUG.2024 16:19:27

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 3
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	5.16	0.19	5.35	10.23	Complies
60	5300	5.02	0.19	5.21	10.23	Complies
64	5320	5.12	0.19	5.31	10.23	Complies



Date: 8.AUG.2024 16:11:57



Date: 8.AUG.2024 16:14:39




Date: 8.AUG.2024 16:20:02

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	9.92	10.23	Complies
60	5300	9.85	10.23	Complies
64	5320	9.94	10.23	Complies

Test Mode UNII-2A_TX AC(VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	4.94	0.35	5.29	10.23	Complies
62	5310	4.56	0.35	4.91	10.23	Complies




Date: 8.AUG.2024 16:59:12




Date: 8.AUG.2024 17:10:39

Test Mode UNII-2A_TX AC(VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	4.51	0.35	4.86	10.23	Complies
62	5310	4.11	0.35	4.46	10.23	Complies





Date: 8.AUG.2024 17:04:59



Date: 8.AUG.2024 17:08:42

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	4.68	0.35	5.03	10.23	Complies
62	5310	4.29	0.35	4.64	10.23	Complies




Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	9.83	10.23	Complies
62	5310	9.44	10.23	Complies


Test Mode UNII-2A_TX AC(VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	1.88	0.74	2.62	10.23	Complies




Test Mode UNII-2A_TX AC(VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	1.59	0.74	2.33	10.23	Complies



Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	1.95	0.74	2.69	10.23	Complies




Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	7.32	10.23	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	3.94	0.76	4.70	10.23	Complies
60	5300	4.30	0.76	5.06	10.23	Complies
64	5320	3.87	0.76	4.63	10.23	Complies



Date: 8.AUG.2024 19:43:36




Date: 8.AUG.2024 19:47:37




Date: 8.AUG.2024 19:52:45

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	3.99	0.76	4.75	10.23	Complies
60	5300	3.96	0.76	4.72	10.23	Complies
64	5320	3.96	0.76	4.72	10.23	Complies



Date: 8.AUG.2024 19:44:02




Date: 8.AUG.2024 19:48:03




Date: 8.AUG.2024 19:52:18

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 3
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.49	0.76	5.25	10.23	Complies
60	5300	3.92	0.76	4.68	10.23	Complies
64	5320	4.38	0.76	5.14	10.23	Complies



Date: 8.AUG.2024 19:43:32



Date: 8.AUG.2024 19:50:00




Date: 8.AUG.2024 19:51:43

Test Mode	UNII-2A_TX AX(HE20) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	9.68	10.23	Complies
60	5300	9.59	10.23	Complies
64	5320	9.60	10.23	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	4.40	0.77	5.17	10.23	Complies
62	5310	4.15	0.77	4.92	10.23	Complies




Date: 12_AUG_2024 10:00:57




Date: 12_AUG_2024 10:04:28

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	4.30	0.77	5.07	10.23	Complies
62	5310	4.07	0.77	4.84	10.23	Complies





Date: 12_AUG_2024 10:01:40



Date: 12_AUG_2024 10:05:06

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	4.21	0.77	4.98	10.23	Complies
62	5310	4.15	0.77	4.92	10.23	Complies



Test Mode	UNII-2A_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	9.84	10.23	Complies
62	5310	9.66	10.23	Complies