

REPORT NO.: 4791358424-1-RF-2

Page 527 of 972

11.4. APPENDIX D1: MAXIMUM CONDUCTED OUTPUT POWER 11.4.1. Test Result

Test Mode	Antenna	Frequency[MHz]	Power	FCC Limit	Verdict
Test Mode			[dBm]	[dBm]	
	Ant1	5180	20.30	≤30.00	PASS
	Ant2	5180	18.65	≤30.00	PASS
	Ant3	5180	19.45	≤30.00	PASS
	Ant4	5180	19.20	≤30.00	PASS
	total	5180	25.46	≤30.00	PASS
	Ant1	5200	20.20	≤30.00	PASS
	Ant2	5200	18.47	≤30.00	PASS
	Ant3	5200	19.23	≤30.00	PASS
	Ant4	5200	19.07	≤30.00	PASS
	total	5200 5240	25.31	≤30.00 ≤30.00	PASS
	Ant1 Ant2	5240	19.14	≤30.00 ≤30.00	PASS PASS
	Ant3	5240	18.15 19.09	≤30.00	PASS
	Ant4	5240	18.39	≤30.00	PASS
	total	5240	24.73	≤30.00	PASS
	Ant1	5260	13.65	≤23.98	PASS
	Ant2	5260	12.82	≤23.86	PASS
	Ant3	5260	13.69	≤23.98	PASS
	Ant4	5260	13.09	≤23.98	PASS
	total	5260	19.35	≤23.98	PASS
	Ant1	5280	13.77	≤23.98	PASS
	Ant2	5280	13.63	≤23.98	PASS
	Ant3	5280	13.46	≤23.91	PASS
	Ant4	5280	13.45	≤23.95	PASS
	total	5280	19.60	≤23.98	PASS
	Ant1	5320	13.56	≤23.98	PASS
	Ant2	5320	13.36	≤23.97	PASS
11A-CDD	Ant3	5320	13.86	≤23.96	PASS
	Ant4	5320	13.23	≤23.94	PASS
	total	5320	19.53	≤23.98	PASS
	Ant1	5500	13.79	≤23.98	PASS
	Ant2	5500	13.21	≤23.98	PASS
	Ant3	5500	14.20	≤23.98	PASS
	Ant4	5500	12.90	≤23.97	PASS
	total	5500	19.57	≤23.98	PASS
	Ant1	5580	13.80	≤23.98	PASS
	Ant2	5580	13.72	≤23.98	PASS
	Ant3	5580	14.07	≤23.98	PASS
	Ant4	5580	12.84	≤23.98	PASS
	total	5580	19.65	≤23.98	PASS
	Ant1	5700	13.76	≤23.98	PASS
	Ant2	5700	13.53	≤23.89	PASS
	Ant3	5700	14.16	≤23.98	PASS
	Ant4	5700	12.81	≤23.98	PASS
	total	5700	19.61	≤23.98	PASS
	Ant1	5745	22.52	≤30.00	PASS
	Ant2	5745 5745	22.39	≤30.00	PASS
	Ant3	5745 5745	22.51	≤30.00	PASS
	Ant4	5745 5745	21.40	≤30.00 ≤30.00	PASS
	total	5745 5785	28.25		PASS
	Ant1	5785 5785	21.89	≤30.00	PASS
	Ant2	5785 5785	21.98	≤30.00	PASS
	Ant3	<u>5785</u> 5785	22.07 21.00	≤30.00 ≤30.00	PASS PASS
	Ant4		27.78	≤30.00	PASS
	total	5785	21.18	≥ა∪.∪∪	PA00



	Ant1	5825	21.89	≤30.00	PASS
	Ant2	5825	21.94	≤30.00	PASS
	Ant3	5825	22.22	≤30.00	PASS
	Ant4	5825	20.85	≤30.00	PASS
	total	5825	27.78	≤30.00	PASS
		5180		≤30.00	
	Ant1		20.41		PASS
	Ant2	5180	18.76	≤30.00	PASS
	Ant3	5180	18.53	≤30.00	PASS
	Ant4	5180	19.58	≤30.00	PASS
	total	5180	25.40	≤30.00	PASS
	Ant1	5200	20.28	≤30.00	PASS
	Ant2	5200	18.70	≤30.00	PASS
	Ant3	5200	18.60	≤30.00	PASS
	Ant4	5200	19.60	≤30.00	PASS
	total	5200	25.37	≤30.00	PASS
	Ant1	5240	19.84	≤30.00	PASS
	Ant2	5240	18.98	≤30.00	PASS
	Ant3	5240	19.97	≤30.00	PASS
	Ant4	5240	19.11	≤30.00	PASS
	total	5240	25.52	≤30.00	PASS
	Ant1	5260	14.02	≤23.98	PASS
	Ant2	5260	13.59	≤23.98	PASS
	Ant3	5260	13.76	≤23.98	PASS
	Ant4	5260	13.60	≤23.98	PASS
	total	5260	19.77	≤23.98	PASS
	Ant1	5280	14.05	≤23.98	PASS
	Ant2	5280	13.81	≤23.98	PASS
	Ant3	5280	13.62	≤23.98	PASS
	Ant4	5280	13.79	≤23.98	PASS
	total	5280	19.84	≤23.98	PASS
	Ant1	5320	13.79	≤23.98	PASS
	Ant2	5320	13.69	≤23.98	PASS
11AC20MIMO	Ant3	5320	14.03	≤23.98	PASS
	Ant4	5320	13.47	≤23.98	PASS
	total	5320	19.77	≤23.98	PASS
	Ant1	5500	14.13	≤23.98	PASS
	Ant2	5500	13.68	<u>≤23.98</u>	PASS
	Ant3	5500	13.00	≤23.98	PASS
	Ant4	5500	13.35	≤23.98	PASS
	total	5500	19.58	≤23.98	PASS
	Ant1	5580	13.98	≤23.98	PASS
	Ant2	5580	14.03	≤23.98	PASS
	Ant3	5580	14.37	≤23.98	PASS
	Ant4	5580	13.05	≤23.98	PASS
	total	5580	19.90	≤23.98	PASS
	Ant1	5700	14.02	≤23.98	PASS
	Ant2	5700	14.03	≤23.98	PASS
		5700	14.59	≤23.98	PASS
	Ant3				
	Ant4	5700	13.11	≤23.98	PASS
	total	5700	19.99	≤23.98	PASS
	Ant1	5745	22.59	≤30.00	PASS
	Ant2	5745	22.48	≤30.00	PASS
	Ant3	5745	22.45	≤30.00	PASS
	Ant4	5745	21.25	≤30.00	PASS
	total	5745	28.25	≤30.00	PASS
	Ant1	5785	21.84	≤30.00	PASS
	Ant2	5785	22.47	≤30.00	PASS
	Ant3	5785	22.53	≤30.00	PASS
	Ant4	5785	21.31	≤30.00	PASS
	total	5785	28.09	≤30.00	PASS



	Ant1	5825	22.11	≤30.00	PASS
	Ant2	5825	22.64	≤30.00	PASS
	Ant3	5825	22.62	≤30.00	PASS
	Ant4	5825	21.25		PASS
	total	5825	28.21		PASS
	Ant1	5190	21.28		PASS
	Ant2	5190	20.07		PASS
	Ant3	5190	21.16		PASS
	Ant4	5190	20.55	≤30.00	PASS
	total	5190	26.81	≤30.00	PASS
	Ant1	5230	22.46	≤30.00	PASS
	Ant2	5230	21.70	≤30.00	PASS
	Ant3	5230	22.76		PASS
	Ant4	5230	21.75		PASS
	total	5230	28.21		PASS
	-				
	Ant1	5270	16.78		PASS
	Ant2	5270	16.34		PASS
	Ant3	5270	16.60		PASS
	Ant4	5270	16.66	≤23.98	PASS
	total	5270	22.62	≤23.98	PASS
	Ant1	5310	15.97	≤23.98	PASS
	Ant2	5310	15.82	≤23.98	PASS
	Ant3	5310	16.95		PASS
	Ant4	5310	16.17		PASS
		5310	22.27		PASS
	total				
	Ant1	5510	16.07		PASS
	Ant2	5510	15.67		PASS
11AC40MIMO	Ant3	5510	16.34		PASS
	Ant4	5510	15.40	≤23.98	PASS
	total	5510	21.91	≤23.98	PASS
	Ant1	5550	17.14	≤23.98	PASS
	Ant2	5550	16.63	≤23.98	PASS
	Ant3	5550	17.46		PASS
	Ant4	5550	16.50		PASS
	total	5550	22.97		PASS
	Ant1	5670	16.85		PASS
	Ant2	5670	16.78		PASS
	Ant3	5670	17.78		PASS
	Ant4	5670	16.32		PASS
	total	5670	22.99	≤23.98	PASS
	Ant1	5755	22.37	≤30.00	PASS
	Ant2	5755	22.35	≤30.00	PASS
	Ant3	5755	22.50	≤30.00	PASS
	Ant4	5755	21.35		PASS
	total	5755	28.19		PASS
	Ant1	5795	22.36		PASS
	Ant2	5795	22.44		PASS
	Ant3	5795	22.65		PASS
	Ant4	5795	21.58	≤30.00 ≤30.00 ≤30.00 ≤30.00 ≤30.00 ≤30.00 ≤30.00 ≤30.00 ≤30.00 ≤30.00 ≤30.00 ≤30.00 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤23.98 ≤3.98 ≤3.98 ≤3.98 ≤3.98 ≤3.98 ≤3.98 ≤3.98 ≤3.98 ≤3.98 ≤3.98 ≤3.98 ≤3.98 ≤3.98 ≤3.98 ≤3.98 ≤3.98 ≤3.98 ≤3.98 ≤3.98 ≤3.98 ≤3.98 ≤3.98	PASS
	total	5795	28.30		PASS
	Ant1	5210	19.04		PASS
	Ant2	5210	18.31		PASS
	Ant3	5210	18.91	≤30.00	PASS
	Ant4	5210	18.17		PASS
	total	5210	24.64		PASS
11AC80MIMO	Ant1	5290	14.28		PASS
	Ant2	5290	16.47		PASS
					PASS
	Ant3	5290	16.78		
	Ant4	5290	14.80		PASS
	total	5290	21.73	ı ≤23.98	PASS



	A	5500	10.00	100.00	D.4.00
	Ant1	5530	16.69	≤23.98	PASS
	Ant2	5530	16.46	≤23.98	PASS
	Ant3	5530	17.37	≤23.98	PASS
	Ant4	5530	13.90	≤23.98	PASS
	total	5530	22.31	≤23.98	PASS
	Ant1	5610	17.15	≤23.98	PASS
	Ant2	5610	16.78	≤23.98	PASS
	Ant3	5610	17.55	≤23.98	PASS
1	Ant4	5610	16.51	≤23.98	PASS
T	total	5610	23.04	≤23.98	PASS
	Ant1	5775	22.08	≤30.00	PASS
F	Ant2	5775	22.36	≤30.00	PASS
 	Ant3	5775	22.41	≤30.00	PASS
	Ant4	5775	21.34	≤30.00	PASS
	total	5775	28.09	≤30.00	PASS
	Ant1	5250_UNII-1	11.58	≤30.00	PASS
<u> </u>	Ant2	5250_UNII-1	13.91	≤30.00	PASS
	Ant3	5250_UNII-1	14.35	≤30.00	PASS
	Ant4	5250_UNII-1	13.09	≤30.00	PASS
	total	5250_UNII-1	19.37	≤30.00	PASS
	Ant1	5250_UNII-2A	11.36	≤23.98	PASS
	Ant2	5250_UNII-2A	13.40	≤23.98	PASS
11AC160MIMO	Ant3	5250_UNII-2A	13.83	≤23.98	PASS
	Ant4	5250_UNII-2A	11.79	≤23.98	PASS
Γ	total	5250_UNII-2A	18.74	≤23.98	PASS
	Ant1	5570	17.88	≤23.98	PASS
	Ant2	5570	17.75	≤23.98	PASS
	Ant3	5570	18.38	≤23.98	PASS
F	Ant4	5570	14.77	≤23.98	PASS
 	total	5570	23.42	≤23.98	PASS
	Ant1	5180	20.21	≤30.00	PASS
	Ant2	5180	18.91	≤30.00	PASS
	Ant3	5180	19.49	≤30.00	PASS
-			_		PASS
 	Ant4	5180	19.25	≤30.00	
	total	5180	25.51	≤30.00	PASS
	Ant1	5200	20.15	≤30.00	PASS
_	Ant2	5200	18.88	≤30.00	PASS
<u> </u>	Ant3	5200	19.45	≤30.00	PASS
	Ant4	5200	19.17	≤30.00	PASS
	total	5200	25.46	≤30.00	PASS
	Ant1	5240	19.83	≤30.00	PASS
	Ant2	5240	18.87	≤30.00	PASS
	Ant3	5240	19.57	≤30.00	PASS
Γ	Ant4	5240	18.92	≤30.00	PASS
444 200 41840	total	5240	25.34	≤30.00	PASS
11AX20MIMO	Ant1	5260	14.06	≤23.98	PASS
	Ant2	5260	13.63	≤23.98	PASS
	Ant3	5260	13.48	≤23.98	PASS
	Ant4	5260	13.64	≤23.98	PASS
	total	5260	19.73	≤23.98	PASS
	Ant1	5280	14.09	≤23.98	PASS
	Ant2	5280	13.82	≤23.98	PASS
 	Ant3	5280	13.40	≤23.98	PASS
1	Ant4	5280	13.40	≤23.98	PASS
		5 2 00	13.00		
		E000	10.70	<22 00	
	total	5280 5220	19.78	≤23.98	PASS
	total Ant1	5320	13.81	≤23.98	PASS
	total Ant1 Ant2	5320 5320	13.81 13.76	≤23.98 ≤23.98	PASS PASS
	total Ant1 Ant2 Ant3	5320 5320 5320	13.81 13.76 13.80	≤23.98 ≤23.98 ≤23.98	PASS PASS PASS
	total Ant1 Ant2	5320 5320	13.81 13.76	≤23.98 ≤23.98	PASS PASS



	Ant1	5500	14.09	≤23.98	PASS
	Ant2	5500	13.77	≤23.98	PASS
	Ant3	5500	14.16	≤23.98	PASS
	Ant4	5500	13.16	≤23.98	PASS
	total	5500	19.83	≤23.98	PASS
	Ant1	5580	14.15	≤23.98	PASS
					PASS
	Ant2	5580	14.43	≤23.98	
	Ant3	5580	14.08	≤23.98	PASS
	Ant4	5580	13.21	≤23.98	PASS
	total	5580	20.01	≤23.98	PASS
	Ant1	5700	13.25	≤23.98	PASS
	Ant2	5700	13.28	≤23.98	PASS
	Ant3	5700	12.74	≤23.98	PASS
	Ant4	5700	12.18	≤23.98	PASS
	total	5700	18.91	≤23.98	PASS
	Ant1	5745	23.13	≤30.00	PASS
	Ant2	5745	23.08	≤30.00	PASS
	Ant3	5745	22.85	≤30.00	PASS
	Ant4	5745	21.94	≤30.00	PASS
	total	5745	28.80	≤30.00	PASS
	Ant1	5785	22.40	≤30.00	PASS
	Ant2	5785	22.67	≤30.00	PASS
	Ant3	5785	22.32	≤30.00	PASS
	Ant4	5785	21.25	≤30.00	PASS
	total	5785	28.21	≤30.00	PASS
	Ant1	5825	22.15	≤30.00	PASS
	Ant2	5825			PASS
			22.30	≤30.00	
	Ant3	5825	22.21	≤30.00	PASS
	Ant4	5825	21.02	≤30.00	PASS
	total	5825	27.97	≤30.00	PASS
	Ant1	5190	19.76	≤30.00	PASS
	Ant2	5190	18.72	≤30.00	PASS
	Ant3	5190	19.37	≤30.00	PASS
	Ant4	5190	18.89	≤30.00	PASS
	total	5190	25.22	≤30.00	PASS
	Ant1	5230	21.51	≤30.00	PASS
	Ant2	5230	20.71	≤30.00	PASS
	Ant3	5230	21.27	≤30.00	PASS
	Ant4	5230	20.66	≤30.00	PASS
	total	5230	27.07	≤30.00	PASS
	Ant1	5270	16.79	≤23.98	PASS
	Ant2	5270	16.35	≤23.98	PASS
	Ant3	5270	16.57	≤23.98	PASS
	Ant4	5270	16.64	≤23.98	PASS
44.824.55.55	total	5270	22.61	≤23.98	PASS
11AX40MIMO	Ant1	5310	15.59	≤23.98	PASS
	Ant2	5310	15.47	≤23.98	PASS
	Ant3	5310	16.56	≤23.98	PASS
		5310			
	Ant4		15.48	≤23.98	PASS
	total	5310	21.82	≤23.98	PASS
	Ant1	5510	15.62	≤23.98	PASS
	Ant2	5510	15.23	≤23.98	PASS
	Ant3	5510	15.65	≤23.98	PASS
	Ant4	5510	14.89	≤23.98	PASS
	total	5510	21.38	≤23.98	PASS
	Ant1	5550	17.20	≤23.98	PASS
	Ant2	5550	16.58	≤23.98	PASS
		5550		≤23.98	PASS
	Ant3		17.45		
	Ant4	5550	16.60	≤23.98	PASS
	total	5550	22.99	≤23.98	PASS




	Ant1	5670	16.50	≤23.98	PASS
	Ant2	5670	16.33	≤23.98	PASS
	Ant3	5670	17.39	≤23.98	PASS
	Ant4	5670	15.96	≤23.98	PASS
	total	5670	22.60	≤23.98	PASS
	Ant1	5755	22.55	≤30.00	PASS
	Ant2	5755	22.39	≤30.00	PASS
	Ant3	5755	22.57	≤30.00	PASS
	Ant4	5755	21.50	≤30.00	PASS
	total	5755	28.29	≤30.00	PASS
	Ant1	5795	22.22	≤30.00	PASS
	Ant2	5795	22.75	≤30.00	PASS
	Ant3	5795	22.73	≤30.00	PASS
	Ant4	5795	21.85	≤30.00	PASS
	total	5795		≤30.00	PASS
	Ant1	5210	28.49 18.81	≤30.00	PASS
	Ant2	5210 5210	18.13 18.29	≤30.00	PASS
	Ant3	5210 5210		≤30.00 ≤30.00	PASS PASS
	Ant4		18.06		
	total	5210 5200	24.35	≤30.00	PASS
	Ant1 Ant2	5290 5290	13.96 16.26	≤23.98 ≤23.98	PASS PASS
			_		
	Ant3	5290	16.43	≤23.98	PASS
	Ant4	5290	14.40	≤23.98	PASS
	total	5290	21.42	≤23.98	PASS
	Ant1	5530	15.05	≤23.98	PASS
44.4.7/00141140	Ant2	5530	14.94	≤23.98	PASS
11AX80MIMO	Ant3	5530	15.49	≤23.98	PASS
	Ant4	5530	11.95	≤23.98	PASS
	total	5530	20.58	≤23.98	PASS
	Ant1	5610	17.23	≤23.98	PASS
	Ant2	5610	16.76	≤23.98	PASS
	Ant3	5610	17.40	≤23.98	PASS
	Ant4	5610	16.60	≤23.98	PASS
	total	5610	23.03	≤23.98	PASS
	Ant1	5775	21.47	≤30.00	PASS
	Ant2	5775	21.66	≤30.00	PASS
	Ant3	5775	21.35	≤30.00	PASS
	Ant4	5775	20.51	≤30.00	PASS
	total	5775	27.29	≤30.00	PASS
	Ant1	5250_UNII-1	11.57	≤30.00	PASS
	Ant2	5250_UNII-1	14.16	≤30.00	PASS
	Ant3	5250_UNII-1	14.33	≤30.00	PASS
	Ant4	5250_UNII-1	13.41	≤30.00	PASS
	total	5250_UNII-1	19.52	≤30.00	PASS
	Ant1	5250_UNII-2A	11.32	≤23.98	PASS
	Ant2	5250_UNII-2A	13.37	≤23.98	PASS
11AX160MIMO	Ant3	5250_UNII-2A	13.63	≤23.98	PASS
	Ant4	5250_UNII-2A	11.71	≤23.98	PASS
	total	5250_UNII-2A	18.64	≤23.98	PASS
	Ant1	5570	17.83	≤23.98	PASS
	Ant2	5570	18.11	≤23.98	PASS
	Ant3	5570	18.46	≤23.98	PASS
	Ant4	5570	15.01	≤23.98	PASS
	total	5570	23.56	≤23.98	PASS


Note: The Duty Cycle Factor is compensated in the graph.




11.4.2. Test Graphs

























REPORT NO.: 4791358424-1-RF-2

Page 539 of 972

11.5. APPENDIX E1: MAXIMUM POWER SPECTRAL DENSITY 11.5.1. Test Result

Test Mode	Antenna	Frequency[MHz]	Power [dBm/MHz]	Limit [dBm/MHz]	Verdict
	Ant1	5180	9.43	CC	PASS
	Ant2	5180	7.76	≤17.00	PASS
	Ant3	5180	8.44	≤17.00	PASS
	Ant4	5180	8.47	≤17.00	PASS
	total	5180	14.59	≤15.00	PASS
	Ant1	5200	9.10	≤17.00	PASS
	Ant2	5200	7.60	≤17.00	PASS
	Ant3	5200	8.45	≤17.00	PASS
	Ant4	5200	8.25	≤17.00	PASS
	total	5200	14.40	≤15.00	PASS
	Ant1	5240	8.63	≤17.00	PASS
	Ant2	5240	7.56	≤17.00	PASS
	Ant3	5240	8.35	≤17.00	PASS
	Ant4	5240	8.12	≤17.00	PASS
	total	5240	14.20	≤15.00	PASS
	Ant1	5260	2.71	≤11.00	PASS
	Ant2	5260	1.98	≤11.00	PASS
	Ant3	5260	2.57	≤11.00	PASS
	Ant4	5260	2.35	≤11.00	PASS
	total	5260	8.43	≤9.00	PASS
	Ant1	5280	2.88	≤11.00	PASS
	Ant2	5280	2.84	≤11.00	PASS
	Ant3	5280	2.53	≤11.00	PASS
	Ant4	5280	2.48	≤11.00	PASS
	total	5280	8.71	≤9.00	PASS
	Ant1	5320	2.46	≤11.00	PASS
	Ant2	5320	2.68	≤11.00	PASS
11A-CDD	Ant3	5320	2.85	≤11.00	PASS
	Ant4	5320	2.53	≤11.00	PASS
	total	5320	8.65	≤9.00	PASS
	Ant1	5500	2.76	≤11.00	PASS
	Ant2	5500	2.30	≤11.00	PASS
	Ant3	5500	3.37	≤11.00	PASS
	Ant4	5500	2.12	≤11.00	PASS
	total	5500	8.69	≤9.00	PASS
	Ant1	5580	2.83	≤11.00	PASS
	Ant2	5580	2.96	≤11.00	PASS
	Ant3	5580	3.06	≤11.00	PASS
	Ant4	5580	2.27	≤11.00	PASS
	total	5580	8.81	≤9.00	PASS
	Ant1	5700	2.65	≤11.00	PASS
	Ant2	5700	2.63	≤11.00	PASS
	Ant3	5700	2.93	≤11.00	PASS
	Ant4	5700	1.86	≤11.00	PASS
	total	5700	8.56	≤9.00	PASS
	Ant1	5745	8.67	≤30.00	PASS
	Ant2	5745	8.78	≤30.00	PASS
	Ant3	5745	8.64	≤30.00	PASS
	Ant4	5745	7.76	≤30.00	PASS
	total	5745	14.50	≤28.00	PASS
	Ant1	5785	7.88	≤30.00	PASS
	Ant2	5785	8.29	≤30.00	PASS
	Ant3	5785	8.23	≤30.00	PASS
	Ant4	5785	7.64	≤30.00	PASS
	total	5785	14.04	≤28.00	PASS



	Ant1	5825	8.00	≤30.00	PASS
	Ant2	5825	8.25	≤30.00	PASS
	Ant3	5825	8.61	≤30.00	PASS
	Ant4	5825	7.05	≤30.00	PASS
	total	5825	14.04	≤28.00	PASS
			9.08		PASS
	Ant1	5180		≤17.00	
	Ant2	5180	7.69	≤17.00	PASS
	Ant3	5180	7.33	≤17.00	PASS
	Ant4	5180	8.20	≤17.00	PASS
	total	5180	14.15	≤15.00	PASS
	Ant1	5200	8.98	≤17.00	PASS
	Ant2	5200	7.43	≤17.00	PASS
	Ant3	5200	7.16	≤17.00	PASS
	Ant4	5200	8.33	≤17.00	PASS
	total	5200	14.06	≤15.00	PASS
	Ant1	5240	8.45	≤17.00	PASS
	Ant2	5240	7.98	≤17.00 ≤17.00	PASS
	Ant3	5240	8.57	≤17.00	PASS
	Ant4	5240	7.94	≤17.00	PASS
	total	5240	14.26	≤15.00	PASS
	Ant1	5260	2.90	≤11.00	PASS
	Ant2	5260	2.37	≤11.00	PASS
	Ant3	5260	2.44	≤11.00	PASS
	Ant4	5260	2.62	≤11.00	PASS
	total	5260	8.61	≤9.00	PASS
	Ant1	5280	2.48	≤11.00	PASS
	Ant2	5280	2.43	≤11.00	PASS
	Ant3	5280	2.34	≤11.00 ≤11.00	PASS
	Ant4	5280	2.30	≤11.00	PASS
	total	5280	8.41	≤9.00	PASS
	Ant1	5320	2.51	≤11.00	PASS
	Ant2	5320	2.39	≤11.00	PASS
11AC20MIMO	Ant3	5320	3.06	≤11.00	PASS
	Ant4	5320	2.49	≤11.00	PASS
	total	5320	8.64	≤9.00	PASS
	Ant1	5500	2.98	≤11.00	PASS
	Ant2	5500	2.38	≤11.00	PASS
	Ant3	5500	1.79	≤11.00	PASS
	Ant4	5500	2.22	≤11.00	PASS
	total	5500 5500	8.38	≤9.00	PASS
	Ant1	5580	2.52	≤11.00	PASS
	Ant2	5580	2.94	≤11.00	PASS
	Ant3	5580	3.20	≤11.00	PASS
	Ant4	5580	2.13	≤11.00	PASS
	total	5580	8.74	≤9.00	PASS
	Ant1	5700	2.62	≤11.00	PASS
	Ant2	5700	2.80	≤11.00	PASS
	Ant3	5700	3.22	≤11.00	PASS
	Ant4	5700	1.79	≤11.00	PASS
	total	5700	8.66	≤9.00	PASS
	Ant1	5745	8.71	≤30.00	PASS
	Ant2	5745	8.34	≤30.00	PASS
	Ant3	5745	8.14	≤30.00	PASS
	Ant4	5745	7.07	≤30.00	PASS
	total	5745	14.13	≤28.00	PASS
	Ant1	5785	7.66	≤30.00	PASS
	Ant2	5785	8.49	≤30.00	PASS
	Ant3	5785	8.28	≤30.00	PASS
	Ant4	5785	7.21	≤30.00	PASS
	total	5785	13.96	≤28.00	PASS
	total	0.00	10.00		1



1					
	Ant1	5825	8.08	≤30.00	PASS
	Ant2	5825	8.53	≤30.00	PASS
	Ant3	5825	8.59	≤30.00	PASS
					PASS
	Ant4	5825	6.91	≤30.00	
	total	5825	14.10	≤28.00	PASS
	Ant1	5190	6.88	≤17.00	PASS
	Ant2	5190	5.89	≤17.00	PASS
	Ant3	5190	6.79	≤17.00	PASS
	Ant4	5190	6.42	≤17.00	PASS
	total	5190	12.53	≤15.00	PASS
	Ant1	5230	8.02	≤17.00	PASS
	Ant2	5230	7.32	≤17.00	PASS
	Ant3	5230	8.46	≤17.00	PASS
	Ant4	5230	7.54	≤17.00	PASS
	total	5230	13.88	≤15.00	PASS
	-				
	Ant1	5270	2.42	≤11.00	PASS
	Ant2	5270	2.01	≤11.00	PASS
	Ant3	5270	2.19	≤11.00	PASS
	Ant4	5270	2.38	≤11.00	PASS
	total	5270	8.27	≤9.00	PASS
					_
	Ant1	5310	1.90	≤11.00	PASS
	Ant2	5310	1.31	≤11.00	PASS
	Ant3	5310	2.56	≤11.00	PASS
	Ant4	5310	1.76	≤11.00	PASS
	total	5310	7.93	≤9.00	PASS
	Ant1	5510	1.76	≤11.00	PASS
	Ant2	5510	1.36	≤11.00	PASS
11AC40MIMO	Ant3	5510	2.11	≤11.00	PASS
	Ant4	5510	1.10	≤11.00	PASS
	total	5510	7.62	≤9.00	PASS
	Ant1	5550	2.72	≤11.00	PASS
	Ant2	5550	2.39	≤11.00	PASS
	Ant3	5550	3.05	≤11.00	PASS
	Ant4	5550	2.36	≤11.00	PASS
	total	5550	8.66	≤9.00	PASS
	Ant1	5670	2.63	≤11.00	PASS
	Ant2	5670	2.37	≤11.00	PASS
	Ant3	5670	3.39	≤11.00	PASS
	Ant4	5670	2.09	≤11.00	PASS
	total	5670	8.67	≤9.00	PASS
	Ant1	5755	5.34	≤30.00	PASS
	Ant2	5755	5.04	≤30.00	PASS
	Ant3	5755	5.44	≤30.00	PASS
	Ant4	5755	4.12	≤30.00	PASS
	total	5755	11.04	≤28.00	PASS
	Ant1	5795	5.14	≤30.00	PASS
	Ant2	5795	5.24	≤30.00	PASS
	Ant3	5795	5.60	≤30.00	PASS
			4.37	≤30.00	PASS
	Ant4	5795			
	total	5795	11.13	≤28.00	PASS
	Ant1	5210	1.70	≤17.00	PASS
	Ant2	5210	0.63	≤17.00	PASS
	Ant3	5210	1.40	≤17.00	PASS
	Ant4	5210	0.82	≤17.00	PASS
	-				_
11AC80MIMO	total	5210	7.18	≤15.00	PASS
	Ant1	5290	-3.29	≤11.00	PASS
	Ant2	5290	-1.06	≤11.00	PASS
	Ant3	5290	-0.79	≤11.00	PASS
	Ant4	5290	-2.41	≤11.00	PASS
	total	5290	4.25	≤9.00	PASS
	เบเลเ	3230	4.20	ລສ.∪∪	FASS



	Ant1	5530	-0.88	≤11.00	PASS
	Ant2	5530	-0.72	≤11.00	PASS
	Ant3	5530	-0.06	≤11.00	PASS
	Ant4	5530	-3.25	≤11.00	PASS
	total	5530	4.95	≤9.00	PASS
	Ant1	5610	-0.59	≤11.00	PASS
	Ant2	5610	-0.89	≤11.00	PASS
	Ant3	5610	0.22	≤11.00	PASS
	Ant4	5610	-0.64	≤11.00	PASS
	total	5610	5.57	≤9.00	PASS
	Ant1	5775	1.88	≤30.00	PASS
	Ant2	5775	2.08	≤30.00	PASS
	Ant3	5775	2.26	≤30.00	PASS
	Ant4	5775	0.95	≤30.00	PASS
	total	5775	7.84	≤28.00	PASS
	Ant1	5250_UNII-1	-5.71	≤17.00	PASS
	Ant2	5250_UNII-1	-3.44	≤17.00	PASS
	Ant3	5250_UNII-1	-2.93	≤17.00	PASS
	Ant4	5250_UNII-1	-4.21	≤17.00	PASS
	total	5250_UNII-1	2.07	≤15.00	PASS
	Ant1	5250_UNII-2A	-5.34	≤11.00	PASS
	Ant2	5250_UNII-2A	-3.64	≤11.00	PASS
11AC160MIMO	Ant3	5250_UNII-2A	-2.90	≤11.00	PASS
	Ant4	5250 UNII-2A	-4.59	≤11.00	PASS
	total	5250 UNII-2A	2.00	≤9.00	PASS
	Ant1	5570	-2.38		PASS
	Ant2	5570	-2.36		PASS
	Ant3	5570	-1.75		PASS
		5570	-5.12		PASS
	Ant4			≤11.00 ≤11.00 ≤11.00 ≤11.00 ≤17.00 ≤17.00 ≤17.00	
	total	5570	3.29		PASS
	Ant1	5180	8.91		PASS
	Ant2	5180	7.41		PASS
	Ant3	5180	8.07		PASS
	Ant4	5180	7.64	≤17.00	PASS
	total	5180	14.07	≤15.00	PASS
	Ant1	5200	8.98	≤17.00	PASS
	Ant2	5200	7.41	≤17.00	PASS
	Ant3	5200	8.26	≤17.00	PASS
	Ant4	5200	7.68	≤17.00	PASS
	total	5200	14.15	≤15.00	PASS
	Ant1	5240	8.43	≤17.00	PASS
	Ant2	5240	7.33	≤17.00	PASS
	Ant3	5240	7.95	≤17.00	PASS
	Ant4	5240	7.35	≤17.00	PASS
11AX20MIMO	total	5240	13.81	≤15.00	PASS
117.77.2019111910	Ant1	5260	2.74	≤11.00	PASS
	Ant2	5260	2.25	≤11.00	PASS
	Ant3	5260	2.26	≤11.00	PASS
	Ant4	5260	2.25	≤11.00	PASS
	total	5260	8.40	≤9.00	PASS
	Ant1	5280	2.91	≤11.00	PASS
	Ant2	5280	2.30	≤11.00	PASS
	Ant3	5280	1.76	≤11.00	PASS
	Ant4	5280	2.23	≤11.00 ≤11.00	PASS
	total	5280	8.34	≤9.00	PASS
	Ant1	5320	2.42	≤11.00	PASS
	Ant2	5320	2.19	≤11.00	PASS
	Ant3	5320	2.29	≤11.00	PASS
	Ant4	5320	2.19	≤11.00	PASS
	total	5320	8.29	≤9.00	PASS
		-			



	_ _				
	Ant1	5500	2.59	≤11.00	PASS
	Ant2	5500	2.37	≤11.00	PASS
	Ant3	5500	2.70	≤11.00	PASS
	Ant4	5500	2.04	≤11.00	PASS
	total	5500	8.45	≤9.00	PASS
	Ant1	5580	2.64	≤11.00	PASS
	Ant2	5580	2.94	≤11.00	PASS
	Ant3	5580	2.44	≤11.00	PASS
	Ant4	5580	1.72	≤11.00	PASS
	total	5580	8.48	≤9.00	PASS
	Ant1	5700	1.73	≤11.00	PASS
	Ant2	5700	1.95	≤11.00	PASS
	Ant3	5700	1.35	≤11.00	PASS
	Ant4	5700	0.62	≤11.00	PASS
	total	5700	7.46	≤9.00	PASS
	Ant1	5745	9.05	≤30.00	PASS
	Ant2	5745	9.20	≤30.00	PASS
	Ant3	5745	8.53	≤30.00	PASS
	Ant4	5745	7.61	≤30.00	PASS
	total	5745	14.66	≤28.00	PASS
	Ant1	5785	8.20	≤30.00	PASS
	Ant2	5785	8.39	≤30.00	PASS
	Ant3	5785	8.06	≤30.00	PASS
	Ant4	5785	6.97	≤30.00	PASS
	total	5785	13.96	≤28.00	PASS
	Ant1	5825	7.78	≤30.00	PASS
	Ant2	5825	8.21	≤30.00	PASS
	Ant3	5825	7.81 6.59	≤30.00	PASS
	Ant4	5825		≤30.00	PASS PASS
	total	5825	13.66	≤28.00	PASS
	Ant1	5190	5.41 4.37	≤17.00	PASS
	Ant2 Ant3	5190 5190	4.68	≤17.00 ≤17.00	PASS
	Ant4	5190	4.41	≤17.00 ≤17.00	PASS
	total	5190	10.76	≤17.00 ≤15.00	PASS
	Ant1	5230	7.07	≤17.00	PASS
	Ant2	5230	6.13	≤17.00 ≤17.00	PASS
	Ant3	5230	6.97	≤17.00 ≤17.00	PASS
	Ant4	5230	6.28	≤17.00	PASS
	total	5230	12.65	≤15.00	PASS
	Ant1	5270	2.40	≤13.00 ≤11.00	PASS
	Ant2	5270	1.93	≤11.00	PASS
	Ant3	5270	2.10	≤11.00 ≤11.00	PASS
	Ant4	5270	2.31	≤11.00	PASS
	total	5270	8.21	≤9.00	PASS
11AX40MIMO	Ant1	5310	1.05	≤11.00	PASS
	Ant2	5310	1.15	≤11.00	PASS
	Ant3	5310	2.31	≤11.00	PASS
	Ant4	5310	1.44	≤11.00	PASS
	total	5310	7.54	≤9.00	PASS
	Ant1	5510	1.25	≤11.00	PASS
	Ant2	5510	0.84	≤11.00	PASS
	Ant3	5510	0.99	≤11.00	PASS
	Ant4	5510	0.71	≤11.00	PASS
	total	5510	6.97	≤9.00	PASS
	Ant1	5550	2.82	≤11.00	PASS
	Ant2	5550	2.09	≤11.00	PASS
	Ant3	5550	3.31	≤11.00	PASS
	Ant4	5550	2.18	≤11.00	PASS



	Ant1	5670	2.04	≤11.00	PASS
	Ant2	5670	1.97	≤11.00	PASS
	Ant3	5670	2.99	≤11.00	PASS
	Ant4	5670	1.55	≤11.00	PASS
	total	5670	8.19	≤9.00	PASS
	Ant1	5755	5.20	≤30.00	PASS
	Ant2	5755	5.16	≤30.00	PASS
	Ant3	5755	5.34	≤30.00	PASS
	Ant4	5755	4.61	≤30.00	PASS
	total	5755	11.11	≤28.00	PASS
	Ant1	5795	5.01	≤30.00	PASS
	Ant2	5795	5.38	≤30.00	PASS
	Ant3	5795	5.86	≤30.00	PASS
	Ant4	5795	4.85	≤30.00	PASS
	total	5795	11.31	≤28.00	PASS
	Ant1	5210	1.52	≤17.00	PASS
	Ant2	5210	0.81	≤17.00	PASS
	Ant3	5210	0.99	≤17.00 ≤17.00	PASS
	Ant4	5210	0.39	≤17.00 ≤17.00	PASS
	total	5210	6.97	≤17.00 ≤15.00	PASS
	Ant1	5290	-3.37	≤11.00	PASS
	Ant2	5290	-1.29	≤11.00 ≤11.00	PASS
	Ant3	5290	-0.95	≤11.00 ≤11.00	PASS
	Ant4	5290	-2.95	≤11.00 ≤11.00	PASS
	total	5290	4.00	≤9.00	PASS
	Ant1	5530	-2.45	≤11.00	PASS
	Ant2	5530	-2.45	≤11.00 ≤11.00	PASS
11AX80MIMO	Ant3	5530	-2.45	≤11.00 ≤11.00	PASS
TTAXOUIVIIIVIO	Ant4	5530	-5.49	≤11.00 ≤11.00	PASS
	total	5530	3.15	≤9.00	PASS
					PASS
	Ant1	5610	0.00	≤11.00	PASS
	Ant2	5610	-0.97	≤11.00 ≤11.00	PASS
	Ant3	5610	0.20		
	Ant4	5610	-0.74	≤11.00 ≤9.00	PASS
	total	5610	5.67		PASS
	Ant1	<u>5775</u>	1.03	≤30.00	PASS
	Ant2	5775	1.18	≤30.00	PASS
	Ant3	5775	0.77	≤30.00	PASS
	Ant4	5775	0.22	≤30.00	PASS
	total	5775	6.84	≤28.00	PASS
	Ant1	5250_UNII-1	-5.56	≤17.00	PASS
	Ant2	5250_UNII-1	-3.18	≤17.00	PASS
	Ant3	5250_UNII-1	-2.72	≤17.00	PASS
	Ant4	5250_UNII-1	-4.14	≤17.00	PASS
	total	5250_UNII-1	2.25	≤15.00	PASS
	Ant1	5250_UNII-2A	-5.50	≤11.00	PASS
4447466141146	Ant2	5250_UNII-2A	-3.19	≤11.00	PASS
11AX160MIMO	Ant3	5250_UNII-2A	-2.99	≤11.00	PASS
	Ant4	5250_UNII-2A	-4.63	≤11.00	PASS
	total	5250_UNII-2A	2.06	≤9.00	PASS
	Ant1	5570	-2.50	≤11.00	PASS
	Ant2	5570	-2.18	≤11.00	PASS
	Ant3	5570	-1.82	≤11.00	PASS
	Ant4	5570	-5.08	≤11.00	PASS
	total	5570	3.30	≤9.00	PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz. 2.The Duty Cycle Factor and RBW Factor is compensated in the graph.



11.5.2. Test Graphs

