







Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6435	21.51	19.24	320	Pass
6475	21.36	19.15	320	Pass
6515	21.25	19.14	320	Pass



Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6535	21.50	19.22	320	Pass
6695	21.48	19.17	320	Pass
6855	21.40	19.12	320	Pass





Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6875	21.34	19.14	320	Pass
6995	21.52	19.12	320	Pass
7095	21.32	19.16	320	Pass




Test Mode | IEEE 802.11ax (HE40)_ Ant 1



Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
5965	39.69	37.63	320	Pass
6165	39.69	37.60	320	Pass
6405	39.54	37.56	320	Pass




Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6445	39.70	37.60	320	Pass
6485	39.65	37.54	320	Pass



Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6525	39.62	37.60	320	Pass
6685	39.74	37.58	320	Pass
6845	39.85	37.63	320	Pass





Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6885	39.69	37.56	320	Pass
7085	39.67	37.59	320	Pass




Test Mode IEEE 802.11ax (HE80)_ Ant 1


Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
5985	81.11	77.05	320	Pass
6145	81.47	77.33	320	Pass
6385	81.27	77.30	320	Pass




Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6465	81.17	77.34	320	Pass



Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6545	81.17	77.33	320	Pass
6625	81.31	77.19	320	Pass
6785	81.61	77.20	320	Pass
6865	81.26	77.22	320	Pass



Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6945	81.32	77.30	320	Pass
7025	81.28	77.23	320	Pass




Test Mode	IEEE 802.11ax (HE160)_ Ant 1
-----------	------------------------------


Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6025	163.10	155.59	320	Pass
6345	163.60	155.81	320	Pass




Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6505	163.30	156.16	320	Pass



Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6665	163.10	155.47	320	Pass
6825	163.10	156.05	320	Pass



Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6985	163.00	156.01	320	Pass



APPENDIX C MAXIMUM POWER SPECTRAL DENSIT


For NSS1:

Test Mode	IEEE 802.11ax (HE20)_ Ant 1
-----------	-----------------------------


Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Duty Factor (dB)	Calculated e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5955	0.02	0.39	0.41	5.00	Pass
6175	-1.21	0.39	-0.82	5.00	Pass
6415	-0.49	0.39	-0.10	5.00	Pass



Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Duty Factor (dB)	Calculated e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6435	-0.29	0.39	0.10	5.00	Pass
6475	0.01	0.39	0.40	5.00	Pass
6515	0.69	0.39	1.08	5.00	Pass



Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Duty Factor (dB)	Calculated e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6535	0.60	0.39	0.99	5.00	Pass
6695	0.21	0.39	0.60	5.00	Pass
6855	0.19	0.39	0.58	5.00	Pass




Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Duty Factor (dB)	Calculated e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6875	0.56	0.39	0.95	5.00	Pass
6995	0.30	0.39	0.69	5.00	Pass
7095	0.82	0.39	1.21	5.00	Pass




Test Mode	IEEE 802.11ax (HE20)_Ant 2
-----------	----------------------------


Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Duty Factor (dB)	Calculated e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5955	1.48	0.39	1.87	5.00	Pass
6175	1.11	0.39	1.50	5.00	Pass
6415	0.26	0.39	0.65	5.00	Pass



Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Duty Factor (dB)	Calculated e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6435	0.36	0.39	0.75	5.00	Pass
6475	1.05	0.39	1.44	5.00	Pass
6515	0.68	0.39	1.07	5.00	Pass



Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Duty Factor (dB)	Calculated e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6535	0.38	0.39	0.77	5.00	Pass
6695	0.22	0.39	0.61	5.00	Pass
6855	0.62	0.39	1.01	5.00	Pass



Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Duty Factor (dB)	Calculated e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6875	1.09	0.39	1.48	5.00	Pass
6995	0.93	0.39	1.32	5.00	Pass
7095	1.14	0.39	1.53	5.00	Pass



Test Mode	IEEE 802.11ax (HE20)_ Total
-----------	-----------------------------

Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Duty Factor (dB)	Calculated e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5955	3.83	0.39	4.22	5.00	Pass
6175	3.11	0.39	3.50	5.00	Pass
6415	2.91	0.39	3.30	5.00	Pass
6435	3.06	0.39	3.45	5.00	Pass
6475	3.57	0.39	3.96	5.00	Pass
6515	3.70	0.39	4.09	5.00	Pass
6535	3.50	0.39	3.89	5.00	Pass
6695	3.22	0.39	3.62	5.00	Pass
6855	3.42	0.39	3.81	5.00	Pass
6875	3.84	0.39	4.24	5.00	Pass
6995	3.64	0.39	4.03	5.00	Pass
7095	4.00	0.39	4.39	5.00	Pass