

## **APPENDIX F - MAXIMUM OUTPUT POWER**

**Non Beamforming**
**NSS1**

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.93	0.16	18.09	30.00	1.0000	Complies
40	5200	17.96	0.16	18.12	30.00	1.0000	Complies
48	5240	18.09	0.16	18.25	30.00	1.0000	Complies

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.12	0.16	18.28	30.00	1.0000	Complies
40	5200	18.12	0.16	18.28	30.00	1.0000	Complies
48	5240	18.02	0.16	18.18	30.00	1.0000	Complies

Test Mode	UNII-1_TX A Mode_Ant. 3
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.51	0.16	18.67	30.00	1.0000	Complies
40	5200	18.46	0.16	18.62	30.00	1.0000	Complies
48	5240	18.30	0.16	18.46	30.00	1.0000	Complies

Test Mode	UNII-1_TX A Mode_Ant. 4
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.01	0.16	18.17	30.00	1.0000	Complies
40	5200	18.15	0.16	18.31	30.00	1.0000	Complies
48	5240	17.99	0.16	18.15	30.00	1.0000	Complies

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	24.33	30.00	1.0000	Complies
40	5200	24.35	30.00	1.0000	Complies
48	5240	24.28	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.55	0.00	18.55	30.00	1.0000	Complies
40	5200	18.66	0.00	18.66	30.00	1.0000	Complies
48	5240	18.72	0.00	18.72	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.93	0.00	18.93	30.00	1.0000	Complies
40	5200	18.83	0.00	18.83	30.00	1.0000	Complies
48	5240	18.67	0.00	18.67	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.07	0.00	19.07	30.00	1.0000	Complies
40	5200	18.99	0.00	18.99	30.00	1.0000	Complies
48	5240	19.09	0.00	19.09	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.54	0.00	18.54	30.00	1.0000	Complies
40	5200	18.82	0.00	18.82	30.00	1.0000	Complies
48	5240	18.64	0.00	18.64	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	24.80	30.00	1.0000	Complies
40	5200	24.85	30.00	1.0000	Complies
48	5240	24.80	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.97	0.00	19.97	30.00	1.0000	Complies
46	5230	21.38	0.00	21.38	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.27	0.00	20.27	30.00	1.0000	Complies
46	5230	21.65	0.00	21.65	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.69	0.00	20.69	30.00	1.0000	Complies
46	5230	21.78	0.00	21.78	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.15	0.00	20.15	30.00	1.0000	Complies
46	5230	21.27	0.00	21.27	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	26.30	30.00	1.0000	Complies
46	5230	27.55	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	21.54	0.00	21.54	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	21.66	0.00	21.66	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	21.73	0.00	21.73	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	21.33	0.00	21.33	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	27.59	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.61	0.00	18.61	30.00	1.0000	Complies
40	5200	18.71	0.00	18.71	30.00	1.0000	Complies
48	5240	18.82	0.00	18.82	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.08	0.00	18.08	30.00	1.0000	Complies
40	5200	18.87	0.00	18.87	30.00	1.0000	Complies
48	5240	18.78	0.00	18.78	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.16	0.00	19.16	30.00	1.0000	Complies
40	5200	19.15	0.00	19.15	30.00	1.0000	Complies
48	5240	19.17	0.00	19.17	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.76	0.00	18.76	30.00	1.0000	Complies
40	5200	18.87	0.00	18.87	30.00	1.0000	Complies
48	5240	18.68	0.00	18.68	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	24.69	30.00	1.0000	Complies
40	5200	24.92	30.00	1.0000	Complies
48	5240	24.89	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.53	0.00	20.53	30.00	1.0000	Complies
46	5230	21.81	0.00	21.81	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	21.00	0.00	21.00	30.00	1.0000	Complies
46	5230	22.20	0.00	22.20	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.64	0.00	20.64	30.00	1.0000	Complies
46	5230	22.17	0.00	22.17	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.23	0.00	20.23	30.00	1.0000	Complies
46	5230	22.13	0.00	22.13	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	26.62	30.00	1.0000	Complies
46	5230	28.10	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	20.78	0.00	20.78	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	21.13	0.00	21.13	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	21.29	0.00	21.29	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	21.03	0.00	21.03	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	27.08	30.00	1.0000	Complies



Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
36	5180	18.61	0.00	18.61	30.00	1.0000	Complies
40	5200	18.66	0.00	18.66	30.00	1.0000	Complies
48	5240	18.74	0.00	18.74	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
36	5180	18.94	0.00	18.94	30.00	1.0000	Complies
40	5200	18.87	0.00	18.87	30.00	1.0000	Complies
48	5240	18.72	0.00	18.72	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
36	5180	18.97	0.00	18.97	30.00	1.0000	Complies
40	5200	19.01	0.00	19.01	30.00	1.0000	Complies
48	5240	19.03	0.00	19.03	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
36	5180	18.61	0.00	18.61	30.00	1.0000	Complies
40	5200	18.57	0.00	18.57	30.00	1.0000	Complies
48	5240	18.72	0.00	18.72	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
36	5180	24.81	30.00	1.0000	Complies
40	5200	24.80	30.00	1.0000	Complies
48	5240	24.83	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
38	5190	19.63	0.00	19.63	30.00	1.0000	Complies
46	5230	20.97	0.00	20.97	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
38	5190	19.97	0.00	19.97	30.00	1.0000	Complies
46	5230	21.41	0.00	21.41	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
38	5190	20.23	0.00	20.23	30.00	1.0000	Complies
46	5230	21.42	0.00	21.42	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
38	5190	20.39	0.00	20.39	30.00	1.0000	Complies
46	5230	21.32	0.00	21.32	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
38	5190	26.09	30.00	1.0000	Complies
46	5230	27.30	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
42	5210	20.71	0.00	20.71	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
42	5210	21.21	0.00	21.21	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
42	5210	21.28	0.00	21.28	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
42	5210	21.09	0.00	21.09	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
42	5210	27.10	30.00	1.0000	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.11	0.16	12.27	23.98	0.2500	Complies
60	5300	12.16	0.16	12.32	23.98	0.2500	Complies
64	5320	12.27	0.16	12.43	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.01	0.16	12.17	23.98	0.2500	Complies
60	5300	12.13	0.16	12.29	23.98	0.2500	Complies
64	5320	12.12	0.16	12.28	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 3
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.39	0.16	12.55	23.98	0.2500	Complies
60	5300	12.57	0.16	12.73	23.98	0.2500	Complies
64	5320	12.27	0.16	12.43	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 4
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.21	0.16	12.37	23.98	0.2500	Complies
60	5300	12.45	0.16	12.61	23.98	0.2500	Complies
64	5320	12.19	0.16	12.35	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.36	23.98	0.2500	Complies
60	5300	18.51	23.98	0.2500	Complies
64	5320	18.39	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.69	0.00	12.69	23.98	0.2500	Complies
60	5300	12.18	0.00	12.18	23.98	0.2500	Complies
64	5320	12.40	0.00	12.40	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.63	0.00	12.63	23.98	0.2500	Complies
60	5300	12.24	0.00	12.24	23.98	0.2500	Complies
64	5320	12.31	0.00	12.31	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.06	0.00	13.06	23.98	0.2500	Complies
60	5300	12.68	0.00	12.68	23.98	0.2500	Complies
64	5320	12.51	0.00	12.51	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.75	0.00	12.75	23.98	0.2500	Complies
60	5300	12.61	0.00	12.61	23.98	0.2500	Complies
64	5320	12.37	0.00	12.37	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.81	23.98	0.2500	Complies
60	5300	18.45	23.98	0.2500	Complies
64	5320	18.42	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.63	0.00	15.63	23.98	0.2500	Complies
62	5310	15.89	0.00	15.89	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.75	0.00	15.75	23.98	0.2500	Complies
62	5310	15.87	0.00	15.87	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.11	0.00	16.11	23.98	0.2500	Complies
62	5310	16.53	0.00	16.53	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.93	0.00	15.93	23.98	0.2500	Complies
62	5310	15.93	0.00	15.93	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	21.88	23.98	0.2500	Complies
62	5310	22.08	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.02	0.00	17.02	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.05	0.00	17.05	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.21	0.00	17.21	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.20	0.00	17.20	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	23.14	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.86	0.00	12.86	23.98	0.2500	Complies
60	5300	12.45	0.00	12.45	23.98	0.2500	Complies
64	5320	12.54	0.00	12.54	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.77	0.00	12.77	23.98	0.2500	Complies
60	5300	12.42	0.00	12.42	23.98	0.2500	Complies
64	5320	12.33	0.00	12.33	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.23	0.00	13.23	23.98	0.2500	Complies
60	5300	12.87	0.00	12.87	23.98	0.2500	Complies
64	5320	12.76	0.00	12.76	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.93	0.00	12.93	23.98	0.2500	Complies
60	5300	12.75	0.00	12.75	23.98	0.2500	Complies
64	5320	12.53	0.00	12.53	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.97	23.98	0.2500	Complies
60	5300	18.65	23.98	0.2500	Complies
64	5320	18.56	23.98	0.2500	Complies



Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.97	0.00	15.97	23.98	0.2500	Complies
62	5310	15.75	0.00	15.75	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.12	0.00	16.12	23.98	0.2500	Complies
62	5310	16.38	0.00	16.38	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.72	0.00	15.72	23.98	0.2500	Complies
62	5310	15.81	0.00	15.81	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.67	0.00	15.67	23.98	0.2500	Complies
62	5310	15.76	0.00	15.76	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	21.89	23.98	0.2500	Complies
62	5310	21.95	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.03	0.00	17.03	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.99	0.00	16.99	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.27	0.00	17.27	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.21	0.00	17.21	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	23.15	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
52	5260	12.78	0.00	12.78	23.98	0.2500	Complies
60	5300	12.23	0.00	12.23	23.98	0.2500	Complies
64	5320	12.31	0.00	12.31	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
52	5260	12.46	0.00	12.46	23.98	0.2500	Complies
60	5300	12.24	0.00	12.24	23.98	0.2500	Complies
64	5320	12.22	0.00	12.22	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
52	5260	13.09	0.00	13.09	23.98	0.2500	Complies
60	5300	12.79	0.00	12.79	23.98	0.2500	Complies
64	5320	12.66	0.00	12.66	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
52	5260	12.79	0.00	12.79	23.98	0.2500	Complies
60	5300	12.69	0.00	12.69	23.98	0.2500	Complies
64	5320	12.47	0.00	12.47	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
52	5260	18.81	23.98	0.2500	Complies
60	5300	18.52	23.98	0.2500	Complies
64	5320	18.44	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
54	5270	15.38	0.00	15.38	23.98	0.2500	Complies
62	5310	15.43	0.00	15.43	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
54	5270	15.41	0.00	15.41	23.98	0.2500	Complies
62	5310	15.47	0.00	15.47	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
54	5270	15.90	0.00	15.90	23.98	0.2500	Complies
62	5310	16.24	0.00	16.24	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
54	5270	15.56	0.00	15.56	23.98	0.2500	Complies
62	5310	15.72	0.00	15.72	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
54	5270	21.59	23.98	0.2500	Complies
62	5310	21.75	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
58	5290	17.00	0.00	17.00	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
58	5290	17.01	0.00	17.01	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
58	5290	17.51	0.00	17.51	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
58	5290	17.11	0.00	17.11	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
58	5290	23.18	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	17.33	0.00	17.33	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	17.58	0.00	17.58	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 3
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	17.65	0.00	17.65	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 4
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	17.42	0.00	17.42	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Total
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	23.52	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 1
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	17.36	0.00	17.36	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 2
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	17.59	0.00	17.59	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 3
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	17.65	0.00	17.65	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 4
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	17.43	0.00	17.43	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Total
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	23.53	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
50	5250	16.92	0.00	16.92	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
50	5250	17.24	0.00	17.24	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 3
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
50	5250	17.29	0.00	17.29	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 4
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
50	5250	17.07	0.00	17.07	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Total
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
50	5250	23.15	23.98	0.2500	Complies



Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.15	0.16	12.31	23.98	0.2500	Complies
116	5580	11.87	0.16	12.03	23.98	0.2500	Complies
140	5700	11.96	0.16	12.12	23.98	0.2500	Complies
144	5720	11.82	0.16	11.98	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.54	0.16	12.70	23.98	0.2500	Complies
116	5580	11.13	0.16	11.29	23.98	0.2500	Complies
140	5700	12.36	0.16	12.52	23.98	0.2500	Complies
144	5720	12.13	0.16	12.29	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 3
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.84	0.16	13.00	23.98	0.2500	Complies
116	5580	12.49	0.16	12.65	23.98	0.2500	Complies
140	5700	12.51	0.16	12.67	23.98	0.2500	Complies
144	5720	12.33	0.16	12.49	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 4
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.33	0.16	12.49	23.98	0.2500	Complies
116	5580	11.41	0.16	11.57	23.98	0.2500	Complies
140	5700	12.43	0.16	12.59	23.98	0.2500	Complies
144	5720	12.19	0.16	12.35	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.65	23.98	0.2500	Complies
116	5580	17.93	23.98	0.2500	Complies
140	5700	18.50	23.98	0.2500	Complies
144	5720	18.30	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.31	0.00	12.31	23.98	0.2500	Complies
116	5580	12.03	0.00	12.03	23.98	0.2500	Complies
140	5700	12.09	0.00	12.09	23.98	0.2500	Complies
144	5720	11.93	0.00	11.93	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.76	0.00	12.76	23.98	0.2500	Complies
116	5580	11.26	0.00	11.26	23.98	0.2500	Complies
140	5700	12.52	0.00	12.52	23.98	0.2500	Complies
144	5720	12.34	0.00	12.34	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.97	0.00	12.97	23.98	0.2500	Complies
116	5580	12.75	0.00	12.75	23.98	0.2500	Complies
140	5700	12.71	0.00	12.71	23.98	0.2500	Complies
144	5720	12.51	0.00	12.51	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.54	0.00	12.54	23.98	0.2500	Complies
116	5580	11.57	0.00	11.57	23.98	0.2500	Complies
140	5700	12.54	0.00	12.54	23.98	0.2500	Complies
144	5720	12.35	0.00	12.35	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.67	23.98	0.2500	Complies
116	5580	17.96	23.98	0.2500	Complies
140	5700	18.49	23.98	0.2500	Complies
144	5720	18.31	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.54	0.00	15.54	23.98	0.2500	Complies
110	5550	15.56	0.00	15.56	23.98	0.2500	Complies
134	5670	15.07	0.00	15.07	23.98	0.2500	Complies
142	5710	15.39	0.00	15.39	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.55	0.00	15.55	23.98	0.2500	Complies
110	5550	14.96	0.00	14.96	23.98	0.2500	Complies
134	5670	15.82	0.00	15.82	23.98	0.2500	Complies
142	5710	14.45	0.00	15.45	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.96	0.00	15.96	23.98	0.2500	Complies
110	5550	15.81	0.00	15.81	23.98	0.2500	Complies
134	5670	15.84	0.00	15.84	23.98	0.2500	Complies
142	5710	15.96	0.00	15.96	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.66	0.00	15.66	23.98	0.2500	Complies
110	5550	15.08	0.00	15.08	23.98	0.2500	Complies
134	5670	15.67	0.00	15.67	23.98	0.2500	Complies
142	5710	15.54	0.00	15.54	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	21.70	23.98	0.2500	Complies
110	5550	21.39	23.98	0.2500	Complies
134	5670	21.63	23.98	0.2500	Complies
142	5710	21.61	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.28	0.00	17.28	23.98	0.2500	Complies
122	5610	17.04	0.00	17.04	23.98	0.2500	Complies
138	5690	17.45	0.00	17.45	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.07	0.00	17.07	23.98	0.2500	Complies
122	5610	16.98	0.00	16.98	23.98	0.2500	Complies
138	5690	17.67	0.00	17.67	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.61	0.00	17.61	23.98	0.2500	Complies
122	5610	17.87	0.00	17.87	23.98	0.2500	Complies
138	5690	18.02	0.00	18.02	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.08	0.00	17.08	23.98	0.2500	Complies
122	5610	17.12	0.00	17.12	23.98	0.2500	Complies
138	5690	17.31	0.00	17.31	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	23.29	23.98	0.2500	Complies
122	5610	23.29	23.98	0.2500	Complies
138	5690	23.64	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	16.43	0.00	16.43	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	16.08	0.00	16.08	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	17.10	0.00	17.10	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	16.25	0.00	16.25	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	22.50	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.45	0.00	12.45	23.98	0.2500	Complies
116	5580	12.12	0.00	12.12	23.98	0.2500	Complies
140	5700	12.21	0.00	12.21	23.98	0.2500	Complies
144	5720	12.03	0.00	12.03	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.78	0.00	12.78	23.98	0.2500	Complies
116	5580	11.39	0.00	11.39	23.98	0.2500	Complies
140	5700	12.64	0.00	12.64	23.98	0.2500	Complies
144	5720	12.42	0.00	12.42	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.25	0.00	13.25	23.98	0.2500	Complies
116	5580	12.77	0.00	12.77	23.98	0.2500	Complies
140	5700	12.85	0.00	12.85	23.98	0.2500	Complies
144	5720	12.77	0.00	12.77	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.61	0.00	12.61	23.98	0.2500	Complies
116	5580	11.72	0.00	11.72	23.98	0.2500	Complies
140	5700	12.67	0.00	12.67	23.98	0.2500	Complies
144	5720	12.46	0.00	12.46	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.80	23.98	0.2500	Complies
116	5580	18.05	23.98	0.2500	Complies
140	5700	18.62	23.98	0.2500	Complies
144	5720	18.45	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.52	0.00	15.52	23.98	0.2500	Complies
110	5550	15.42	0.00	15.42	23.98	0.2500	Complies
134	5670	15.03	0.00	15.03	23.98	0.2500	Complies
142	5710	15.19	0.00	15.19	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.96	0.00	15.96	23.98	0.2500	Complies
110	5550	14.85	0.00	14.85	23.98	0.2500	Complies
134	5670	15.77	0.00	15.77	23.98	0.2500	Complies
142	5710	15.43	0.00	15.43	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.46	0.00	15.46	23.98	0.2500	Complies
110	5550	15.73	0.00	15.73	23.98	0.2500	Complies
134	5670	15.89	0.00	15.89	23.98	0.2500	Complies
142	5710	15.98	0.00	15.98	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.56	0.00	15.56	23.98	0.2500	Complies
110	5550	15.03	0.00	15.03	23.98	0.2500	Complies
134	5670	15.72	0.00	15.72	23.98	0.2500	Complies
142	5710	15.52	0.00	15.52	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	21.65	23.98	0.2500	Complies
110	5550	21.29	23.98	0.2500	Complies
134	5670	21.64	23.98	0.2500	Complies
142	5710	21.56	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.14	0.00	17.14	23.98	0.2500	Complies
122	5610	17.03	0.00	17.03	23.98	0.2500	Complies
138	5690	17.38	0.00	17.38	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.24	0.00	17.24	23.98	0.2500	Complies
122	5610	17.18	0.00	17.18	23.98	0.2500	Complies
138	5690	17.67	0.00	17.67	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.61	0.00	17.61	23.98	0.2500	Complies
122	5610	17.94	0.00	17.94	23.98	0.2500	Complies
138	5690	17.98	0.00	17.98	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.87	0.00	16.87	23.98	0.2500	Complies
122	5610	17.15	0.00	17.15	23.98	0.2500	Complies
138	5690	17.36	0.00	17.36	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	23.24	23.98	0.2500	Complies
122	5610	23.36	23.98	0.2500	Complies
138	5690	23.63	23.98	0.2500	Complies



Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	16.40	0.00	16.40	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	15.99	0.00	15.99	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	16.89	0.00	16.89	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	16.15	0.00	16.15	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	22.39	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
100	5500	12.14	0.00	12.14	23.98	0.2500	Complies
116	5580	11.96	0.00	11.96	23.98	0.2500	Complies
140	5700	11.85	0.00	11.85	23.98	0.2500	Complies
144	5720	12.16	0.00	12.16	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
100	5500	12.72	0.00	12.72	23.98	0.2500	Complies
116	5580	11.25	0.00	11.25	23.98	0.2500	Complies
140	5700	12.49	0.00	12.49	23.98	0.2500	Complies
144	5720	12.38	0.00	12.38	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
100	5500	13.02	0.00	13.02	23.98	0.2500	Complies
116	5580	12.74	0.00	12.74	23.98	0.2500	Complies
140	5700	12.65	0.00	12.65	23.98	0.2500	Complies
144	5720	12.67	0.00	12.67	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
100	5500	12.33	0.00	12.33	23.98	0.2500	Complies
116	5580	11.49	0.00	11.49	23.98	0.2500	Complies
140	5700	12.44	0.00	12.44	23.98	0.2500	Complies
144	5720	12.43	0.00	12.43	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
100	5500	18.59	23.98	0.2500	Complies
116	5580	17.92	23.98	0.2500	Complies
140	5700	18.39	23.98	0.2500	Complies
144	5720	18.43	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
102	5510	15.29	0.00	15.29	23.98	0.2500	Complies
110	5550	15.16	0.00	15.16	23.98	0.2500	Complies
134	5670	14.66	0.00	14.66	23.98	0.2500	Complies
142	5710	15.09	0.00	15.09	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
102	5510	15.24	0.00	15.24	23.98	0.2500	Complies
110	5550	14.70	0.00	14.70	23.98	0.2500	Complies
134	5670	15.55	0.00	15.55	23.98	0.2500	Complies
142	5710	15.31	0.00	15.31	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
102	5510	15.66	0.00	15.66	23.98	0.2500	Complies
110	5550	15.70	0.00	15.70	23.98	0.2500	Complies
134	5670	15.52	0.00	15.52	23.98	0.2500	Complies
142	5710	15.79	0.00	15.79	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
102	5510	15.24	0.00	15.24	23.98	0.2500	Complies
110	5550	14.79	0.00	14.79	23.98	0.2500	Complies
134	5670	15.18	0.00	15.18	23.98	0.2500	Complies
142	5710	15.32	0.00	15.32	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
102	5510	21.38	23.98	0.2500	Complies
110	5550	21.13	23.98	0.2500	Complies
134	5670	21.26	23.98	0.2500	Complies
142	5710	21.41	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
106	5530	17.24	0.00	17.24	23.98	0.2500	Complies
122	5610	17.11	0.00	17.11	23.98	0.2500	Complies
138	5690	17.54	0.00	17.54	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
106	5530	17.17	0.00	17.17	23.98	0.2500	Complies
122	5610	17.14	0.00	17.14	23.98	0.2500	Complies
138	5690	17.72	0.00	17.72	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
106	5530	17.80	0.00	17.80	23.98	0.2500	Complies
122	5610	18.09	0.00	18.09	23.98	0.2500	Complies
138	5690	18.12	0.00	18.12	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
106	5530	17.12	0.00	17.12	23.98	0.2500	Complies
122	5610	17.29	0.00	17.29	23.98	0.2500	Complies
138	5690	17.42	0.00	17.42	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
106	5530	23.36	23.98	0.2500	Complies
122	5610	23.45	23.98	0.2500	Complies
138	5690	23.73	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
114	5570	17.06	0.00	17.06	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
114	5570	17.99	0.00	17.99	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
114	5570	16.91	0.00	16.91	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
114	5570	17.31	0.00	17.31	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT160) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
114	5570	23.36	23.98	0.2500	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.50	0.16	23.66	30.00	1.0000	Complies
157	5785	22.80	0.16	22.96	30.00	1.0000	Complies
165	5825	23.33	0.16	23.49	30.00	1.0000	Complies

Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.35	0.16	23.51	30.00	1.0000	Complies
157	5785	23.89	0.16	24.05	30.00	1.0000	Complies
165	5825	23.36	0.16	23.52	30.00	1.0000	Complies

Test Mode	UNII-3_TX A Mode_Ant. 3
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.48	0.16	23.64	30.00	1.0000	Complies
157	5785	23.70	0.16	23.86	30.00	1.0000	Complies
165	5825	23.01	0.16	23.17	30.00	1.0000	Complies

Test Mode	UNII-3_TX A Mode_Ant. 4
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.62	0.16	23.78	30.00	1.0000	Complies
157	5785	23.68	0.16	23.84	30.00	1.0000	Complies
165	5825	23.66	0.16	23.82	30.00	1.0000	Complies

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	29.67	30.00	1.0000	Complies
157	5785	29.71	30.00	1.0000	Complies
165	5825	29.52	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.07	0.00	23.07	30.00	1.0000	Complies
157	5785	22.40	0.00	22.40	30.00	1.0000	Complies
165	5825	23.35	0.00	23.35	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.11	0.00	23.11	30.00	1.0000	Complies
157	5785	23.36	0.00	23.36	30.00	1.0000	Complies
165	5825	23.38	0.00	23.38	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.30	0.00	23.30	30.00	1.0000	Complies
157	5785	23.55	0.00	23.55	30.00	1.0000	Complies
165	5825	23.19	0.00	23.19	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.29	0.00	23.29	30.00	1.0000	Complies
157	5785	23.29	0.00	23.29	30.00	1.0000	Complies
165	5825	23.80	0.00	23.80	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	29.21	30.00	1.0000	Complies
157	5785	29.19	30.00	1.0000	Complies
165	5825	29.46	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.20	0.00	23.20	30.00	1.0000	Complies
159	5795	23.21	0.00	23.21	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.06	0.00	23.06	30.00	1.0000	Complies
159	5795	23.22	0.00	23.22	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.71	0.00	23.71	30.00	1.0000	Complies
159	5795	23.21	0.00	23.21	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.39	0.00	23.39	30.00	1.0000	Complies
159	5795	23.12	0.00	23.12	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	29.37	30.00	1.0000	Complies
159	5795	29.21	30.00	1.0000	Complies



Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	23.11	0.00	23.11	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	23.57	0.00	23.57	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	23.81	0.00	23.81	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	23.69	0.00	23.69	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	29.57	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.28	0.00	23.28	30.00	1.0000	Complies
157	5785	22.40	0.00	22.40	30.00	1.0000	Complies
165	5825	23.39	0.00	23.39	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.24	0.00	23.24	30.00	1.0000	Complies
157	5785	23.51	0.00	23.51	30.00	1.0000	Complies
165	5825	23.43	0.00	23.43	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.55	0.00	23.55	30.00	1.0000	Complies
157	5785	23.68	0.00	23.68	30.00	1.0000	Complies
165	5825	23.44	0.00	23.44	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.41	0.00	23.41	30.00	1.0000	Complies
157	5785	23.36	0.00	23.36	30.00	1.0000	Complies
165	5825	23.84	0.00	23.84	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	29.39	30.00	1.0000	Complies
157	5785	29.29	30.00	1.0000	Complies
165	5825	29.55	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.28	0.00	23.28	30.00	1.0000	Complies
159	5795	22.97	0.00	22.97	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.20	0.00	23.20	30.00	1.0000	Complies
159	5795	22.98	0.00	22.98	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.76	0.00	23.76	30.00	1.0000	Complies
159	5795	23.89	0.00	23.89	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.34	0.00	23.34	30.00	1.0000	Complies
159	5795	22.81	0.00	22.81	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	29.42	30.00	1.0000	Complies
159	5795	29.20	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	22.86	0.00	22.86	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	23.15	0.00	23.15	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	23.33	0.00	23.33	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	23.28	0.00	23.28	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	29.18	30.00	1.0000	Complies

Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
149	5745	23.39	0.00	23.39	30.00	1.0000	Complies
157	5785	22.67	0.00	22.67	30.00	1.0000	Complies
165	5825	22.98	0.00	22.98	30.00	1.0000	Complies

Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
149	5745	23.25	0.00	23.25	30.00	1.0000	Complies
157	5785	23.45	0.00	23.45	30.00	1.0000	Complies
165	5825	23.13	0.00	23.13	30.00	1.0000	Complies

Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
149	5745	23.61	0.00	23.61	30.00	1.0000	Complies
157	5785	23.62	0.00	23.62	30.00	1.0000	Complies
165	5825	23.06	0.00	23.06	30.00	1.0000	Complies

Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
149	5745	23.59	0.00	23.59	30.00	1.0000	Complies
157	5785	23.33	0.00	23.33	30.00	1.0000	Complies
165	5825	23.32	0.00	23.32	30.00	1.0000	Complies

Test Mode	UNII-3_TX BE(EHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
149	5745	29.48	30.00	1.0000	Complies
157	5785	29.30	30.00	1.0000	Complies
165	5825	29.14	30.00	1.0000	Complies

Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
151	5755	23.10	0.00	23.10	30.00	1.0000	Complies
159	5795	23.11	0.00	23.11	30.00	1.0000	Complies

Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
151	5755	22.97	0.00	22.97	30.00	1.0000	Complies
159	5795	23.10	0.00	23.10	30.00	1.0000	Complies

Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
151	5755	23.73	0.00	23.73	30.00	1.0000	Complies
159	5795	23.23	0.00	23.23	30.00	1.0000	Complies

Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
151	5755	23.24	0.00	23.24	30.00	1.0000	Complies
159	5795	23.06	0.00	23.06	30.00	1.0000	Complies

Test Mode	UNII-3_TX BE(EHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
151	5755	29.29	30.00	1.0000	Complies
159	5795	29.15	30.00	1.0000	Complies

Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
155	5775	22.82	0.00	22.82	30.00	1.0000	Complies

Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
155	5775	23.15	0.00	23.15	30.00	1.0000	Complies

Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
155	5775	23.37	0.00	23.37	30.00	1.0000	Complies

Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
155	5775	23.31	0.00	23.31	30.00	1.0000	Complies

Test Mode	UNII-3_TX BE(EHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
155	5775	29.19	30.00	1.0000	Complies

Note: Output power = Measure result + Cable loss

**NSS4**

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.31	0.16	21.47	30.00	1.0000	Complies
40	5200	21.41	0.16	21.57	30.00	1.0000	Complies
48	5240	21.16	0.16	21.32	30.00	1.0000	Complies

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.61	0.16	21.77	30.00	1.0000	Complies
40	5200	21.45	0.16	21.61	30.00	1.0000	Complies
48	5240	21.55	0.16	21.71	30.00	1.0000	Complies

Test Mode	UNII-1_TX A Mode_Ant. 3
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.65	0.16	21.81	30.00	1.0000	Complies
40	5200	21.70	0.16	21.86	30.00	1.0000	Complies
48	5240	21.68	0.16	21.84	30.00	1.0000	Complies

Test Mode	UNII-1_TX A Mode_Ant. 4
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.28	0.16	21.44	30.00	1.0000	Complies
40	5200	21.32	0.16	21.48	30.00	1.0000	Complies
48	5240	21.27	0.16	21.43	30.00	1.0000	Complies

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	27.64	30.00	1.0000	Complies
40	5200	27.65	30.00	1.0000	Complies
48	5240	27.60	30.00	1.0000	Complies



Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.74	0.00	21.74	30.00	1.0000	Complies
40	5200	21.94	0.00	21.94	30.00	1.0000	Complies
48	5240	21.76	0.00	21.76	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	22.13	0.00	22.13	30.00	1.0000	Complies
40	5200	22.07	0.00	22.07	30.00	1.0000	Complies
48	5240	22.03	0.00	22.03	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	22.10	0.00	22.10	30.00	1.0000	Complies
40	5200	22.11	0.00	22.11	30.00	1.0000	Complies
48	5240	22.15	0.00	22.15	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.67	0.00	21.67	30.00	1.0000	Complies
40	5200	21.89	0.00	21.89	30.00	1.0000	Complies
48	5240	21.72	0.00	21.72	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	27.94	30.00	1.0000	Complies
40	5200	28.02	30.00	1.0000	Complies
48	5240	27.94	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.27	0.00	20.27	30.00	1.0000	Complies
46	5230	22.99	0.00	22.99	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.13	0.00	20.13	30.00	1.0000	Complies
46	5230	23.27	0.00	23.27	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.85	0.00	20.85	30.00	1.0000	Complies
46	5230	23.68	0.00	23.68	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.56	0.00	20.56	30.00	1.0000	Complies
46	5230	23.33	0.00	23.33	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	26.48	30.00	1.0000	Complies
46	5230	29.35	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	21.59	0.00	21.59	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	21.70	0.00	21.70	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	22.32	0.00	22.32	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	22.07	0.00	22.07	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	27.95	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.81	0.00	21.81	30.00	1.0000	Complies
40	5200	22.48	0.00	22.48	30.00	1.0000	Complies
48	5240	22.27	0.00	22.27	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	22.24	0.00	22.24	30.00	1.0000	Complies
40	5200	22.54	0.00	22.54	30.00	1.0000	Complies
48	5240	22.62	0.00	22.62	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	22.15	0.00	22.15	30.00	1.0000	Complies
40	5200	22.57	0.00	22.57	30.00	1.0000	Complies
48	5240	22.69	0.00	22.69	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.73	0.00	21.73	30.00	1.0000	Complies
40	5200	22.31	0.00	22.31	30.00	1.0000	Complies
48	5240	22.29	0.00	22.29	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	28.01	30.00	1.0000	Complies
40	5200	28.50	30.00	1.0000	Complies
48	5240	28.49	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.78	0.00	20.78	30.00	1.0000	Complies
46	5230	22.98	0.00	22.98	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.76	0.00	20.76	30.00	1.0000	Complies
46	5230	23.35	0.00	23.35	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	21.39	0.00	21.39	30.00	1.0000	Complies
46	5230	23.68	0.00	23.68	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	21.06	0.00	21.06	30.00	1.0000	Complies
46	5230	23.34	0.00	23.34	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	27.03	30.00	1.0000	Complies
46	5230	29.37	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	21.16	0.00	21.16	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	21.34	0.00	21.34	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	21.74	0.00	21.74	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	21.54	0.00	21.54	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	27.47	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.73	0.00	21.73	30.00	1.0000	Complies
40	5200	21.93	0.00	21.93	30.00	1.0000	Complies
48	5240	22.24	0.00	22.24	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	22.14	0.00	22.14	30.00	1.0000	Complies
40	5200	22.02	0.00	22.02	30.00	1.0000	Complies
48	5240	22.61	0.00	22.61	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.70	0.00	21.70	30.00	1.0000	Complies
40	5200	22.14	0.00	22.14	30.00	1.0000	Complies
48	5240	22.65	0.00	22.65	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.87	0.00	21.87	30.00	1.0000	Complies
40	5200	21.79	0.00	21.79	30.00	1.0000	Complies
48	5240	22.41	0.00	22.41	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	27.88	30.00	1.0000	Complies
40	5200	27.99	30.00	1.0000	Complies
48	5240	28.50	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.04	0.00	20.04	30.00	1.0000	Complies
46	5230	22.91	0.00	22.91	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.77	0.00	20.77	30.00	1.0000	Complies
46	5230	23.27	0.00	23.27	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.39	0.00	20.39	30.00	1.0000	Complies
46	5230	23.65	0.00	23.65	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.48	0.00	20.48	30.00	1.0000	Complies
46	5230	23.30	0.00	23.30	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	26.45	30.00	1.0000	Complies
46	5230	29.31	30.00	1.0000	Complies



Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	21.25	0.00	21.25	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	21.94	0.00	21.94	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	21.51	0.00	21.51	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	21.73	0.00	21.73	30.00	1.0000	Complies

Test Mode	UNII-1_TX BE(EHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	27.64	30.00	1.0000	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.52	0.16	15.68	23.98	0.2500	Complies
60	5300	15.53	0.16	15.69	23.98	0.2500	Complies
64	5320	15.31	0.16	15.47	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.46	0.16	15.62	23.98	0.2500	Complies
60	5300	15.58	0.16	15.74	23.98	0.2500	Complies
64	5320	15.23	0.16	15.39	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 3
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.01	0.16	16.17	23.98	0.2500	Complies
60	5300	16.06	0.16	16.22	23.98	0.2500	Complies
64	5320	15.84	0.16	16.00	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 4
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.55	0.16	15.71	23.98	0.2500	Complies
60	5300	15.53	0.16	15.69	23.98	0.2500	Complies
64	5320	15.26	0.16	15.42	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	21.82	23.98	0.2500	Complies
60	5300	21.86	23.98	0.2500	Complies
64	5320	21.59	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.89	0.00	15.89	23.98	0.2500	Complies
60	5300	16.03	0.00	16.03	23.98	0.2500	Complies
64	5320	15.82	0.00	15.82	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.97	0.00	15.97	23.98	0.2500	Complies
60	5300	16.07	0.00	16.07	23.98	0.2500	Complies
64	5320	15.68	0.00	15.68	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.32	0.00	16.32	23.98	0.2500	Complies
60	5300	16.55	0.00	16.55	23.98	0.2500	Complies
64	5320	16.37	0.00	16.37	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.10	0.00	16.10	23.98	0.2500	Complies
60	5300	16.14	0.00	16.14	23.98	0.2500	Complies
64	5320	15.78	0.00	15.78	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	22.09	23.98	0.2500	Complies
60	5300	22.22	23.98	0.2500	Complies
64	5320	21.94	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.27	0.00	17.27	23.98	0.2500	Complies
62	5310	16.95	0.00	16.95	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.29	0.00	17.29	23.98	0.2500	Complies
62	5310	17.07	0.00	17.07	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.45	0.00	17.45	23.98	0.2500	Complies
62	5310	17.26	0.00	17.26	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.47	0.00	17.47	23.98	0.2500	Complies
62	5310	17.10	0.00	17.10	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	23.39	23.98	0.2500	Complies
62	5310	23.12	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.02	0.00	17.02	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.05	0.00	17.05	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.21	0.00	17.21	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.20	0.00	17.20	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	23.14	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.01	0.00	16.01	23.98	0.2500	Complies
60	5300	16.14	0.00	16.14	23.98	0.2500	Complies
64	5320	16.37	0.00	16.37	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.05	0.00	16.05	23.98	0.2500	Complies
60	5300	16.17	0.00	16.17	23.98	0.2500	Complies
64	5320	16.35	0.00	16.35	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.48	0.00	16.48	23.98	0.2500	Complies
60	5300	16.62	0.00	16.62	23.98	0.2500	Complies
64	5320	16.85	0.00	16.85	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.17	0.00	16.17	23.98	0.2500	Complies
60	5300	16.15	0.00	16.15	23.98	0.2500	Complies
64	5320	16.23	0.00	16.23	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	22.20	23.98	0.2500	Complies
60	5300	22.30	23.98	0.2500	Complies
64	5320	22.48	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.27	0.00	17.27	23.98	0.2500	Complies
62	5310	16.94	0.00	16.94	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.22	0.00	17.22	23.98	0.2500	Complies
62	5310	17.07	0.00	17.07	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.51	0.00	17.51	23.98	0.2500	Complies
62	5310	17.36	0.00	17.36	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.46	0.00	17.46	23.98	0.2500	Complies
62	5310	17.11	0.00	17.11	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	23.39	23.98	0.2500	Complies
62	5310	23.14	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.03	0.00	17.03	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.99	0.00	16.99	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.27	0.00	17.27	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.21	0.00	17.21	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	23.15	23.98	0.2500	Complies



Test Mode	UNII-2A_TX BE(EHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.95	0.00	15.95	23.98	0.2500	Complies
60	5300	16.01	0.00	16.01	23.98	0.2500	Complies
64	5320	15.91	0.00	15.91	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.04	0.00	16.04	23.98	0.2500	Complies
60	5300	16.07	0.00	16.07	23.98	0.2500	Complies
64	5320	15.75	0.00	15.75	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.47	0.00	16.47	23.98	0.2500	Complies
60	5300	16.67	0.00	16.67	23.98	0.2500	Complies
64	5320	16.43	0.00	16.43	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.22	0.00	16.22	23.98	0.2500	Complies
60	5300	16.17	0.00	16.17	23.98	0.2500	Complies
64	5320	15.76	0.00	15.76	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	22.20	23.98	0.2500	Complies
60	5300	22.26	23.98	0.2500	Complies
64	5320	21.99	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.17	0.00	17.17	23.98	0.2500	Complies
62	5310	17.25	0.00	17.25	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.12	0.00	17.12	23.98	0.2500	Complies
62	5310	17.34	0.00	17.34	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.33	0.00	17.33	23.98	0.2500	Complies
62	5310	17.78	0.00	17.78	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.35	0.00	17.35	23.98	0.2500	Complies
62	5310	17.53	0.00	17.53	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	23.26	23.98	0.2500	Complies
62	5310	23.50	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.00	0.00	17.00	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.01	0.00	17.01	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.51	0.00	17.51	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.11	0.00	17.11	23.98	0.2500	Complies

Test Mode	UNII-2A_TX BE(EHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	23.18	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	17.33	0.00	17.33	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	17.58	0.00	17.58	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 3
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	17.65	0.00	17.65	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 4
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	17.42	0.00	17.42	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Total
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	23.52	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 1
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	17.36	0.00	17.36	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 2
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	17.59	0.00	17.59	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 3
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	17.65	0.00	17.65	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 4
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	17.43	0.00	17.43	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Total
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	23.53	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	16.92	0.00	16.92	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	17.24	0.00	17.24	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 3
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	17.29	0.00	17.29	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 4
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	17.07	0.00	17.07	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Total
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	23.15	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.39	0.16	15.55	23.98	0.2500	Complies
116	5580	15.17	0.16	15.33	23.98	0.2500	Complies
140	5700	15.05	0.16	15.21	23.98	0.2500	Complies
144	5720	14.70	0.16	14.86	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.52	0.16	15.68	23.98	0.2500	Complies
116	5580	14.49	0.16	14.65	23.98	0.2500	Complies
140	5700	15.42	0.16	15.58	23.98	0.2500	Complies
144	5720	14.88	0.16	15.04	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 3
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.78	0.16	15.94	23.98	0.2500	Complies
116	5580	15.55	0.16	15.71	23.98	0.2500	Complies
140	5700	15.67	0.16	15.83	23.98	0.2500	Complies
144	5720	15.04	0.16	15.20	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 4
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.44	0.16	15.60	23.98	0.2500	Complies
116	5580	14.73	0.16	14.89	23.98	0.2500	Complies
140	5700	15.37	0.16	15.53	23.98	0.2500	Complies
144	5720	15.19	0.16	15.35	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	21.71	23.98	0.2500	Complies
116	5580	21.18	23.98	0.2500	Complies
140	5700	21.56	23.98	0.2500	Complies
144	5720	21.13	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.35	0.00	16.35	23.98	0.2500	Complies
116	5580	15.64	0.00	15.64	23.98	0.2500	Complies
140	5700	15.52	0.00	15.52	23.98	0.2500	Complies
144	5720	14.82	0.00	14.82	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.67	0.00	16.67	23.98	0.2500	Complies
116	5580	15.09	0.00	15.09	23.98	0.2500	Complies
140	5700	15.98	0.00	15.98	23.98	0.2500	Complies
144	5720	15.23	0.00	15.23	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.84	0.00	16.84	23.98	0.2500	Complies
116	5580	16.13	0.00	16.13	23.98	0.2500	Complies
140	5700	16.25	0.00	16.25	23.98	0.2500	Complies
144	5720	15.36	0.00	15.36	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.28	0.00	16.28	23.98	0.2500	Complies
116	5580	15.25	0.00	15.25	23.98	0.2500	Complies
140	5700	15.94	0.00	15.94	23.98	0.2500	Complies
144	5720	15.35	0.00	15.35	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	22.56	23.98	0.2500	Complies
116	5580	21.57	23.98	0.2500	Complies
140	5700	21.95	23.98	0.2500	Complies
144	5720	21.22	23.98	0.2500	Complies



Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.09	0.00	17.09	23.98	0.2500	Complies
110	5550	17.63	0.00	17.63	23.98	0.2500	Complies
134	5670	16.46	0.00	16.46	23.98	0.2500	Complies
142	5710	17.27	0.00	17.27	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.51	0.00	17.51	23.98	0.2500	Complies
110	5550	17.03	0.00	17.03	23.98	0.2500	Complies
134	5670	17.32	0.00	17.32	23.98	0.2500	Complies
142	5710	17.30	0.00	17.30	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.21	0.00	17.21	23.98	0.2500	Complies
110	5550	17.84	0.00	17.84	23.98	0.2500	Complies
134	5670	17.17	0.00	17.17	23.98	0.2500	Complies
142	5710	17.75	0.00	17.75	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.07	0.00	17.07	23.98	0.2500	Complies
110	5550	17.02	0.00	17.02	23.98	0.2500	Complies
134	5670	17.21	0.00	17.21	23.98	0.2500	Complies
142	5710	17.54	0.00	17.54	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	23.24	23.98	0.2500	Complies
110	5550	23.42	23.98	0.2500	Complies
134	5670	23.07	23.98	0.2500	Complies
142	5710	23.49	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.28	0.00	17.28	23.98	0.2500	Complies
122	5610	17.04	0.00	17.04	23.98	0.2500	Complies
138	5690	17.33	0.00	17.33	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.07	0.00	17.07	23.98	0.2500	Complies
122	5610	16.98	0.00	16.98	23.98	0.2500	Complies
138	5690	17.44	0.00	17.44	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.61	0.00	17.61	23.98	0.2500	Complies
122	5610	17.87	0.00	17.87	23.98	0.2500	Complies
138	5690	17.83	0.00	17.83	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.08	0.00	17.08	23.98	0.2500	Complies
122	5610	17.12	0.00	17.12	23.98	0.2500	Complies
138	5690	17.31	0.00	17.31	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	23.29	23.98	0.2500	Complies
122	5610	23.29	23.98	0.2500	Complies
138	5690	23.50	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	16.91	0.00	16.91	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	16.39	0.00	16.39	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	17.22	0.00	17.22	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	16.36	0.00	16.36	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	22.76	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.48	0.00	16.48	23.98	0.2500	Complies
116	5580	16.08	0.00	16.08	23.98	0.2500	Complies
140	5700	15.57	0.00	15.57	23.98	0.2500	Complies
144	5720	15.03	0.00	15.03	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.69	0.00	16.69	23.98	0.2500	Complies
116	5580	15.63	0.00	15.63	23.98	0.2500	Complies
140	5700	16.02	0.00	16.02	23.98	0.2500	Complies
144	5720	15.42	0.00	15.42	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.93	0.00	16.93	23.98	0.2500	Complies
116	5580	16.75	0.00	16.75	23.98	0.2500	Complies
140	5700	16.32	0.00	16.32	23.98	0.2500	Complies
144	5720	15.77	0.00	15.77	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.51	0.00	16.51	23.98	0.2500	Complies
116	5580	15.82	0.00	15.82	23.98	0.2500	Complies
140	5700	15.98	0.00	15.98	23.98	0.2500	Complies
144	5720	15.46	0.00	15.46	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	22.68	23.98	0.2500	Complies
116	5580	22.11	23.98	0.2500	Complies
140	5700	22.00	23.98	0.2500	Complies
144	5720	21.45	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.03	0.00	17.03	23.98	0.2500	Complies
110	5550	17.70	0.00	17.70	23.98	0.2500	Complies
134	5670	16.87	0.00	16.87	23.98	0.2500	Complies
142	5710	17.19	0.00	17.19	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.23	0.00	17.23	23.98	0.2500	Complies
110	5550	17.06	0.00	17.06	23.98	0.2500	Complies
134	5670	17.87	0.00	17.87	23.98	0.2500	Complies
142	5710	17.43	0.00	17.43	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.63	0.00	17.63	23.98	0.2500	Complies
110	5550	17.93	0.00	17.93	23.98	0.2500	Complies
134	5670	17.65	0.00	17.65	23.98	0.2500	Complies
142	5710	17.98	0.00	17.98	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.15	0.00	17.15	23.98	0.2500	Complies
110	5550	17.16	0.00	17.16	23.98	0.2500	Complies
134	5670	17.59	0.00	17.59	23.98	0.2500	Complies
142	5710	17.52	0.00	17.52	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	23.29	23.98	0.2500	Complies
110	5550	23.50	23.98	0.2500	Complies
134	5670	23.53	23.98	0.2500	Complies
142	5710	23.56	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.14	0.00	17.14	23.98	0.2500	Complies
122	5610	17.03	0.00	17.03	23.98	0.2500	Complies
138	5690	17.24	0.00	17.24	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.24	0.00	17.24	23.98	0.2500	Complies
122	5610	17.18	0.00	17.18	23.98	0.2500	Complies
138	5690	17.47	0.00	17.47	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.61	0.00	17.61	23.98	0.2500	Complies
122	5610	17.94	0.00	17.94	23.98	0.2500	Complies
138	5690	17.82	0.00	17.82	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.87	0.00	16.87	23.98	0.2500	Complies
122	5610	17.15	0.00	17.15	23.98	0.2500	Complies
138	5690	17.36	0.00	17.36	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	23.24	23.98	0.2500	Complies
122	5610	23.36	23.98	0.2500	Complies
138	5690	23.50	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	16.85	0.00	16.85	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	16.33	0.00	16.33	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	17.27	0.00	17.27	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	16.42	0.00	16.42	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	22.75	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.38	0.00	16.38	23.98	0.2500	Complies
116	5580	16.16	0.00	16.16	23.98	0.2500	Complies
140	5700	15.99	0.00	15.99	23.98	0.2500	Complies
144	5720	15.04	0.00	15.04	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.78	0.00	16.78	23.98	0.2500	Complies
116	5580	15.71	0.00	15.71	23.98	0.2500	Complies
140	5700	16.57	0.00	16.57	23.98	0.2500	Complies
144	5720	15.19	0.00	15.04	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.92	0.00	16.92	23.98	0.2500	Complies
116	5580	16.73	0.00	16.73	23.98	0.2500	Complies
140	5700	16.84	0.00	16.84	23.98	0.2500	Complies
144	5720	15.55	0.00	15.04	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.41	0.00	16.41	23.98	0.2500	Complies
116	5580	15.76	0.00	15.76	23.98	0.2500	Complies
140	5700	16.48	0.00	16.48	23.98	0.2500	Complies
144	5720	15.43	0.00	15.04	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	22.65	23.98	0.2500	Complies
116	5580	22.13	23.98	0.2500	Complies
140	5700	22.50	23.98	0.2500	Complies
144	5720	21.33	23.98	0.2500	Complies



Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.34	0.00	17.34	23.98	0.2500	Complies
110	5550	17.42	0.00	17.42	23.98	0.2500	Complies
134	5670	16.77	0.00	16.77	23.98	0.2500	Complies
142	5710	16.98	0.00	16.98	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.57	0.00	17.57	23.98	0.2500	Complies
110	5550	16.82	0.00	16.82	23.98	0.2500	Complies
134	5670	17.62	0.00	17.62	23.98	0.2500	Complies
142	5710	17.04	0.00	17.04	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	18.03	0.00	18.03	23.98	0.2500	Complies
110	5550	17.72	0.00	17.72	23.98	0.2500	Complies
134	5670	17.67	0.00	17.67	23.98	0.2500	Complies
142	5710	17.67	0.00	17.67	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.49	0.00	17.49	23.98	0.2500	Complies
110	5550	16.97	0.00	16.97	23.98	0.2500	Complies
134	5670	17.51	0.00	17.51	23.98	0.2500	Complies
142	5710	17.32	0.00	17.32	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	23.64	23.98	0.2500	Complies
110	5550	23.27	23.98	0.2500	Complies
134	5670	23.43	23.98	0.2500	Complies
142	5710	23.28	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.24	0.00	17.24	23.98	0.2500	Complies
122	5610	17.11	0.00	17.11	23.98	0.2500	Complies
138	5690	17.41	0.00	17.41	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.17	0.00	17.17	23.98	0.2500	Complies
122	5610	17.14	0.00	17.14	23.98	0.2500	Complies
138	5690	17.55	0.00	17.55	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.80	0.00	17.80	23.98	0.2500	Complies
122	5610	18.09	0.00	18.09	23.98	0.2500	Complies
138	5690	17.96	0.00	17.96	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.12	0.00	17.12	23.98	0.2500	Complies
122	5610	17.29	0.00	17.29	23.98	0.2500	Complies
138	5690	17.42	0.00	17.42	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	23.36	23.98	0.2500	Complies
122	5610	23.45	23.98	0.2500	Complies
138	5690	23.61	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	17.06	0.00	17.06	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	17.99	0.00	17.99	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	16.91	0.00	16.91	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	17.31	0.00	17.31	23.98	0.2500	Complies

Test Mode	UNII-2C_TX BE(EHT160) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	23.36	23.98	0.2500	Complies

Note: Output power = Measure result + Cable loss

### Beamforming

<b>Test Mode</b>	UNII-1_TX AC(VHT20) Mode_Ant. 1
------------------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.19	0.00	18.19	27.00	0.5012	Complies
40	5200	18.54	0.00	18.54	27.00	0.5012	Complies
48	5240	18.19	0.00	18.19	27.00	0.5012	Complies

<b>Test Mode</b>	UNII-1_TX AC(VHT20) Mode_Ant. 2
------------------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.54	0.00	18.54	27.00	0.5012	Complies
40	5200	18.64	0.00	18.64	27.00	0.5012	Complies
48	5240	18.46	0.00	18.46	27.00	0.5012	Complies

<b>Test Mode</b>	UNII-1_TX AC(VHT20) Mode_Ant. 3
------------------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.54	0.00	18.54	27.00	0.5012	Complies
40	5200	18.51	0.00	18.51	27.00	0.5012	Complies
48	5240	18.72	0.00	18.72	27.00	0.5012	Complies

<b>Test Mode</b>	UNII-1_TX AC(VHT20) Mode_Ant. 4
------------------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.20	0.00	18.20	27.00	0.5012	Complies
40	5200	18.48	0.00	18.48	27.00	0.5012	Complies
48	5240	18.32	0.00	18.32	27.00	0.5012	Complies

<b>Test Mode</b>	UNII-1_TX AC(VHT20) Mode_Total
------------------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	24.39	27.00	0.5012	Complies
40	5200	24.56	27.00	0.5012	Complies
48	5240	24.45	27.00	0.5012	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.01	0.00	20.01	27.00	0.5012	Complies
46	5230	20.15	0.00	20.15	27.00	0.5012	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.93	0.00	19.93	27.00	0.5012	Complies
46	5230	20.51	0.00	20.51	27.00	0.5012	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.49	0.00	20.49	27.00	0.5012	Complies
46	5230	20.94	0.00	20.94	27.00	0.5012	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.24	0.00	20.24	27.00	0.5012	Complies
46	5230	20.49	0.00	20.49	27.00	0.5012	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	26.19	27.00	0.5012	Complies
46	5230	26.55	27.00	0.5012	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	20.35	0.00	20.35	27.00	0.5012	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	20.45	0.00	20.45	27.00	0.5012	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	21.10	0.00	21.10	27.00	0.5012	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	20.74	0.00	20.74	27.00	0.5012	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	26.69	27.00	0.5012	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.31	0.00	18.31	27.00	0.5012	Complies
40	5200	18.57	0.00	18.57	27.00	0.5012	Complies
48	5240	18.28	0.00	18.28	27.00	0.5012	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.78	0.00	18.78	27.00	0.5012	Complies
40	5200	18.58	0.00	18.58	27.00	0.5012	Complies
48	5240	18.74	0.00	18.74	27.00	0.5012	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.76	0.00	18.76	27.00	0.5012	Complies
40	5200	18.59	0.00	18.59	27.00	0.5012	Complies
48	5240	18.84	0.00	18.84	27.00	0.5012	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.29	0.00	18.29	27.00	0.5012	Complies
40	5200	18.46	0.00	18.46	27.00	0.5012	Complies
48	5240	18.41	0.00	18.41	27.00	0.5012	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	24.56	27.00	0.5012	Complies
40	5200	24.57	27.00	0.5012	Complies
48	5240	24.59	27.00	0.5012	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.95	0.00	19.95	27.00	0.5012	Complies
46	5230	20.02	0.00	20.02	27.00	0.5012	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.89	0.00	19.89	27.00	0.5012	Complies
46	5230	20.45	0.00	20.45	27.00	0.5012	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.50	0.00	20.50	27.00	0.5012	Complies
46	5230	20.87	0.00	20.87	27.00	0.5012	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.29	0.00	20.29	27.00	0.5012	Complies
46	5230	20.48	0.00	20.48	27.00	0.5012	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	26.19	27.00	0.5012	Complies
46	5230	26.49	27.00	0.5012	Complies



Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	20.36	0.00	20.36	27.00	0.5012	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	20.57	0.00	20.57	27.00	0.5012	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	20.91	0.00	20.91	27.00	0.5012	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	20.67	0.00	20.67	27.00	0.5012	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	26.65	27.00	0.5012	Complies

Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
36	5180	18.29	0.00	18.29	27.00	0.5012	Complies
40	5200	18.47	0.00	18.47	27.00	0.5012	Complies
48	5240	18.32	0.00	18.32	27.00	0.5012	Complies

Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
36	5180	18.83	0.00	18.83	27.00	0.5012	Complies
40	5200	18.62	0.00	18.62	27.00	0.5012	Complies
48	5240	18.67	0.00	18.67	27.00	0.5012	Complies

Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
36	5180	18.72	0.00	18.72	27.00	0.5012	Complies
40	5200	18.78	0.00	18.78	27.00	0.5012	Complies
48	5240	18.77	0.00	18.77	27.00	0.5012	Complies

Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
36	5180	18.22	0.00	18.22	27.00	0.5012	Complies
40	5200	18.12	0.00	18.12	27.00	0.5012	Complies
48	5240	18.54	0.00	18.54	27.00	0.5012	Complies

Test Mode	UNII-1_TX BE(EHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
36	5180	24.54	27.00	0.5012	Complies
40	5200	24.52	27.00	0.5012	Complies
48	5240	24.60	27.00	0.5012	Complies

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
38	5190	19.74	0.00	19.74	27.00	0.5012	Complies
46	5230	20.89	0.00	20.89	27.00	0.5012	Complies

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
38	5190	20.42	0.00	20.42	27.00	0.5012	Complies
46	5230	20.37	0.00	20.37	27.00	0.5012	Complies

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
38	5190	20.22	0.00	20.22	27.00	0.5012	Complies
46	5230	20.64	0.00	20.64	27.00	0.5012	Complies

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
38	5190	19.68	0.00	19.68	27.00	0.5012	Complies
46	5230	20.26	0.00	20.26	27.00	0.5012	Complies

Test Mode	UNII-1_TX BE(EHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
38	5190	26.05	27.00	0.5012	Complies
46	5230	26.57	27.00	0.5012	Complies

Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
42	5210	19.73	0.00	19.73	27.00	0.5012	Complies

Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
42	5210	20.34	0.00	20.34	27.00	0.5012	Complies

Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
42	5210	20.29	0.00	20.29	27.00	0.5012	Complies

Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
42	5210	20.18	0.00	20.18	27.00	0.5012	Complies

Test Mode	UNII-1_TX BE(EHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
42	5210	26.16	27.00	0.5012	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.46	0.00	12.46	21.00	0.1259	Complies
60	5300	12.06	0.00	12.06	21.00	0.1259	Complies
64	5320	11.83	0.00	11.83	21.00	0.1259	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.52	0.00	12.52	21.00	0.1259	Complies
60	5300	12.11	0.00	12.11	21.00	0.1259	Complies
64	5320	11.64	0.00	11.64	21.00	0.1259	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.78	0.00	12.78	21.00	0.1259	Complies
60	5300	12.49	0.00	12.49	21.00	0.1259	Complies
64	5320	12.43	0.00	12.43	21.00	0.1259	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.66	0.00	12.66	21.00	0.1259	Complies
60	5300	12.09	0.00	12.09	21.00	0.1259	Complies
64	5320	11.80	0.00	11.80	21.00	0.1259	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.63	21.00	0.1259	Complies
60	5300	18.21	21.00	0.1259	Complies
64	5320	17.96	21.00	0.1259	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.51	0.00	14.51	21.00	0.1259	Complies
62	5310	14.20	0.00	14.20	21.00	0.1259	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.52	0.00	14.52	21.00	0.1259	Complies
62	5310	14.21	0.00	14.21	21.00	0.1259	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.59	0.00	14.59	21.00	0.1259	Complies
62	5310	14.36	0.00	14.36	21.00	0.1259	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.75	0.00	14.75	21.00	0.1259	Complies
62	5310	14.28	0.00	14.28	21.00	0.1259	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	20.61	21.00	0.1259	Complies
62	5310	20.28	21.00	0.1259	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	14.29	0.00	14.29	21.00	0.1259	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	14.30	0.00	14.30	21.00	0.1259	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	14.32	0.00	14.32	21.00	0.1259	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	14.34	0.00	14.34	21.00	0.1259	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	20.33	21.00	0.1259	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.12	0.00	12.12	21.00	0.1259	Complies
60	5300	12.18	0.00	12.18	21.00	0.1259	Complies
64	5320	12.39	0.00	12.39	21.00	0.1259	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.18	0.00	12.18	21.00	0.1259	Complies
60	5300	12.21	0.00	12.21	21.00	0.1259	Complies
64	5320	12.36	0.00	12.36	21.00	0.1259	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.57	0.00	12.57	21.00	0.1259	Complies
60	5300	12.64	0.00	12.64	21.00	0.1259	Complies
64	5320	12.91	0.00	12.91	21.00	0.1259	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.19	0.00	12.19	21.00	0.1259	Complies
60	5300	12.16	0.00	12.16	21.00	0.1259	Complies
64	5320	12.35	0.00	12.35	21.00	0.1259	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.29	21.00	0.1259	Complies
60	5300	18.32	21.00	0.1259	Complies
64	5320	18.53	21.00	0.1259	Complies



Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.54	0.00	14.54	21.00	0.1259	Complies
62	5310	14.13	0.00	14.13	21.00	0.1259	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.36	0.00	14.36	21.00	0.1259	Complies
62	5310	14.23	0.00	14.23	21.00	0.1259	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.61	0.00	14.61	21.00	0.1259	Complies
62	5310	14.52	0.00	14.52	21.00	0.1259	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.64	0.00	14.64	21.00	0.1259	Complies
62	5310	14.28	0.00	14.28	21.00	0.1259	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	20.56	21.00	0.1259	Complies
62	5310	20.31	21.00	0.1259	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	14.23	0.00	14.23	21.00	0.1259	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	14.23	0.00	14.23	21.00	0.1259	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	14.56	0.00	14.56	21.00	0.1259	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	14.38	0.00	14.38	21.00	0.1259	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	20.37	21.00	0.1259	Complies

Test Mode	UNII-2A_TX BE(EHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
52	5260	12.46	0.00	12.46	21.00	0.1259	Complies
60	5300	12.02	0.00	12.02	21.00	0.1259	Complies
64	5320	11.76	0.00	11.76	21.00	0.1259	Complies

Test Mode	UNII-2A_TX BE(EHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
52	5260	12.34	0.00	12.34	21.00	0.1259	Complies
60	5300	11.93	0.00	11.93	21.00	0.1259	Complies
64	5320	13.01	0.00	13.01	21.00	0.1259	Complies

Test Mode	UNII-2A_TX BE(EHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
52	5260	12.76	0.00	12.76	21.00	0.1259	Complies
60	5300	12.37	0.00	12.37	21.00	0.1259	Complies
64	5320	12.55	0.00	12.55	21.00	0.1259	Complies

Test Mode	UNII-2A_TX BE(EHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
52	5260	12.23	0.00	12.23	21.00	0.1259	Complies
60	5300	11.78	0.00	11.78	21.00	0.1259	Complies
64	5320	12.23	0.00	12.23	21.00	0.1259	Complies

Test Mode	UNII-2A_TX BE(EHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
52	5260	18.47	21.00	0.1259	Complies
60	5300	18.05	21.00	0.1259	Complies
64	5320	18.43	21.00	0.1259	Complies

Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
54	5270	13.91	0.00	13.91	21.00	0.1259	Complies
62	5310	13.84	0.00	13.84	21.00	0.1259	Complies

Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
54	5270	14.05	0.00	14.05	21.00	0.1259	Complies
62	5310	14.03	0.00	14.03	21.00	0.1259	Complies

Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
54	5270	14.69	0.00	14.69	21.00	0.1259	Complies
62	5310	14.82	0.00	14.82	21.00	0.1259	Complies

Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
54	5270	13.95	0.00	13.95	21.00	0.1259	Complies
62	5310	14.08	0.00	14.08	21.00	0.1259	Complies

Test Mode	UNII-2A_TX BE(EHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
54	5270	20.18	21.00	0.1259	Complies
62	5310	20.23	21.00	0.1259	Complies

Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
58	5290	14.63	0.00	14.63	21.00	0.1259	Complies

Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
58	5290	14.68	0.00	14.68	21.00	0.1259	Complies

Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
58	5290	14.45	0.00	14.45	21.00	0.1259	Complies

Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
58	5290	14.08	0.00	14.08	21.00	0.1259	Complies

Test Mode	UNII-2A_TX BE(EHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
58	5290	20.49	21.00	0.1259	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	14.59	0.00	14.59	21.00	0.1259	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	14.69	0.00	14.69	21.00	0.1259	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 3
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	14.88	0.00	14.88	21.00	0.1259	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 4
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	14.60	0.00	14.60	21.00	0.1259	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Total
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	20.71	21.00	0.1259	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 1
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	14.64	0.00	14.64	21.00	0.1259	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 2
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	14.73	0.00	14.73	21.00	0.1259	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 3
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	14.86	0.00	14.86	21.00	0.1259	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 4
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	14.64	0.00	14.64	21.00	0.1259	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Total
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	20.74	21.00	0.1259	Complies

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
50	5250	13.95	0.00	13.95	21.00	0.1259	Complies

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
50	5250	14.69	0.00	14.69	21.00	0.1259	Complies

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 3
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
50	5250	15.11	0.00	15.11	21.00	0.1259	Complies

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 4
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
50	5250	14.48	0.00	14.48	21.00	0.1259	Complies

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Total
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
50	5250	20.60	21.00	0.1259	Complies



Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.49	0.00	12.49	21.00	0.1259	Complies
116	5580	11.57	0.00	11.57	21.00	0.1259	Complies
140	5700	12.03	0.00	12.03	21.00	0.1259	Complies
144	5720	11.57	0.00	11.57	21.00	0.1259	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.68	0.00	12.68	21.00	0.1259	Complies
116	5580	11.03	0.00	11.03	21.00	0.1259	Complies
140	5700	12.55	0.00	12.55	21.00	0.1259	Complies
144	5720	11.89	0.00	11.89	21.00	0.1259	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.94	0.00	12.94	21.00	0.1259	Complies
116	5580	12.04	0.00	12.04	21.00	0.1259	Complies
140	5700	12.70	0.00	12.70	21.00	0.1259	Complies
144	5720	11.98	0.00	11.98	21.00	0.1259	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.42	0.00	12.42	21.00	0.1259	Complies
116	5580	11.16	0.00	11.16	21.00	0.1259	Complies
140	5700	12.39	0.00	12.39	21.00	0.1259	Complies
144	5720	11.86	0.00	11.86	21.00	0.1259	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.66	21.00	0.1259	Complies
116	5580	17.49	21.00	0.1259	Complies
140	5700	18.45	21.00	0.1259	Complies
144	5720	17.85	21.00	0.1259	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.24	0.00	14.24	21.00	0.1259	Complies
110	5550	14.84	0.00	14.84	21.00	0.1259	Complies
134	5670	13.57	0.00	13.57	21.00	0.1259	Complies
142	5710	14.41	0.00	14.41	21.00	0.1259	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.70	0.00	14.70	21.00	0.1259	Complies
110	5550	14.28	0.00	14.28	21.00	0.1259	Complies
134	5670	14.61	0.00	14.61	21.00	0.1259	Complies
142	5710	14.46	0.00	14.46	21.00	0.1259	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.45	0.00	14.45	21.00	0.1259	Complies
110	5550	14.95	0.00	14.95	21.00	0.1259	Complies
134	5670	14.41	0.00	14.41	21.00	0.1259	Complies
142	5710	14.98	0.00	14.98	21.00	0.1259	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.31	0.00	14.31	21.00	0.1259	Complies
110	5550	14.17	0.00	14.17	21.00	0.1259	Complies
134	5670	14.38	0.00	14.38	21.00	0.1259	Complies
142	5710	14.45	0.00	14.45	21.00	0.1259	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	20.45	21.00	0.1259	Complies
110	5550	20.59	21.00	0.1259	Complies
134	5670	20.28	21.00	0.1259	Complies
142	5710	20.60	21.00	0.1259	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	14.46	0.00	14.46	21.00	0.1259	Complies
122	5610	14.39	0.00	14.39	21.00	0.1259	Complies
138	5690	14.63	0.00	14.63	21.00	0.1259	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	14.35	0.00	14.35	21.00	0.1259	Complies
122	5610	14.07	0.00	14.07	21.00	0.1259	Complies
138	5690	14.56	0.00	14.56	21.00	0.1259	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	14.86	0.00	14.86	21.00	0.1259	Complies
122	5610	15.13	0.00	15.13	21.00	0.1259	Complies
138	5690	15.01	0.00	15.01	21.00	0.1259	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	14.29	0.00	14.29	21.00	0.1259	Complies
122	5610	14.22	0.00	14.22	21.00	0.1259	Complies
138	5690	14.59	0.00	14.59	21.00	0.1259	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	20.52	21.00	0.1259	Complies
122	5610	20.49	21.00	0.1259	Complies
138	5690	20.72	21.00	0.1259	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	14.66	0.00	14.66	21.00	0.1259	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	14.08	0.00	14.08	21.00	0.1259	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	14.94	0.00	14.94	21.00	0.1259	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	14.00	0.00	14.00	21.00	0.1259	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	20.46	21.00	0.1259	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.59	0.00	12.59	21.00	0.1259	Complies
116	5580	11.66	0.00	11.66	21.00	0.1259	Complies
140	5700	11.63	0.00	11.63	21.00	0.1259	Complies
144	5720	11.67	0.00	11.67	21.00	0.1259	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.77	0.00	12.77	21.00	0.1259	Complies
116	5580	11.28	0.00	11.28	21.00	0.1259	Complies
140	5700	12.11	0.00	12.11	21.00	0.1259	Complies
144	5720	12.01	0.00	12.01	21.00	0.1259	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.02	0.00	13.02	21.00	0.1259	Complies
116	5580	12.34	0.00	12.34	21.00	0.1259	Complies
140	5700	12.44	0.00	12.44	21.00	0.1259	Complies
144	5720	12.08	0.00	12.08	21.00	0.1259	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.62	0.00	12.62	21.00	0.1259	Complies
116	5580	11.39	0.00	11.39	21.00	0.1259	Complies
140	5700	12.04	0.00	12.04	21.00	0.1259	Complies
144	5720	11.94	0.00	11.94	21.00	0.1259	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.77	21.00	0.1259	Complies
116	5580	17.71	21.00	0.1259	Complies
140	5700	18.09	21.00	0.1259	Complies
144	5720	17.95	21.00	0.1259	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.26	0.00	14.26	21.00	0.1259	Complies
110	5550	14.92	0.00	14.92	21.00	0.1259	Complies
134	5670	14.06	0.00	14.06	21.00	0.1259	Complies
142	5710	14.15	0.00	14.15	21.00	0.1259	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.36	0.00	14.36	21.00	0.1259	Complies
110	5550	14.19	0.00	14.19	21.00	0.1259	Complies
134	5670	15.07	0.00	15.07	21.00	0.1259	Complies
142	5710	14.39	0.00	14.39	21.00	0.1259	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.76	0.00	14.76	21.00	0.1259	Complies
110	5550	15.10	0.00	15.10	21.00	0.1259	Complies
134	5670	14.90	0.00	14.90	21.00	0.1259	Complies
142	5710	15.02	0.00	15.02	21.00	0.1259	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.41	0.00	14.41	21.00	0.1259	Complies
110	5550	14.37	0.00	14.37	21.00	0.1259	Complies
134	5670	14.69	0.00	14.69	21.00	0.1259	Complies
142	5710	14.48	0.00	14.48	21.00	0.1259	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	20.47	21.00	0.1259	Complies
110	5550	20.68	21.00	0.1259	Complies
134	5670	20.72	21.00	0.1259	Complies
142	5710	20.54	21.00	0.1259	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	14.27	0.00	14.27	21.00	0.1259	Complies
122	5610	14.31	0.00	14.31	21.00	0.1259	Complies
138	5690	14.45	0.00	14.45	21.00	0.1259	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	14.45	0.00	14.45	21.00	0.1259	Complies
122	5610	14.29	0.00	14.29	21.00	0.1259	Complies
138	5690	14.48	0.00	14.48	21.00	0.1259	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	14.90	0.00	14.90	21.00	0.1259	Complies
122	5610	15.10	0.00	15.10	21.00	0.1259	Complies
138	5690	14.93	0.00	14.93	21.00	0.1259	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	14.01	0.00	14.01	21.00	0.1259	Complies
122	5610	14.30	0.00	14.30	21.00	0.1259	Complies
138	5690	14.62	0.00	14.62	21.00	0.1259	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	20.44	21.00	0.1259	Complies
122	5610	20.53	21.00	0.1259	Complies
138	5690	20.64	21.00	0.1259	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	14.65	0.00	14.65	21.00	0.1259	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	13.98	0.00	13.98	21.00	0.1259	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	14.93	0.00	14.93	21.00	0.1259	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	14.19	0.00	14.19	21.00	0.1259	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	20.47	21.00	0.1259	Complies



Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
100	5500	11.88	0.00	11.88	21.00	0.1259	Complies
116	5580	11.71	0.00	11.71	21.00	0.1259	Complies
140	5700	11.55	0.00	11.55	21.00	0.1259	Complies
144	5720	11.65	0.00	11.65	21.00	0.1259	Complies

Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
100	5500	12.36	0.00	12.36	21.00	0.1259	Complies
116	5580	11.31	0.00	11.31	21.00	0.1259	Complies
140	5700	12.12	0.00	12.12	21.00	0.1259	Complies
144	5720	11.98	0.00	11.98	21.00	0.1259	Complies

Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
100	5500	11.94	0.00	11.94	21.00	0.1259	Complies
116	5580	12.16	0.00	12.16	21.00	0.1259	Complies
140	5700	12.39	0.00	12.39	21.00	0.1259	Complies
144	5720	12.13	0.00	12.13	21.00	0.1259	Complies

Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
100	5500	11.78	0.00	11.78	21.00	0.1259	Complies
116	5580	11.46	0.00	11.46	21.00	0.1259	Complies
140	5700	12.11	0.00	12.11	21.00	0.1259	Complies
144	5720	11.87	0.00	11.87	21.00	0.1259	Complies

Test Mode	UNII-2C_TX BE(EHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
100	5500	18.02	21.00	0.1259	Complies
116	5580	17.69	21.00	0.1259	Complies
140	5700	18.07	21.00	0.1259	Complies
144	5720	17.93	21.00	0.1259	Complies

Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
102	5510	14.71	0.00	14.71	21.00	0.1259	Complies
110	5550	14.52	0.00	14.52	21.00	0.1259	Complies
134	5670	13.88	0.00	13.88	21.00	0.1259	Complies
142	5710	14.11	0.00	14.11	21.00	0.1259	Complies

Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
102	5510	14.53	0.00	14.53	21.00	0.1259	Complies
110	5550	14.43	0.00	14.43	21.00	0.1259	Complies
134	5670	14.21	0.00	14.21	21.00	0.1259	Complies
142	5710	14.26	0.00	14.26	21.00	0.1259	Complies

Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
102	5510	15.08	0.00	15.08	21.00	0.1259	Complies
110	5550	14.86	0.00	14.86	21.00	0.1259	Complies
134	5670	14.72	0.00	14.72	21.00	0.1259	Complies
142	5710	14.73	0.00	14.73	21.00	0.1259	Complies

Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
102	5510	14.59	0.00	14.59	21.00	0.1259	Complies
110	5550	14.49	0.00	14.49	21.00	0.1259	Complies
134	5670	13.98	0.00	13.98	21.00	0.1259	Complies
142	5710	14.23	0.00	14.23	21.00	0.1259	Complies

Test Mode	UNII-2C_TX BE(EHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
102	5510	20.75	21.00	0.1259	Complies
110	5550	20.60	21.00	0.1259	Complies
134	5670	20.23	21.00	0.1259	Complies
142	5710	20.36	21.00	0.1259	Complies

Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
106	5530	14.21	0.00	14.21	21.00	0.1259	Complies
122	5610	13.91	0.00	13.91	21.00	0.1259	Complies
138	5690	14.53	0.00	14.53	21.00	0.1259	Complies

Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
106	5530	14.52	0.00	14.52	21.00	0.1259	Complies
122	5610	13.59	0.00	13.59	21.00	0.1259	Complies
138	5690	14.56	0.00	14.56	21.00	0.1259	Complies

Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
106	5530	14.89	0.00	14.89	21.00	0.1259	Complies
122	5610	14.75	0.00	14.75	21.00	0.1259	Complies
138	5690	14.13	0.00	14.13	21.00	0.1259	Complies

Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
106	5530	14.35	0.00	14.35	21.00	0.1259	Complies
122	5610	13.63	0.00	13.63	21.00	0.1259	Complies
138	5690	14.62	0.00	14.62	21.00	0.1259	Complies

Test Mode	UNII-2C_TX BE(EHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
106	5530	20.52	21.00	0.1259	Complies
122	5610	20.02	21.00	0.1259	Complies
138	5690	20.74	21.00	0.1259	Complies

Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
114	5570	14.08	0.00	14.08	21.00	0.1259	Complies

Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
114	5570	14.82	0.00	14.82	21.00	0.1259	Complies

Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
114	5570	14.09	0.00	14.09	21.00	0.1259	Complies

Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
114	5570	14.37	0.00	14.37	21.00	0.1259	Complies

Test Mode	UNII-2C_TX BE(EHT160) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
114	5570	20.37	21.00	0.1259	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.28	0.00	20.28	27.00	0.5012	Complies
157	5785	19.64	0.00	19.64	27.00	0.5012	Complies
165	5825	20.62	0.00	20.62	27.00	0.5012	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.25	0.00	20.25	27.00	0.5012	Complies
157	5785	20.59	0.00	20.59	27.00	0.5012	Complies
165	5825	20.55	0.00	20.55	27.00	0.5012	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.52	0.00	20.52	27.00	0.5012	Complies
157	5785	20.77	0.00	20.77	27.00	0.5012	Complies
165	5825	20.33	0.00	20.33	27.00	0.5012	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.41	0.00	20.41	27.00	0.5012	Complies
157	5785	20.48	0.00	20.48	27.00	0.5012	Complies
165	5825	20.96	0.00	20.96	27.00	0.5012	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	26.39	27.00	0.5012	Complies
157	5785	26.41	27.00	0.5012	Complies
165	5825	26.64	27.00	0.5012	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.31	0.00	20.31	27.00	0.5012	Complies
159	5795	19.50	0.00	19.50	27.00	0.5012	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.35	0.00	20.35	27.00	0.5012	Complies
159	5795	20.49	0.00	20.49	27.00	0.5012	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.96	0.00	20.96	27.00	0.5012	Complies
159	5795	21.36	0.00	21.36	27.00	0.5012	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.49	0.00	20.49	27.00	0.5012	Complies
159	5795	20.32	0.00	20.32	27.00	0.5012	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	26.56	27.00	0.5012	Complies
159	5795	26.49	27.00	0.5012	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.32	0.00	20.32	27.00	0.5012	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.68	0.00	20.68	27.00	0.5012	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.00	0.00	21.00	27.00	0.5012	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.81	0.00	20.81	27.00	0.5012	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	26.72	27.00	0.5012	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.79	0.00	20.79	27.00	0.5012	Complies
157	5785	19.71	0.00	19.71	27.00	0.5012	Complies
165	5825	20.51	0.00	20.51	27.00	0.5012	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.28	0.00	20.28	27.00	0.5012	Complies
157	5785	20.74	0.00	20.74	27.00	0.5012	Complies
165	5825	20.63	0.00	20.63	27.00	0.5012	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.83	0.00	20.83	27.00	0.5012	Complies
157	5785	21.03	0.00	21.03	27.00	0.5012	Complies
165	5825	21.24	0.00	21.24	27.00	0.5012	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.29	0.00	20.29	27.00	0.5012	Complies
157	5785	20.36	0.00	20.36	27.00	0.5012	Complies
165	5825	21.06	0.00	21.06	27.00	0.5012	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	26.58	27.00	0.5012	Complies
157	5785	26.51	27.00	0.5012	Complies
165	5825	26.89	27.00	0.5012	Complies



Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.84	0.00	16.84	27.00	0.5012	Complies
159	5795	16.13	0.00	16.13	27.00	0.5012	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.86	0.00	16.86	27.00	0.5012	Complies
159	5795	16.79	0.00	16.79	27.00	0.5012	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.54	0.00	17.54	27.00	0.5012	Complies
159	5795	17.62	0.00	17.62	27.00	0.5012	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.91	0.00	16.91	27.00	0.5012	Complies
159	5795	16.45	0.00	16.45	27.00	0.5012	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.07	27.00	0.5012	Complies
159	5795	22.80	27.00	0.5012	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.09	0.00	20.09	27.00	0.5012	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.39	0.00	20.39	27.00	0.5012	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.45	0.00	20.45	27.00	0.5012	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.40	0.00	20.40	27.00	0.5012	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	26.36	27.00	0.5012	Complies

Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
149	5745	20.71	0.00	20.71	27.00	0.5012	Complies
157	5785	19.81	0.00	19.81	27.00	0.5012	Complies
165	5825	20.72	0.00	20.72	27.00	0.5012	Complies

Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
149	5745	20.31	0.00	20.31	27.00	0.5012	Complies
157	5785	20.51	0.00	20.51	27.00	0.5012	Complies
165	5825	20.73	0.00	20.73	27.00	0.5012	Complies

Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
149	5745	20.91	0.00	20.91	27.00	0.5012	Complies
157	5785	21.05	0.00	21.05	27.00	0.5012	Complies
165	5825	20.32	0.00	20.32	27.00	0.5012	Complies

Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
149	5745	20.31	0.00	20.31	27.00	0.5012	Complies
157	5785	20.34	0.00	20.34	27.00	0.5012	Complies
165	5825	19.95	0.00	19.95	27.00	0.5012	Complies

Test Mode	UNII-3_TX BE(EHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
149	5745	26.59	27.00	0.5012	Complies
157	5785	26.47	27.00	0.5012	Complies
165	5825	26.46	27.00	0.5012	Complies

Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
151	5755	20.19	0.00	20.19	27.00	0.5012	Complies
159	5795	19.63	0.00	19.63	27.00	0.5012	Complies

Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
151	5755	19.91	0.00	19.91	27.00	0.5012	Complies
159	5795	20.36	0.00	20.36	27.00	0.5012	Complies

Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
151	5755	20.62	0.00	20.62	27.00	0.5012	Complies
159	5795	21.23	0.00	21.23	27.00	0.5012	Complies

Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
151	5755	19.73	0.00	19.73	27.00	0.5012	Complies
159	5795	20.11	0.00	20.11	27.00	0.5012	Complies

Test Mode	UNII-3_TX BE(EHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
151	5755	26.15	27.00	0.5012	Complies
159	5795	26.39	27.00	0.5012	Complies

Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
155	5775	20.06	0.00	20.06	27.00	0.5012	Complies

Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
155	5775	20.32	0.00	20.32	27.00	0.5012	Complies

Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
155	5775	20.81	0.00	20.81	27.00	0.5012	Complies

Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
155	5775	20.21	0.00	20.21	27.00	0.5012	Complies

Test Mode	UNII-3_TX BE(EHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Mbe. Limit (dBm)	Mbe. Limit (W)	Result
155	5775	26.38	27.00	0.5012	Complies

Note: Output power = Measure result + Cable loss


## **APPENDIX G - POWER SPECTRAL DENSITY**

## NSS1

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.40	0.16	7.56	14.00	Complies
40	5200	7.46	0.16	7.62	14.00	Complies
48	5240	7.35	0.16	7.51	14.00	Complies

**CH36**




Date: 23\_JUN\_2024 16:14:20

**CH40**



Date: 23\_JUN\_2024 16:14:38

**CH48**




Date: 23\_JUN\_2024 16:16:34

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.55	0.16	7.71	14.00	Complies
40	5200	7.61	0.16	7.77	14.00	Complies
48	5240	7.45	0.16	7.61	14.00	Complies

**CH36**




Date: 23\_JUN\_2024 16:17:22

**CH40**



Date: 23\_JUN\_2024 16:17:40


**CH48**




Date: 23\_JUN\_2024 16:17:56

Test Mode	UNII-1_TX A Mode_Ant. 3
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.36	0.16	7.52	14.00	Complies
40	5200	7.21	0.16	7.37	14.00	Complies
48	5240	7.06	0.16	7.22	14.00	Complies



Date: 23\_JUN\_2024 16:18:51




Date: 23\_JUN\_2024 16:19:08




Date: 23\_JUN\_2024 16:19:24

Test Mode	UNII-1_TX A Mode_Ant. 4
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.10	0.16	7.26	14.00	Complies
40	5200	7.28	0.16	7.44	14.00	Complies
48	5240	7.29	0.16	7.45	14.00	Complies



Date: 23\_JUN\_2024 16:20:02



Date: 23\_JUN\_2024 16:20:29



Date: 23\_JUN\_2024 16:20:57






Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	13.53	14.00	Complies
40	5200	13.57	14.00	Complies
48	5240	13.47	14.00	Complies




Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.70	0.00	7.70	14.00	Complies
40	5200	7.76	0.00	7.76	14.00	Complies
48	5240	7.63	0.00	7.63	14.00	Complies




Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.84	0.00	7.84	14.00	Complies
40	5200	7.96	0.00	7.96	14.00	Complies
48	5240	7.87	0.00	7.87	14.00	Complies




Test Mode UNII-1\_TX AC(VHT20) Mode\_Ant. 3


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.88	0.00	7.88	14.00	Complies
40	5200	7.68	0.00	7.68	14.00	Complies
48	5240	7.54	0.00	7.54	14.00	Complies



Date: 23\_JUN\_2024 16:51:13




Date: 23\_JUN\_2024 16:51:47




Date: 23\_JUN\_2024 16:52:03

Test Mode UNII-1\_TX AC(VHT20) Mode\_Ant. 4


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.40	0.00	7.40	14.00	Complies
40	5200	7.67	0.00	7.67	14.00	Complies
48	5240	7.58	0.00	7.58	14.00	Complies



Date: 23\_JUN\_2024 16:52:17



Date: 23\_JUN\_2024 16:52:53



Date: 23\_JUN\_2024 16:53:09


Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	13.73	14.00	Complies
40	5200	13.79	14.00	Complies
48	5240	13.68	14.00	Complies

Test Mode UNII-1\_TX AC(VHT40) Mode\_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	7.43	0.00	7.43	14.00	Complies
46	5230	7.11	0.00	7.11	14.00	Complies

**CH38**



Date: 24.JUN.2024 09:23:58

**CH46**




Date: 24.JUN.2024 09:33:09

Test Mode UNII-1\_TX AC(VHT40) Mode\_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	7.37	0.00	7.37	14.00	Complies
46	5230	7.03	0.00	7.03	14.00	Complies

**CH38**



Date: 24.JUN.2024 09:24:42



**CH46**



Date: 24.JUN.2024 09:32:20



Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	7.75	0.00	7.75	14.00	Complies
46	5230	7.63	0.00	7.63	14.00	Complies



Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	7.35	0.00	7.35	14.00	Complies
46	5230	7.11	0.00	7.11	14.00	Complies




Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	13.50	14.00	Complies
46	5230	13.25	14.00	Complies


Test Mode UNII-1\_TX AC(VHT80) Mode\_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	5.72	0.00	5.72	14.00	Complies




Test Mode UNII-1\_TX AC(VHT80) Mode\_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	5.78	0.00	5.78	14.00	Complies




Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	6.44	0.00	6.44	14.00	Complies



Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	6.07	0.00	6.07	14.00	Complies




Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	12.03	14.00	Complies




Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.28	0.00	7.28	14.00	Complies
40	5200	7.51	0.00	7.51	14.00	Complies
48	5240	7.42	0.00	7.42	14.00	Complies



Date: 24\_JUN.2024 11:08:45




Date: 24\_JUN.2024 11:11:35




Date: 24\_JUN.2024 11:14:20

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.82	0.00	7.82	14.00	Complies
40	5200	7.66	0.00	7.66	14.00	Complies
48	5240	7.37	0.00	7.37	14.00	Complies



Date: 24\_JUN.2024 11:08:13




Date: 24\_JUN.2024 11:10:58




Date: 24\_JUN.2024 11:15:00

Test Mode UNII-1\_TX AX(HE20) Mode\_Ant. 3


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.88	0.00	7.88	14.00	Complies
40	5200	7.91	0.00	7.91	14.00	Complies
48	5240	7.92	0.00	7.92	14.00	Complies



Date: 24\_JUN\_2024 11:06:41




Date: 24\_JUN\_2024 11:09:19




Date: 24\_JUN\_2024 11:15:41

Test Mode UNII-1\_TX AX(HE20) Mode\_Ant. 4


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.59	0.00	7.59	14.00	Complies
40	5200	7.72	0.00	7.72	14.00	Complies
48	5240	7.57	0.00	7.57	14.00	Complies



Date: 24\_JUN\_2024 11:07:35



Date: 24\_JUN\_2024 11:10:13



Date: 24\_JUN\_2024 11:16:13


Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	13.67	14.00	Complies
40	5200	13.72	14.00	Complies
48	5240	13.60	14.00	Complies

Test Mode UNII-1\_TX AX(HE40) Mode\_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	7.23	0.00	7.23	14.00	Complies
46	5230	7.68	0.00	7.68	14.00	Complies

**CH38**



Date: 24.JUN.2024 13:31:44

**CH46**




Date: 24.JUN.2024 13:37:02

Test Mode UNII-1\_TX AX(HE40) Mode\_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	7.47	0.00	7.47	14.00	Complies
46	5230	7.59	0.00	7.59	14.00	Complies

**CH38**



Date: 24.JUN.2024 11:59:06


**CH46**




Date: 24.JUN.2024 13:36:13

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	7.97	0.00	7.97	14.00	Complies
46	5230	7.83	0.00	7.83	14.00	Complies




Date: 24 JUN 2024 11:57:32




Date: 24 JUN 2024 13:04:21

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	7.66	0.00	7.66	14.00	Complies
46	5230	7.51	0.00	7.51	14.00	Complies



Date: 24 JUN 2024 11:58:17




Date: 24 JUN 2024 13:35:07

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	13.61	14.00	Complies
46	5230	13.67	14.00	Complies


Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	5.70	0.00	5.70	14.00	Complies




Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	5.77	0.00	5.77	14.00	Complies




Test Mode UNII-1\_TX AX(HE80) Mode\_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	6.39	0.00	6.39	14.00	Complies



Test Mode UNII-1\_TX AX(HE80) Mode\_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	6.25	0.00	6.25	14.00	Complies




Test Mode UNII-1\_TX AX(HE80) Mode\_Total


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	12.06	14.00	Complies

Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Mbe. Limit (dBm/MHz)	Result
36	5180	7.16	0.00	7.16	14.00	Complies
40	5200	7.32	0.00	7.32	14.00	Complies
48	5240	7.36	0.00	7.36	14.00	Complies



Date: 24 JUN 2024 16:14:25




Date: 24 JUN 2024 16:16:57




Date: 24 JUN 2024 16:20:58

Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Mbe. Limit (dBm/MHz)	Result
36	5180	7.69	0.00	7.69	14.00	Complies
40	5200	7.41	0.00	7.41	14.00	Complies
48	5240	7.25	0.00	7.25	14.00	Complies



Date: 24 JUN 2024 16:13:10



Date: 24 JUN 2024 16:16:25




Date: 24 JUN 2024 16:20:13




Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 3
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Mbe. Limit (dBm/MHz)	Result
36	5180	7.78	0.00	7.78	14.00	Complies
40	5200	7.91	0.00	7.91	14.00	Complies
48	5240	7.84	0.00	7.84	14.00	Complies



Date: 24\_JUN\_2024 16:11:46




Date: 24\_JUN\_2024 16:15:18




Date: 24\_JUN\_2024 16:18:05

Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 4
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Mbe. Limit (dBm/MHz)	Result
36	5180	7.20	0.00	7.20	14.00	Complies
40	5200	7.63	0.00	7.63	14.00	Complies
48	5240	7.60	0.00	7.60	14.00	Complies



Date: 24\_JUN\_2024 16:11:27



Date: 24\_JUN\_2024 16:15:52



Date: 24\_JUN\_2024 16:18:47


Test Mode	UNII-1_TX BE(EHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Mbe. Limit (dBm/MHz)	Result
36	5180	13.49	14.00	Complies
40	5200	13.59	14.00	Complies
48	5240	13.54	14.00	Complies

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Mbe. Limit (dBm/MHz)	Result
38	5190	7.34	0.00	7.34	14.00	Complies
46	5230	7.05	0.00	7.05	14.00	Complies

**CH38**



Date: 24.JUN.2024 16:58:46

**CH46**




Date: 24.JUN.2024 17:03:06

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Mbe. Limit (dBm/MHz)	Result
38	5190	7.23	0.00	7.23	14.00	Complies
46	5230	7.05	0.00	7.05	14.00	Complies

**CH38**



Date: 24.JUN.2024 16:57:56


**CH46**




Date: 24.JUN.2024 17:02:28

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Mbe. Limit (dBm/MHz)	Result
38	5190	7.74	0.00	7.74	14.00	Complies
46	5230	7.39	0.00	7.39	14.00	Complies




Date: 24 JUN 2024 16:56:34




Date: 24 JUN 2024 17:01:02

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Mbe. Limit (dBm/MHz)	Result
38	5190	7.44	0.00	7.44	14.00	Complies
46	5230	7.23	0.00	7.23	14.00	Complies



Date: 24 JUN 2024 16:57:19




Date: 24 JUN 2024 17:01:52

Test Mode	UNII-1_TX BE(EHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Mbe. Limit (dBm/MHz)	Result
38	5190	13.46	14.00	Complies
46	5230	13.20	14.00	Complies


Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Mbe. Limit (dBm/MHz)	Result
42	5210	5.61	0.00	5.61	14.00	Complies




Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Mbe. Limit (dBm/MHz)	Result
42	5210	5.83	0.00	5.83	14.00	Complies




Test Mode UNII-1\_TX BE(EHT80) Mode\_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Mbe. Limit (dBm/MHz)	Result
42	5210	6.39	0.00	6.39	14.00	Complies



Test Mode UNII-1\_TX BE(EHT80) Mode\_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Mbe. Limit (dBm/MHz)	Result
42	5210	6.01	0.00	6.01	14.00	Complies




Test Mode UNII-1\_TX BE(EHT80) Mode\_Total


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Mbe. Limit (dBm/MHz)	Result
42	5210	11.99	14.00	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	1.44	0.16	1.60	8.00	Complies
60	5300	1.70	0.16	1.86	8.00	Complies
64	5320	1.64	0.16	1.80	8.00	Complies



Date: 23\_JUN\_2024 16:22:13




Date: 23\_JUN\_2024 16:22:46




Date: 23\_JUN\_2024 16:23:04

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	1.48	0.16	1.64	8.00	Complies
60	5300	1.38	0.16	1.54	8.00	Complies
64	5320	1.27	0.16	1.43	8.00	Complies



Date: 23\_JUN\_2024 16:23:52




Date: 23\_JUN\_2024 16:24:08




Date: 23\_JUN\_2024 16:24:30

Test Mode	UNII-2A_TX A Mode_Ant. 3
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	1.07	0.16	1.23	8.00	Complies
60	5300	1.37	0.16	1.53	8.00	Complies
64	5320	1.46	0.16	1.62	8.00	Complies



Date: 23\_JUN\_2024 16:25:20




Date: 23\_JUN\_2024 16:25:17




Date: 23\_JUN\_2024 16:25:13

Test Mode	UNII-2A_TX A Mode_Ant. 4
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	1.24	0.16	1.40	8.00	Complies
60	5300	1.15	0.16	1.31	8.00	Complies
64	5320	1.41	0.16	1.57	8.00	Complies



Date: 23\_JUN\_2024 16:26:29



Date: 23\_JUN\_2024 16:26:44



Date: 23\_JUN\_2024 16:27:05




Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	7.49	8.00	Complies
60	5300	7.58	8.00	Complies
64	5320	7.62	8.00	Complies

Test Mode UNII-2A\_TX AC(VHT20) Mode\_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	1.72	0.00	1.72	8.00	Complies
60	5300	1.53	0.00	1.53	8.00	Complies
64	5320	1.55	0.00	1.55	8.00	Complies



Date: 23\_JUN\_2024 16:55:46




Date: 23\_JUN\_2024 16:57:02




Date: 23\_JUN\_2024 16:57:29

Test Mode UNII-2A\_TX AC(VHT20) Mode\_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	1.79	0.00	1.79	8.00	Complies
60	5300	1.26	0.00	1.26	8.00	Complies
64	5320	1.16	0.00	1.16	8.00	Complies



Date: 23\_JUN\_2024 17:01:18






Date: 23\_JUN\_2024 17:01:39



Date: 23\_JUN\_2024 17:01:55




Test Mode UNII-2A\_TX AC(VHT20) Mode\_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	1.37	0.00	1.37	8.00	Complies
60	5300	1.15	0.00	1.15	8.00	Complies
64	5320	1.34	0.00	1.34	8.00	Complies



Test Mode UNII-2A\_TX AC(VHT20) Mode\_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	1.46	0.00	1.46	8.00	Complies
60	5300	0.91	0.00	0.91	8.00	Complies
64	5320	1.18	0.00	1.18	8.00	Complies




Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	7.61	8.00	Complies
60	5300	7.24	8.00	Complies
64	5320	7.33	8.00	Complies

Test Mode UNII-2A\_TX AC(VHT40) Mode\_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	1.20	0.00	1.20	8.00	Complies
62	5310	1.45	0.00	1.45	8.00	Complies

**CH54**



Date: 24.JUN.2024 09:37:25

**CH62**




Date: 24.JUN.2024 09:43:47

Test Mode UNII-2A\_TX AC(VHT40) Mode\_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	1.27	0.00	1.27	8.00	Complies
62	5310	1.70	0.00	1.70	8.00	Complies

**CH54**



Date: 24.JUN.2024 09:38:13


**CH62**




Date: 24.JUN.2024 09:43:01

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	1.71	0.00	1.71	8.00	Complies
62	5310	1.79	0.00	1.79	8.00	Complies




Date: 24 JUN 2024 09:35:54




Date: 24 JUN 2024 09:40:33

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	1.44	0.00	1.44	8.00	Complies
62	5310	1.77	0.00	1.77	8.00	Complies



Date: 24 JUN 2024 09:36:43




Date: 24 JUN 2024 09:42:02

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	7.43	8.00	Complies
62	5310	7.70	8.00	Complies

Test Mode UNII-2A\_TX AC(VHT80) Mode\_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-0.64	0.00	-0.64	8.00	Complies



Test Mode UNII-2A\_TX AC(VHT80) Mode\_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-0.62	0.00	-0.62	8.00	Complies

