



Test Mode UNII-5_TX BE(EHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
35	6125	-10.66	0.00	-1.66	5.00	Complies
59	6245	-10.56	0.00	-1.56	5.00	Complies
91	6405	-10.33	0.00	-1.33	5.00	Complies


CH35



CH59




CH91




Test Mode UNII-5_TX BE(EHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
35	6125	-10.47	0.00	-1.47	5.00	Complies
59	6245	-10.87	0.00	-1.87	5.00	Complies
91	6405	-10.50	0.00	-1.50	5.00	Complies


CH35



CH59




CH91




Test Mode UNII-5_TX BE(EHT40) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
35	6125	-10.72	0.00	-1.72	5.00	Complies
59	6245	-10.73	0.00	-1.73	5.00	Complies
91	6405	-10.60	0.00	-1.60	5.00	Complies


CH35



CH59




CH91




Test Mode UNII-5_TX BE(EHT40) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
35	6125	-10.66	0.00	-1.66	5.00	Complies
59	6245	-10.82	0.00	-1.82	5.00	Complies
91	6405	-10.88	0.00	-1.88	5.00	Complies


CH35



CH59



CH91




Test Mode	UNII-5_TX BE(EHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
35	6125	4.39	5.00	Complies
59	6245	4.28	5.00	Complies
91	6405	4.45	5.00	Complies


Test Mode UNII-5_TX BE(EHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
39	6145	-10.66	0.00	-1.66	5.00	Complies
55	6225	-10.46	0.00	-1.46	5.00	Complies
87	6385	-10.58	0.00	-1.58	5.00	Complies


CH39



CH55




CH87




Test Mode UNII-5_TX BE(EHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
39	6145	-10.49	0.00	-1.49	5.00	Complies
55	6225	-10.68	0.00	-1.68	5.00	Complies
87	6385	-10.82	0.00	-1.82	5.00	Complies


CH39



CH55




CH87




Test Mode	UNII-5_TX BE(EHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
39	6145	-10.56	0.00	-1.56	5.00	Complies
55	6225	-10.43	0.00	-1.43	5.00	Complies
87	6385	-10.95	0.00	-1.95	5.00	Complies



Test Mode	UNII-5_TX BE(EHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
39	6145	-10.71	0.00	-1.71	5.00	Complies
55	6225	-10.51	0.00	-1.51	5.00	Complies
87	6385	-11.06	0.00	-2.06	5.00	Complies




Test Mode	UNII-5_TX BE(EHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
39	6145	4.42	5.00	Complies
55	6225	4.50	5.00	Complies
87	6385	4.17	5.00	Complies


Test Mode UNII-5_TX BE(EHT160) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
47	6185	-10.49	0.00	-1.49	5.00	Complies
79	6345	-10.23	0.00	-1.23	5.00	Complies

CH47




CH79




Test Mode UNII-5_TX BE(EHT160) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
47	6185	-10.54	0.00	-1.54	5.00	Complies
79	6345	-10.47	0.00	-1.47	5.00	Complies

CH47





CH79





Test Mode	UNII-5_TX BE(EHT160) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
47	6185	-10.75	0.00	-1.75	5.00	Complies
79	6345	-10.41	0.00	-1.41	5.00	Complies

CH47

CH79


Test Mode	UNII-5_TX BE(EHT160) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
47	6185	-10.34	0.00	-1.34	5.00	Complies
79	6345	-10.34	0.00	-1.34	5.00	Complies

CH47

CH79



Test Mode	UNII-5_TX BE(EHT160) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
47	6185	4.49	5.00	Complies
79	6345	4.66	5.00	Complies

Test Mode UNII-5_TX BE(EHT320) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
63	6265	-11.01	0.00	-2.01	5.00	Complies


CH63



Test Mode UNII-5_TX BE(EHT320) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
63	6265	-10.87	0.00	-1.87	5.00	Complies


CH63



Test Mode UNII-5_TX BE(EHT320) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
63	6265	-11.19	0.00	-2.19	5.00	Complies


CH63



Test Mode UNII-5_TX BE(EHT320) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
63	6265	-11.11	0.00	-2.11	5.00	Complies

CH63




Test Mode	UNII-5_TX BE(EHT320) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
63	6265	3.98	5.00	Complies


Test Mode UNII-6_TX AX(HE20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
97	6435	-10.00	0.00	-1.00	5.00	Complies
105	6475	-10.38	0.00	-1.38	5.00	Complies
113	6515	-10.43	0.00	-1.43	5.00	Complies


CH97



CH105




CH113




Test Mode UNII-6_TX AX(HE20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
97	6435	-10.60	0.00	-1.60	5.00	Complies
105	6475	-10.70	0.00	-1.70	5.00	Complies
113	6515	-10.39	0.00	-1.39	5.00	Complies


CH97



CH105




CH113




Test Mode UNII-6_TX AX(HE20) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
97	6435	-10.16	0.00	-1.16	5.00	Complies
105	6475	-10.49	0.00	-1.49	5.00	Complies
113	6515	-10.35	0.00	-1.35	5.00	Complies


CH97



CH105




CH113




Test Mode UNII-6_TX AX(HE20) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
97	6435	-10.14	0.00	-1.14	5.00	Complies
105	6475	-10.37	0.00	-1.37	5.00	Complies
113	6515	-10.18	0.00	-1.18	5.00	Complies


CH97



CH105



CH113




Test Mode	UNII-6_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
97	6435	4.80	5.00	Complies
105	6475	4.54	5.00	Complies
113	6515	4.68	5.00	Complies


Test Mode UNII-6_TX AX(HE40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
99	6445	-10.38	0.00	-1.38	5.00	Complies
107	6485	-10.48	0.00	-1.48	5.00	Complies

CH99




CH107




Test Mode UNII-6_TX AX(HE40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
99	6445	-10.75	0.00	-1.75	5.00	Complies
107	6485	-10.16	0.00	-1.16	5.00	Complies

CH99




CH107




Test Mode UNII-6_TX AX(HE40) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
99	6445	-10.85	0.00	-1.85	5.00	Complies
107	6485	-10.14	0.00	-1.14	5.00	Complies

CH99




CH107




Test Mode UNII-6_TX AX(HE40) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
99	6445	-10.81	0.00	-1.81	5.00	Complies
107	6485	-10.47	0.00	-1.47	5.00	Complies

CH99



CH107




Test Mode	UNII-6_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
99	6445	4.33	5.00	Complies
107	6485	4.71	5.00	Complies

Test Mode UNII-6_TX AX(HE80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
103	6465	-10.56	0.00	-1.56	5.00	Complies



Test Mode UNII-6_TX AX(HE80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
103	6465	-10.72	0.00	-1.72	5.00	Complies

